



ELSEVIER

Journal of Chromatography A, 855 (1999) 731–742

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 855

Acetylbencocaine

Liquid chromatographic determination of benzocaine and N-acetylbencocaine in the edible fillet tissue from rainbow trout 855(1999)255

Acylglycerols

Preparative thin-layer chromatographic separation and subsequent gas chromatographic–mass spectrometric analysis of monoacylglycerols derived from butter oil by fungal degradation 855(1999)617

Adsorbents

Evaluation of a dual-sorbent trap for monitoring organic compounds in air 855(1999)593

Air analysis

Evaluation of a dual-sorbent trap for monitoring organic compounds in air 855(1999)593

Albumin

Macroporous poly(glycidyl methacrylate–triallyl isocyanurate–divinylbenzene) matrix as an anion-exchange resin for protein adsorption 855(1999)129

Alcohols

Gas chromatographic determination of primary alcohols as their formylbenzoic esters by gas-phase luminescence detection 855(1999)583

Comparison of continuous subcritical water extraction and hydrodistillation of marjoram essential oil 855(1999)625

Alkaline phosphatase

Enzyme amplification as detection tool in continuous-flow systems I. Development of an enzyme-amplified biochemical detection system coupled on-line to flow-injection analysis 855(1999)383

Enzyme amplification as detection tool in continuous-flow systems II. On-line coupling of liquid chromatography to enzyme-amplified biochemical detection after pre-column derivatization with biotin 855(1999)397

Alkaloids

Capillary electrophoresis separation and permanganate chemiluminescence on-line detection of some alkaloids with β -cyclodextrin as an additive 855(1999)329

Amines

Comparative study of divalent metals and amines as silanol-blocking agents in reversed-phase liquid chromatography 855(1999)121

Amino acids

Determination of 20 underivatized proteinic amino acids by ion-pairing chromatography and pneumatically assisted electrospray mass spectrometry 855(1999)191

Amino(methylsulfanyl)phenyldiazanylphenylsulfonylethanol

Determination of gas phase peroxyacetic acid using pre-column derivatization with organic sulfide reagents and liquid chromatography 855(1999)551

Amylose stationary phases

Application and comparison of derivatized cellulose and amylose chiral stationary phases for the separation of enantiomers of pharmaceutical compounds by high-performance liquid chromatography 855(1999)411

Anilines

Capillary electrochromatography with a silica column with a dynamically modified cationic surfactant 855(1999)137

Anthracenes

Capillary column supercritical fluid chromatography–atmospheric pressure ionisation mass spectrometry. Interface performance of atmospheric pressure chemical ionisation and electrospray ionisation 855(1999)317

Anion exchangers

Application of experimental design for the characterisation of a novel elution system for high-capacity anion chromatography with suppressed conductivity detection 855(1999)91

Antibiotics

Application of ion-exchange cartridge clean-up in food analysis II. Determination of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in meat using liquid chromatography with ultraviolet detection 855(1999)247

Apis spp

Investigation of combwax of honeybees with high-temperature gas chromatography and high-temperature gas chromatography–chemical ionization mass spectrometry I. High-temperature gas chromatography 855(1999)601

Apples

Fractionation of apple procyanidins by size-exclusion chromatography 855(1999)181

Arsenic

Understanding of peak deterioration in hyphenated speciation systems due to gas–liquid separation in the hydride generation interface 855(1999)291

Astaxanthin

Reproducibility of the separation of astaxanthin stereoisomers on Pirkle covalent L-leucine and D-phenylglycine columns 855(1999)157

Atmospheric pressure ionisation

Capillary column supercritical fluid chromatography–atmospheric pressure ionisation mass spectrometry. Interface performance of atmospheric pressure chemical ionisation and electrospray ionisation 855(1999)317

Band profiles

Dynamics of capillary electrochromatography II. Comparison of column efficiency parameters in microscale high-performance liquid chromatography and capillary electrochromatography 855(1999)349

Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns III. Results obtained with Kromasil C₁₈ columns 855(1999)423

Barium

Comparative study of divalent metals and amines as silanol-blocking agents in reversed-phase liquid chromatography 855(1999)121

Beeswax

Investigation of combwax of honeybees with high-temperature gas chromatography and high-temperature gas chromatography–chemical ionization mass spectrometry I. High-temperature gas chromatography 855(1999)601

Benzenes

Capillary electrochromatography with a silica column with a dynamically modified cationic surfactant 855(1999)137

Benzocaine

Liquid chromatographic determination of benzocaine and N-acetylbenzocaine in the edible fillet tissue from rainbow trout 855(1999)255

Benzo[a]pyrene

Separation and identification of polar degradation products of benzo[a]pyrene with ozone by atmospheric pressure chemical ionization–mass spectrometry after optimized column chromatographic clean-up 855(1999)501

Benzylpenicillin

Application of ion-exchange cartridge clean-up in food analysis II. Determination of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in meat using liquid chromatography with ultraviolet detection 855(1999)247

Biotin

Enzyme amplification as detection tool in continuous-flow systems I. Development of an enzyme-amplified biochemical detection system coupled on-line to flow-injection analysis 855(1999)383

Enzyme amplification as detection tool in continuous-flow systems II. On-line coupling of liquid chromatography to enzyme-amplified biochemical detection after pre-column derivatization with biotin 855(1999)397

β-Blockers

Rapid development of the enantiomeric separation of β-blockers by capillary electrophoresis using an experimental design approach 855(1999)681

Buffer composition

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants II. Cationic additives and modifiers of the electroosmotic flow 855(1999)669

Butanedione monoxime

Identification of 2,3-butanedione monoxime hydrogenation products by gas chromatography–mass spectrometry in an ion trap mass spectrometer 855(1999)341

Calcium

Comparative study of divalent metals and amines as silanol-blocking agents in reversed-phase liquid chromatography 855(1999)121

Capillary electrophoresis

Capillary electrophoresis separation and permanganate chemiluminescence on-line detection of some alkaloids with β-cyclodextrin as an additive 855(1999)329

Carboxylic acids, Perfluorinated

Determination of 20 underivatized proteinic amino acids by ion-pairing chromatography and pneumatically assisted electrospray mass spectrometry 855(1999)191

Caseins

Analysis of recombinant and modified proteins by capillary zone electrophoresis coupled with electrospray ionization tandem mass spectrometry 855(1999)695

Cellulose stationary phases

Application and comparison of derivatized cellulose and amylose chiral stationary phases for the separation of enantiomers of pharmaceutical compounds by high-performance liquid chromatography 855(1999)411

Cetyltrimethylammonium coating

Determination of inorganic anions by ion chromatography using a graphitized carbon column dynamically coated with cetyltrimethylammonium ions 855(1999)261

Chemiluminescence detection

Determination of polyphenols by high-performance liquid chromatography with inhibited chemiluminescence detection 855(1999)171

Capillary electrophoresis separation and permanganate chemiluminescence on-line detection of some alkaloids with β -cyclodextrin as an additive 855(1999)329

Chemometrics

Application of several modified peak purity assays to real complex multicomponent mixtures by high-performance liquid chromatography with diode-array detection 855(1999)487

Chiral stationary phases, LC

Application and comparison of derivatized cellulose and amylose chiral stationary phases for the separation of enantiomers of pharmaceutical compounds by high-performance liquid chromatography 855(1999)411

Chlorsulfuron

Determination of sulfonylurea degradation products in soil by liquid chromatography–ultraviolet detection followed by confirmatory liquid chromatography–tandem mass spectrometry 855(1999)575

Cloxacillin

Application of ion-exchange cartridge clean-up in food analysis II. Determination of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in meat using liquid chromatography with ultraviolet detection 855(1999)247

Chromarod

Separation of paralytic shellfish poisoning toxins on Chromarods-SIII by thin-layer chromatography with the Iatroskan (mark 5) and flame thermionic detection 855(1999)657

Continuous subcritical water extraction

Comparison of continuous subcritical water extraction and hydrodistillation of marjoram essential oil 855(1999)625

Coumarin

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants II. Cationic additives and modifiers of the electroosmotic flow 855(1999)669

Croton oil

Fast, sensitive and selective liquid chromatographic–tandem mass spectrometric determination of tumor-promoting diterpene esters 855(1999)563

Curve resolution

Application of several modified peak purity assays to real complex multicomponent mixtures by high-performance liquid chromatography with diode-array detection 855(1999)487

Cyanate

Ion chromatographic determination of cyanate in saline gold processing samples 855(1999)267

 β -Cyclodextrins

Electrospray mass spectrometry and supercritical fluid chromatography of methylated β -cyclodextrins 855(1999)645

Derivatization, GC

Gas chromatographic determination of primary alcohols as their formylbenzoic esters by gas-phase luminescence detection 855(1999)583

Investigation of combwax of honeybees with high-temperature gas chromatography and high-temperature gas chromatography–chemical ionization mass spectrometry I. High-temperature gas chromatography 855(1999)601

Derivatization, LC

Enzyme amplification as detection tool in continuous-flow systems II. On-line coupling of liquid chromatography to enzyme-amplified biochemical detection after pre-column derivatization with biotin 855(1999)397

Determination of gas phase peroxyacetic acid using pre-column derivatization with organic sulfide reagents and liquid chromatography 855(1999)551

Detection, FIA

Enzyme amplification as detection tool in continuous-flow systems I. Development of an enzyme-amplified biochemical detection system coupled on-line to flow-injection analysis 855(1999)383

Detection, GC

Gas chromatographic determination of primary alcohols as their formylbenzoic esters by gas-phase luminescence detection 855(1999)583

Detection, LC

Determination of polyphenols by high-performance liquid chromatography with inhibited chemiluminescence detection 855(1999)171

Enzyme amplification as detection tool in continuous-flow systems II. On-line coupling of liquid chromatography to enzyme-amplified biochemical detection after pre-column derivatization with biotin 855(1999)397

Application of experimental design for the characterisation of a novel elution system for high-capacity anion chromatography with suppressed conductivity detection 855(1999)91

Detection, SFC

Capillary column supercritical fluid chromatography–atmospheric pressure ionisation mass spectrometry. Interface performance of atmospheric pressure chemical ionisation and electrospray ionisation 855(1999)317

Detection, TLC

Separation of paralytic shellfish poisoning toxins on Chromarods-SIII by thin-layer chromatography with the Iatroskan (mark 5) and flame thermionic detection 855(1999)657

Dicloxacillin

Application of ion-exchange cartridge clean-up in food analysis II. Determination of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in meat using liquid chromatography with ultraviolet detection 855(1999)247

Diets

Determination of folate vitamers in food and in Italian reference diet by high-performance liquid chromatography 855(1999)237

Disaccharides

Isocratic separations of closely-related mono- and disaccharides by high-performance anion-exchange chromatography with pulsed amperometric detection using dilute alkaline spiked with barium acetate 855(1999)539

Diterpenes

Fast, sensitive and selective liquid chromatographic–tandem mass spectrometric determination of tumor-promoting diterpene esters 855(1999)563

DNA

Modified apparatus for voltage gradient gel electrophoresis 855(1999)723

Dynamically modified silica capillary electrochromatography

Capillary electrochromatography with a silica column with a dynamically modified cationic surfactant 855(1999)137

Efficiency

Dynamics of capillary electrochromatography II. Comparison of column efficiency parameters in microscale high-performance liquid chromatography and capillary electrochromatography 855(1999)349

Electrochromatograph

Capillary columns with in situ formed porous monolithic packing for micro high-performance liquid chromatography and capillary electrochromatography 855(1999)273

Electrochromatography

Capillary electrochromatography with a silica column with a dynamically modified cationic surfactant 855(1999)137

Comparison of capillary electrochromatography with high-performance liquid chromatography for the analysis of pirimicarb and related compounds 855(1999)215

Dynamics of capillary electrochromatography II. Comparison of column efficiency parameters in microscale high-performance liquid chromatography and capillary electrochromatography 855(1999)349

Electroosmotic flow

Capillary columns with in situ formed porous monolithic packing for micro high-performance liquid chromatography and capillary electrochromatography 855(1999)273

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants II. Cationic additives and modifiers of the electroosmotic flow 855(1999)669

Enantiomer separation

Application and comparison of derivatized cellulose and amylose chiral stationary phases for the separation of enantiomers of pharmaceutical compounds by high-performance liquid chromatography 855(1999)411

Rapid development of the enantiomeric separation of β -blockers by capillary electrophoresis using an experimental design approach 855(1999)681

Enzyme amplification

Enzyme amplification as detection tool in continuous-flow systems I. Development of an enzyme-amplified biochemical detection system coupled on-line to flow-injection analysis 855(1999)383

Enzyme amplification as detection tool in continuous-flow systems II. On-line coupling of liquid chromatography to enzyme-amplified biochemical detection after pre-column derivatization with biotin 855(1999)397

Enzymes

A simple assay for formate dehydrogenase activity by gas chromatography–mass spectrometry 855(1999)337

Eriochrome Black T

Eriochrome Black T as a post-column reagent for the ion chromatographic determination of rare earths 855(1999)111

Escherichia coli

Renaturation of heterodimeric platelet-derived growth factor from inclusion bodies of recombinant *Escherichia coli* using size-exclusion chromatography 855(1999)203

Essential oils

Comparison of continuous subcritical water extraction and hydrodistillation of marjoram essential oil 855(1999)625

Euphorbia leuconeura

Fast, sensitive and selective liquid chromatographic–tandem mass spectrometric determination of tumor-promoting diterpene esters 855(1999)563

Experimental design

Rapid development of the enantiomeric separation of β -blockers by capillary electrophoresis using an experimental design approach 855(1999)681

Application of experimental design for the characterisation of a novel elution system for high-capacity anion chromatography with suppressed conductivity detection 855(1999)91

Extraction methods

Evaluation of a dual-sorbent trap for monitoring organic compounds in air 855(1999)593

Comparison of continuous subcritical water extraction and hydrodistillation of marjoram essential oil 855(1999)625

Fatty acids

Capillary column supercritical fluid chromatography–atmospheric pressure ionisation mass spectrometry. Interface performance of atmospheric pressure chemical ionisation and electrospray ionisation 855(1999)317

Filters

Adaptive numerical morphological filter for identifying chromatographic signals 855(1999)305

Fish

Liquid chromatographic determination of benzocaine and N-acetylbenzocaine in the edible fillet tissue from rainbow trout 855(1999)255

Flame thermionic detection

Separation of paralytic shellfish poisoning toxins on Chromarods-SIII by thin-layer chromatography with the Iatroscan (mark 5) and flame thermionic detection 855(1999)657

Flow injection analysis

Enzyme amplification as detection tool in continuous-flow systems I. Development of an enzyme-amplified biochemical detection system coupled on-line to flow-injection analysis 855(1999)383

Folate vitamers

Determination of folate vitamers in food and in Italian reference diet by high-performance liquid chromatography 855(1999)237

Food analysis

Fractionation of apple procyanidins by size-exclusion chromatography 855(1999)181

Determination of folate vitamers in food and in Italian reference diet by high-performance liquid chromatography 855(1999)237

Liquid chromatographic determination of benzocaine and N-acetylbenzocaine in the edible fillet tissue from rainbow trout 855(1999)255

Liquid chromatographic–mass spectrometric determination of phenolic compounds using a capillary-scale particle beam interface 855(1999)515

Formate dehydrogenase

A simple assay for formate dehydrogenase activity by gas chromatography–mass spectrometry 855(1999)337

Formic acid

A simple assay for formate dehydrogenase activity by gas chromatography–mass spectrometry 855(1999)337

Frit diameter

Visualization of sample introduction in liquid chromatography columns. The effect of the frit diameter 855(1999)367

Fruit juices

Fractionation of apple procyanidins by size-exclusion chromatography 855(1999)181

Fruits

Fractionation of apple procyanidins by size-exclusion chromatography 855(1999)181

Gas–liquid separation interface

Understanding of peak deterioration in hyphenated speciation systems due to gas–liquid separation in the hydride generation interface 855(1999)291

Gas-phase luminescence detection

Gas chromatographic determination of primary alcohols as their formylbenzoic esters by gas-phase luminescence detection 855(1999)583

Glycerols

Preparative thin-layer chromatographic separation and subsequent gas chromatographic–mass spectrometric analysis of monoacylglycerols derived from butter oil by fungal degradation 855(1999)617

Gonyautoxin

Separation of paralytic shellfish poisoning toxins on Chromarods-SIII by thin-layer chromatography with the Iatroscan (mark 5) and flame thermionic detection 855(1999)657

Graphitized carbon

Determination of inorganic anions by ion chromatography using a graphitized carbon column dynamically coated with cetyltrimethylammonium ions 855(1999)261

Growth factors

Renaturation of heterodimeric platelet-derived growth factor from inclusion bodies of recombinant *Escherichia coli* using size-exclusion chromatography 855(1999)203

Growth hormone

Separation of oxidized and deamidated human growth hormone variants by isocratic reversed-phase high-performance liquid chromatography 855(1999)147

Hexoses

Isocratic separations of closely-related mono- and disaccharides by high-performance anion-exchange chromatography with pulsed amperometric detection using dilute alkaline spiked with barium acetate 855(1999)539

Hydride generation

Understanding of peak deterioration in hyphenated speciation systems due to gas-liquid separation in the hydride generation interface 855(1999)291

Indole

Determination of indole-3-acetic acid, tryptophan and other indoles in must and wine by high-performance liquid chromatography with fluorescence detection 855(1999)227

Indole-3-acetic acid

Determination of indole-3-acetic acid, tryptophan and other indoles in must and wine by high-performance liquid chromatography with fluorescence detection 855(1999)227

Ingenol

Fast, sensitive and selective liquid chromatographic-tandem mass spectrometric determination of tumor-promoting diterpene esters 855(1999)563

Inorganic anions

Determination of inorganic anions by ion chromatography using a graphitized carbon column dynamically coated with cetyltrimethylammonium ions 855(1999)261

Instrumentation

Capillary column supercritical fluid chromatography-atmospheric pressure ionisation mass spectrometry. Interface performance of atmospheric pressure chemical ionisation and electrospray ionisation 855(1999)317

Modified apparatus for voltage gradient gel electrophoresis 855(1999)723

Interfaces

Liquid chromatographic-mass spectrometric determination of phenolic compounds using a capillary-scale particle beam interface 855(1999)515

Interfaces, SFC-MS

Capillary column supercritical fluid chromatography-atmospheric pressure ionisation mass spectrometry. Interface performance of atmospheric pressure chemical ionisation and electrospray ionisation 855(1999)317

Interleukins

Analysis of recombinant and modified proteins by capillary zone electrophoresis coupled with electrospray ionization tandem mass spectrometry 855(1999)695

Ion-pairing reagents

Determination of 20 underivatized proteinic amino acids by ion-pairing chromatography and pneumatically assisted electrospray mass spectrometry 855(1999)191

Ions

Retention models for ions in chromatography 855(1999)3

Isoflavones

Separation and purification of isoflavones from *Pueraria lobata* by high-speed counter-current chromatography 855(1999)709

Kromasil C₁₈

Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns III. Results obtained with Kromasil C₁₈ columns 855(1999)423

Lactuloses

Isocratic separations of closely-related mono- and disaccharides by high-performance anion-exchange chromatography with pulsed amperometric detection using dilute alkaline spiked with barium acetate 855(1999)539

Lanthanides

Eriochrome Black T as a post-column reagent for the ion chromatographic determination of rare earths 855(1999)111

LC-MS

Liquid chromatographic-mass spectrometric determination of phenolic compounds using a capillary-scale particle beam interface 855(1999)515

Legumes

Determination of folate vitamers in food and in Italian reference diet by high-performance liquid chromatography 855(1999)237

Lipids

Investigation of combwax of honeybees with high-temperature gas chromatography and high-temperature gas chromatography-chemical ionization mass spectrometry I. High-temperature gas chromatography 855(1999)601

Preparative thin-layer chromatographic separation and subsequent gas chromatographic-mass spectrometric analysis of monoacylglycerols derived from butter oil by fungal degradation 855(1999)617

Luminescence detection

Gas chromatographic determination of primary alcohols as their formylbenzoic esters by gas-phase luminescence detection 855(1999)583

Magnesium

Comparative study of divalent metals and amines as silanol-blocking agents in reversed-phase liquid chromatography 855(1999)121

Marjoram

Comparison of continuous subcritical water extraction and hydrodistillation of marjoram essential oil 855(1999)625

Mass spectrometry

Electrospray mass spectrometry and supercritical fluid chromatography of methylated β -cyclodextrins 855(1999)645

Mathematical models

Understanding of peak deterioration in hyphenated speciation systems due to gas-liquid separation in the hydride generation interface 855(1999)291

Metals

Understanding of peak deterioration in hyphenated speciation systems due to gas-liquid separation in the hydride generation interface 855(1999)291

Methylated cyclodextrin

Electrospray mass spectrometry and supercritical fluid chromatography of methylated β -cyclodextrins 855(1999)645

Methyltolyl sulfide

Determination of gas phase peroxyacetic acid using pre-column derivatization with organic sulfide reagents and liquid chromatography 855(1999)551

Metsulfuron-methyl

Determination of sulfonyleurea degradation products in soil by liquid chromatography-ultraviolet detection followed by confirmatory liquid chromatography-tandem mass spectrometry 855(1999)575

Micellar electrokinetic chromatography

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants II. Cationic additives and modifiers of the electroosmotic flow 855(1999)669

Mobile phase composition

Application of experimental design for the characterisation of a novel elution system for high-capacity anion chromatography with suppressed conductivity detection 855(1999)91

Comparative study of divalent metals and amines as silanol-blocking agents in reversed-phase liquid chromatography 855(1999)121

Determination of inorganic anions by ion chromatography using a graphitized carbon column dynamically coated with cetyltrimethylammonium ions 855(1999)261

Application and comparison of derivatized cellulose and amylose chiral stationary phases for the separation of enantiomers of pharmaceutical compounds by high-performance liquid chromatography 855(1999)411

Isocratic separations of closely-related mono- and disaccharides by high-performance anion-exchange chromatography with pulsed amperometric detection using dilute alkaline spiked with barium acetate 855(1999)539

Mobile phase flow

On the possibility of shear-driven chromatography: a theoretical performance analysis 855(1999)57

Monoacylglycerols

Preparative thin-layer chromatographic separation and subsequent gas chromatographic-mass spectrometric analysis of monoacylglycerols derived from butter oil by fungal degradation 855(1999)617

Monolithic capillary column

Capillary columns with in situ formed porous monolithic packing for micro high-performance liquid chromatography and capillary electrochromatography 855(1999)273

Monosaccharides

Isocratic separations of closely-related mono- and disaccharides by high-performance anion-exchange chromatography with pulsed amperometric detection using dilute alkaline spiked with barium acetate 855(1999)539

Morpholines

Application and comparison of derivatized cellulose and amylose chiral stationary phases for the separation of enantiomers of pharmaceutical compounds by high-performance liquid chromatography 855(1999)411

Morphological signals

Adaptive numerical morphological filter for identifying chromatographic signals 855(1999)305

Must

Determination of indole-3-acetic acid, tryptophan and other indoles in must and wine by high-performance liquid chromatography with fluorescence detection 855(1999)227

Nafcillin

Application of ion-exchange cartridge clean-up in food analysis II. Determination of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in meat using liquid chromatography with ultraviolet detection 855(1999)247

Needle Search

Application of several modified peak purity assays to real complex multicomponent mixtures by high-performance liquid chromatography with diode-array detection 855(1999)487

Neosaxitoxin

Separation of paralytic shellfish poisoning toxins on Chromarods-SIII by thin-layer chromatography with the Iatroscan (mark 5) and flame thermionic detection 855(1999)657

Nitrotoluenes

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants II. Cationic additives and modifiers of the electroosmotic flow 855(1999)669

Nylon 6,6

Supercritical fluid extraction of nylon 6,6 oligomers and their characterization via liquid chromatography coupled with mass spectrometry 855(1999)715

Oils

Fast, sensitive and selective liquid chromatographic–tandem mass spectrometric determination of tumor-promoting diterpene esters 855(1999)563

Preparative thin-layer chromatographic separation and subsequent gas chromatographic–mass spectrometric analysis of monoacylglycerols derived from butter oil by fungal degradation 855(1999)617

Oleuropein

Liquid chromatography with electrospray ionisation mass spectrometric detection of phenolic compounds from *Olea europaea* 855(1999)529

Olives

Liquid chromatography with electrospray ionisation mass spectrometric detection of phenolic compounds from *Olea europaea* 855(1999)529

Optimization

Optimization of throughput and desorbent consumption in simulated moving-bed chromatography for paclitaxel purification 855(1999)71

Organic acids

Liquid chromatographic–mass spectrometric determination of phenolic compounds using a capillary-scale particle beam interface 855(1999)515

Organochlorine compounds

Multiresidue determination of persistent organochlorine and organophosphorus compounds in whale tissues using automated liquid chromatographic clean up and gas chromatographic–mass spectrometric detection 855(1999)633

Organophosphorous compounds

Multiresidue determination of persistent organochlorine and organophosphorus compounds in whale tissues using automated liquid chromatographic clean up and gas chromatographic–mass spectrometric detection 855(1999)633

Orthogonal projection

Application of several modified peak purity assays to real complex multicomponent mixtures by high-performance liquid chromatography with diode-array detection 855(1999)487

Oxacillin

Application of ion-exchange cartridge clean-up in food analysis II. Determination of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in meat using liquid chromatography with ultraviolet detection 855(1999)247

Ozone

Separation and identification of polar degradation products of benzo[a]pyrene with ozone by atmospheric pressure chemical ionization–mass spectrometry after optimized column chromatographic clean-up 855(1999)501

Paclitaxel

Optimization of throughput and desorbent consumption in simulated moving-bed chromatography for paclitaxel purification 855(1999)71

Paralytic shellfish poisoning toxins

Separation of paralytic shellfish poisoning toxins on Chromarods-SIII by thin-layer chromatography with the Iatroscan (mark 5) and flame thermionic detection 855(1999)657

Peak purity

Application of several modified peak purity assays to real complex multicomponent mixtures by high-performance liquid chromatography with diode-array detection 855(1999)487

Penicillium roquefortii

Preparative thin-layer chromatographic separation and subsequent gas chromatographic–mass spectrometric analysis of monoacylglycerols derived from butter oil by fungal degradation 855(1999)617

Peptides

Capillary electrochromatography with a silica column with a dynamically modified cationic surfactant 855(1999)137

Capillary columns with in situ formed porous monolithic packing for micro high-performance liquid chromatography and capillary electrochromatography 855(1999)273

Analysis of recombinant and modified proteins by capillary zone electrophoresis coupled with electrospray ionization tandem mass spectrometry 855(1999)695

Permanganate

Capillary electrophoresis separation and permanganate chemiluminescence on-line detection of some alkaloids with β -cyclodextrin as an additive 855(1999)329

Peroxides

Determination of gas phase peroxyacetic acid using pre-column derivatization with organic sulfide reagents and liquid chromatography 855(1999)551

Peroxyacetic acid

Determination of gas phase peroxyacetic acid using pre-column derivatization with organic sulfide reagents and liquid chromatography 855(1999)551

Pesticides

Multiresidue determination of persistent organochlorine and organophosphorus compounds in whale tissues using automated liquid chromatographic clean up and gas chromatographic–mass spectrometric detection 855(1999)633

Pharmaceutical analysis

Application and comparison of derivatized cellulose and amylose chiral stationary phases for the separation of enantiomers of pharmaceutical compounds by high-performance liquid chromatography 855(1999)411

Separation and purification of isoflavones from *Pueraria lobata* by high-speed counter-current chromatography 855(1999)709

Phenolic compounds

Liquid chromatographic–mass spectrometric determination of phenolic compounds using a capillary-scale particle beam interface 855(1999)515

Liquid chromatography with electrospray ionisation mass spectrometric detection of phenolic compounds from *Olea europaea* 855(1999)529

Phenoxymethylpenicillin

Application of ion-exchange cartridge clean-up in food analysis II. Determination of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in meat using liquid chromatography with ultraviolet detection 855(1999)247

Phenylamines

Capillary column supercritical fluid chromatography–atmospheric pressure ionisation mass spectrometry. Interface performance of atmospheric pressure chemical ionisation and electrospray ionisation 855(1999)317

Phorbol

Fast, sensitive and selective liquid chromatographic–tandem mass spectrometric determination of tumor-promoting diterpene esters 855(1999)563

Pinenes

Comparison of continuous subcritical water extraction and hydrodistillation of marjoram essential oil 855(1999)625

Piperonal

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants II. Cationic additives and modifiers of the electroosmotic flow 855(1999)669

Pirimcarb

Comparison of capillary electrochromatography with high-performance liquid chromatography for the analysis of pirimcarb and related compounds 855(1999)215

Plant materials

Fast, sensitive and selective liquid chromatographic–tandem mass spectrometric determination of tumor-promoting diterpene esters 855(1999)563

Separation and purification of isoflavones from *Pueraria lobata* by high-speed counter-current chromatography 855(1999)709

Poly(glycidyl methacrylate–triallyl isocyanurate–divinylbenzene) resins

Macroporous poly(glycidyl methacrylate–triallyl isocyanurate–divinylbenzene) matrix as an anion-exchange resin for protein adsorption 855(1999)129

Polynuclear aromatic aromatics

Separation and identification of polar degradation products of benzo[*a*]pyrene with ozone by atmospheric pressure chemical ionization–mass spectrometry after optimized column chromatographic clean-up 855(1999)501

Polyphenols

Determination of polyphenols by high-performance liquid chromatography with inhibited chemiluminescence detection 855(1999)171

Poly(styrene–divinylbenzene)

Capillary columns with in situ formed porous monolithic packing for micro high-performance liquid chromatography and capillary electrochromatography 855(1999)273

Processed meats

Determination of folate vitamers in food and in Italian reference diet by high-performance liquid chromatography 855(1999)237

Procyanidins

Fractionation of apple procyanidins by size-exclusion chromatography 855(1999)181

Proteins

Macroporous poly(glycidyl methacrylate–triallyl isocyanurate–divinylbenzene) matrix as an anion-exchange resin for protein adsorption 855(1999)129

Separation of oxidized and deamidated human growth hormone variants by isocratic reversed-phase high-performance liquid chromatography 855(1999)147

Renaturation of heterodimeric platelet-derived growth factor from inclusion bodies of recombinant *Escherichia coli* using size-exclusion chromatography 855(1999)203

Capillary columns with in situ formed porous monolithic packing for micro high-performance liquid chromatography and capillary electrochromatography 855(1999)273

Analysis of recombinant and modified proteins by capillary zone electrophoresis coupled with electrospray ionization tandem mass spectrometry 855(1999)695

Pueraria lobata

Separation and purification of isoflavones from *Pueraria lobata* by high-speed counter-current chromatography 855(1999)709

Puerarins

Separation and purification of isoflavones from *Pueraria lobata* by high-speed counter-current chromatography 855(1999)709

Pyrazines

Identification of 2,3-butanedione monoxime hydrogenation products by gas chromatography–mass spectrometry in an ion trap mass spectrometer 855(1999)341

Pyrazoles

Identification of 2,3-butanedione monoxime hydrogenation products by gas chromatography–mass spectrometry in an ion trap mass spectrometer 855(1999)341

Pyrimidines

Comparison of capillary electrochromatography with high-performance liquid chromatography for the analysis of pirimicarb and related compounds 855(1999)215

Pyrroles

Identification of 2,3-butanedione monoxime hydrogenation products by gas chromatography–mass spectrometry in an ion trap mass spectrometer 855(1999)341

Quantitative structure–retention relationships

Molecular mechanism of retention in reversed-phase high-performance liquid chromatography and classification of modern stationary phases by using quantitative structure–retention relationships 855(1999)455

Rare earth ions

Eriochrome Black T as a post-column reagent for the ion chromatographic determination of rare earths 855(1999)111

Retention data

Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns III. Results obtained with Kromasil C₁₈ columns 855(1999)423

Retention factors

Application of experimental design for the characterisation of a novel elution system for high-capacity anion chromatography with suppressed conductivity detection 855(1999)91

Comparison of capillary electrochromatography with high-performance liquid chromatography for the analysis of pirimicarb and related compounds 855(1999)215

Retention mechanisms

Molecular mechanism of retention in reversed-phase high-performance liquid chromatography and classification of modern stationary phases by using quantitative structure–retention relationships 855(1999)455

Retention models

Retention models for ions in chromatography 855(1999)3

Reviews

Retention models for ions in chromatography (Review) 855(1999)3

Saline gold processing samples

Ion chromatographic determination of cyanate in saline gold processing samples 855(1999)267

Sample introduction

Visualization of sample introduction in liquid chromatography columns. The effect of the frit diameter 855(1999)367

Saxitoxin

Separation of paralytic shellfish poisoning toxins on Chromarods-SIII by thin-layer chromatography with the Iatroscan (mark 5) and flame thermionic detection 855(1999)657

Selectivity

Comparison of capillary electrochromatography with high-performance liquid chromatography for the analysis of pirimicarb and related compounds 855(1999)215

Shear-driven chromatography

On the possibility of shear-driven chromatography: a theoretical performance analysis 855(1999)57

Signal processing

Adaptive numerical morphological filter for identifying chromatographic signals 855(1999)305

Silanol-blocking agents

Comparative study of divalent metals and amines as silanol-blocking agents in reversed-phase liquid chromatography 855(1999)121

SIMPLISMA

Application of several modified peak purity assays to real complex multicomponent mixtures by high-performance liquid chromatography with diode-array detection 855(1999)487

Simulated moving bed

Optimization of throughput and desorbent consumption in simulated moving-bed chromatography for paclitaxel purification 855(1999)71

Skatole

Determination of indole-3-acetic acid, tryptophan and other indoles in must and wine by high-performance liquid chromatography with fluorescence detection 855(1999)227

Soil

Determination of sulfonylurea degradation products in soil by liquid chromatography–ultraviolet detection followed by confirmatory liquid chromatography–tandem mass spectrometry 855(1999)575

Speciation

Understanding of peak deterioration in hyphenated speciation systems due to gas–liquid separation in the hydride generation interface 855(1999)291

Stationary phases, LC

Macroporous poly(glycidyl methacrylate–triallyl isocyanurate–divinylbenzene) matrix as an anion-exchange resin for protein adsorption 855(1999)129

Capillary electrochromatography with a silica column with a dynamically modified cationic surfactant 855(1999)137

Determination of inorganic anions by ion chromatography using a graphitized carbon column dynamically coated with cetyltrimethylammonium ions 855(1999)261

Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns III. Results obtained with Kromasil C₁₈ columns 855(1999)423

Molecular mechanism of retention in reversed-phase high-performance liquid chromatography and classification of modern stationary phases by using quantitative structure-retention relationships 855(1999)455

Stereoisomer separation

Reproducibility of the separation of astaxanthin stereoisomers on Pirkle covalent L-leucine and D-phenylglycine columns 855(1999)157

Subcritical water extraction

Comparison of continuous subcritical water extraction and hydrodistillation of marjoram essential oil 855(1999)625

Sulfonylurea

Determination of sulfonylurea degradation products in soil by liquid chromatography-ultraviolet detection followed by confirmatory liquid chromatography-tandem mass spectrometry 855(1999)575

Supercritical fluid chromatography

Electrospray mass spectrometry and supercritical fluid chromatography of methylated β -cyclodextrins 855(1999)645

Supercritical fluid chromatography-mass spectrometry

Capillary column supercritical fluid chromatography-atmospheric pressure ionisation mass spectrometry. Interface performance of atmospheric pressure chemical ionisation and electrospray ionisation 855(1999)317

Supercritical fluid extraction

Supercritical fluid extraction of nylon 6,6 oligomers and their characterization via liquid chromatography coupled with mass spectrometry 855(1999)715

Suppressed conductivity detection

Application of experimental design for the characterisation of a novel elution system for high-capacity anion chromatography with suppressed conductivity detection 855(1999)91

Surfactants

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants II. Cationic additives and modifiers of the electroosmotic flow 855(1999)669

Tannins

Fractionation of apple procyanidins by size-exclusion chromatography 855(1999)181

Terpenes

Fast, sensitive and selective liquid chromatographic-tandem mass spectrometric determination of tumor-promoting diterpene esters 855(1999)563

Thifensulfuron-methyl

Determination of sulfonylurea degradation products in soil by liquid chromatography-ultraviolet detection followed by confirmatory liquid chromatography-tandem mass spectrometry 855(1999)575

Thymus mastichina

Comparison of continuous subcritical water extraction and hydrodistillation of marjoram essential oil 855(1999)625

Tobacco

Determination of polyphenols by high-performance liquid chromatography with inhibited chemiluminescence detection 855(1999)171

Toxins

Separation of paralytic shellfish poisoning toxins on Chromarods-SIII by thin-layer chromatography with the Iatrosan (mark 5) and flame thermionic detection 855(1999)657

Tribenuron-methyl

Determination of sulfonylurea degradation products in soil by liquid chromatography-ultraviolet detection followed by confirmatory liquid chromatography-tandem mass spectrometry 855(1999)575

Tryptophan

Determination of indole-3-acetic acid, tryptophan and other indoles in must and wine by high-performance liquid chromatography with fluorescence detection 855(1999)227

Tryptophol

Determination of indole-3-acetic acid, tryptophan and other indoles in must and wine by high-performance liquid chromatography with fluorescence detection 855(1999)227

Vanillin

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants II. Cationic additives and modifiers of the electroosmotic flow 855(1999)669

Verbascoside

Liquid chromatography with electrospray ionisation mass spectrometric detection of phenolic compounds from *Olea europaea* 855(1999)529

Volatile organic compounds

Evaluation of a dual-sorbent trap for monitoring organic compounds in air 855(1999)593

Visualization of sample introduction

Visualization of sample introduction in liquid chromatography columns. The effect of the frit diameter 855(1999)367

Voltage gradient gel electrophoresis

Modified apparatus for voltage gradient gel electrophoresis
855(1999)723

Liquid chromatographic–mass spectrometric determination of
phenolic compounds using a capillary-scale particle beam
interface 855(1999)515

Wine

Determination of indole-3-acetic acid, tryptophan and other
indoles in must and wine by high-performance liquid
chromatography with fluorescence detection 855(1999)227