



ELSEVIER

Journal of Chromatography A, 857 (1999) 371–373

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Author Index Vol. 857

- Anspach, F.B., see Garke, G. 857(1999)137
- Armstrong, R.W., see Halstead, J.A. 857(1999)337
- Baczek, T., see Dolan, J.W. 857(1999)41
- Barceló, D., see Lacorte, S. 857(1999)97
- Brinkman, U.A.Th., see Steen, R.J.C.A. 857(1999)157
- But, P.P.-H., see Song, J.-Z. 857(1999)303
- Carotti, A., see D'Acquarica, I. 857(1999)145
- Cellamare, S., see D'Acquarica, I. 857(1999)145
- Chen, C.-T., see Ding, W.-H. 857(1999)359
- Chen, Q., see Zhao, L. 857(1999)295
- Chen, S.Y., see Fuh, C.B. 857(1999)193
- Chen, X., see Zhao, L. 857(1999)295
- Cho, K.H., see Shin, Y.G. 857(1999)331
- Choudhary, G., Hancock, W., Witt, K., Rozing, G., Torres-Duarte, A. and Wainer, I.
Integrated approach to the multidimensional analysis of complex biological samples by microseparation techniques. Analysis of glycoprotein factor associated with cancer cachexia 857(1999)183
- Cofino, W.P., see Steen, R.J.C.A. 857(1999)157
- D'Acquarica, I., Gasparrini, F., Misiti, D., Villani, C., Carotti, A., Cellamare, S. and Muck, S.
Direct chromatographic resolution of carnitine and *O*-acylcarnitine enantiomers on a teicoplanin-bonded chiral stationary phase 857(1999)145
- David, P., see Ventriglia, M. 857(1999)327
- De Angelis, L., see Ventriglia, M. 857(1999)327
- De Smedt, I., see Tobback, K. 857(1999)313
- Ding, W.-H. and Chen, C.-T.
Analysis of linear alkylbenzenesulfonates in water samples by large-volume injection-port derivatization and gas chromatography–mass spectrometry 857(1999)359
- Djordjevic, N.M., see Dolan, J.W. 857(1999)1
- Djordjevic, N.M., see Dolan, J.W. 857(1999)21
- Dolan, J.W., Snyder, L.R., Djordjevic, N.M., Hill, D.W. and Waeghe, T.J.
Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. I. Peak capacity limitations 857(1999)1
- Dolan, J.W., Snyder, L.R., Djordjevic, N.M., Hill, D.W. and Waeghe, T.J.
Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. II. Two-run assay procedures 857(1999)21
- Dolan, J.W., Snyder, L.R., Wolcott, R.G., Haber, P., Baczek, T., Kaliszán, R. and Sander, L.C.
Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. III. Improving the accuracy of computer simulation 857(1999)41
- Duttweiler, C.M., see Hong, S. 857(1999)205
- Edwards, J., see Halstead, J.A. 857(1999)337
- Faubel, W., see Malik, A.K. 857(1999)365
- Fraisse, D., see Lacorte, S. 857(1999)97
- Fuh, C.B. and Chen, S.Y.
Magnetic split-flow thin fractionation of magnetically susceptible particles 857(1999)193
- Galli, C.L., see Ventriglia, M. 857(1999)327
- Garke, G., Radschenko, I. and Anspach, F.B.
Continuous-bed chromatography for the analysis and purification of recombinant human basic fibroblast growth factor 857(1999)137
- Gasparrini, F., see D'Acquarica, I. 857(1999)145
- Guiochon, G., see Miyabe, K. 857(1999)69
- Haber, P., see Dolan, J.W. 857(1999)41
- Haginaka, J., Sanbe, H. and Takehira, H.
Uniform-sized molecularly imprinted polymer for (*S*)-ibuprofen. Retention properties in aqueous mobile phases 857(1999)117
- Halstead, J.A., Edwards, J., Soracco, R.J. and Armstrong, R.W.
Potential for chlorate interference in ion chromatographic determination of total nitrogen in natural waters following alkaline persulfate digestion 857(1999)337
- Hancock, W., see Choudhary, G. 857(1999)183
- Handley, A., see Ludlow, M. 857(1999)89
- Hearn, M.T.W., see Sitaram, B.R. 857(1999)263
- Henriksson, H., Pettersson, G. and Johansson, G.
Discrimination between enantioselective and non-selective binding sites on cellobiohydrolase-based stationary phases by site specific competing ligands 857(1999)107
- Hill, D.W., see Dolan, J.W. 857(1999)1
- Hill, D.W., see Dolan, J.W. 857(1999)21
- Hogenboom, A.C., see Steen, R.J.C.A. 857(1999)157
- Hong, S., Duttweiler, C.M. and Lemley, A.T.
Analysis of methyl *tert*-butyl ether and its degradation products by direct aqueous injection onto gas chromatography with mass spectrometry or flame ionization detection systems 857(1999)205

- Hoogmartens, J., see Tobback, K. 857(1999)313
- Hu, Z., see Zhao, L. 857(1999)295
- Jiang, X., Zhang, X. and Liu, M.
Ultra-short columns for low-pressure ion chromatography
857(1999)175
- Jinadu, L.A., see Phinney, K.W. 857(1999)285
- Johansson, G., see Henriksson, H. 857(1999)107
- Jones, G.P., see Pollnitz, A.P. 857(1999)239
- Kagawa, M., Machida, Y. and Nishi, H.
Enantiomeric purity determination of acetyl-L-carnitine by
reversed-phase high-performance liquid chromatography
using chiral derivatization 857(1999)127
- Kaliszan, R., see Dolan, J.W. 857(1999)41
- Kampioti, A.A. and Stephanou, E.G.
Simultaneous determination of halogenated neutral and
acidic disinfection by-products in drinking water by closed-
loop stripping extraction and capillary gas chromatography
857(1999)217
- Karlberg, B., see Kuban, P. 857(1999)321
- Keah, H.H., see Sitaram, B.R. 857(1999)263
- Kim, J.M., see Shin, Y.G. 857(1999)331
- Kuban, P., Oldhoff, O. and Karlberg, B.
Direct determination of small cations in proteinaceous
samples using a flow injection-capillary electrophoresis
system 857(1999)321
- Lacorte, S., Fraisse, D. and Barceló, D.
Efficient solid-phase extraction procedures for trace
enrichment of priority phenols from industrial effluents
with high total organic carbon content 857(1999)97
- Lamparczyk, H., see Zarzycki, P.K. 857(1999)255
- Lechner, M., Reiter, B. and Lorbeer, E.
Determination of tocopherols and sterols in vegetable oils
by solid-phase extraction and subsequent capillary gas
chromatographic analysis 857(1999)231
- Lee, C.S., see Locascio, L.E. 857(1999)275
- Lemley, A.T., see Hong, S. 857(1999)205
- Leonards, P.E.G., see Steen, R.J.C.A. 857(1999)157
- Li, Q., see Zhao, L. 857(1999)295
- Li, Y.-M., see Tobback, K. 857(1999)313
- Li, Z., see Zhao, L. 857(1999)295
- Liška, I., see Tölgyessy, P. 857(1999)247
- Liu, C.-L., Zhu, P.-L. and Liu, M.-C.
Computer-aided development of a high-performance liquid
chromatographic method for the determination of
hydroxyanthraquinone derivatives in Chinese herb medicine
rhubarb 857(1999)167
- Liu, H.-M., see Sun, H.-L. 857(1999)351
- Liu, M., see Jiang, X. 857(1999)175
- Liu, M.-C., see Liu, C.-L. 857(1999)167
- Locascio, L.E., Perso, C.E. and Lee, C.S.
Measurement of electroosmotic flow in plastic imprinted
microfluid devices and the effect of protein adsorption on
flow rate 857(1999)275
- Lorbeer, E., see Lechner, M. 857(1999)231
- Louden, D., see Ludlow, M. 857(1999)89
- Lu, H., Mou, S. and Riviello, J.M.
Use of ion chromatography for the determination of heavy
and transition metals in biochemical samples
857(1999)343
- Ludlow, M., Loudon, D., Handley, A., Taylor, S., Wright, B.
and Wilson, I.D.
Size-exclusion chromatography with on-line ultraviolet,
proton nuclear magnetic resonance and mass spectrometric
detection and on-line collection for off-line Fourier
transform infrared spectroscopy 857(1999)89
- Machida, Y., see Kagawa, M. 857(1999)127
- Malik, A.K., Seidel, B.S. and Faubel, W.
Capillary electrophoretic determination of ferric
dimethyldithiocarbamate as iron(III) chelate of EDTA
857(1999)365
- Misiti, D., see D'Acquarica, I. 857(1999)145
- Miyabe, K. and Guiochon, G.
Influence of column radial heterogeneity on peak fronting
in linear chromatography 857(1999)69
- Morrica, P., see Ventriglia, M. 857(1999)327
- Mou, S., see Lu, H. 857(1999)343
- Muck, S., see D'Acquarica, I. 857(1999)145
- Nishi, H., see Kagawa, M. 857(1999)127
- Oldhoff, O., see Kuban, P. 857(1999)321
- Park, J.H., see Shin, Y.G. 857(1999)331
- Park, M.K., see Shin, Y.G. 857(1999)331
- Peerboom, R.A.L., see Steen, R.J.C.A. 857(1999)157
- Perso, C.E., see Locascio, L.E. 857(1999)275
- Pettersson, G., see Henriksson, H. 857(1999)107
- Phinney, K.W., Jinadu, L.A. and Sander, L.C.
Chiral selectors from fruit: application of citrus pectins to
enantiomer separations in capillary electrophoresis
857(1999)285
- Pizarro, N.A., see Tobback, K. 857(1999)313
- Pollnitz, A.P., Jones, G.P. and Sefton, M.A.
Determination of oak lactones in barrel-aged wines and in
oak extracts by stable isotope dilution analysis
857(1999)239
- Radschenko, I., see Garke, G. 857(1999)137
- Reiter, B., see Lechner, M. 857(1999)231
- Restani, P., see Ventriglia, M. 857(1999)327
- Riviello, J.M., see Lu, H. 857(1999)343
- Roets, E., see Tobback, K. 857(1999)313
- Rozing, G., see Choudhary, G. 857(1999)183
- Sanbe, H., see Haginaka, J. 857(1999)117
- Sander, L.C., see Dolan, J.W. 857(1999)41
- Sander, L.C., see Phinney, K.W. 857(1999)285
- Sefton, M.A., see Pollnitz, A.P. 857(1999)239
- Seidel, B.S., see Malik, A.K. 857(1999)365
- Shin, Y.G., Cho, K.H., Kim, J.M., Park, M.K. and Park, J.H.
Determination of betaine in *Lycium chinense* fruits by
liquid chromatography-electrospray ionization mass
spectrometry 857(1999)331
- Sitaram, B.R., Keah, H.H. and Hearn, M.T.W.
Studies on the relationship between structure and
electrophoretic mobility of α -helical and β -sheet peptides
using capillary zone electrophoresis 857(1999)263
- Smeets, T., see Tobback, K. 857(1999)313
- Snyder, L.R., see Dolan, J.W. 857(1999)1
- Snyder, L.R., see Dolan, J.W. 857(1999)21
- Snyder, L.R., see Dolan, J.W. 857(1999)41

- Song, J.-Z., Xu, H.-X., Tian, S.-J. and But, P.P.-H.
Determination of quinolizidine alkaloids in traditional Chinese herbal drugs by nonaqueous capillary electrophoresis 857(1999)303
- Soracco, R.J., see Halstead, J.A. 857(1999)337
- Steen, R.J.C.A., Hogenboom, A.C., Leonards, P.E.G., Peerboom, R.A.L., Cofino, W.P. and Brinkman, U.A.Th.
Ultra-trace-level determination of polar pesticides and their transformation products in surface and estuarine water samples using column liquid chromatography–electrospray tandem mass spectrometry 857(1999)157
- Stephanou, E.G., see Kampioti, A.A. 857(1999)217
- Sun, H.-L., Liu, H.-M. and Tsai, S.-J.J.
Quantitative analysis of manganese, chromium and molybdenum by ion-pair reversed-phase high-performance liquid chromatography with pre-column derivatization and UV-visible detection 857(1999)351
- Takehira, H., see Haginaka, J. 857(1999)117
- Taylor, S., see Ludlow, M. 857(1999)89
- Tian, S.-J., see Song, J.-Z. 857(1999)303
- Tobback, K., Li, Y.-M., Pizarro, N.A., De Smedt, I., Smeets, T., Van Schepdael, A., Roets, E. and Hoogmartens, J.
Micellar electrokinetic capillary chromatography of macrolide antibiotics. Separation of tylosin, erythromycin and their related substances 857(1999)313
- Tölggyessy, P. and Liška, I.
Study of applicability of various solid-phase extraction materials for sample handling in screening analysis of organic micropollutants in water 857(1999)247
- Torres-Duarte, A., see Choudhary, G. 857(1999)183
- Tsai, S.-J.J., see Sun, H.-L. 857(1999)351
- Van Schepdael, A., see Tobback, K. 857(1999)313
- Ventriglia, M., Restani, P., Morrica, P., David, P., De Angelis, L. and Galli, C.L.
Liquid chromatographic determination of imazosulfuron in drinking water and in soil using ultraviolet detection 857(1999)327
- Villani, C., see D'Acquarica, I. 857(1999)145
- Waeghe, T.J., see Dolan, J.W. 857(1999)1
- Waeghe, T.J., see Dolan, J.W. 857(1999)21
- Wainer, I., see Choudhary, G. 857(1999)183
- Wierzbowska, M., see Zarzycki, P.K. 857(1999)255
- Wilson, I.D., see Ludlow, M. 857(1999)89
- Witt, K., see Choudhary, G. 857(1999)183
- Wolcott, R.G., see Dolan, J.W. 857(1999)41
- Wright, B., see Ludlow, M. 857(1999)89
- Xu, H.-X., see Song, J.-Z. 857(1999)303
- Zarzycki, P.K., Wierzbowska, M. and Lamparczyk, H.
Retention and separation studies of cholesterol and bile acids using thermostated thin-layer chromatography 857(1999)255
- Zhao, L., Chen, X., Hu, Z., Li, Q., Chen, Q. and Li, Z.
Analysis of β -*N*-oxalyl-L- α , β -diaminopropionic acid and homoarginine in *Lathyrus sativus* by capillary zone electrophoresis 857(1999)295
- Zhang, X., see Jiang, X. 857(1999)175
- Zhu, P.-L., see Liu, C.-L. 857(1999)167