



ELSEVIER

Journal of Chromatography A, 857 (1999) 375–381

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 857

Acetyl-L-carnitine

Enantiomeric purity determination of acetyl-L-carnitine by reversed-phase high-performance liquid chromatography using chiral derivatization 857(1999)127

Acylcarnitines

Direct chromatographic resolution of carnitine and *O*-acylcarnitine enantiomers on a teicoplanin-bonded chiral stationary phase 857(1999)145

L-Alanine- β -naphthylamide

Enantiomeric purity determination of acetyl-L-carnitine by reversed-phase high-performance liquid chromatography using chiral derivatization 857(1999)127

Alkaloids

Determination of quinolizidine alkaloids in traditional Chinese herbal drugs by nonaqueous capillary electrophoresis 857(1999)303

Alkylbenzenesulfonates

Analysis of linear alkylbenzenesulfonates in water samples by large-volume injection-port derivatization and gas chromatography–mass spectrometry 857(1999)359

Alloys

Quantitative analysis of manganese, chromium and molybdenum by ion-pair reversed-phase high-performance liquid chromatography with pre-column derivatization and UV-visible detection 857(1999)351

Amino acids

Ultra-short columns for low-pressure ion chromatography 857(1999)175

Analysis of β -*N*-oxalyl-L- α , β -diaminopropionic acid and homoarginine in *Lathyrus sativus* by capillary zone electrophoresis 857(1999)295

Antibiotics

Micellar electrokinetic capillary chromatography of macrolide antibiotics. Separation of tylosin, erythromycin and their related substances 857(1999)313

Arginine

Analysis of β -*N*-oxalyl-L- α , β -diaminopropionic acid and homoarginine in *Lathyrus sativus* by capillary zone electrophoresis 857(1999)295

Betaine

Determination of betaine in *Lycium chinense* fruits by liquid chromatography–electrospray ionization mass spectrometry 857(1999)331

Bile acids

Retention and separation studies of cholesterol and bile acids using thermostated thin-layer chromatography 857(1999)255

β -Blockers

Discrimination between enantioselective and non-selective binding sites on cellobiohydrolase-based stationary phases by site specific competing ligands 857(1999)107

Bromopyridyl-azodiethylaminophenol

Use of ion chromatography for the determination of heavy and transition metals in biochemical samples 857(1999)343

Butylmethyl-dihydrofuranones

Determination of oak lactones in barrel-aged wines and in oak extracts by stable isotope dilution analysis 857(1999)239

Carbamates

Capillary electrophoretic determination of ferric dimethyldithiocarbamate as iron(III) chelate of EDTA 857(1999)365

2-Carboxyibuprofen

Uniform-sized molecularly imprinted polymer for (*S*)-ibuprofen. Retention properties in aqueous mobile phases 857(1999)117

Carnitine

Direct chromatographic resolution of carnitine and *O*-acylcarnitine enantiomers on a teicoplanin-bonded chiral stationary phase 857(1999)145

Cellobiohydrolase

Discrimination between enantioselective and non-selective binding sites on cellobiohydrolase-based stationary phases by site specific competing ligands 857(1999)107

Chiral derivatization

Enantiomeric purity determination of acetyl-L-carnitine by reversed-phase high-performance liquid chromatography using chiral derivatization 857(1999)127

Chiral selectors

Chiral selectors from fruit: application of citrus pectins to enantiomer separations in capillary electrophoresis 857(1999)285

Chiral stationary phases, LC

Discrimination between enantioselective and non-selective binding sites on cellobiohydrolase-based stationary phases by site specific competing ligands 857(1999)107

Uniform-sized molecularly imprinted polymer for (*S*)-ibuprofen. Retention properties in aqueous mobile phases 857(1999)117

Direct chromatographic resolution of carnitine and *O*-acylcarnitine enantiomers on a teicoplanin-bonded chiral stationary phase 857(1999)145

Cholesterol

Retention and separation studies of cholesterol and bile acids using thermostated thin-layer chromatography 857(1999)255

Chromium

Quantitative analysis of manganese, chromium and molybdenum by ion-pair reversed-phase high-performance liquid chromatography with pre-column derivatization and UV-visible detection 857(1999)351

Closed-loop stripping analysis

Simultaneous determination of halogenated neutral and acidic disinfection by-products in drinking water by closed-loop stripping extraction and capillary gas chromatography 857(1999)217

Column efficiency

Influence of column radial heterogeneity on peak fronting in linear chromatography 857(1999)69

Column radial heterogeneity

Influence of column radial heterogeneity on peak fronting in linear chromatography 857(1999)69

Columns

Ultra-short columns for low-pressure ion chromatography 857(1999)175

Computer simulation

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. I. Peak capacity limitations 857(1999)1

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. II. Two-run assay procedures 857(1999)21

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. III. Improving the accuracy of computer simulation 857(1999)41

Computer-aided development of a high-performance liquid chromatographic method for the determination of hydroxyanthraquinone derivatives in Chinese herb medicine rhubarb 857(1999)167

Continuous beds

Continuous-bed chromatography for the analysis and purification of recombinant human basic fibroblast growth factor 857(1999)137

Derivatization, GC

Analysis of linear alkylbenzenesulfonates in water samples by large-volume injection-port derivatization and gas chromatography-mass spectrometry 857(1999)359

Derivatization, LC

Enantiomeric purity determination of acetyl-L-carnitine by reversed-phase high-performance liquid chromatography using chiral derivatization 857(1999)127

Computer-aided development of a high-performance liquid chromatographic method for the determination of hydroxyanthraquinone derivatives in Chinese herb medicine rhubarb 857(1999)167

Use of ion chromatography for the determination of heavy and transition metals in biochemical samples 857(1999)343

Detection, LC

Size-exclusion chromatography with on-line ultraviolet, proton nuclear magnetic resonance and mass spectrometric detection and on-line collection for off-line Fourier transform infrared spectroscopy 857(1999)89

Dibutylmethylphenol

Size-exclusion chromatography with on-line ultraviolet, proton nuclear magnetic resonance and mass spectrometric detection and on-line collection for off-line Fourier transform infrared spectroscopy 857(1999)89

Diisooctyl phthalate

Size-exclusion chromatography with on-line ultraviolet, proton nuclear magnetic resonance and mass spectrometric detection and on-line collection for off-line Fourier transform infrared spectroscopy 857(1999)89

Direct aqueous injection

Analysis of methyl *tert*-butyl ether and its degradation products by direct aqueous injection onto gas chromatography with mass spectrometry or flame ionization detection systems 857(1999)205

Dithiocarbamates

Capillary electrophoretic determination of ferric dimethyldithiocarbamate as iron(III) chelate of EDTA 857(1999)365

Electroosmotic flow

Measurement of electroosmotic flow in plastic imprinted microfluid devices and the effect of protein adsorption on flow rate 857(1999)275

Enantiomer separation

Discrimination between enantioselective and non-selective binding sites on cellobiohydrolase-based stationary phases by site specific competing ligands 857(1999)107

Enantiomeric purity determination of acetyl-L-carnitine by reversed-phase high-performance liquid chromatography using chiral derivatization 857(1999)127

Direct chromatographic resolution of carnitine and *O*-acylcarnitine enantiomers on a teicoplanin-bonded chiral stationary phase 857(1999)145

Chiral selectors from fruit: application of citrus pectins to enantiomer separations in capillary electrophoresis 857(1999)285

Environmental analysis

Ultra-trace-level determination of polar pesticides and their transformation products in surface and estuarine water samples using column liquid chromatography–electrospray tandem mass spectrometry 857(1999)157

Analysis of methyl *tert*.-butyl ether and its degradation products by direct aqueous injection onto gas chromatography with mass spectrometry or flame ionization detection systems 857(1999)205

Potential for chlorate interference in ion chromatographic determination of total nitrogen in natural waters following alkaline persulfate digestion 857(1999)337

Analysis of linear alkylbenzenesulfonates in water samples by large-volume injection-port derivatization and gas chromatography–mass spectrometry 857(1999)359

Erythromycins

Micellar electrokinetic capillary chromatography of macrolide antibiotics. Separation of tylosin, erythromycin and their related substances 857(1999)313

Extraction methods

Simultaneous determination of halogenated neutral and acidic disinfection by-products in drinking water by closed-loop stripping extraction and capillary gas chromatography 857(1999)217

Study of applicability of various solid-phase extraction materials for sample handling in screening analysis of organic micropollutants in water 857(1999)247

Ferbam

Capillary electrophoretic determination of ferric dimethyldithiocarbamate as iron(III) chelate of EDTA 857(1999)365

Flow velocity distribution

Influence of column radial heterogeneity on peak fronting in linear chromatography 857(1999)69

Food analysis

Determination of oak lactones in barrel-aged wines and in oak extracts by stable isotope dilution analysis 857(1999)239

Use of ion chromatography for the determination of heavy and transition metals in biochemical samples 857(1999)343

Gasoline

Analysis of methyl *tert*.-butyl ether and its degradation products by direct aqueous injection onto gas chromatography with mass spectrometry or flame ionization detection systems 857(1999)205

Glycoproteins

Integrated approach to the multidimensional analysis of complex biological samples by microseparation techniques. Analysis of glycoprotein factor associated with cancer cachexia 857(1999)183

Gradient elution

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. I. Peak capacity limitations 857(1999)1

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. II. Two-run assay procedures 857(1999)21

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. III. Improving the accuracy of computer simulation 857(1999)41

Growth factors

Continuous-bed chromatography for the analysis and purification of recombinant human basic fibroblast growth factor 857(1999)137

Haloacetic acids

Simultaneous determination of halogenated neutral and acidic disinfection by-products in drinking water by closed-loop stripping extraction and capillary gas chromatography 857(1999)217

Haloacetonitriles

Simultaneous determination of halogenated neutral and acidic disinfection by-products in drinking water by closed-loop stripping extraction and capillary gas chromatography 857(1999)217

Halogenated compounds

Simultaneous determination of halogenated neutral and acidic disinfection by-products in drinking water by closed-loop stripping extraction and capillary gas chromatography 857(1999)217

Halogenated ketones

Simultaneous determination of halogenated neutral and acidic disinfection by-products in drinking water by closed-loop stripping extraction and capillary gas chromatography 857(1999)217

Heavy metals

Use of ion chromatography for the determination of heavy and transition metals in biochemical samples 857(1999)343

Homoarginine

Analysis of β -*N*-oxalyl-L- α , β -diaminopropionic acid and homoarginine in *Lathyrus sativus* by capillary zone electrophoresis 857(1999)295

Hydroxyanthraquinone derivatives

Computer-aided development of a high-performance liquid chromatographic method for the determination of hydroxyanthraquinone derivatives in Chinese herb medicine rhubarb 857(1999)167

2-Hydroxyibuprofen

Uniform-sized molecularly imprinted polymer for (*S*)-ibuprofen. Retention properties in aqueous mobile phases 857(1999)117

Hyphenated techniques

Size-exclusion chromatography with on-line ultraviolet, proton nuclear magnetic resonance and mass spectrometric detection and on-line collection for off-line Fourier transform infrared spectroscopy 857(1999)89

Ibuprofen

Uniform-sized molecularly imprinted polymer for (*S*)-ibuprofen. Retention properties in aqueous mobile phases 857(1999)117

Imazosulfuron

Liquid chromatographic determination of imazosulfuron in drinking water and in soil using ultraviolet detection 857(1999)327

Imprinted polymers

Measurement of electroosmotic flow in plastic imprinted microfluid devices and the effect of protein adsorption on flow rate 857(1999)275

Industrial effluents

Efficient solid-phase extraction procedures for trace enrichment of priority phenols from industrial effluents with high total organic carbon content 857(1999)97

Injection methods

Analysis of methyl *tert*.-butyl ether and its degradation products by direct aqueous injection onto gas chromatography with mass spectrometry or flame ionization detection systems 857(1999)205

Inorganic anions

Ultra-short columns for low-pressure ion chromatography 857(1999)175

Potential for chlorate interference in ion chromatographic determination of total nitrogen in natural waters following alkaline persulfate digestion 857(1999)337

Inorganic cations

Direct determination of small cations in proteinaceous samples using a flow injection–capillary electrophoresis system 857(1999)321

Instrumentation

Integrated approach to the multidimensional analysis of complex biological samples by microseparation techniques. Analysis of glycoprotein factor associated with cancer cachexia 857(1999)183

Measurement of electroosmotic flow in plastic imprinted microfluid devices and the effect of protein adsorption on flow rate 857(1999)275

Interfaces, LC–NMR–MS–IR

Size-exclusion chromatography with on-line ultraviolet, proton nuclear magnetic resonance and mass spectrometric detection and on-line collection for off-line Fourier transform infrared spectroscopy 857(1999)89

Large-volume injection

Analysis of linear alkylbenzenesulfonates in water samples by large-volume injection-port derivatization and gas chromatography–mass spectrometry 857(1999)359

Lathyrus sativus

Analysis of β -*N*-oxalyl-L- α , β -diaminopropionic acid and homoarginine in *Lathyrus sativus* by capillary zone electrophoresis 857(1999)295

Lycium chinense

Determination of betaine in *Lycium chinense* fruits by liquid chromatography–electrospray ionization mass spectrometry 857(1999)331

Magnetic separation

Magnetic split-flow thin fractionation of magnetically susceptible particles 857(1999)193

Manganese

Quantitative analysis of manganese, chromium and molybdenum by ion-pair reversed-phase high-performance liquid chromatography with pre-column derivatization and UV-visible detection 857(1999)351

Metal cations

Ultra-short columns for low-pressure ion chromatography 857(1999)175

Use of ion chromatography for the determination of heavy and transition metals in biochemical samples 857(1999)343

Metal chelates

Quantitative analysis of manganese, chromium and molybdenum by ion-pair reversed-phase high-performance liquid chromatography with pre-column derivatization and UV-visible detection 857(1999)351

Capillary electrophoretic determination of ferric dimethylthiocarbamate as iron(III) chelate of EDTA 857(1999)365

Methyl *tert*.-butyl ether

Analysis of methyl *tert*.-butyl ether and its degradation products by direct aqueous injection onto gas chromatography with mass spectrometry or flame ionization detection systems 857(1999)205

Milk

Direct determination of small cations in proteinaceous samples using a flow injection–capillary electrophoresis system 857(1999)321

Mobile phase composition

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. I. Peak capacity limitations 857(1999)1

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. III. Improving the accuracy of computer simulation 857(1999)41

Retention and separation studies of cholesterol and bile acids using thermostated thin-layer chromatography 857(1999)255

Quantitative analysis of manganese, chromium and molybdenum by ion-pair reversed-phase high-performance liquid chromatography with pre-column derivatization and UV-visible detection 857(1999)351

Molecular imprinting

Uniform-sized molecularly imprinted polymer for (*S*)-ibuprofen. Retention properties in aqueous mobile phases 857(1999)117

Molybdenum

Quantitative analysis of manganese, chromium and molybdenum by ion-pair reversed-phase high-performance liquid chromatography with pre-column derivatization and UV-visible detection 857(1999)351

Multidimensional separation

Integrated approach to the multidimensional analysis of complex biological samples by microseparation techniques. Analysis of glycoprotein factor associated with cancer cachexia 857(1999)183

Neurotoxin

Analysis of β -*N*-oxalyl-L- α , β -diaminopropionic acid and homoarginine in *Lathyrus sativus* by capillary zone electrophoresis 857(1999)295

Nitrogen

Potential for chlorate interference in ion chromatographic determination of total nitrogen in natural waters following alkaline persulfate digestion 857(1999)337

Nonaqueous capillary electrophoresis

Determination of quinolizidine alkaloids in traditional Chinese herbal drugs by nonaqueous capillary electrophoresis 857(1999)303

Oak lactones

Determination of oak lactones in barrel-aged wines and in oak extracts by stable isotope dilution analysis 857(1999)239

Octadecyl(dibutylhydroxyphenyl) propionate

Size-exclusion chromatography with on-line ultraviolet, proton nuclear magnetic resonance and mass spectrometric detection and on-line collection for off-line Fourier transform infrared spectroscopy 857(1999)89

Optimization

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. I. Peak capacity limitations 857(1999)1

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. II. Two-run assay procedures 857(1999)21

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. III. Improving the accuracy of computer simulation 857(1999)41

Computer-aided development of a high-performance liquid chromatographic method for the determination of hydroxyanthraquinone derivatives in Chinese herb medicine rhubarb 857(1999)167

Retention and separation studies of cholesterol and bile acids using thermostated thin-layer chromatography 857(1999)255

Organic acids

Ultra-short columns for low-pressure ion chromatography 857(1999)175

Organochlorine compounds

Simultaneous determination of halogenated neutral and acidic disinfection by-products in drinking water by closed-loop stripping extraction and capillary gas chromatography 857(1999)217

Oxalyldiaminopropionic acid

Analysis of β -*N*-oxalyl-L- α , β -diaminopropionic acid and homoarginine in *Lathyrus sativus* by capillary zone electrophoresis 857(1999)295

Peak capacity

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. I. Peak capacity limitations 857(1999)1

Peak shape

Influence of column radial heterogeneity on peak fronting in linear chromatography 857(1999)69

Pectins

Chiral selectors from fruit: application of citrus pectins to enantiomer separations in capillary electrophoresis 857(1999)285

Peptides

Studies on the relationship between structure and electrophoretic mobility of α -helical and β -sheet peptides using capillary zone electrophoresis 857(1999)263

Pesticides

Ultra-trace-level determination of polar pesticides and their transformation products in surface and estuarine water samples using column liquid chromatography–electrospray tandem mass spectrometry 857(1999)157

Liquid chromatographic determination of imazosulfuron in drinking water and in soil using ultraviolet detection 857(1999)327

Capillary electrophoretic determination of ferric dimethyldithiocarbamate as iron(III) chelate of EDTA 857(1999)365

Pharmaceutical analysis

Determination of quinolizidine alkaloids in traditional Chinese herbal drugs by nonaqueous capillary electrophoresis 857(1999)303

Micellar electrokinetic capillary chromatography of macrolide antibiotics. Separation of tylosin, erythromycin and their related substances 857(1999)313

Phenols

Efficient solid-phase extraction procedures for trace enrichment of priority phenols from industrial effluents with high total organic carbon content 857(1999)97

Plant material

Analysis of β -*N*-oxalyl-L- α , β -diaminopropionic acid and homoarginine in *Lathyrus sativus* by capillary zone electrophoresis 857(1999)295

Polymer microfluid devices

Measurement of electroosmotic flow in plastic imprinted microfluid devices and the effect of protein adsorption on flow rate 857(1999)275

Proteins

Continuous-bed chromatography for the analysis and purification of recombinant human basic fibroblast growth factor 857(1999)137

Integrated approach to the multidimensional analysis of complex biological samples by microseparation techniques. Analysis of glycoprotein factor associated with cancer cachexia 857(1999)183

Measurement of electroosmotic flow in plastic imprinted microfluid devices and the effect of protein adsorption on flow rate 857(1999)275

Direct determination of small cations in proteinaceous samples using a flow injection–capillary electrophoresis system 857(1999)321

Quinolizidines

Determination of quinolizidine alkaloids in traditional Chinese herbal drugs by nonaqueous capillary electrophoresis 857(1999)303

Resolution

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. I. Peak capacity limitations 857(1999)1

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. II. Two-run assay procedures 857(1999)21

Retention times

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. III. Improving the accuracy of computer simulation 857(1999)41

Rhubarb

Computer-aided development of a high-performance liquid chromatographic method for the determination of hydroxyanthraquinone derivatives in Chinese herb medicine rhubarb 857(1999)167

Selectivity

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. I. Peak capacity limitations 857(1999)1

Soil

Liquid chromatographic determination of imazosulfuron in drinking water and in soil using ultraviolet detection 857(1999)327

Solid-phase extraction

Efficient solid-phase extraction procedures for trace enrichment of priority phenols from industrial effluents with high total organic carbon content 857(1999)97

Study of applicability of various solid-phase extraction materials for sample handling in screening analysis of organic micropollutants in water 857(1999)247

Sterols

Determination of tocopherols and sterols in vegetable oils by solid-phase extraction and subsequent capillary gas chromatographic analysis 857(1999)231

Sophora spp

Determination of quinolizidine alkaloids in traditional Chinese herbal drugs by nonaqueous capillary electrophoresis 857(1999)303

Split-flow thin fractionation

Magnetic split-flow thin fractionation of magnetically susceptible particles 857(1999)193

Structure–mobility relationships

Studies on the relationship between structure and electrophoretic mobility of α -helical and β -sheet peptides using capillary zone electrophoresis 857(1999)263

Surfactants

Analysis of linear alkylbenzenesulfonates in water samples by large-volume injection-port derivatization and gas chromatography–mass spectrometry 857(1999)359

Teicoplanin

Direct chromatographic resolution of carnitine and *O*-acylcarnitine enantiomers on a teicoplanin-bonded chiral stationary phase 857(1999)145

Temperature effects

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. I. Peak capacity limitations 857(1999)1

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. II. Two-run assay procedures 857(1999)21

Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. III. Improving the accuracy of computer simulation 857(1999)41

Retention and separation studies of cholesterol and bile acids using thermostated thin-layer chromatography 857(1999)255

Tocopherols

Determination of tocopherols and sterols in vegetable oils by solid-phase extraction and subsequent capillary gas chromatographic analysis 857(1999)231

Total organic carbon

Efficient solid-phase extraction procedures for trace enrichment of priority phenols from industrial effluents with high total organic carbon content 857(1999)97

Transition metals

Use of ion chromatography for the determination of heavy and transition metals in biochemical samples 857(1999)343

Trihalomethanes

Simultaneous determination of halogenated neutral and acidic disinfection by-products in drinking water by closed-loop stripping extraction and capillary gas chromatography 857(1999)217

Tylosins

Micellar electrokinetic capillary chromatography of macrolide antibiotics. Separation of tylosin, erythromycin and their related substances 857(1999)313

Vegetable oils

Determination of tocopherols and sterols in vegetable oils by solid-phase extraction and subsequent capillary gas chromatographic analysis 857(1999)231

Vitamins

Direct chromatographic resolution of carnitine and *O*-acylcarnitine enantiomers on a teicoplanin-bonded chiral stationary phase 857(1999)145

Water analysis

Efficient solid-phase extraction procedures for trace enrichment of priority phenols from industrial effluents with high total organic carbon content 857(1999)97

Ultra-trace-level determination of polar pesticides and their transformation products in surface and estuarine water samples using column liquid chromatography–electrospray tandem mass spectrometry 857(1999)157

Analysis of methyl *tert*-butyl ether and its degradation products by direct aqueous injection onto gas chromatography with mass spectrometry or flame ionization detection systems 857(1999)205

Simultaneous determination of halogenated neutral and acidic disinfection by-products in drinking water by closed-loop stripping extraction and capillary gas chromatography 857(1999)217

Study of applicability of various solid-phase extraction materials for sample handling in screening analysis of organic micropollutants in water 857(1999)247

Liquid chromatographic determination of imazosulfuron in drinking water and in soil using ultraviolet detection 857(1999)327

Potential for chlorate interference in ion chromatographic determination of total nitrogen in natural waters following alkaline persulfate digestion 857(1999)337

Analysis of linear alkylbenzenesulfonates in water samples by large-volume injection-port derivatization and gas chromatography–mass spectrometry 857(1999)359

Wine

Determination of oak lactones in barrel-aged wines and in oak extracts by stable isotope dilution analysis 857(1999)239

Wood

Determination of oak lactones in barrel-aged wines and in oak extracts by stable isotope dilution analysis 857(1999)239