



ELSEVIER

Journal of Chromatography A, 858 (1999) 253–258

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 858

Acetone

Determination of trace anions in organic solvents 858(1999)55

Acylglycerols

Analytical monitoring of the production of biodiesel by high-performance liquid chromatography with various detection methods 858(1999)13

Alcohols

Modeling chromatographic parameters by a novel graph theoretical sub-structural approach 858(1999)187

Alkanes

Modeling chromatographic parameters by a novel graph theoretical sub-structural approach 858(1999)187

Alkenylbenzenes

Solid phase microextraction of alkenylbenzenes and other flavor-related compounds from tobacco for analysis by selected ion monitoring gas chromatography–mass spectrometry 858(1999)79

2-Alkylcyclobutanones

2-Alkylcyclobutanones as markers for irradiated foodstuffs. III. Improvement of the field of application on the EN 1785 method by using silver ion chromatography 858(1999)109

Alkyl fluorenyl stationary phases

n-Alkyl fluorenyl phases in chromatography. II. Dynamic behavior and high-performance liquid chromatography applications 858(1999)133

Amino acids, DNB derivatives

Quinine versus carbamoylated quinine-based chiral anion exchangers. A comparison regarding enantioselectivity for *N*-protected amino acids and other chiral acids 858(1999)1

Amino acids, DNP derivatives

Quinine versus carbamoylated quinine-based chiral anion exchangers. A comparison regarding enantioselectivity for *N*-protected amino acids and other chiral acids 858(1999)1

Aminonaphthalene trisulfonate

Analysis of 8-aminonaphthalene-1,3,6-trisulfonate-derivatized oligosaccharides by capillary electrophoresis–electrospray ionization quadrupole ion trap mass spectrometry 858(1999)229

Anion exchangers

Quinine versus carbamoylated quinine-based chiral anion exchangers. A comparison regarding enantioselectivity for *N*-protected amino acids and other chiral acids 858(1999)1

Anthraquinones

Preparative isolation and purification of hydroxyanthraquinones from *Rheum officinale* Baill by high-speed counter-current chromatography using pH-modulated stepwise elution 858(1999)103

Beauvericin

Determination of the *Fusarium* mycotoxins, fusaproliferin and beauvericin by high-performance liquid chromatography–electrospray ionization mass spectrometry 858(1999)175

Bentazone

Semi-permeable surface analytical reversed-phase column for the improved trace analysis of acidic pesticides in water with coupled-column reversed-phase liquid chromatography with UV detection. Determination of bromoxynil and bentazone in surface water 858(1999)45

Benzodiazepines

Coupling device for desorption of drugs from solid-phase extraction-pipette tips and on-line gas chromatographic analysis 858(1999)117

Biodiesel

Analytical monitoring of the production of biodiesel by high-performance liquid chromatography with various detection methods 858(1999)13

Bromoxynil

Semi-permeable surface analytical reversed-phase column for the improved trace analysis of acidic pesticides in water with coupled-column reversed-phase liquid chromatography with UV detection. Determination of bromoxynil and bentazone in surface water 858(1999)45

Capillary columns

Capillary electrochromatography of proteins and peptides with porous-layer open-tubular columns 858(1999)91

Cellobiohydrolase I

Temperature-induced inversion of elution order in the enantioseparation of sotalol on a cellobiohydrolase I-based stationary phase 858(1999)33

Chiral selectors

Quinine versus carbamoylated quinine-based chiral anion exchangers. A comparison regarding enantioselectivity for N-protected amino acids and other chiral acids 858(1999)1

Chiral stationary phases, LC

Quinine versus carbamoylated quinine-based chiral anion exchangers. A comparison regarding enantioselectivity for N-protected amino acids and other chiral acids 858(1999)1

Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. VII. Comparison of chiral recognition ability of ovoglycoprotein from chicken and Japanese quail egg whites 858(1999)155

Chlozolate

Inclusion of the fungicide chlozolate in a multiresidue method 858(1999)123

Coupled columns

Semi-permeable surface analytical reversed-phase column for the improved trace analysis of acidic pesticides in water with coupled-column reversed-phase liquid chromatography with UV detection. Determination of bromoxynil and bentazone in surface water 858(1999)45

Coumarin

Solid phase microextraction of alkenylbenzenes and other flavor-related compounds from tobacco for analysis by selected ion monitoring gas chromatography–mass spectrometry 858(1999)79

Decanoic acid

Esterification of decanoic acid during supercritical fluid extraction employing either methanol-modified carbon dioxide or a methanol trap 858(1999)201

Derivatization, SFE

Esterification of decanoic acid during supercritical fluid extraction employing either methanol-modified carbon dioxide or a methanol trap 858(1999)201

Detection, GC

Analysis of organotin compounds by gas chromatography–reactive-flow detection 858(1999)245

Detection, LC

Analytical monitoring of the production of biodiesel by high-performance liquid chromatography with various detection methods 858(1999)13

Dextran

Analysis of 8-aminonaphthalene-1,3,6-trisulfonate-derivatized oligosaccharides by capillary electrophoresis–electrospray ionization quadrupole ion trap mass spectrometry 858(1999)229

Diazepam

Coupling device for desorption of drugs from solid-phase extraction-pipette tips and on-line gas chromatographic analysis 858(1999)117

Dicarboximides

Inclusion of the fungicide chlozolate in a multiresidue method 858(1999)123

Electrochromatography

Capillary electrochromatography of proteins and peptides with porous-layer open-tubular columns 858(1999)91

EN 1785

2-Alkylcyclobutanones as markers for irradiated foodstuffs. III. Improvement of the field of application on the EN 1785 method by using silver ion chromatography 858(1999)109

Enantiomer separation

Quinine versus carbamoylated quinine-based chiral anion exchangers. A comparison regarding enantioselectivity for N-protected amino acids and other chiral acids 858(1999)1

Temperature-induced inversion of elution order in the enantioseparation of sotalol on a cellobiohydrolase I-based stationary phase 858(1999)33

Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. VII. Comparison of chiral recognition ability of ovoglycoprotein from chicken and Japanese quail egg whites 858(1999)155

Chiral separations using polymeric dipeptide surfactants: effect of number of chiral centers and steric factors 858(1999)219

Enhanced solvent extraction

Comparison of methods for quantitative analysis of additives in low-density polyethylene using supercritical fluid and enhanced solvent extraction 858(1999)209

Environmental analysis

Semi-permeable surface analytical reversed-phase column for the improved trace analysis of acidic pesticides in water with coupled-column reversed-phase liquid chromatography with UV detection. Determination of bromoxynil and bentazone in surface water 858(1999)45

Esters

Modeling chromatographic parameters by a novel graph theoretical sub-structural approach 858(1999)187

Explosives

n-Alkyl fluorenyl phases in chromatography. II. Dynamic behavior and high-performance liquid chromatography applications 858(1999)133

Fatty acid methyl esters

Analytical monitoring of the production of biodiesel by high-performance liquid chromatography with various detection methods 858(1999)13

Fatty acids

Esterification of decanoic acid during supercritical fluid extraction employing either methanol-modified carbon dioxide or a methanol trap 858(1999)201

Fluorenyl stationary phases

n-Alkyl fluorenyl phases in chromatography. II. Dynamic behavior and high-performance liquid chromatography applications 858(1999)133

Food analysis

2-Alkylcyclobutanones as markers for irradiated foodstuffs. III. Improvement of the field of application on the EN 1785 method by using silver ion chromatography 858(1999)109

Inclusion of the fungicide chlozolinate in a multiresidue method 858(1999)123

Determination of the *Fusarium* mycotoxins, fusaproliferin and beauvericin by high-performance liquid chromatography–electrospray ionization mass spectrometry 858(1999)175

Fruits

Inclusion of the fungicide chlozolinate in a multiresidue method 858(1999)123

Fusaproliferin

Determination of the *Fusarium* mycotoxins, fusaproliferin and beauvericin by high-performance liquid chromatography–electrospray ionization mass spectrometry 858(1999)175

Fusarium subglutinans

Determination of the *Fusarium* mycotoxins, fusaproliferin and beauvericin by high-performance liquid chromatography–electrospray ionization mass spectrometry 858(1999)175

Glycerols

Analytical monitoring of the production of biodiesel by high-performance liquid chromatography with various detection methods 858(1999)13

Glycoproteins

Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. VII. Comparison of chiral recognition ability of ovoglycoprotein from chicken and Japanese quail egg whites 858(1999)155

Hexobarbital

Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. VII. Comparison of chiral recognition ability of ovoglycoprotein from chicken and Japanese quail egg whites 858(1999)155

Hydroxyanthraquinones

Preparative isolation and purification of hydroxyanthraquinones from *Rheum officinale* Baill by high-speed counter-current chromatography using pH-modulated stepwise elution 858(1999)103

Injection methods

Coupling device for desorption of drugs from solid-phase extraction-pipette tips and on-line gas chromatographic analysis 858(1999)117

Inorganic anions

Determination of trace anions in organic solvents 858(1999)55

Instrumentation

Coupling device for desorption of drugs from solid-phase extraction-pipette tips and on-line gas chromatographic analysis 858(1999)117

 π – π Interactions

n-Alkyl fluorenyl phases in chromatography. II. Dynamic behavior and high-performance liquid chromatography applications 858(1999)133

Interfaces, solid-phase extraction-pipette tips–programmed-temperature vaporiser

Coupling device for desorption of drugs from solid-phase extraction-pipette tips and on-line gas chromatographic analysis 858(1999)117

Isopropanol

Determination of trace anions in organic solvents 858(1999)55

Ketones

Modeling chromatographic parameters by a novel graph theoretical sub-structural approach 858(1999)187

Ketoprofen

Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. VII. Comparison of chiral recognition ability of ovoglycoprotein from chicken and Japanese quail egg whites 858(1999)155

Lidocaine

Coupling device for desorption of drugs from solid-phase extraction-pipette tips and on-line gas chromatographic analysis 858(1999)117

Liquid chromatography–mass spectrometry

Determination of zearalenone in grains by high-performance liquid chromatography–tandem mass spectrometry after solid-phase extraction with RP-18 columns or immunoaffinity columns 858(1999)167

Low-density polyethylene

Comparison of methods for quantitative analysis of additives in low-density polyethylene using supercritical fluid and enhanced solvent extraction 858(1999)209

Mass spectrometry

Analysis of 8-aminonaphthalene-1,3,6-trisulfonate-derivatized oligosaccharides by capillary electrophoresis–electrospray ionization quadrupole ion trap mass spectrometry 858(1999)229

Methylation

Esterification of decanoic acid during supercritical fluid extraction employing either methanol-modified carbon dioxide or a methanol trap 858(1999)201

Methylene increments

Analysis of the equations for the temperature dependence of the retention index. I. Relation between equations 858(1999)65

Methylpyrrolidone

Determination of trace anions in organic solvents 858(1999)55

Mobile phase composition

Temperature-induced inversion of elution order in the enantioseparation of sotalol on a cellobiohydrolase I-based stationary phase 858(1999)33

Molecular descriptors

Modeling chromatographic parameters by a novel graph theoretical sub-structural approach 858(1999)187

Mycotoxins

Determination of zearalenone in grains by high-performance liquid chromatography–tandem mass spectrometry after solid-phase extraction with RP-18 columns or immunoaffinity columns 858(1999)167

Determination of the *Fusarium* mycotoxins, fusaproliferin and beauvericin by high-performance liquid chromatography–electrospray ionization mass spectrometry 858(1999)175

Nitro explosives

n-Alkyl fluorenyl phases in chromatography. II. Dynamic behavior and high-performance liquid chromatography applications 858(1999)133

Nuclear magnetic resonance spectrometry

n-Alkyl fluorenyl phases in chromatography. II. Dynamic behavior and high-performance liquid chromatography applications 858(1999)133

Oligosaccharides

Analysis of 8-aminonaphthalene-1,3,6-trisulfonate-derivatized oligosaccharides by capillary electrophoresis–electrospray ionization quadrupole ion trap mass spectrometry 858(1999)229

Organotin compounds

Analysis of organotin compounds by gas chromatography–reactive-flow detection 858(1999)245

Ovoglobulin

Separation of enantiomers on a chiral stationary phase based on ovoglobulin. VII. Comparison of chiral recognition ability of ovoglobulin from chicken and Japanese quail egg whites 858(1999)155

Peptides

Capillary electrochromatography of proteins and peptides with porous-layer open-tubular columns 858(1999)91

Chiral separations using polymeric dipeptide surfactants: effect of number of chiral centers and steric factors 858(1999)219

Perfumery compounds

Analysis of the equations for the temperature dependence of the retention index. I. Relation between equations 858(1999)65

Pesticides

Semi-permeable surface analytical reversed-phase column for the improved trace analysis of acidic pesticides in water with coupled-column reversed-phase liquid chromatography with UV detection. Determination of bromoxynil and bentazone in surface water 858(1999)45

Inclusion of the fungicide chlozolinate in a multiresidue method 858(1999)123

Piperonal

Solid phase microextraction of alkenylbenzenes and other flavor-related compounds from tobacco for analysis by selected ion monitoring gas chromatography–mass spectrometry 858(1999)79

Plant materials

Preparative isolation and purification of hydroxyanthraquinones from *Rheum officinale* Baill by high-speed counter-current chromatography using pH-modulated stepwise elution 858(1999)103

Analysis of taxol and major taxoids in Himalayan yew, *Taxus wallichiana* 858(1999)239

Polyethylene

Comparison of methods for quantitative analysis of additives in low-density polyethylene using supercritical fluid and enhanced solvent extraction 858(1999)209

Polynuclear aromatic hydrocarbons

n-Alkyl fluorenyl phases in chromatography. II. Dynamic behavior and high-performance liquid chromatography applications 858(1999)133

Porous-layer open-tubular columns

Capillary electrochromatography of proteins and peptides with porous-layer open-tubular columns 858(1999)91

Programmed-temperature vaporiser

Coupling device for desorption of drugs from solid-phase extraction-pipette tips and on-line gas chromatographic analysis 858(1999)117

Proteins

Capillary electrochromatography of proteins and peptides with porous-layer open-tubular columns 858(1999)91

Pseudo-stationary phases

Chiral separations using polymeric dipeptide surfactants: effect of number of chiral centers and steric factors 858(1999)219

Pulegone

Solid phase microextraction of alkenylbenzenes and other flavor-related compounds from tobacco for analysis by selected ion monitoring gas chromatography-mass spectrometry 858(1999)79

Quinine

Quinine versus carbamoylated quinine-based chiral anion exchangers. A comparison regarding enantioselectivity for N-protected amino acids and other chiral acids 858(1999)1

Quinones

Preparative isolation and purification of hydroxyanthraquinones from *Rheum officinale* Baill by high-speed counter-current chromatography using pH-modulated stepwise elution 858(1999)103

Reactive-flow detection

Analysis of organotin compounds by gas chromatography-reactive-flow detection 858(1999)245

Retention indices

Analysis of the equations for the temperature dependence of the retention index. I. Relation between equations 858(1999)65

Rheum officinale

Preparative isolation and purification of hydroxyanthraquinones from *Rheum officinale* Baill by high-speed counter-current chromatography using pH-modulated stepwise elution 858(1999)103

Solid-phase extraction

Determination of zearalenone in grains by high-performance liquid chromatography-tandem mass spectrometry after solid-phase extraction with RP-18 columns or immunoaffinity columns 858(1999)167

Sotalol

Temperature-induced inversion of elution order in the enantioseparation of sotalol on a cellobiohydrolase I-based stationary phase 858(1999)33

Stationary phases, LC

n-Alkyl fluorenyl phases in chromatography. II. Dynamic behavior and high-performance liquid chromatography applications 858(1999)133

Structure-chromatographic parameters relationships

Modeling chromatographic parameters by a novel graph theoretical sub-structural approach 858(1999)187

Supercritical fluid extraction

Esterification of decanoic acid during supercritical fluid extraction employing either methanol-modified carbon dioxide or a methanol trap 858(1999)201

Comparison of methods for quantitative analysis of additives in low-density polyethylene using supercritical fluid and enhanced solvent extraction 858(1999)209

Surfactants

Chiral separations using polymeric dipeptide surfactants: effect of number of chiral centers and steric factors 858(1999)219

Taxoids

Analysis of taxol and major taxoids in Himalayan yew, *Taxus wallichiana* 858(1999)239

Taxol

Analysis of taxol and major taxoids in Himalayan yew, *Taxus wallichiana* 858(1999)239

Taxus wallichiana

Analysis of taxol and major taxoids in Himalayan yew, *Taxus wallichiana* 858(1999)239

Temperature effects

Temperature-induced inversion of elution order in the enantioseparation of sotalol on a cellobiohydrolase I-based stationary phase 858(1999)33

Thermodynamic parameters

Temperature-induced inversion of elution order in the enantioseparation of sotalol on a cellobiohydrolase I-based stationary phase 858(1999)33

Analysis of the equations for the temperature dependence of the retention index. I. Relation between equations 858(1999)65

Tobacco

Solid phase microextraction of alkenylbenzenes and other flavor-related compounds from tobacco for analysis by selected ion monitoring gas chromatography-mass spectrometry 858(1999)79

Topological indices

Modeling chromatographic parameters by a novel graph theoretical sub-structural approach 858(1999)187

Tolperisone

Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. VII. Comparison of chiral recognition ability of ovoglycoprotein from chicken and Japanese quail egg whites 858(1999)155

Vegetables

Inclusion of the fungicide chlozolinate in a multiresidue method 858(1999)123

Water analysis

Semi-permeable surface analytical reversed-phase column for the improved trace analysis of acidic pesticides in water with coupled-column reversed-phase liquid chromatography with UV detection. Determination of bromoxynil and bentazone in surface water 858(1999)45

Zearalanone

Determination of zearalenone in grains by high-performance liquid chromatography–tandem mass spectrometry after solid-phase extraction with RP-18 columns or immunoaffinity columns 858(1999)167

Zearalenone

Determination of zearalenone in grains by high-performance liquid chromatography–tandem mass spectrometry after solid-phase extraction with RP-18 columns or immunoaffinity columns 858(1999)167