



ELSEVIER

Journal of Chromatography A, 859 (1999) 243–247

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 859

π -Acceptors

Convenient synthesis of π -acceptor chiral stationary phases for high-performance liquid chromatography from halogen-substituted 3,5-dinitrobenzoylamides 859(1999)143

Alkaloids

Pre-column derivatization and gas chromatographic determination of alkaloids in bulbs of *Fritillaria* 859(1999)183

Alkanes

Analysis of the equations for the temperature dependence of the retention index. II. Physico-chemical meaning of the parameters 859(1999)49

Amides

Erratum to: "Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection" [J. Chromatogr. 849 (1999) 541–552] 859(1999)119

Aniline

Liquid chromatographic determination of aniline in table-top sweeteners based on pre-column derivatization with 1,2-naphthoquinone-4-sulfonate 859(1999)227

Biogenic amides

Erratum to: "Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection" [J. Chromatogr. 849 (1999) 541–552] 859(1999)119

Buffer composition

Separation of double-stranded DNA in conventional and isoelectric buffers: studies on stability and separation performance 859(1999)87

Efficiency studies in nonaqueous capillary electrophoresis 859(1999)203

Carboxamides

Erratum to: "Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection" [J. Chromatogr. 849 (1999) 541–552] 859(1999)119

Carboxylic acids

Non-suppressed conductivity and indirect UV detection of carboxylic acids in environmental samples by ion-exclusion chromatography using 2,6-pyridinedicarboxylic acidic eluent 859(1999)173

Ceramides

Postcolumn fluorescence as an alternative to evaporative light scattering detection for ceramide analysis with gradient elution in non-aqueous reversed-phase liquid chromatography 859(1999)99

Chiral stationary phases, LC

High-performance liquid chromatography study of the enantiomer separation of chrysanthemic acid and its analogous compounds on a terguride-based stationary phase 859(1999)133

Convenient synthesis of π -acceptor chiral stationary phases for high-performance liquid chromatography from halogen-substituted 3,5-dinitrobenzoylamides 859(1999)143

Chrysanthemic acid

High-performance liquid chromatography study of the enantiomer separation of chrysanthemic acid and its analogous compounds on a terguride-based stationary phase 859(1999)133

Complexation

Gas chromatographic study of complexing in the system hydrazoic acid–tributyl phosphate–nitric acid–uranyl nitrate 859(1999)41

Cyclamate

Liquid chromatographic determination of aniline in table-top sweeteners based on pre-column derivatization with 1,2-naphthoquinone-4-sulfonate 859(1999)227

Deoxynivalenol

Quantification of deoxynivalenol in wheat using an immunoaffinity column and liquid chromatography 859(1999)23

Derivatization

Liquid chromatographic determination of aniline in table-top sweeteners based on pre-column derivatization with 1,2-naphthoquinone-4-sulfonate 859(1999)227

Derivatization, GC

Erratum to: "Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection" [J. Chromatogr. 849 (1999) 541–552] 859(1999)119

Solid-phase microextraction coupled with gas chromatography–ion trap mass spectrometry for the analysis of haloacetic acids in water 859(1999)159

Pre-column derivatization and gas chromatographic determination of alkaloids in bulbs of *Fritillaria* 859(1999)183

Detection, LC

Time-resolved high-performance liquid chromatography fluorescence detector using a nanosecond pulsed light source for detecting lanthanide-chelated compounds 859(1999)13

Postcolumn fluorescence as an alternative to evaporative light scattering detection for ceramide analysis with gradient elution in non-aqueous reversed-phase liquid chromatography 859(1999)99

Non-suppressed conductivity and indirect UV detection of carboxylic acids in environmental samples by ion-exclusion chromatography using 2,6-pyridinedicarboxylic acidic eluent 859(1999)173

Differential signal detection

Differential signal detection system for improved analysis of overlapping signals in liquid chromatography 859(1999)221

3,5-Dinitrobenzoylamides

Convenient synthesis of π -acceptor chiral stationary phases for high-performance liquid chromatography from halogen-substituted 3,5-dinitrobenzoylamides 859(1999)143

Diphenylhexatriene

Postcolumn fluorescence as an alternative to evaporative light scattering detection for ceramide analysis with gradient elution in non-aqueous reversed-phase liquid chromatography 859(1999)99

DNA

Separation of double-stranded DNA in conventional and isoelectric buffers: studies on stability and separation performance 859(1999)87

Efficiency

Efficiency studies in nonaqueous capillary electrophoresis 859(1999)203

Enantiomer separation

High-performance liquid chromatography study of the enantiomer separation of chrysanthemic acid and its analogous compounds on a terguride-based stationary phase 859(1999)133

Convenient synthesis of π -acceptor chiral stationary phases for high-performance liquid chromatography from halogen-substituted 3,5-dinitrobenzoylamides 859(1999)143

Environmental analysis

Selective immunoclean-up followed by liquid or gas chromatography for the monitoring of polycyclic aromatic hydrocarbons in urban waste water and sewage sludges used for soil amendment 859(1999)29

Gas chromatographic–mass spectrometric determination of sulfolane in wetland vegetation exposed to sour gas-contaminated groundwater 859(1999)69

Analysis of some pesticides in water samples using solid-phase microextraction–gas chromatography with different mass spectrometric techniques 859(1999)193

Enzymes

Rapid reversed-phase high-performance liquid chromatographic determination of the regiospecificity of lipoxygenase products on linoleic acid 859(1999)107

Extraction methods

Selective immunoclean-up followed by liquid or gas chromatography for the monitoring of polycyclic aromatic hydrocarbons in urban waste water and sewage sludges used for soil amendment 859(1999)29

Gas chromatographic study of complexing in the system hydrazoic acid–tributyl phosphate–nitric acid–uranyl nitrate 859(1999)41

Fatty acid amides

Erratum to: "Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection" [J. Chromatogr. 849 (1999) 541–552] 859(1999)119

Fatty acids

Rapid reversed-phase high-performance liquid chromatographic determination of the regiospecificity of lipoxygenase products on linoleic acid 859(1999)107

Fluorescence detection

Time-resolved high-performance liquid chromatography fluorescence detector using a nanosecond pulsed light source for detecting lanthanide-chelated compounds 859(1999)13

Food analysis

Quantification of deoxynivalenol in wheat using an immunoaffinity column and liquid chromatography 859(1999)23

Analysis of bovine whey proteins in soybean dairy-like products by capillary electrophoresis 859(1999)77

***Fritillaria* alkaloids**

Pre-column derivatization and gas chromatographic determination of alkaloids in bulbs of *Fritillaria* 859(1999)183

Haloacetic acid

Solid-phase microextraction coupled with gas chromatography-ion trap mass spectrometry for the analysis of haloacetic acids in water 859(1999)159

Hormones

Erratum to: "Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection" [J. Chromatogr. 849 (1999) 541–552] 859(1999)119

Hydrazoic acid

Gas chromatographic study of complexing in the system hydrazoic acid-tributyl phosphate-nitric acid-uranyl nitrate 859(1999)41

Immunoaffinity columns

Quantification of deoxynivalenol in wheat using an immunoaffinity column and liquid chromatography 859(1999)23

Immunoextraction

Selective immunoclean-up followed by liquid or gas chromatography for the monitoring of polycyclic aromatic hydrocarbons in urban waste water and sewage sludges used for soil amendment 859(1999)29

Instrumentation

Time-resolved high-performance liquid chromatography fluorescence detector using a nanosecond pulsed light source for detecting lanthanide-chelated compounds 859(1999)13

Ionogenic compounds

Reversed-phase high-performance liquid chromatography of ionogenic compounds: comparison of retention models 859(1999)1

Isoelectric buffers

Separation of double-stranded DNA in conventional and isoelectric buffers: studies on stability and separation performance 859(1999)87

Isopropanol

Headspace gas chromatography method for the analysis of volatile impurities in a hormone replacement transdermal patch 859(1999)113

Lactalbumin

Analysis of bovine whey proteins in soybean dairy-like products by capillary electrophoresis 859(1999)77

Lactoglobulins

Analysis of bovine whey proteins in soybean dairy-like products by capillary electrophoresis 859(1999)77

Lanthanides

Time-resolved high-performance liquid chromatography fluorescence detector using a nanosecond pulsed light source for detecting lanthanide-chelated compounds 859(1999)13

Limiting retention factors

Reversed-phase high-performance liquid chromatography of ionogenic compounds: comparison of retention models 859(1999)1

Linoleic acid

Rapid reversed-phase high-performance liquid chromatographic determination of the regiospecificity of lipoxygenase products on linoleic acid 859(1999)107

Lipids

Erratum to: "Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection" [J. Chromatogr. 849 (1999) 541–552] 859(1999)119

Application of polydivinylbenzene liquid chromatography columns to remove lipid material from fish tissue extracts for the analysis of semivolatile organics 859(1999)235

Lipoxygenases

Rapid reversed-phase high-performance liquid chromatographic determination of the regiospecificity of lipoxygenase products on linoleic acid 859(1999)107

Liquid crystals

Synthesis and properties of two new liquid crystals: an analytical and thermodynamic study 859(1999)59

Metal chelates

Time-resolved high-performance liquid chromatography fluorescence detector using a nanosecond pulsed light source for detecting lanthanide-chelated compounds 859(1999)13

Metalloprotoporphyrin-silica stationary phases

Shape-selective separation of polycyclic aromatic hydrocarbons on protoporphyrin-silica phases. Effect of surface porphyrin distribution on column efficiency 859(1999)121

Mycotoxins

Quantification of deoxynivalenol in wheat using an immunoaffinity column and liquid chromatography 859(1999)23

1,2-Naphthoquinone-4-sulfonate

Liquid chromatographic determination of aniline in table-top sweeteners based on pre-column derivatization with 1,2-naphthoquinone-4-sulfonate 859(1999)227

Nitric acid

Gas chromatographic study of complexing in the system hydrazoic acid–tributyl phosphate–nitric acid–uranyl nitrate 859(1999)41

Nonaqueous capillary electrophoresis

Efficiency studies in nonaqueous capillary electrophoresis 859(1999)203

Non-suppressed conductivity detection

Non-suppressed conductivity and indirect UV detection of carboxylic acids in environmental samples by ion-exclusion chromatography using 2,6-pyridinedicarboxylic acidic eluent 859(1999)173

Oligosaccharides

Efficiency studies in nonaqueous capillary electrophoresis 859(1999)203

Organic acids

Reversed-phase high-performance liquid chromatography of ionogenic compounds: comparison of retention models 859(1999)1

Statistics aided optimization for high-performance liquid chromatographic analysis of organic acids in tobacco 859(1999)153

Overlapping signals

Differential signal detection system for improved analysis of overlapping signals in liquid chromatography 859(1999)221

Peak overlap

Differential signal detection system for improved analysis of overlapping signals in liquid chromatography 859(1999)221

Pesticides

Analysis of some pesticides in water samples using solid-phase microextraction–gas chromatography with different mass spectrometric techniques 859(1999)193

Pharmaceutical analysis

Headspace gas chromatography method for the analysis of volatile impurities in a hormone replacement transdermal patch 859(1999)113

 α -Phenylethylamine

Convenient synthesis of π -acceptor chiral stationary phases for high-performance liquid chromatography from halogen-substituted 3,5-dinitrobenzoylamides 859(1999)143

Plant materials

Gas chromatographic–mass spectrometric determination of sulfolane in wetland vegetation exposed to sour gas-contaminated groundwater 859(1999)69

Poly(divinylbenzene)

Application of polydivinylbenzene liquid chromatography columns to remove lipid material from fish tissue extracts for the analysis of semivolatiles organics 859(1999)235

Polynuclear aromatic hydrocarbons

Selective immunoclean-up followed by liquid or gas chromatography for the monitoring of polycyclic aromatic hydrocarbons in urban waste water and sewage sludges used for soil amendment 859(1999)29

Shape-selective separation of polycyclic aromatic hydrocarbons on protoporphyrin-silica phases. Effect of surface porphyrin distribution on column efficiency 859(1999)121

Application of polydivinylbenzene liquid chromatography columns to remove lipid material from fish tissue extracts for the analysis of semivolatiles organics 859(1999)235

Porphyrin-silica stationary phases

Shape-selective separation of polycyclic aromatic hydrocarbons on protoporphyrin-silica phases. Effect of surface porphyrin distribution on column efficiency 859(1999)121

Proteins

Analysis of bovine whey proteins in soybean dairy-like products by capillary electrophoresis 859(1999)77

Protoporphyrin-silica stationary phases

Shape-selective separation of polycyclic aromatic hydrocarbons on protoporphyrin-silica phases. Effect of surface porphyrin distribution on column efficiency 859(1999)121

Pyrethroids

High-performance liquid chromatography study of the enantiomer separation of chrysanthemic acid and its analogous compounds on a terguride-based stationary phase 859(1999)133

2,6-Pyridinedicarboxylic acid

Non-suppressed conductivity and indirect UV detection of carboxylic acids in environmental samples by ion-exclusion chromatography using 2,6-pyridinedicarboxylic acidic eluent 859(1999)173

Regioisomers

Rapid reversed-phase high-performance liquid chromatographic determination of the regiospecificity of lipoxygenase products on linoleic acid 859(1999)107

Retention indices

Analysis of the equations for the temperature dependence of the retention index. II. Physico-chemical meaning of the parameters 859(1999)49

Retention models

Reversed-phase high-performance liquid chromatography of ionogenic compounds: comparison of retention models 859(1999)1

Sample handling

Quantification of deoxynivalenol in wheat using an immunoaffinity column and liquid chromatography 859(1999)23

Sewage sludge

Selective immunoclean-up followed by liquid or gas chromatography for the monitoring of polycyclic aromatic hydrocarbons in urban waste water and sewage sludges used for soil amendment 859(1999)29

Soil

Selective immunoclean-up followed by liquid or gas chromatography for the monitoring of polycyclic aromatic hydrocarbons in urban waste water and sewage sludges used for soil amendment 859(1999)29

Solid-phase extraction

Selective immunoclean-up followed by liquid or gas chromatography for the monitoring of polycyclic aromatic hydrocarbons in urban waste water and sewage sludges used for soil amendment 859(1999)29

Solid-phase microextraction

Solid-phase microextraction coupled with gas chromatography-ion trap mass spectrometry for the analysis of haloacetic acids in water 859(1999)159

Soybean

Analysis of bovine whey proteins in soybean dairy-like products by capillary electrophoresis 859(1999)77

Stationary phases, GC

Synthesis and properties of two new liquid crystals: an analytical and thermodynamic study 859(1999)59

Stationary phases, LC

Shape-selective separation of polycyclic aromatic hydrocarbons on protoporphyrin-silica phases. Effect of surface porphyrin distribution on column efficiency 859(1999)121

Statistical optimization

Statistics aided optimization for high-performance liquid chromatographic analysis of organic acids in tobacco 859(1999)153

Stoichiometric displacement model

Reversed-phase high-performance liquid chromatography of ionogenic compounds: comparison of retention models 859(1999)1

Sulfolane

Gas chromatographic-mass spectrometric determination of sulfolane in wetland vegetation exposed to sour gas-contaminated groundwater 859(1999)69

Sweeteners

Liquid chromatographic determination of aniline in table-top sweeteners based on pre-column derivatization with 1,2-naphthoquinone-4-sulfonate 859(1999)227

Temperature effects

Analysis of the equations for the temperature dependence of the retention index. II. Physico-chemical meaning of the parameters 859(1999)49

Terguride

High-performance liquid chromatography study of the enantiomer separation of chrysanthemic acid and its analogous compounds on a terguride-based stationary phase 859(1999)133

Thermodynamic parameters

Analysis of the equations for the temperature dependence of the retention index. II. Physico-chemical meaning of the parameters 859(1999)49

Synthesis and properties of two new liquid crystals: an analytical and thermodynamic study 859(1999)59

Tobacco

Statistics aided optimization for high-performance liquid chromatographic analysis of organic acids in tobacco 859(1999)153

Toluene

Headspace gas chromatography method for the analysis of volatile impurities in a hormone replacement transdermal patch 859(1999)113

Transdermal patch

Headspace gas chromatography method for the analysis of volatile impurities in a hormone replacement transdermal patch 859(1999)113

Tributyl phosphate

Gas chromatographic study of complexing in the system hydrazoic acid-tributyl phosphate-nitric acid-uranyl nitrate 859(1999)41

Trichothecenes

Quantification of deoxynivalenol in wheat using an immunoaffinity column and liquid chromatography 859(1999)23

Uranyl nitrate

Gas chromatographic study of complexing in the system hydrazoic acid-tributyl phosphate-nitric acid-uranyl nitrate 859(1999)41

Water analysis

Analysis of some pesticides in water samples using solid-phase microextraction-gas chromatography with different mass spectrometric techniques 859(1999)193

Selective immunoclean-up followed by liquid or gas chromatography for the monitoring of polycyclic aromatic hydrocarbons in urban waste water and sewage sludges used for soil amendment 859(1999)29

Solid-phase microextraction coupled with gas chromatography-ion trap mass spectrometry for the analysis of haloacetic acids in water 859(1999)159

Whey

Analysis of bovine whey proteins in soybean dairy-like products by capillary electrophoresis 859(1999)77