



ELSEVIER

Journal of Chromatography A, 863 (1999) 251–255

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 863

Acetals

Selection of methylation procedures for quantitation of short-chain glycerol-bound compounds formed during thermoxidation 863(1999)171

Aglycones

Reversed-phase liquid chromatographic separation and simultaneous profiling of steroidal glycoalkaloids and their aglycones 863(1999)25

Air analysis

Automated gas chromatography with cryogenic/sorbent trap for the measurement of volatile organic compounds in the atmosphere 863(1999)183

Aldehydic acids

Selection of methylation procedures for quantitation of short-chain glycerol-bound compounds formed during thermoxidation 863(1999)171

Alkaloids

Reversed-phase liquid chromatographic separation and simultaneous profiling of steroidal glycoalkaloids and their aglycones 863(1999)25

Strategies for supercritical fluid extraction of hyoscyamine and scopolamine salts using basified modifiers 863(1999)47

Separation, identification and determination of sanguinarine in argemone and other adulterated edible oils by reversed-phase high-performance liquid chromatography 863(1999)123

Aminobenzamides

3-Aminobenzamide and 3-aminobenzoic acid, tags for capillary electrophoresis of complex carbohydrates with laser-induced fluorescent detection 863(1999)205

Aminobenzoic acids

3-Aminobenzamide and 3-aminobenzoic acid, tags for capillary electrophoresis of complex carbohydrates with laser-induced fluorescent detection 863(1999)205

Anthraquinones

High-performance liquid chromatographic determination of some anthraquinone and naphthoquinone dyes occurring in historical textiles 863(1999)235

Argemone oil

Separation, identification and determination of sanguinarine in argemone and other adulterated edible oils by reversed-phase high-performance liquid chromatography 863(1999)123

Bacteria

Pyrolysis–gas–liquid chromatography with atomic emission detection for the identification of *Corynebacterium* species 863(1999)243

Benzenes

Trapping efficiency of aqueous pollutants in multichannel thick-film silicone-rubber traps for capillary gas chromatography 863(1999)57

Benzophenanthridine

Separation, identification and determination of sanguinarine in argemone and other adulterated edible oils by reversed-phase high-performance liquid chromatography 863(1999)123

Buffer composition

Effects of organic modifiers on retention mechanism and selectivity in micellar electrokinetic capillary chromatography studied by linear solvation energy relationships 863(1999)69

Capillary electrophoretic behaviour of humic substances in physical gels 863(1999)195

Carbohydrates

3-Aminobenzamide and 3-aminobenzoic acid, tags for capillary electrophoresis of complex carbohydrates with laser-induced fluorescent detection 863(1999)205

Chemometrics

Pyrolysis–gas–liquid chromatography with atomic emission detection for the identification of *Corynebacterium* species 863(1999)243

Chloroanilines

Optimization of the separation of mono- and dichloroanilines in ion interaction high-performance liquid chromatography 863(1999)1

Clenbuterol

On-line coupling of solid-phase extraction with mass spectrometry for the analysis of biological samples. I. Determination of clenbuterol in urine 863(1999)115

Color additives

Rapid quantification of hexachlorobenzene in the color additives D&C Red Nos. 27 and 28 (phloxine B) using solid-phase microextraction and gas chromatography–mass spectrometry 863(1999)37

Cometary nucleus analysis

Gas chromatography for in situ analysis of a cometary nucleus: characterization and optimization of diphenyl/dimethylpolysiloxane stationary phases 863(1999)157

***Corynebacterium* spp**

Pyrolysis–gas–liquid chromatography with atomic emission detection for the identification of *Corynebacterium* species 863(1999)243

Creatinine

On-line coupling of solid-phase extraction with mass spectrometry for the analysis of biological samples. I. Determination of clenbuterol in urine 863(1999)115

Cyclodextrin stationary phase

Pressure-controlled high-performance liquid chromatographic study on the influence of rim chemistry on partial molar volume differences between free and complexed cyclodextrins 863(1999)127

Cytochromes

Cytochrome *c* unfolding on an anionic surface 863(1999)137

D&C Red No. 27

Rapid quantification of hexachlorobenzene in the color additives D&C Red Nos. 27 and 28 (phloxine B) using solid-phase microextraction and gas chromatography–mass spectrometry 863(1999)37

D&C Red No. 28

Rapid quantification of hexachlorobenzene in the color additives D&C Red Nos. 27 and 28 (phloxine B) using solid-phase microextraction and gas chromatography–mass spectrometry 863(1999)37

Derivatization

3-Aminobenzamide and 3-aminobenzoic acid, tags for capillary electrophoresis of complex carbohydrates with laser-induced fluorescent detection 863(1999)205

Derivatization, LC

High-performance liquid chromatography of methanol released from pectins after its oxidation to formaldehyde and condensation with 2,4-dinitrophenylhydrazine 863(1999)227

Dimethoxyhydroxchalone

Migration behavior and separation of active components in *Glycyrrhiza uralensis* Fisch and its commercial extract by micellar electrokinetic capillary chromatography 863(1999)105

Dinitrophenylhydrazine

High-performance liquid chromatography of methanol released from pectins after its oxidation to formaldehyde and condensation with 2,4-dinitrophenylhydrazine 863(1999)227

Diphenyl/dimethylpolysiloxane stationary phases

Gas chromatography for in situ analysis of a cometary nucleus: characterization and optimization of diphenyl/dimethylpolysiloxane stationary phases 863(1999)157

Dyes

High-performance liquid chromatographic determination of some anthraquinone and naphthoquinone dyes occurring in historical textiles 863(1999)235

Electrophoresis

3-Aminobenzamide and 3-aminobenzoic acid, tags for capillary electrophoresis of complex carbohydrates with laser-induced fluorescent detection 863(1999)205

Entangled polymers

Capillary electrophoretic behaviour of humic substances in physical gels 863(1999)195

Environmental analysis

Analysis of high-molecular-mass polycyclic aromatic hydrocarbons in environmental samples using liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 863(1999)13

Automated gas chromatography with cryogenic/sorbent trap for the measurement of volatile organic compounds in the atmosphere 863(1999)183

Extraction methods

Strategies for supercritical fluid extraction of hyoscyamine and scopolamine salts using basified modifiers 863(1999)47

Trapping efficiency of aqueous pollutants in multichannel thick-film silicone-rubber traps for capillary gas chromatography 863(1999)57

Fatty acids

Selection of methylation procedures for quantitation of short-chain glycerol-bound compounds formed during thermoxidation 863(1999)171

Fermononetin

Migration behavior and separation of active components in *Glycyrrhiza uralensis* Fisch and its commercial extract by micellar electrokinetic capillary chromatography 863(1999)105

Formaldehyde

High-performance liquid chromatography of methanol released from pectins after its oxidation to formaldehyde and condensation with 2,4-dinitrophenylhydrazine 863(1999)227

Glycoalkaloids

Reversed-phase liquid chromatographic separation and simultaneous profiling of steroidal glycoalkaloids and their aglycones 863(1999)25

Glycyrrhetic acid

Migration behavior and separation of active components in *Glycyrrhiza uralensis* Fisch and its commercial extract by micellar electrokinetic capillary chromatography 863(1999)105

Glycyrrhiza uralensis

Migration behavior and separation of active components in *Glycyrrhiza uralensis* Fisch and its commercial extract by micellar electrokinetic capillary chromatography 863(1999)105

Glycyrrhizic acid

Migration behavior and separation of active components in *Glycyrrhiza uralensis* Fisch and its commercial extract by micellar electrokinetic capillary chromatography 863(1999)105

Hexachlorobenzenes

Rapid quantification of hexachlorobenzene in the color additives D&C Red Nos. 27 and 28 (phloxine B) using solid-phase microextraction and gas chromatography–mass spectrometry 863(1999)37

Humic substances

Capillary electrophoretic behaviour of humic substances in physical gels 863(1999)215

Hyoscyamine

Strategies for supercritical fluid extraction of hyoscyamine and scopolamine salts using basified modifiers 863(1999)47

Inorganic anions

Effect of drying on the degradation of cationic surfactants and separation performance in capillary zone electrophoresis of inorganic anions 863(1999)81

Interfaces, SPE–MS

On-line coupling of solid-phase extraction with mass spectrometry for the analysis of biological samples. I. Determination of clenbuterol in urine 863(1999)115

Ion-exchange chromatography

Cytochrome *c* unfolding on an anionic surface 863(1999)137

Isoelectric focusing

The invalidity of Kohlrausch' regulating function for Svensson's isoelectric focusing and stationary electrolysis at steady state 863(1999)219

Isoliquiritigenin

Migration behavior and separation of active components in *Glycyrrhiza uralensis* Fisch and its commercial extract by micellar electrokinetic capillary chromatography 863(1999)105

Isotachophoresis

The invalidity of Kohlrausch' regulating function for Svensson's isoelectric focusing and stationary electrolysis at steady state 863(1999)219

Kohlrausch' regulating function

The invalidity of Kohlrausch' regulating function for Svensson's isoelectric focusing and stationary electrolysis at steady state 863(1999)219

Linear solvation energy relationships

Effects of organic modifiers on retention mechanism and selectivity in micellar electrokinetic capillary chromatography studied by linear solvation energy relationships 863(1999)69

Mass spectrometry

On-line coupling of solid-phase extraction with mass spectrometry for the analysis of biological samples. I. Determination of clenbuterol in urine 863(1999)115

Methanol

High-performance liquid chromatography of methanol released from pectins after its oxidation to formaldehyde and condensation with 2,4-dinitrophenylhydrazine 863(1999)227

Methylation

Selection of methylation procedures for quantitation of short-chain glycerol-bound compounds formed during thermoxidation 863(1999)171

Micellar electrokinetic chromatography

Effects of organic modifiers on retention mechanism and selectivity in micellar electrokinetic capillary chromatography studied by linear solvation energy relationships 863(1999)69

Moving boundary system

The invalidity of Kohlrausch' regulating function for Svensson's isoelectric focusing and stationary electrolysis at steady state 863(1999)219

Naphthoquinones

High-performance liquid chromatographic determination of some anthraquinone and naphthoquinone dyes occurring in historical textiles 863(1999)235

Nitrophenols

Pressure-controlled high-performance liquid chromatographic study on the influence of rim chemistry on partial molar volume differences between free and complexed cyclodextrins 863(1999)127

Oils

Separation, identification and determination of sanguinarine in argemone and other adulterated edible oils by reversed-phase high-performance liquid chromatography 863(1999)123

Optimization

Optimization of the separation of mono- and dichloroanilines in ion interaction high-performance liquid chromatography 863(1999)1

Organic modifiers

Effects of organic modifiers on retention mechanism and selectivity in micellar electrokinetic capillary chromatography studied by linear solvation energy relationships 863(1999)69

Pectins

High-performance liquid chromatography of methanol released from pectins after its oxidation to formaldehyde and condensation with 2,4-dinitrophenylhydrazine 863(1999)227

Pesticides

Determination of polar pesticides with atmospheric pressure chemical ionisation mass spectrometry–mass spectrometry using methanol and/or acetonitrile for solid-phase desorption and gradient liquid chromatography 863(1999)147

Pharmaceutical analysis

Migration behavior and separation of active components in *Glycyrrhiza uralensis* Fisch and its commercial extract by micellar electrokinetic capillary chromatography 863(1999)105

Phenols

Trapping efficiency of aqueous pollutants in multichannel thick-film silicone-rubber traps for capillary gas chromatography 863(1999)57

Pressure-controlled high-performance liquid chromatographic study on the influence of rim chemistry on partial molar volume differences between free and complexed cyclodextrins 863(1999)127

Phenoxy acids

Determination of polar pesticides with atmospheric pressure chemical ionisation mass spectrometry–mass spectrometry using methanol and/or acetonitrile for solid-phase desorption and gradient liquid chromatography 863(1999)147

Phenylurea herbicides

Determination of polar pesticides with atmospheric pressure chemical ionisation mass spectrometry–mass spectrometry using methanol and/or acetonitrile for solid-phase desorption and gradient liquid chromatography 863(1999)147

Phloxines

Rapid quantification of hexachlorobenzene in the color additives D&C Red Nos. 27 and 28 (phloxine B) using solid-phase microextraction and gas chromatography–mass spectrometry 863(1999)37

Poly(ethylene glycol)

Capillary electrophoretic behaviour of humic substances in physical gels 863(1999)195

Polynuclear aromatic hydrocarbons

Analysis of high-molecular-mass polycyclic aromatic hydrocarbons in environmental samples using liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 863(1999)13

Poly(vinyl alcohol)

Capillary electrophoretic behaviour of humic substances in physical gels 863(1999)195

Pressure dependent retention

Pressure-controlled high-performance liquid chromatographic study on the influence of rim chemistry on partial molar volume differences between free and complexed cyclodextrins 863(1999)127

Proteins

Cytochrome *c* unfolding on an anionic surface 863(1999)137

Pyrethrin esters

Separation of natural pyrethrum extracts using micellar electrokinetic chromatography 863(1999)89

Pyrolysis

Pyrolysis–gas–liquid chromatography with atomic emission detection for the identification of *Corynebacterium* species 863(1999)243

Retention mechanisms

Effects of organic modifiers on retention mechanism and selectivity in micellar electrokinetic capillary chromatography studied by linear solvation energy relationships 863(1999)69

Retention, pressure-dependent

Pressure-controlled high-performance liquid chromatographic study on the influence of rim chemistry on partial molar volume differences between free and complexed cyclodextrins 863(1999)127

Sanguinarine

Separation, identification and determination of sanguinarine in argemone and other adulterated edible oils by reversed-phase high-performance liquid chromatography 863(1999)123

Scopolamine

Strategies for supercritical fluid extraction of hyoscyamine and scopolamine salts using basified modifiers 863(1999)47

Scopolia japonica

Strategies for supercritical fluid extraction of hyoscyamine and scopolamine salts using basified modifiers 863(1999)47

Selectivity

Effects of organic modifiers on retention mechanism and selectivity in micellar electrokinetic capillary chromatography studied by linear solvation energy relationships 863(1999)69

Solid-phase extraction–mass spectrometry

On-line coupling of solid-phase extraction with mass spectrometry for the analysis of biological samples. I. Determination of clenbuterol in urine 863(1999)115

Stationary phases, GC

Gas chromatography for in situ analysis of a cometary nucleus: characterization and optimization of diphenyl/dimethylpolysiloxane stationary phases 863(1999)157

Stationary phases, LC

Pressure-controlled high-performance liquid chromatographic study on the influence of rim chemistry on partial molar volume differences between free and complexed cyclodextrins 863(1999)127

Steroid glycoalkaloids

Reversed-phase liquid chromatographic separation and simultaneous profiling of steroidal glycoalkaloids and their aglycones 863(1999)25

Surfactants

Effect of drying on the degradation of cationic surfactants and separation performance in capillary zone electrophoresis of inorganic anions 863(1999)81

Tetradecyldimethylamine

Effect of drying on the degradation of cationic surfactants and separation performance in capillary zone electrophoresis of inorganic anions 863(1999)81

Tetradecyltrimethylammonium bromide

Effect of drying on the degradation of cationic surfactants and separation performance in capillary zone electrophoresis of inorganic anions 863(1999)81

Textiles

High-performance liquid chromatographic determination of some anthraquinone and naphthoquinone dyes occurring in historical textiles 863(1999)235

Toxins

Reversed-phase liquid chromatographic separation and simultaneous profiling of steroidal glycoalkaloids and their aglycones 863(1999)25

Triazines

Determination of polar pesticides with atmospheric pressure chemical ionisation mass spectrometry–mass spectrometry using methanol and/or acetonitrile for solid-phase desorption and gradient liquid chromatography 863(1999)147

Tropane alkaloids

Strategies for supercritical fluid extraction of hyoscyamine and scopolamine salts using basified modifiers 863(1999)47

Volatile organic compounds

Automated gas chromatography with cryogenic/sorbent trap for the measurement of volatile organic compounds in the atmosphere 863(1999)183

Water analysis

Trapping efficiency of aqueous pollutants in multichannel thick-film silicone-rubber traps for capillary gas chromatography 863(1999)57