



ELSEVIER

Journal of Chromatography A, 864 (1999) 355–357

JOURNAL OF
CHROMATOGRAPHY Awww.elsevier.com/locate/chroma

Author Index Vol. 864

- An, M., see Wu, H. 864(1999)315
- Azaïs-Braesco, V., see Cia, D. 864(1999)257
- Azim, E.-M., see Cia, D. 864(1999)257
- Baltussen, E., David, F., Sandra, P. and Cramers, C.
On the performance and inertness of different materials
used for the enrichment of sulfur compounds from air and
gaseous samples 864(1999)345
- Batas, B. and Chaudhuri, J.B.
Considerations of sample application and elution during
size-exclusion chromatography-based protein refolding
864(1999)229
- Battle, R., see Salafranca, J. 864(1999)137
- Beals, B.J., see Ci, S.X. 864(1999)199
- Bochkariov, D.E., see Chaga, G. 864(1999)247
- Bonhomme, B., see Cia, D. 864(1999)257
- Braud, C., see Stefani, M. 864(1999)335
- Burleson, J., see Wang, I.H. 864(1999)271
- Cacho, J., see Ferreira, V. 864(1999)77
- Carvalho, F.P., see Tolosa, I. 864(1999)121
- Cavalli, S., see Valsecchi, S. 864(1999)263
- Centonze, G., see Visconti, A. 864(1999)89
- Chaga, G., Bochkariov, D.E., Jokhadze, G.G., Hopp, J. and
Nelson, P.
Natural poly-histidine affinity tag for purification of
recombinant proteins on cobalt(II)-carboxymethylaspartate
crosslinked agarose 864(1999)247
- Chaudhuri, J.B., see Batas, B. 864(1999)229
- Chen, J., see Sun, D. 864(1999)293
- Chevallier, D., see Ravanel, P. 864(1999)145
- Ci, S.X., Huynh, T.H., Louie, L.W., Yang, A., Beals, B.J., Ron,
N., Tsang, W.-G., Soon-Shiong, P. and Desai, N.P.
Molecular mass distribution of sodium alginate by high-
performance size-exclusion chromatography 864(1999)199
- Cia, D., Bonhomme, B., Azim, E.-M., Wada, A., Doly, M. and
Azaïs-Braesco, V.
A reversed-phase high-performance liquid chromatographic
method to analyze retinal isomers 864(1999)257
- Cramers, C., see Baltussen, E. 864(1999)345
- David, F., see Baltussen, E. 864(1999)345
- Desai, N.P., see Ci, S.X. 864(1999)199
- Doly, M., see Cia, D. 864(1999)257
- Dormady, S.J., Lei, J. and Regnier, F.E.
Eliminating disulfide exchange during glutamyl
endopeptidase digestion of native protein 864(1999)237
- Douy, B., see Tolosa, I. 864(1999)121
- Escudero, A., see Ferreira, V. 864(1999)77
- Ferreira, V., Hernández-Orte, P., Escudero, A., López, R. and
Cacho, J.
Semipreparative reversed-phase liquid chromatographic
fractionation of aroma extracts from wine and other
alcoholic beverages 864(1999)77
- Geiger, J., see Schrader, W. 864(1999)299
- Girard, J.E., see Wei, Y. 864(1999)49
- Greibrikk, T., see Molander, P. 864(1999)103
- Griffin, S., Wyllie, S.G. and Markham, J.
Determination of octanol–water partition coefficient for
terpenoids using reversed-phase high-performance liquid
chromatography 864(1999)221
- Haginaka, J., see Tsukamoto, T. 864(1999)163
- Haig, T., see Wu, H. 864(1999)315
- Haugland, K., see Molander, P. 864(1999)103
- Haukioja, E., see Salminen, J.-P. 864(1999)283
- Hedeland, M., Holmin, S., Nygård, M. and Pettersson, C.
Chromatographic evaluation of structure selective and
enantioselective retention of amines and acids on
cellobiohydrolase I wild type and its mutant D214N
864(1999)1
- Hegna, D.R., see Molander, P. 864(1999)103
- Helsen, M., see Sas, B. 864(1999)179
- Hernández-Orte, P., see Ferreira, V. 864(1999)77
- Hilmi, A., see Luong, J.H.T. 864(1999)323
- Hoffmann, T., see Schrader, W. 864(1999)299
- Holmin, S., see Hedeland, M. 864(1999)1
- Hopp, J., see Chaga, G. 864(1999)247
- Huang, R.-B., see Xie, S.-Y. 864(1999)173
- Huynh, T.H., see Ci, S.X. 864(1999)199
- Inomata, Y., Matsunaga, K., Murai, Y., Osada, K. and Iwasaka,
Y.
Simultaneous measurement of volatile sulfur compounds
using ascorbic acid for oxidant removal and gas
chromatography–flame photometric detection
864(1999)111
- Isernia, A., see Valsecchi, S. 864(1999)263
- Ito, N., see Safni, 864(1999)25
- Iwasaka, Y., see Inomata, Y. 864(1999)111
- Johansson, H.-O., see Persson, J. 864(1999)31
- Jokhadze, G.G., see Chaga, G. 864(1999)247
- Karns, J., see Mata-Sandoval, J.C. 864(1999)211

- Karst, U., see Zurek, G. 864(1999)191
- Klockow, D., see Schrader, W. 864(1999)299
- Ko, J., see Wang, I.H. 864(1999)271
- Korte, E.-H., see Schrader, W. 864(1999)299
- Kulshrestha, G., see Saikia, N. 864(1999)351
- Küsters, E., see Wang-Fan, W. 864(1999)69
- Larue, J.-P., see Paugam, L. 864(1999)155
- Lei, J., see Dormady, S.J. 864(1999)237
- Lemerle, D., see Wu, H. 864(1999)315
- Liégeois, M.H., see Ravanel, P. 864(1999)145
- Lindholst, C., see Pedersen, S.N. 864(1999)17
- Lohse, O., see Wang-Fan, W. 864(1999)69
- López, R., see Ferreira, V. 864(1999)77
- Loponen, J., see Salminen, J.-P. 864(1999)283
- Louie, L.W., see Ci, S.X. 864(1999)199
- Lu, W., see Sun, D. 864(1999)293
- Lundanes, E., see Molander, P. 864(1999)103
- Luong, J.H.T., Hilmi, A. and Nguyen, A.-L.
Nonaqueous capillary electrophoresis equipped with
amperometric detection for analysis of chlorinated phenolic
compounds 864(1999)323
- Mak, C.-P., see Wang-Fan, W. 864(1999)69
- Marino, M., see Wei, Y. 864(1999)49
- Markham, J., see Griffin, S. 864(1999)221
- Mata-Sandoval, J.C., Karns, J. and Torrents, A.
High-performance liquid chromatography method for the
characterization of rhamnolipid mixtures produced by
Pseudomonas aeruginosa UG2 on corn oil 864(1999)211
- Matsunaga, K., see Inomata, Y. 864(1999)111
- Ménard, R., see Paugam, L. 864(1999)155
- Miya, T., see Safni, 864(1999)25
- Molander, P., Haugland, K., Hegna, D.R., Ommundsen, E.,
Lundanes, E. and Greibrokk, T.
Determination of low levels of an antioxidant in
polyolefins by large-volume injection temperature-
programmed packed capillary liquid chromatography
864(1999)103
- Moorman, R., see Wang, I.H. 864(1999)271
- Murai, Y., see Inomata, Y. 864(1999)111
- Negrell, C., see Stefani, M. 864(1999)335
- Nelson, P., see Chaga, G. 864(1999)247
- Nerín, C., see Salafranca, J. 864(1999)137
- Nguyen, A.-L., see Luong, J.H.T. 864(1999)323
- Nygård, M., see Hedeland, M. 864(1999)1
- Ommundsen, E., see Molander, P. 864(1999)103
- Osada, K., see Inomata, Y. 864(1999)111
- Ossipov, V., see Salminen, J.-P. 864(1999)283
- Pascale, M., see Visconti, A. 864(1999)89
- Paugam, L., Ménard, R., Larue, J.-P. and Thouvenot, D.
Optimization of glucosinolate separation by micellar
electrokinetic capillary chromatography using a Doehlert's
experimental design 864(1999)155
- Pedersen, S.N. and Lindholst, C.
Quantification of the xenoestrogens 4-*tert*-octylphenol and
bisphenol A in water and in fish tissue based on
microwave assisted extraction, solid-phase extraction and
liquid chromatography-mass spectrometry 864(1999)17
- Persson, J., Johansson, H.-O. and Tjerneld, F.
Purification of protein and recycling of polymers in a new
aqueous two-phase system using two thermoseparating
polymers 864(1999)31
- Pettersson, C., see Hedeland, M. 864(1999)1
- Peys, E., see Sas, B. 864(1999)179
- Pihlaja, K., see Salminen, J.-P. 864(1999)283
- Polesello, S., see Valsecchi, S. 864(1999)263
- Pollien, P. and Roberts, D.
Use of solid-phase microextraction for measuring oil-water
partition coefficients and correlation with high-performance
liquid chromatographic methods for lipophilicity
864(1999)183
- Pratley, J., see Wu, H. 864(1999)315
- Ravanel, P., Liégeois, M.H., Chevallier, D. and Tissut, M.
Soil thin-layer chromatography and pesticide mobility
through soil microstructures. New technical approach
864(1999)145
- Regnier, F.E., see Dormady, S.J. 864(1999)237
- Roberts, D., see Pollien, P. 864(1999)183
- Ron, N., see Ci, S.X. 864(1999)199
- Safni, Ito, N., Takeuchi, T. and Miwa, T.
Separation of enantiomers on anion exchangers modified
with heparin in liquid chromatography 864(1999)25
- Saikia, N. and Kulshrestha, G.
New gas chromatographic method for residue determination
of dithiopyr in soil, wheat grain and straw 864(1999)351
- Salafranca, J., Batlle, R. and Nerín, C.
Use of solid-phase microextraction for the analysis of
bisphenol A and bisphenol A diglycidyl ether in food
simulants 864(1999)137
- Salminen, J.-P., Ossipov, V., Loponen, J., Haukioja, E. and
Pihlaja, K.
Characterisation of hydrolysable tannins from leaves of
Betula pubescens by high-performance liquid
chromatography-mass spectrometry 864(1999)283
- Sandra, P., see Baltussen, E. 864(1999)345
- Sas, B., Peys, E. and Helsen, M.
Efficient method for (lyso)phospholipid class separation by
high-performance liquid chromatography using an
evaporative light-scattering detector 864(1999)179
- Schrader, W., Geiger, J., Hoffmann, T., Klockow, D. and Korte,
E.-H.
Application of gas chromatography-cryocondensation-
Fourier transform infrared spectroscopy and gas
chromatography-mass spectrometry to the identification of
gas phase reaction products from the α -pinene/ozone
reaction 864(1999)299
- Soon-Shiong, P., see Ci, S.X. 864(1999)199
- Stefani, M., Negrell, C., Braud, C. and Vert, M.
Capillary zone electrophoretic analysis of positively
charged poly(ethylene oxide) macromolecules using non-
covalent polycation-coated fused-silica capillary and
indirect UV detection 864(1999)335
- Stokes, P. and Webb, K.
Analysis of some folate monoglutamates by high-
performance liquid chromatography-mass spectrometry. I
864(1999)59
- Subramanian, V., see Wang, I.H. 864(1999)271
- Sun, D., Chen, J., Lu, W. and Zheng, X.
Heats of adsorption of some organic compounds on β -
cyclodextrin determined by gas-solid chromatography
864(1999)293
- Takeuchi, T., see Safni, 864(1999)25
- Thompson, B., see Wei, Y. 864(1999)49

- Thouvenot, D., see Paugam, L. 864(1999)155
- Tissut, M., see Ravanel, P. 864(1999)145
- Tjerneld, F., see Persson, J. 864(1999)31
- Tolosa, I., Douy, B. and Carvalho, F.P.
Comparison of the performance of graphitized carbon black and poly(styrene–divinylbenzene) cartridges for the determination of pesticides and industrial phosphates in environmental waters 864(1999)121
- Torrents, A., see Mata-Sandoval, J.C. 864(1999)211
- Tsang, W.-G., see Ci, S.X. 864(1999)199
- Tsukamoto, T., Ushio, T. and Hagiwaka, J.
Chiral resolution of basic drugs by capillary electrophoresis with new glycosaminoglycans 864(1999)163
- Ushio, T., see Tsukamoto, T. 864(1999)163
- Valsecchi, S., Isernia, A., Polesello, S. and Cavalli, S.
Ion chromatography determination of trace level bromate by large volume injection with conductivity and spectrophotometric detection after post column derivatisation 864(1999)263
- Vert, M., see Stefani, M. 864(1999)335
- Visconti, A., Pascale, M. and Centonze, G.
Determination of ochratoxin A in wine by means of immunoaffinity column clean-up and high-performance liquid chromatography 864(1999)89
- Wada, A., see Cia, D. 864(1999)257
- Wang, I.H., Subramanian, V., Moorman, R., Burleson, J. and Ko, J.
Chiral high-performance liquid chromatography of *N*-octyl bicycloheptene dicarboximide and confirmatory studies using liquid chromatography–tandem mass spectrometry and two-dimensional nuclear magnetic resonance spectroscopy 864(1999)271
- Wang, Y., see Wang-Fan, W. 864(1999)69
- Wang-Fan, W., Küsters, E., Lohse, O., Mak, C.-P. and Wang, Y.
Application of centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. I. Selection of solvent systems based on solubility and partition coefficient investigations 864(1999)69
- Webb, K., see Stokes, P. 864(1999)59
- Wei, Y., Marino, M., Thompson, B. and Girard, J.E.
High-performance liquid chromatography separation methods for the analysis of peptide nucleic acids 864(1999)49
- Wu, H., Haig, T., Pratley, J., Lemerle, D. and An, M.
Simultaneous determination of phenolic acids and 2,4-dihydroxy-7-methoxy-1,4-benzoxazin-3-one in wheat (*Triticum aestivum* L.) by gas chromatography–tandem mass spectrometry 864(1999)315
- Wyllie, S.G., see Griffin, S. 864(1999)221
- Xie, S.-Y., Huang, R.-B. and Zheng, L.-S.
Separation and identification of perchlorinated polycyclic aromatic hydrocarbons by high-performance liquid chromatography and ultraviolet absorption spectroscopy 864(1999)173
- Yang, A., see Ci, S.X. 864(1999)199
- Zheng, L.-S., see Xie, S.-Y. 864(1999)173
- Zheng, X., see Sun, D. 864(1999)293
- Zurek, G. and Karst, U.
Liquid chromatography–mass spectrometry method for the determination of aldehydes derivatized by the Hantzsch reaction 864(1999)191