



ELSEVIER

Journal of Chromatography A, 864 (1999) 359–365

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 864

Acetylacetone

Liquid chromatography–mass spectrometry method for the determination of aldehydes derivatized by the Hantzsch reaction 864(1999)191

Adsorbents

Heats of adsorption of some organic compounds on β -cyclodextrin determined by gas–solid chromatography 864(1999)293

Air analysis

Simultaneous measurement of volatile sulfur compounds using ascorbic acid for oxidant removal and gas chromatography–flame photometric detection 864(1999)111

Application of gas chromatography–cryocondensation–Fourier transform infrared spectroscopy and gas chromatography–mass spectrometry to the identification of gas phase reaction products from the α -pinene/ozone reaction 864(1999)299

On the performance and inertness of different materials used for the enrichment of sulfur compounds from air and gaseous samples 864(1999)345

Aldehydes

Liquid chromatography–mass spectrometry method for the determination of aldehydes derivatized by the Hantzsch reaction 864(1999)191

Alkylphenol

Quantification of the xenoestrogens 4-*tert*-octylphenol and bisphenol A in water and in fish tissue based on microwave assisted extraction, solid-phase extraction and liquid chromatography–mass spectrometry 864(1999)17

Amines

Chromatographic evaluation of structure selective and enantioselective retention of amines and acids on cellobiohydrolase I wild type and its mutant D214N 864(1999)1

Separation of enantiomers on anion exchangers modified with heparin in liquid chromatography 864(1999)25

Amino alcohols

Chromatographic evaluation of structure selective and enantioselective retention of amines and acids on cellobiohydrolase I wild type and its mutant D214N 864(1999)1

Antibiotics

Application of centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. I. Selection of solvent systems based on solubility and partition coefficient investigations 864(1999)69

Allelochemicals

Simultaneous determination of phenolic acids and 2,4-dihydroxy-7-methoxy-1,4-benzoxazin-3-one in wheat (*Triticum aestivum* L.) by gas chromatography–tandem mass spectrometry 864(1999)315

Antioxidants

Determination of low levels of an antioxidant in polyolefins by large-volume injection temperature-programmed packed capillary liquid chromatography 864(1999)103

Aqueous two-phase systems

Purification of protein and recycling of polymers in a new aqueous two-phase system using two thermoseparating polymers 864(1999)31

Aroma analysis

Semipreparative reversed-phase liquid chromatographic fractionation of aroma extracts from wine and other alcoholic beverages 864(1999)77

Aroma compounds

Use of solid-phase microextraction for measuring oil–water partition coefficients and correlation with high-performance liquid chromatographic methods for lipophilicity 864(1999)183

Ascomycin

Application of centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. I. Selection of solvent systems based on solubility and partition coefficient investigations 864(1999)69

Ascorbic acid

Simultaneous measurement of volatile sulfur compounds using ascorbic acid for oxidant removal and gas chromatography–flame photometric detection 864(1999)111

Basic drugs

Chiral resolution of basic drugs by capillary electrophoresis with new glycosaminoglycans 864(1999)163

Betula pubescens

Characterisation of hydrolysable tannins from leaves of *Betula pubescens* by high-performance liquid chromatography–mass spectrometry 864(1999)283

Beverages

Semipreparative reversed-phase liquid chromatographic fractionation of aroma extracts from wine and other alcoholic beverages 864(1999)77

Bisphenol A

Quantification of the xenoestrogens 4-*tert*-octylphenol and bisphenol A in water and in fish tissue based on microwave assisted extraction, solid-phase extraction and liquid chromatography–mass spectrometry 864(1999)17

Bisphenol diglycidyl ethers

Use of solid-phase microextraction for the analysis of bisphenol A and bisphenol A diglycidyl ether in food simulants 864(1999)137

Bromate

Ion chromatography determination of trace level bromate by large volume injection with conductivity and spectrophotometric detection after post column derivatisation 864(1999)263

Buffer composition

Nonaqueous capillary electrophoresis equipped with amperometric detection for analysis of chlorinated phenolic compounds 864(1999)323

Capillary columns

Capillary zone electrophoretic analysis of positively charged poly(ethylene oxide) macromolecules using non-covalent polycation-coated fused-silica capillary and indirect UV detection 864(1999)335

Cellobiohydrolase stationary phases

Chromatographic evaluation of structure selective and enantioselective retention of amines and acids on cellobiohydrolase I wild type and its mutant D214N 864(1999)1

Chiral selectors

Chiral resolution of basic drugs by capillary electrophoresis with new glycosaminoglycans 864(1999)163

Chiral stationary phases, LC

Chromatographic evaluation of structure selective and enantioselective retention of amines and acids on cellobiohydrolase I wild type and its mutant D214N 864(1999)1

Chlorophenols

Nonaqueous capillary electrophoresis equipped with amperometric detection for analysis of chlorinated phenolic compounds 864(1999)323

Chloroquine

Separation of enantiomers on anion exchangers modified with heparin in liquid chromatography 864(1999)25

Cobalt

Natural poly-histidine affinity tag for purification of recombinant proteins on cobalt(II)-carboxymethylaspartate crosslinked agarose 864(1999)247

Counter-current chromatography

Application of centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. I. Selection of solvent systems based on solubility and partition coefficient investigations 864(1999)69

Cyclodextrin adsorbents

Heats of adsorption of some organic compounds on β -cyclodextrin determined by gas–solid chromatography 864(1999)293

Cyclodextrins

Nonaqueous capillary electrophoresis equipped with amperometric detection for analysis of chlorinated phenolic compounds 864(1999)323

Derivatization, LC

Liquid chromatography–mass spectrometry method for the determination of aldehydes derivatized by the Hantzsch reaction 864(1999)191

Dextran

Molecular mass distribution of sodium alginate by high-performance size-exclusion chromatography 864(1999)199

Dibenzoyltartaric acid

Chromatographic evaluation of structure selective and enantioselective retention of amines and acids on cellobiohydrolase I wild type and its mutant D214N 864(1999)1

Dihydroxymethoxybenzoxazinone

Simultaneous determination of phenolic acids and 2,4-dihydroxy-7-methoxy-1,4-benzoxazin-3-one in wheat (*Triticum aestivum* L.) by gas chromatography–tandem mass spectrometry 864(1999)315

Dimedone

Liquid chromatography–mass spectrometry method for the determination of aldehydes derivatized by the Hantzsch reaction 864(1999)191

Dithiopyr

New gas chromatographic method for residue determination of dithiopyr in soil, wheat grain and straw 864(1999)351

Ditoluoyltartaric acid

Chromatographic evaluation of structure selective and enantioselective retention of amines and acids on cellobiohydrolase I wild type and its mutant D214N 864(1999)1

Doehlert's experimental design

Optimization of glucosinolate separation by micellar electrokinetic capillary chromatography using a Doehlert's experimental design 864(1999)155

Electrochemical detection

Nonaqueous capillary electrophoresis equipped with amperometric detection for analysis of chlorinated phenolic compounds 864(1999)323

Ellagitannins

Characterisation of hydrolysable tannins from leaves of *Betula pubescens* by high-performance liquid chromatography– mass spectrometry 864(1999)283

Enantiomer separation

Chromatographic evaluation of structure selective and enantioselective retention of amines and acids on cellobiohydrolase I wild type and its mutant D214N 864(1999)1

Separation of enantiomers on anion exchangers modified with heparin in liquid chromatography 864(1999)25

Chiral resolution of basic drugs by capillary electrophoresis with new glycosaminoglycans 864(1999)163

Chiral high-performance liquid chromatography of *N*-octyl bicycloheptene dicarboximide and confirmatory studies using liquid chromatography–tandem mass spectrometry and two-dimensional nuclear magnetic resonance spectroscopy 864(1999)271

Environmental analysis

Simultaneous measurement of volatile sulfur compounds using ascorbic acid for oxidant removal and gas chromatography–flame photometric detection 864(1999)111

Comparison of the performance of graphitized carbon black and poly(styrene–divinylbenzene) cartridges for the determination of pesticides and industrial phosphates in environmental waters 864(1999)121

Soil thin-layer chromatography and pesticide mobility through soil microstructures. New technical approach 864(1999)145

New gas chromatographic method for residue determination of dithiopyr in soil, wheat grain and straw 864(1999)351

Enzymes

Eliminating disulfide exchange during glutamyl endopeptidase digestion of native protein 864(1999)237

Extraction methods

Comparison of the performance of graphitized carbon black and poly(styrene–divinylbenzene) cartridges for the determination of pesticides and industrial phosphates in environmental waters 864(1999)121

Use of solid-phase microextraction for measuring oil–water partition coefficients and correlation with high-performance liquid chromatographic methods for lipophilicity 864(1999)183

FK-506

Application of centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. I. Selection of solvent systems based on solubility and partition coefficient investigations 864(1999)69

Folic acid

Analysis of some folate monoglutamates by high-performance liquid chromatography–mass spectrometry. I 864(1999)59

Folinic acid

Analysis of some folate monoglutamates by high-performance liquid chromatography–mass spectrometry. I 864(1999)59

Food analysis

Analysis of some folate monoglutamates by high-performance liquid chromatography–mass spectrometry. I 864(1999)59

Semipreparative reversed-phase liquid chromatographic fractionation of aroma extracts from wine and other alcoholic beverages 864(1999)77

Determination of ochratoxin A in wine by means of immunoaffinity column clean-up and high-performance liquid chromatography 864(1999)89

Food simulants

Use of solid-phase microextraction for the analysis of bisphenol A and bisphenol A diglycidyl ether in food simulants 864(1999)137

Gallotannins

Characterisation of hydrolysable tannins from leaves of *Betula pubescens* by high-performance liquid chromatography– mass spectrometry 864(1999)283

Glucobrassicin

Optimization of glucosinolate separation by micellar electrokinetic capillary chromatography using a Doehlert's experimental design 864(1999)155

Glucosinolates

Optimization of glucosinolate separation by micellar electrokinetic capillary chromatography using a Doehlert's experimental design 864(1999)155

Glucotropaeolin

Optimization of glucosinolate separation by micellar electrokinetic capillary chromatography using a Doehlert's experimental design 864(1999)155

Glutamates

Analysis of some folate monoglutamates by high-performance liquid chromatography–mass spectrometry. I 864(1999)59

Glutamyl endopeptidase

Eliminating disulfide exchange during glutamyl endopeptidase digestion of native protein 864(1999)237

Glycosaminoglycans

Chiral resolution of basic drugs by capillary electrophoresis with new glycosaminoglycans 864(1999)163

Hantzsch reaction

Liquid chromatography–mass spectrometry method for the determination of aldehydes derivatized by the Hantzsch reaction 864(1999)191

Heat of adsorption

Heats of adsorption of some organic compounds on β -cyclodextrin determined by gas–solid chromatography 864(1999)293

Heparin-modified stationary phases

Separation of enantiomers on anion exchangers modified with heparin in liquid chromatography 864(1999)25

Hydrolysable tannins

Characterisation of hydrolysable tannins from leaves of *Betula pubescens* by high-performance liquid chromatography–mass spectrometry 864(1999)283

Immobilized metal affinity chromatography

Natural poly-histidine affinity tag for purification of recombinant proteins on cobalt(II)-carboxymethylaspartate crosslinked agarose 864(1999)247

Immobilized proteins

Eliminating disulfide exchange during glutamyl endopeptidase digestion of native protein 864(1999)237

Inorganic anions

Ion chromatography determination of trace level bromate by large volume injection with conductivity and spectrophotometric detection after post column derivatisation 864(1999)263

Instrumentation

Nonaqueous capillary electrophoresis equipped with amperometric detection for analysis of chlorinated phenolic compounds 864(1999)323

Insulin

Eliminating disulfide exchange during glutamyl endopeptidase digestion of native protein 864(1999)237

Irganox

Determination of low levels of an antioxidant in polyolefins by large-volume injection temperature-programmed packed capillary liquid chromatography 864(1999)103

Lactic acid oligomers

Capillary zone electrophoretic analysis of positively charged poly(ethylene oxide) macromolecules using non-covalent polycation-coated fused-silica capillary and indirect UV detection 864(1999)335

Large-volume injections

Determination of low levels of an antioxidant in polyolefins by large-volume injection temperature-programmed packed capillary liquid chromatography 864(1999)103

Lipids

Efficient method for (lyso)phospholipid class separation by high-performance liquid chromatography using an evaporative light-scattering detector 864(1999)179

High-performance liquid chromatography method for the characterization of rhamnolipid mixtures produced by *Pseudomonas aeruginosa* UG2 on corn oil 864(1999)211

Lipophilicity

Use of solid-phase microextraction for measuring oil–water partition coefficients and correlation with high-performance liquid chromatographic methods for lipophilicity 864(1999)183

Lysophospholipids

Efficient method for (lyso)phospholipid class separation by high-performance liquid chromatography using an evaporative light-scattering detector 864(1999)179

Macrolide antibiotics

Application of centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. I. Selection of solvent systems based on solubility and partition coefficient investigations 864(1999)69

Methoxyglucobrassicin

Optimization of glucosinolate separation by micellar electrokinetic capillary chromatography using a Doehlert's experimental design 864(1999)155

Mobile phase composition

Optimization of glucosinolate separation by micellar electrokinetic capillary chromatography using a Doehlert's experimental design 864(1999)155

Molecular mass distribution

Molecular mass distribution of sodium alginate by high-performance size-exclusion chromatography 864(1999)199

Monoglutamates

Analysis of some folate monoglutamates by high-performance liquid chromatography–mass spectrometry. I 864(1999)59

Mycotoxins

Determination of ochratoxin A in wine by means of immunoaffinity column clean-up and high-performance liquid chromatography 864(1999)89

Nonaqueous capillary electrophoresis

Nonaqueous capillary electrophoresis equipped with amperometric detection for analysis of chlorinated phenolic compounds 864(1999)323

Ochratoxin A

Determination of ochratoxin A in wine by means of immunoaffinity column clean-up and high-performance liquid chromatography 864(1999)89

Octanol–water partition coefficients

Determination of octanol–water partition coefficient for terpenoids using reversed-phase high-performance liquid chromatography 864(1999)221

Oil–water partition coefficients

Use of solid-phase microextraction for measuring oil–water partition coefficients and correlation with high-performance liquid chromatographic methods for lipophilicity 864(1999)183

***N*-Octyl bicycloheptene dicarboximide**

Chiral high-performance liquid chromatography of *N*-octyl bicycloheptene dicarboximide and confirmatory studies using liquid chromatography–tandem mass spectrometry and two-dimensional nuclear magnetic resonance spectroscopy 864(1999)271

4-*tert*.-Octylphenol

Quantification of the xenoestrogens 4-*tert*.-octylphenol and bisphenol A in water and in fish tissue based on microwave assisted extraction, solid-phase extraction and liquid chromatography–mass spectrometry 864(1999)17

Oligonucleotides

High-performance liquid chromatography separation methods for the analysis of peptide nucleic acids 864(1999)49

Organic acids

Chromatographic evaluation of structure selective and enantioselective retention of amines and acids on cellobiohydrolase I wild type and its mutant D214N 864(1999)1

Organochlorine compounds

Separation and identification of perchlorinated polycyclic aromatic hydrocarbons by high-performance liquid chromatography and ultraviolet absorption spectroscopy 864(1999)173

Organophosphorus compounds

Comparison of the performance of graphitized carbon black and poly(styrene–divinylbenzene) cartridges for the determination of pesticides and industrial phosphates in environmental waters 864(1999)121

Organosulfur compounds

On the performance and inertness of different materials used for the enrichment of sulfur compounds from air and gaseous samples 864(1999)345

Ozone

Application of gas chromatography–cryocondensation–Fourier transform infrared spectroscopy and gas chromatography–mass spectrometry to the identification of gas phase reaction products from the α -pinene/ozone reaction 864(1999)299

Packed capillary columns

Determination of low levels of an antioxidant in polyolefins by large-volume injection temperature-programmed packed capillary liquid chromatography 864(1999)103

Partition coefficients

Application of centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. I. Selection of solvent systems based on solubility and partition coefficient investigations 864(1999)69

Use of solid-phase microextraction for measuring oil–water partition coefficients and correlation with high-performance liquid chromatographic methods for lipophilicity 864(1999)183

Determination of octanol–water partition coefficient for terpenoids using reversed-phase high-performance liquid chromatography 864(1999)221

Partitioning

Purification of protein and recycling of polymers in a new aqueous two-phase system using two thermoseparating polymers 864(1999)31

Peptide nucleic acids

High-performance liquid chromatography separation methods for the analysis of peptide nucleic acids 864(1999)49

Peptides

Natural poly-histidine affinity tag for purification of recombinant proteins on cobalt(II)-carboxymethylaspartate crosslinked agarose 864(1999)247

Pesticides

Comparison of the performance of graphitized carbon black and poly(styrene–divinylbenzene) cartridges for the determination of pesticides and industrial phosphates in environmental waters 864(1999)121

Soil thin-layer chromatography and pesticide mobility through soil microstructures. New technical approach 864(1999)145

New gas chromatographic method for residue determination of dithiopyr in soil, wheat grain and straw 864(1999)351

Phenolic acids

Simultaneous determination of phenolic acids and 2,4-dihydroxy-7-methoxy-1,4-benzoxazin-3-one in wheat (*Triticum aestivum* L.) by gas chromatography–tandem mass spectrometry 864(1999)315

Phosphates

Comparison of the performance of graphitized carbon black and poly(styrene–divinylbenzene) cartridges for the determination of pesticides and industrial phosphates in environmental waters 864(1999)121

Phospholipids

Efficient method for (lyso)phospholipid class separation by high-performance liquid chromatography using an evaporative light-scattering detector 864(1999)179

Pinenes

Application of gas chromatography–cryocondensation–Fourier transform infrared spectroscopy and gas chromatography–mass spectrometry to the identification of gas phase reaction products from the α -pinene/ozone reaction 864(1999)299

Polydimethylsiloxane sorbents

On the performance and inertness of different materials used for the enrichment of sulfur compounds from air and gaseous samples 864(1999)345

Poly(ethylene oxide)

Capillary zone electrophoretic analysis of positively charged poly(ethylene oxide) macromolecules using non-covalent polycation-coated fused-silica capillary and indirect UV detection 864(1999)335

Polymers

Purification of protein and recycling of polymers in a new aqueous two-phase system using two thermoseparating polymers 864(1999)31

Polynuclear aromatic hydrocarbons

Separation and identification of perchlorinated polycyclic aromatic hydrocarbons by high-performance liquid chromatography and ultraviolet absorption spectroscopy 864(1999)173

Polyolefin

Determination of low levels of an antioxidant in polyolefins by large-volume injection temperature-programmed packed capillary liquid chromatography 864(1999)103

Polysaccharides

Molecular mass distribution of sodium alginate by high-performance size-exclusion chromatography 864(1999)199

Preparative chromatography

Application of centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. I. Selection of solvent systems based on solubility and partition coefficient investigations 864(1999)69

Protein folding

Considerations of sample application and elution during size-exclusion chromatography-based protein refolding 864(1999)229

Proteins

Purification of protein and recycling of polymers in a new aqueous two-phase system using two thermoseparating polymers 864(1999)31

Considerations of sample application and elution during size-exclusion chromatography-based protein refolding 864(1999)229

Eliminating disulfide exchange during glutamyl endopeptidase digestion of native protein 864(1999)237

Natural poly-histidine affinity tag for purification of recombinant proteins on cobalt(II)-carboxymethylaspartate crosslinked agarose 864(1999)247

Pseudomonas aeruginosa

High-performance liquid chromatography method for the characterization of rhamnolipid mixtures produced by *Pseudomonas aeruginosa* UG2 on corn oil 864(1999)211

Pullulan

Molecular mass distribution of sodium alginate by high-performance size-exclusion chromatography 864(1999)199

Rainbow trout

Quantification of the xenoestrogens 4-*tert*-octylphenol and bisphenol A in water and in fish tissue based on microwave assisted extraction, solid-phase extraction and liquid chromatography–mass spectrometry 864(1999)17

Retinal isomers

A reversed-phase high-performance liquid chromatographic method to analyze retinal isomers 864(1999)257

Rhamnolipids

High-performance liquid chromatography method for the characterization of rhamnolipid mixtures produced by *Pseudomonas aeruginosa* UG2 on corn oil 864(1999)211

Sample handling

On the performance and inertness of different materials used for the enrichment of sulfur compounds from air and gaseous samples 864(1999)345

Sinigrin

Optimization of glucosinolate separation by micellar electrokinetic capillary chromatography using a Doehlert's experimental design 864(1999)155

Sodium alginate

Molecular mass distribution of sodium alginate by high-performance size-exclusion chromatography 864(1999)199

Soil

Soil thin-layer chromatography and pesticide mobility through soil microstructures. New technical approach 864(1999)145

New gas chromatographic method for residue determination of dithiopyr in soil, wheat grain and straw 864(1999)351

Solid-phase extraction

Comparison of the performance of graphitized carbon black and poly(styrene–divinylbenzene) cartridges for the determination of pesticides and industrial phosphates in environmental waters 864(1999)121

Solubility

Application of centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. I. Selection of solvent systems based on solubility and partition coefficient investigations 864(1999)69

Sorbents

On the performance and inertness of different materials used for the enrichment of sulfur compounds from air and gaseous samples 864(1999)345

Sulfur compounds

Simultaneous measurement of volatile sulfur compounds using ascorbic acid for oxidant removal and gas chromatography–flame photometric detection 864(1999)111

On the performance and inertness of different materials used for the enrichment of sulfur compounds from air and gaseous samples 864(1999)345

Temperature programming

Determination of low levels of an antioxidant in polyolefins by large-volume injection temperature-programmed packed capillary liquid chromatography 864(1999)103

Terpenoids

Determination of octanol–water partition coefficient for terpenoids using reversed-phase high-performance liquid chromatography 864(1999)221

Thermodynamic parameters

Heats of adsorption of some organic compounds on β -cyclodextrin determined by gas–solid chromatography 864(1999)293

Triazines

Comparison of the performance of graphitized carbon black and poly(styrene–divinylbenzene) cartridges for the determination of pesticides and industrial phosphates in environmental waters 864(1999)121

Triticum aestivum

Simultaneous determination of phenolic acids and 2,4-dihydroxy-7-methoxy-1,4-benzoxazin-3-one in wheat (*Triticum aestivum* L.) by gas chromatography–tandem mass spectrometry 864(1999)315

Vitamin A

A reversed-phase high-performance liquid chromatographic method to analyze retinal isomers 864(1999)257

Vitamins

Analysis of some folate monoglutamates by high-performance liquid chromatography–mass spectrometry. I 864(1999)59

Volatile organic compounds

Use of solid-phase microextraction for measuring oil–water partition coefficients and correlation with high-performance liquid chromatographic methods for lipophilicity 864(1999)183

Application of gas chromatography–cryocondensation–Fourier transform infrared spectroscopy and gas chromatography–mass spectrometry to the identification of gas phase reaction products from the α -pinene/ozone reaction 864(1999)299

On the performance and inertness of different materials used for the enrichment of sulfur compounds from air and gaseous samples 864(1999)345

Warfarin

Chromatographic evaluation of structure selective and enantioselective retention of amines and acids on cellobiohydrolase I wild type and its mutant D214N 864(1999)1

Water analysis

Comparison of the performance of graphitized carbon black and poly(styrene–divinylbenzene) cartridges for the determination of pesticides and industrial phosphates in environmental waters 864(1999)121

Ion chromatography determination of trace level bromate by large volume injection with conductivity and spectrophotometric detection after post column derivatisation 864(1999)263

Wheat

Simultaneous determination of phenolic acids and 2,4-dihydroxy-7-methoxy-1,4-benzoxazin-3-one in wheat (*Triticum aestivum* L.) by gas chromatography–tandem mass spectrometry 864(1999)315

Wine

Semipreparative reversed-phase liquid chromatographic fractionation of aroma extracts from wine and other alcoholic beverages 864(1999)77

Determination of ochratoxin A in wine by means of immunoaffinity column clean-up and high-performance liquid chromatography 864(1999)89

Xenoestrogens

Quantification of the xenoestrogens 4-*tert*-octylphenol and bisphenol A in water and in fish tissue based on microwave assisted extraction, solid-phase extraction and liquid chromatography–mass spectrometry 864(1999)17