



ELSEVIER

Journal of Chromatography A, 868 (2000) 327–332

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 868

Aliphatic acids

Determination of aliphatic anhydrides and acids by reversed-phase liquid chromatography 868(2000)41

Aliphatic anhydrides

Determination of aliphatic anhydrides and acids by reversed-phase liquid chromatography 868(2000)41

Alkaloids

Enantioseparation of atropine by capillary electrophoresis using sulfated β -cyclodextrin: application to a plant extract 868(2000)285

Amines

Protein adsorption to the bare silica wall in capillary electrophoresis. Quantitative study on the chemical composition of the background electrolyte for minimising the phenomenon 868(2000)85

Amino acids

Chiral and electrokinetic separation of amino acids using polypyrrole-coated adsorbents 868(2000)189

α -Amino acids, β -substituted

Enantiomeric and diastereomeric high-performance liquid chromatographic separation of cyclic β -substituted α -amino acids on a teicoplanin chiral stationary phase 868(2000)197

Aminosalicylic acid

Apparatus and method for interfacing capillary electrophoresis and chemiluminescence nitrogen detection for the analysis of nitrogen-containing compounds 868(2000)121

Ammonium

Determination of ammonium in seawater by column-switching ion chromatography 868(2000)209

Amperometric detection

Determination of peroxides by capillary zone electrophoresis with amperometric detection 868(2000)127

Anions

Ion exchange-based preconcentration for the determination of anions by capillary electrophoresis 868(2000)135

Antibiotics

Determination of critical micelle concentration and interactions between cephalosporins and charged surfactants 868(2000)313

Reply to 'Determination of critical micelle concentration and interactions between cephalosporins and charged surfactants' 868(2000)317

Association constants

Determination of critical micelle concentration and interactions between cephalosporins and charged surfactants 868(2000)313

Reply to 'Determination of critical micelle concentration and interactions between cephalosporins and charged surfactants' 868(2000)317

Atrazines

Determination of interfering triazine degradation products by gas chromatography–ion trap mass spectrometry 868(2000)115

Atropine

Enantioseparation of atropine by capillary electrophoresis using sulfated β -cyclodextrin: application to a plant extract 868(2000)285

Aucubin

Extraction of iridoid glycosides and their determination by micellar electrokinetic capillary chromatography 868(2000)73

Automation

Automated capillary gas chromatographic system to monitor ethylene emitted from biological materials 868(2000)249

Background electrolyte composition

Protein adsorption to the bare silica wall in capillary electrophoresis. Quantitative study on the chemical composition of the background electrolyte for minimising the phenomenon 868(2000)85

Calculation of electrophoretic mobilities in water–organic modifier mixtures in capillary electrophoresis 868(2000)277

Erratum to: "Optimization of conductivity of low-molecular-mass anions in capillary zone electrophoresis" [J. Chromatogr. A, 850 (1999) 355–362] 868(2000)321

Bisphosphonates

Chromatographic analysis of bisphosphonates 868(2000)141

Buffer composition

Simultaneous stereoselective analysis of tramadol and its main phase I metabolites by on-line capillary zone electrophoresis–electrospray ionization mass spectrometry 868(2000)295

Capillary coating

Influence of pH*-value of methanolic electrolytes on electroosmotic flow in hydrophilic coated capillaries 868(2000)63

Capillary columns, hydrophilic coated

Influence of pH*-value of methanolic electrolytes on electroosmotic flow in hydrophilic coated capillaries 868(2000)63

Capillary zone electrophoresis

Determination of peroxides by capillary zone electrophoresis with amperometric detection 868(2000)127

Catalpol

Extraction of iridoid glycosides and their determination by micellar electrokinetic capillary chromatography 868(2000)73

Catalysts

Purity testing of organometallic catalysts by packed capillary supercritical fluid chromatography 868(2000)261

Cephalosporins

Determination of critical micelle concentration and interactions between cephalosporins and charged surfactants 868(2000)313

Reply to 'Determination of critical micelle concentration and interactions between cephalosporins and charged surfactants' 868(2000)317

Chemically bonded phases

Low-carbon silica sorbents for solid-phase extraction 868(2000)1

Chemiluminescence nitrogen detection

Apparatus and method for interfacing capillary electrophoresis and chemiluminescence nitrogen detection for the analysis of nitrogen-containing compounds 868(2000)121

Chiral stationary phases, LC

Liquid chromatographic resolution of 2-hydroxycarboxylic acids on a new chiral stationary phase derived from (*S*)-leucine 868(2000)31

Enantiomeric and diastereomeric high-performance liquid chromatographic separation of cyclic β -substituted α -amino acids on a teicoplanin chiral stationary phase 868(2000)197

Clean-up methods

Does further clean-up reduce the matrix enhancement effect in gas chromatographic analysis of pesticide residues in food? 868(2000)51

Column stability

Studies of retention and stability of a horizontally polymerized bonded phase for reversed-phase liquid chromatography 868(2000)153

Column switching

Determination of ammonium in seawater by column-switching ion chromatography 868(2000)209

Complex formation stoichiometry

Ion exchange on resins with temperature-responsive selectivity. III. Influence of complex formation stoichiometry on temperature dependence of resin selectivity 868(2000)143

Computer simulation

Use of optimization software to determine rugged analysis conditions in high-performance liquid chromatography 868(2000)13

Conductivity detection

Erratum to: "Optimization of conductivity of low-molecular-mass anions in capillary zone electrophoresis" [J. Chromatogr. A, 850 (1999) 355–362] 868(2000)321

Critical micellar concentration

Determination of critical micelle concentration and interactions between cephalosporins and charged surfactants 868(2000)313

Reply to 'Determination of critical micelle concentration and interactions between cephalosporins and charged surfactants' 868(2000)317

Cyclodextrins

Enantioseparation of atropine by capillary electrophoresis using sulfated β -cyclodextrin: application to a plant extract 868(2000)285

Simultaneous stereoselective analysis of tramadol and its main phase I metabolites by on-line capillary zone electrophoresis–electrospray ionization mass spectrometry 868(2000)295

Deethylatrazine

Determination of interfering triazine degradation products by gas chromatography–ion trap mass spectrometry 868(2000)115

Deisopropylatrazine

Determination of interfering triazine degradation products by gas chromatography–ion trap mass spectrometry 868(2000)115

Density

Different elution modes and field programming in gravitational field-flow fractionation. 2. Experimental verification of the range of conditions for flow-rate and carrier liquid density programming 868(2000)217

Detection, electrophoresis

Determination of diclofenac sodium by capillary zone electrophoresis with electrochemical detection 868(2000)101

Apparatus and method for interfacing capillary electrophoresis and chemiluminescence nitrogen detection for the analysis of nitrogen-containing compounds 868(2000)121

Detection, GC

Comparison of gas chromatography–pulsed flame photometric detection–mass spectrometry, automated mass spectral deconvolution and identification system and gas chromatography–tandem mass spectrometry as tools for trace level detection and identification 868(2000)229

Towards a quantitative definition of perfection in chromatographic analyses 868(2000)305

Diclofenac sodium

Determination of diclofenac sodium by capillary zone electrophoresis with electrochemical detection 868(2000)101

Electrochemical detection

Determination of diclofenac sodium by capillary zone electrophoresis with electrochemical detection 868(2000)101

Electrodes

Determination of diclofenac sodium by capillary zone electrophoresis with electrochemical detection 868(2000)101

Electroosmotic flow

Influence of pH*-value of methanolic electrolytes on electroosmotic flow in hydrophilic coated capillaries 868(2000)63

Electrophoretic mobility

Calculation of electrophoretic mobilities in water–organic modifier mixtures in capillary electrophoresis 868(2000)277

Electrostatic repulsion

Different elution modes and field programming in gravitational field-flow fractionation. 2. Experimental verification of the range of conditions for flow-rate and carrier liquid density programming 868(2000)217

Enantiomer separation

Liquid chromatographic resolution of 2-hydroxycarboxylic acids on a new chiral stationary phase derived from (*S*)-leucine 868(2000)31

Chiral and electrokinetic separation of amino acids using polypyrrole-coated adsorbents 868(2000)189

Enantiomeric and diastereomeric high-performance liquid chromatographic separation of cyclic β -substituted α -amino acids on a teicoplanin chiral stationary phase 868(2000)197

Enantioseparation of atropine by capillary electrophoresis using sulfated β -cyclodextrin: application to a plant extract 868(2000)285

Simultaneous stereoselective analysis of tramadol and its main phase I metabolites by on-line capillary zone electrophoresis–electrospray ionization mass spectrometry 868(2000)295

Ethylene

Automated capillary gas chromatographic system to monitor ethylene emitted from biological materials 868(2000)249

Extraction methods

Extraction of iridoid glycosides and their determination by micellar electrokinetic capillary chromatography 868(2000)73

Field-flow fractionation

Different elution modes and field programming in gravitational field-flow fractionation. 2. Experimental verification of the range of conditions for flow-rate and carrier liquid density programming 868(2000)217

Field programming

Different elution modes and field programming in gravitational field-flow fractionation. 2. Experimental verification of the range of conditions for flow-rate and carrier liquid density programming 868(2000)217

Food analysis

Does further clean-up reduce the matrix enhancement effect in gas chromatographic analysis of pesticide residues in food? 868(2000)51

Fructose

Optimization of simulated moving bed plants with low efficient stationary phases: separation of fructose and glucose 868(2000)169

Ginsenosides

High-performance thin-layer chromatographic determination of six major ginsenosides in *Panax ginseng* 868(2000)269

Glucose

Optimization of simulated moving bed plants with low efficient stationary phases: separation of fructose and glucose 868(2000)169

Glycosides

Extraction of iridoid glycosides and their determination by micellar electrokinetic capillary chromatography 868(2000)73

Gravitational field-flow fractionation

Different elution modes and field programming in gravitational field-flow fractionation. 2. Experimental verification of the range of conditions for flow-rate and carrier liquid density programming 868(2000)217

Hot water extraction

Extraction of iridoid glycosides and their determination by micellar electrokinetic capillary chromatography 868(2000)73

Hydrodynamic lift forces

Different elution modes and field programming in gravitational field-flow fractionation. 2. Experimental verification of the range of conditions for flow-rate and carrier liquid density programming 868(2000)217

Hydroxycarboxylic acids

Liquid chromatographic resolution of 2-hydroxycarboxylic acids on a new chiral stationary phase derived from (*S*)-leucine 868(2000)31

Hyoscyamine

Enantioseparation of atropine by capillary electrophoresis using sulfated β -cyclodextrin: application to a plant extract 868(2000)285

Instrumentation

Apparatus and method for interfacing capillary electrophoresis and chemiluminescence nitrogen detection for the analysis of nitrogen-containing compounds 868(2000)121

Interfaces

Apparatus and method for interfacing capillary electrophoresis and chemiluminescence nitrogen detection for the analysis of nitrogen-containing compounds 868(2000)121

Iridoid glycosides

Extraction of iridoid glycosides and their determination by micellar electrokinetic capillary chromatography 868(2000)73

Leucine

Liquid chromatographic resolution of 2-hydroxycarboxylic acids on a new chiral stationary phase derived from (*S*)-leucine 868(2000)31

Lipid hydroperoxides

Determination of peroxides by capillary zone electrophoresis with amperometric detection 868(2000)127

Mass spectrometry

Comparison of gas chromatography–pulsed flame photometric detection–mass spectrometry, automated mass spectral deconvolution and identification system and gas chromatography–tandem mass spectrometry as tools for trace level detection and identification 868(2000)229

Mathematical modelling

Calculation of electrophoretic mobilities in water–organic modifier mixtures in capillary electrophoresis 868(2000)277

Matrix enhancement effect

Does further clean-up reduce the matrix enhancement effect in gas chromatographic analysis of pesticide residues in food? 868(2000)51

Methanol

Influence of pH*-value of methanolic electrolytes on electroosmotic flow in hydrophilic coated capillaries 868(2000)63

Method development

Towards a quantitative definition of perfection in chromatographic analyses 868(2000)305

Method validation

Use of optimization software to determine rugged analysis conditions in high-performance liquid chromatography 868(2000)13

Molecular imprinting

Chiral and electrokinetic separation of amino acids using polypyrrole-coated adsorbents 868(2000)189

Monoterpenes

Extraction of iridoid glycosides and their determination by micellar electrokinetic capillary chromatography 868(2000)73

Non-aqueous electrolytes

Influence of pH*-value of methanolic electrolytes on electroosmotic flow in hydrophilic coated capillaries 868(2000)63

Nonsteroidal anti-inflammatory drugs

Determination of diclofenac sodium by capillary zone electrophoresis with electrochemical detection 868(2000)101

Optimization

Use of optimization software to determine rugged analysis conditions in high-performance liquid chromatography 868(2000)13

Organic acids

Influence of pH*-value of methanolic electrolytes on electroosmotic flow in hydrophilic coated capillaries 868(2000)63

Calculation of electrophoretic mobilities in water–organic modifier mixtures in capillary electrophoresis 868(2000)277
Erratum to: "Optimization of conductivity of low-molecular-mass anions in capillary zone electrophoresis" [J. Chromatogr. A, 850 (1999) 355–362] 868(2000)321

Organometallic compounds

Purity testing of organometallic catalysts by packed capillary supercritical fluid chromatography 868(2000)261

Organosilicons, cyclic

Low-carbon silica sorbents for solid-phase extraction 868(2000)1

Panax ginseng

High-performance thin-layer chromatographic determination of six major ginsenosides in *Panax ginseng* 868(2000)269

Partial filling capillary electrophoresis

Simultaneous stereoselective analysis of tramadol and its main phase I metabolites by on-line capillary zone electrophoresis–electrospray ionization mass spectrometry 868(2000)295

Peroxides

Determination of peroxides by capillary zone electrophoresis with amperometric detection 868(2000)127

Persulfates

Determination of peroxides by capillary zone electrophoresis with amperometric detection 868(2000)127

Pesticides

Low-carbon silica sorbents for solid-phase extraction 868(2000)1

Does further clean-up reduce the matrix enhancement effect in gas chromatographic analysis of pesticide residues in food? 868(2000)51

Determination of interfering triazine degradation products by gas chromatography–ion trap mass spectrometry 868(2000)115

Comparison of gas chromatography–pulsed flame photometric detection–mass spectrometry, automated mass spectral deconvolution and identification system and gas chromatography–tandem mass spectrometry as tools for trace level detection and identification 868(2000)229

pH

Influence of pH*-value of methanolic electrolytes on electroosmotic flow in hydrophilic coated capillaries 868(2000)63

Phenylalanine

Apparatus and method for interfacing capillary electrophoresis and chemiluminescence nitrogen detection for the analysis of nitrogen-containing compounds 868(2000)121

Plant materials

Extraction of iridoid glycosides and their determination by micellar electrokinetic capillary chromatography 868(2000)73

Enantioseparation of atropine by capillary electrophoresis using sulfated β -cyclodextrin: application to a plant extract 868(2000)285

Polychlorinated biphenyls

Low-carbon silica sorbents for solid-phase extraction 868(2000)1

Poly(ethylene glycol)

Influence of pH*-value of methanolic electrolytes on electroosmotic flow in hydrophilic coated capillaries 868(2000)63

Poly(vinyl alcohol)

Influence of pH*-value of methanolic electrolytes on electroosmotic flow in hydrophilic coated capillaries 868(2000)63

Preconcentration

Ion exchange-based preconcentration for the determination of anions by capillary electrophoresis 868(2000)135

Pressurized hot water extraction

Extraction of iridoid glycosides and their determination by micellar electrokinetic capillary chromatography 868(2000)73

Pressurized liquid extraction

Extraction of iridoid glycosides and their determination by micellar electrokinetic capillary chromatography 868(2000)73

Proteins

Protein adsorption to the bare silica wall in capillary electrophoresis. Quantitative study on the chemical composition of the background electrolyte for minimising the phenomenon 868(2000)85

Protein adsorption

Protein adsorption to the bare silica wall in capillary electrophoresis. Quantitative study on the chemical composition of the background electrolyte for minimising the phenomenon 868(2000)85

Pulsed flame photometric detection

Comparison of gas chromatography–pulsed flame photometric detection–mass spectrometry, automated mass spectral deconvolution and identification system and gas chromatography–tandem mass spectrometry as tools for trace level detection and identification 868(2000)229

Purity testing

Purity testing of organometallic catalysts by packed capillary supercritical fluid chromatography 868(2000)261

Resin selectivity

Ion exchange on resins with temperature-responsive selectivity. III. Influence of complex formation stoichiometry on temperature dependence of resin selectivity 868(2000)143

Ribozymes

Use of high-performance liquid chromatographic fractionation of large RNA molecules in the assay of group I intron ribozyme activity 868(2000)109

RNA

Use of high-performance liquid chromatographic fractionation of large RNA molecules in the assay of group I intron ribozyme activity 868(2000)109

Ruggedness

Use of optimization software to determine rugged analysis conditions in high-performance liquid chromatography 868(2000)13

Seawater

Determination of ammonium in seawater by column-switching ion chromatography 868(2000)209

Shape selectivity

Studies of retention and stability of a horizontally polymerized bonded phase for reversed-phase liquid chromatography 868(2000)153

Signal averaging

Towards a quantitative definition of perfection in chromatographic analyses 868(2000)305

Silanophilicity

Studies of retention and stability of a horizontally polymerized bonded phase for reversed-phase liquid chromatography 868(2000)153

Silica gel

Low-carbon silica sorbents for solid-phase extraction 868(2000)1

Simulated moving beds

Optimization of simulated moving bed plants with low efficient stationary phases: separation of fructose and glucose 868(2000)169

Sodium

Determination of ammonium in seawater by column-switching ion chromatography 868(2000)209

Soil

Comparison of gas chromatography–pulsed flame photometric detection–mass spectrometry, automated mass spectral deconvolution and identification system and gas chromatography–tandem mass spectrometry as tools for trace level detection and identification 868(2000)229

Solid-phase extraction

Low-carbon silica sorbents for solid-phase extraction 868(2000)1

Does further clean-up reduce the matrix enhancement effect in gas chromatographic analysis of pesticide residues in food? 868(2000)51

Stationary phases, LC

Studies of retention and stability of a horizontally polymerized bonded phase for reversed-phase liquid chromatography 868(2000)153

Surface coverage

Studies of retention and stability of a horizontally polymerized bonded phase for reversed-phase liquid chromatography 868(2000)153

Surfactants

Determination of critical micelle concentration and interactions between cephalosporins and charged surfactants 868(2000)313

Reply to 'Determination of critical micelle concentration and interactions between cephalosporins and charged surfactants' 868(2000)317

Temperature dependence

Ion exchange on resins with temperature-responsive selectivity. III. Influence of complex formation stoichiometry on temperature dependence of resin selectivity 868(2000)143

Terpenes

Extraction of iridoid glycosides and their determination by micellar electrokinetic capillary chromatography 868(2000)73

Tetraalkylammonium bromide

Determination of critical micelle concentration and interactions between cephalosporins and charged surfactants 868(2000)313

Reply to 'Determination of critical micelle concentration and interactions between cephalosporins and charged surfactants' 868(2000)317

Tramadol

Simultaneous stereoselective analysis of tramadol and its main phase I metabolites by on-line capillary zone electrophoresis–electrospray ionization mass spectrometry 868(2000)295

Triazines

Determination of interfering triazine degradation products by gas chromatography–ion trap mass spectrometry 868(2000)115

Triterpenoids

High-performance thin-layer chromatographic determination of six major ginsenosides in *Panax ginseng* 868(2000)269

Tropane alkaloids

Enantioseparation of atropine by capillary electrophoresis using sulfated β -cyclodextrin: application to a plant extract 868(2000)285

True moving beds

Optimization of simulated moving bed plants with low efficient stationary phases: separation of fructose and glucose 868(2000)169

Veronica longifolia

Extraction of iridoid glycosides and their determination by micellar electrokinetic capillary chromatography 868(2000)73

Viscosity

Different elution modes and field programming in gravitational field-flow fractionation. 2. Experimental verification of the range of conditions for flow-rate and carrier liquid density programming 868(2000)217

Zero defects

Towards a quantitative definition of perfection in chromatographic analyses 868(2000)305