



ELSEVIER

Journal of Chromatography A, 871 (2000) 461–470

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Author Index Vols. 869–871

- Aboul-Enein, H.Y., see Baeyens, W.R.G. 871(2000)153
- Afonso, A.M., see Pino, V. 869(2000)515
- Allué, J.A., see Celma, C. 870(2000)13
- Allué, J.A., see Celma, C. 870(2000)77
- Almela, L., Fernández-López, J.A. and Roca, M.J.
High-performance liquid chromatographic screening of chlorophyll derivatives produced during fruit storage 870(2000)483
- Alonso, R.M., see López, J.A. 870(2000)105
- Andersson, M., see Jönsson, J.Å. 870(2000)151
- Anex, D.S., see Lurie, I.S. 870(2000)53
- Armstrong, D.W., see Péter, A. 871(2000)105
- Amedo, A., Campanero, M.A., Espuelas, S., Renedo, M.J. and Irache, J.M.
Determination of oligonucleotide ISIS 2922 in nanoparticulate delivery systems by capillary zone electrophoresis 871(2000)311
- Arnold, M.A., see Foster, M.D. 869(2000)231
- Arnold, M.A., see Wolcott, R.G. 869(2000)211
- Arranz, A., Echevarría, C., Moreda, J.M., Cid, A. and Arranz, J.F.
Capillary zone electrophoretic separation and determination of imidazolic antifungal drugs 871(2000)399
- Arranz, J.F., see Arranz, A. 871(2000)399
- Assaf, P., see Haj-Yehia, A.I. 870(2000)381
- Assaf, P., Katzhendler, J. and Haj-Yehia, A.I.
2-(4-Carboxyphenyl)-6-*N,N*-diethylaminobenzofuran: a useful reagent for the sensitive determination of alcohols by high-performance liquid chromatography with fluorimetric detection 869(2000)243
- Atsumi, R., see Kanazawa, H. 870(2000)87
- Auger, J., Boulay, R., Jaillais, B. and Delion-Vancassel, S.
Analysis of biogenic amines by solid-phase microextraction and high-performance liquid chromatography with electrochemical detection 870(2000)395
- Ayala, J.H., see Pino, V. 869(2000)515
- Baeyens, W.R.G., Van der Weken, G., Haustraete, J., Aboul-Enein, H.Y., Corveleyn, S., Remon, J.P., García-Campana, A.M. and Deprez, P.
Application of the restricted-access precolumn packing material alkyl-diol silica in a column-switching system for the determination of ketoprofen enantiomers in horse plasma 871(2000)153
- Bagur, M.G., see Romero, R. 871(2000)75
- Bailey, C.G., see Lurie, I.S. 870(2000)53
- Bakalyar, S.R., see Foster, M.D. 869(2000)231
- Bakalyar, S.R., see Wolcott, R.G. 869(2000)211
- Balant, L., see Orтели, D. 871(2000)163
- Ballesteros, E., Gallego, M. and Valcárcel, M.
Analytical potential of fullerene as adsorbent for organic and organometallic compounds from aqueous solutions 869(2000)101
- Banholczer, A. and Pyell, U.
Some considerations concerning the composition of the mobile phase in capillary electrochromatography 869(2000)363
- Baratova, L.A., see Ivanov, A.R. 870(2000)433
- Barbanoj, J.M., see Yritia, M. 870(2000)115
- Barbas, C., García, A., Saavedra, L. and Castro, M.
Optimization and validation of a method for the determination of caffeine, 8-chlorotheophylline and diphenhydramine by isocratic high-performance liquid chromatography. Stress test for stability evaluation 870(2000)97
- Barbas, C., see García, A. 871(2000)341
- Barbosa, J., see Barrón, D. 871(2000)367
- Barbosa, J., see Barrón, D. 871(2000)381
- Barbosa, J., see Bergés, R. 869(2000)27
- Barbosa, J., see Sanz-Nebot, V. 870(2000)315
- Barbosa, J., see Sanz-Nebot, V. 870(2000)335
- Barrón, D., Irlés, A. and Barbosa, J.
Prediction of electrophoretic mobilities in non-aqueous capillary electrophoresis. Optimal separation of quinolones in acetonitrile–water media 871(2000)367
- Barrón, D., Jiménez-Lozano, E., Irlés, A. and Barbosa, J.
Influence of pH and p*K*_a values on electrophoretic behaviour of quinolones in aqueous and hydro-organic media 871(2000)381
- Baumann, R.A., see Molins, C. 869(2000)487
- Bell, D., see Needham, S.R. 869(2000)159
- Beltrán, J.L., see Pérez-Urquiza, M. 871(2000)227
- Benavente, F., see Sanz-Nebot, V. 870(2000)315
- Berente, B., De la Calle García, D., Reichenbacher, M. and Danzer, K.
Method development for the determination of anthocyanins in red wines by high-performance liquid chromatography and classification of German red wines by means of multivariate statistical methods 871(2000)95

- Bergés, R., Sanz-Nebot, V. and Barbosa, J.
Modelling retention in liquid chromatography as a function of solvent composition and pH of the mobile phase 869(2000)27
- Bernabei, M., Bocchinfuso, G., Carrozzo, P. and De Angelis, C.
Determination of phenolic antioxidants in aviation jet fuel 871(2000)235
- Bernal, J.L., see Jiménez, J.J. 871(2000)67
- Bernal, J.L., see Nozal, M.J. 870(2000)69
- Bernal, J.L., Toribio, L., del Nozal, M.J., Nieto, E.M. and Jiménez, J.J.
Chiral separation of four 1,3-dioxolane derivatives by supercritical fluid chromatography on an amylose-based column 871(2000)127
- Berzas Nevado, J.J., Castañeda Peñalvo, G. and Guzmán Bernardo, F.J.
Simultaneous determination of sulfaquinoxaline, sulfamethazine and pyrimethamine by liquid chromatography 870(2000)169
- Bethea, M.J., see Lurie, I.S. 870(2000)53
- Bimazubute, M.A., see Chiap, P. 870(2000)121
- Bocchinfuso, G., see Bernabei, M. 871(2000)235
- Bodzek, D., see Tyrpień, K. 870(2000)29
- Bonn, G.K., see Huck, C.W. 870(2000)453
- Bouabdallah, S., see Trabelsi, H. 871(2000)189
- Boulay, R., see Auger, J. 870(2000)395
- Bouzouita, K., see Trabelsi, H. 871(2000)189
- Božek, P., see Romanová, D. 870(2000)463
- Brown, P.R., see Needham, S.R. 869(2000)159
- Broxterman, Q.B., see Péter, A. 871(2000)105
- Bucheli, F., see Wyss, R. 870(2000)189
- Bunčková, S., see Jandera, P. 871(2000)139
- Bünger, H., Kaufner, L. and Pison, U.
Quantitative analysis of hydrophobic pulmonary surfactant proteins by high-performance liquid chromatography with light-scattering detection 870(2000)363
- Cadahía, O., see Gigosos, P.G. 871(2000)31
- Cammarata, P., see Draisci, R. 870(2000)511
- Campanero, M.A., see Arnedo, A. 871(2000)311
- Campanero, M.A., see de Jalón, E.G.^a. 870(2000)143
- Campanero, M.A., see Merodio, M. 870(2000)159
- Canela, R., see Velázquez, C. 870(2000)469
- Carabias-Martínez, R., Rodríguez-Gonzalo, E., Fernández-Laespada, M.E. and Sánchez San Román, F.J.
Evaluation of surface- and ground-water pollution due to herbicides in agricultural areas of Zamora and Salamanca (Spain) 869(2000)471
- Carabias-Martínez, R., Rodríguez-Gonzalo, E., Paniagua-Marcos, P.H. and Hernández-Méndez, J.
Analysis of pesticide residues in matrices with high lipid contents by membrane separation coupled on-line to a high-performance liquid chromatography system 869(2000)427
- Carabias-Martínez, R., Rodríguez-Gonzalo, E., Domínguez-Álvarez, J. and Hernández-Méndez, J.
Determination of triazine herbicides in natural waters by solid-phase extraction and non-aqueous capillary zone electrophoresis 869(2000)451
- Carducci, C.N., see Lucangioli, S.E. 871(2000)207
- Carreras, D., see Imaz, C. 870(2000)23
- Carretero, E., see Palomino, O. 870(2000)449
- Carrozzo, P., see Bernabei, M. 871(2000)235
- Casais, C., see Pensado, L. 869(2000)505
- Casale, J.F., see Lurie, I.S. 870(2000)53
- Casals, I., see Trujillo, A.-J. 870(2000)371
- Casimir, R., see Péter, A. 871(2000)105
- Castañeda Peñalvo, G., see Berzas Nevado, J.J. 870(2000)169
- Castro, M., see Barbas, C. 870(2000)97
- Castro, R., Moyano, E. and Galceran, M.T.
On-line ion-pair solid-phase extraction–liquid chromatography–mass spectrometry for the analysis of quaternary ammonium herbicides 869(2000)441
- Catimel, B., Weinstock, J., Nerrie, M., Domagala, T. and Nice, E.C.
Micropreparative ligand fishing with a cuvette-based optical mirror resonance biosensor 869(2000)261
- Cavero, S., see Señoráns, F.J. 870(2000)491
- Cela, R., see Fernández García-Borregón, P. 870(2000)39
- Cela, R., see Pensado, L. 869(2000)505
- Celma, C., Allué, J.A., Pruñonosa, J., Peraire, C. and Obach, R.
Determination of *N*-acetylcysteine in human plasma by liquid chromatography coupled to tandem mass spectrometry 870(2000)13
- Celma, C., Allué, J.A., Pruñonosa, J., Peraire, C. and Obach, R.
Simultaneous determination of paracetamol and chlorpheniramine in human plasma by liquid chromatography–tandem mass spectrometry 870(2000)77
- Cepeda, A., see Gigosos, P.G. 871(2000)31
- Chaimbault, P., Petritis, K., Elfakir, C. and Dreux, M.
Ion-pair chromatography on a porous graphitic carbon stationary phase for the analysis of twenty underivatized protein amino acids 870(2000)245
- Chen, C.F., see Tsai, T.H. 870(2000)221
- Chen, C.F., see Tsai, T.H. 870(2000)443
- Chen, S.-H., see Cheng, F.-C. 870(2000)389
- Chen, Y.F., see Tsai, T.H. 870(2000)221
- Chen, Y.F., see Tsai, T.H. 870(2000)443
- Chen, Yu.-T., see Lin, C.-E. 871(2000)357
- Cheng, F.-C., Kuo, J.-S., Huang, H.-M., Yang, D.-Y., Wu, T.-F. and Tsai, T.-H.
Determination of catecholamines in pheochromocytoma cell (PC-12) culture medium by microdialysis–microbore liquid chromatography 870(2000)405
- Cheng, F.-C., Yang, L.-L., Yang, D.-Y., Tsai, T.-H., Lee, C.-W. and Chen, S.-H.
Monitoring of extracellular pyruvate, lactate, and ascorbic acid during cerebral ischemia: a microdialysis study in awake gerbils 870(2000)389
- Chentouf, A., see Farran, A. 869(2000)481
- Chepkwony, H.K., Vanderriest, I., Nguyo, J.M., Roets, E. and Hoogmartens, J.
Separation of erythromycin and related substances on base-deactivated reversed-phase silica gel columns 870(2000)227
- Cheung, A.P., Struble, E., Nguyen, N. and Liu, P.
Stability-indicating high-performance liquid chromatographic assay and analysis of decomposition products of 2-[4-[(7-chloro-2-quinoxalinyloxy]phenoxy]propanoic acid 870(2000)179
- Chevalley, A.-F., see Ortellì, D. 871(2000)163
- Chevolot, L., Foucault, A., Colliec-Jouault, S., Ratskol, J. and Sinquin, C.
Improvement purification of sulfated oligofucan by ion-

- exchange displacement centrifugal partition chromatography 869(2000)353
- Chiap, P., Evrard, B., Bimazubute, M.A., de Tullio, Ph., Hubert, Ph., Delattre, L. and Crommen, J.
Determination of albendazole and its main metabolites in ovine plasma by liquid chromatography with dialysis as an integrated sample preparation technique 870(2000)121
- Chou, C.J., see Tsai, T.H. 870(2000)221
- Cid, A., see Arranz, A. 871(2000)399
- Cimpan, G., Hadaruga, M. and Miçlaus, V.
Lipophilicity characterization by reversed-phase liquid chromatography of some furan derivatives 869(2000)49
- Claessens, H.A., see Mengerink, Y. 871(2000)259
- Colliec-Jouault, S., see Chevolut, L. 869(2000)353
- Collins, C.H., see Melo, L.F.C. 869(2000)129
- Collins, C.H., see Silva, R.B. 869(2000)137
- Collins, K.E., see Melo, L.F.C. 869(2000)129
- Collins, K.E., see Silva, R.B. 869(2000)137
- Contado, C., Reschiglian, P., Faccini, S., Zattoni, A. and Dondi, F.
Continuous split-flow thin cell and gravitational field-flow fractionation of wheat starch particles 871(2000)449
- Corbella, R., see Rodríguez-Delgado, M.A. 871(2000)427
- Corveleyn, S., see Baeyens, W.R.G. 871(2000)153
- Cramers, C.A., see Mengerink, Y. 871(2000)259
- Crego, A.L., Martínez, J. and Marina, M.L.
Influence of mobile phase composition on electroosmotic flow velocity, solute retention and column efficiency in open-tubular reversed-phase capillary electrochromatography 869(2000)329
- Crommen, J., see Chiap, P. 870(2000)121
- Crommen, J., see Toussaint, B. 871(2000)173
- Cserhádi, T. and Forgács, E.
Relationship between the retention characteristics on an alumina column and physico-chemical parameters of some environmental pollutants 869(2000)41
- Danzer, K., see Berente, B. 871(2000)95
- De Angelis, C., see Bernabei, M. 871(2000)235
- Deglon, J.-J., see Orтели, D. 871(2000)163
- De Jalón, E.G.^a, Josa, M., Campanero, M.A., Santoyo, S. and Ygartua, P.
Determination by high-performance liquid chromatography of ketoprofen in vitro in rat skin permeation samples 870(2000)143
- Del Nozal, M., see Jiménez, J.J. 871(2000)67
- Del Nozal, M.J., see Bernal, J.L. 871(2000)127
- De la Calle García, D., see Berente, B. 871(2000)95
- Delattre, L., see Chiap, P. 870(2000)121
- Delgado-Zamarreño, M.M., Sánchez-Pérez, A., González Maza, I. and Hernández-Méndez, J.
Micellar electrokinetic chromatography with bis(2-ethylhexyl)sodium sulfosuccinate vesicles. Determination of synthetic food antioxidants 871(2000)403
- Delion-Vancassel, S., see Auger, J. 870(2000)395
- Deprez, P., see Baeyens, W.R.G. 871(2000)153
- De Tullio, Ph., see Chiap, P. 870(2000)121
- Dietrich, A., see Neumann, M. 871(2000)299
- Dijkman, E., see Molins, C. 869(2000)487
- Ditto, L., see Várady, L. 869(2000)171
- Dobosz, C., see Tyrpień, K. 870(2000)29
- Dolan, J.W., see Wolcott, R.G. 869(2000)3
- Dolan, J.W., see Wolcott, R.G. 869(2000)211
- Domagala, T., see Catimel, B. 869(2000)261
- Domínguez-Álvarez, J., see Carabias-Martínez, R. 869(2000)451
- Dondi, F., see Contado, C. 871(2000)449
- Doulbeau, S., see Talamond, P. 871(2000)7
- Dovichi, N.J., see Li, X.-F. 869(2000)375
- Draisci, R., Palleschi, L., Ferretti, E., Furey, A., James, K.J., Satake, M. and Yasumoto, T.
Development of a method for the identification of azaspiracid in shellfish by liquid chromatography–tandem mass spectrometry 871(2000)13
- Draisci, R., Palleschi, L., Ferretti, E., Lucentini, L. and Cammarata, P.
Quantitation of anabolic hormones and their metabolites in bovine serum and urine by liquid chromatography–tandem mass spectrometry 870(2000)511
- Dreux, M., see Chaimbault, P. 870(2000)245
- Duff, K., see Needham, S.R. 869(2000)159
- Echevarría, C., see Arranz, A. 871(2000)399
- Efer, J., see Schreiber, A. 869(2000)411
- Egea González, F.J., see Garrido Frenich, A. 869(2000)497
- Elfakir, C., see Chaimbault, P. 870(2000)245
- Engewald, W., see Schreiber, A. 869(2000)411
- Espuelas, S., see Arnedo, A. 871(2000)311
- Evrard, B., see Chiap, P. 870(2000)121
- Faccini, S., see Contado, C. 871(2000)449
- Farran, A. and Chentouf, A.
Study of the behaviour of azinphos-methyl in a clay mineral by batch and column leaching 869(2000)481
- Fente, C.A., see Gigosos, P.G. 871(2000)31
- Fernández, M., Picó, Y. and Mañes, J.
Determination of carbamate residues in fruits and vegetables by matrix solid-phase dispersion and liquid chromatography–mass spectrometry 871(2000)43
- Fernández García-Borregón, P., Lores, M. and Cela, R.
Analysis of barbiturates by micro-high-performance liquid chromatography with post-column photochemical derivatization 870(2000)39
- Fernández-Laespada, M.E., see Carabias-Martínez, R. 869(2000)471
- Fernández-López, J.A., see Almela, L. 870(2000)483
- Ferretti, E., see Draisci, R. 870(2000)511
- Ferretti, E., see Draisci, R. 871(2000)13
- Font, G., see Valenzuela, A.I. 871(2000)57
- Forgács, E., see Cserhádi, T. 869(2000)41
- Foster, M.D., Arnold, M.A., Nichols, J.A. and Bakalyar, S.R.
Performance of experimental sample injectors for high-performance liquid chromatography microcolumns 869(2000)231
- Foucault, A., see Chevolut, L. 869(2000)353
- Foucault, A., see Marchal, L. 869(2000)339
- Franco, C.M., see Gigosos, P.G. 871(2000)31
- Franco, P., Lämmerhofer, M., Klaus, P.M. and Lindner, W.
Novel cinchona alkaloid carbamate C₉-dimers as chiral anion-exchange type selectors for high-performance liquid chromatography 869(2000)111
- Fujimoto, C., Fujise, Y. and Kawaguchi, S.
Macromolecular surfactant as a pseudo-stationary phase in micellar electrokinetic capillary chromatography 871(2000)415

- Fujise, Y., see Fujimoto, C. 871(2000)415
- Fülöp, F., see Péter, M. 871(2000)115
- Furey, A., see Draisci, R. 871(2000)13
- Gäggeler, H.W., see Tenberken-Pötzsch, B. 871(2000)391
- Gago-Martínez, A., see James, K.J. 871(2000)1
- Galceran, M.T., see Castro, R. 869(2000)441
- Galceran, M.T., see Toribio, F. 869(2000)307
- Gallego, M., see Ballesteros, E. 869(2000)101
- Gao, S., see Wang, H.L. 870(2000)501
- García, A., see Barbas, C. 870(2000)97
- García, A., Heinänen, M., Jiménez, L.M. and Barbas, C.
Direct measurement of homovanillic, vanillylmandelic and 5-hydroxyindoleacetic acids in urine by capillary electrophoresis 871(2000)341
- García-Campana, A.M., see Baeyens, W.R.G. 871(2000)153
- García Montelongo, F.J., see Rodríguez-Delgado, M.A. 871(2000)427
- Garrido Frenich, A., Egea González, F.J., Martínez Vidal, J.L., Parrilla Vázquez, P. and Mateu Sánchez, M.
Determination of imidacloprid and its metabolite 6-chloronicotinic acid in greenhouse air by high-performance liquid chromatography with diode-array detection 869(2000)497
- Gázquez, D., see Romero, R. 871(2000)75
- Gelpi, E.
Foreword 869(2000)1
- Geng, M., Ji, J. and Regnier, F.E.
Signature-peptide approach to detecting proteins in complex mixtures 870(2000)295
- Gigosos, P.G., Revesado, P.R., Cadahía, O., Fente, C.A., Vazquez, B.I., Franco, C.M. and Cepeda, A.
Determination of quinolones in animal tissues and eggs by high-performance liquid chromatography with photodiode-array detection 871(2000)31
- Gillman, M., see James, K.J. 871(2000)1
- Gómez-Serranillos, M.P., see Palomino, O. 870(2000)449
- González, G., see Rodríguez-Delgado, M.A. 871(2000)427
- González, V., see Pino, V. 869(2000)515
- González Maza, I., see Delgado-Zamarreño, M.M. 871(2000)403
- Goretti, G., see Russo, M.V. 871(2000)279
- Grančai, D., see Romanová, D. 870(2000)463
- Guamis, B., see Trujillo, A.-J. 870(2000)371
- Guerrero, M.R., see Valenzuela, M.T. 871(2000)321
- Guiochon, G., see Kele, M. 869(2000)181
- Guo, B., see Wang, H.L. 870(2000)501
- Guo, M., see Várady, L. 869(2000)171
- Guttman, A., Lengyel, T., Szoke, M. and Sasvari-Szekely, M.
Ultra-thin-layer agarose gel electrophoresis. II. Separation of DNA fragments on composite agarose-linear polymer matrices 871(2000)289
- Guyot, J.-P., see Talamond, P. 871(2000)7
- Guzmán Bernardo, F.J., see Berzas Nevado, J.J. 870(2000)169
- Hadaruga, M., see Cimpan, G. 869(2000)49
- Haj-Yehia, A.I., see Assaf, P. 869(2000)243
- Haj-Yehia, A.I., Assaf, P., Nassar, T. and Katzhendler, J.
Determination of lipoic acid and dihydrolipoic acid in human plasma and urine by high-performance liquid chromatography with fluorimetric detection 870(2000)381
- Haustraete, J., see Baeyens, W.R.G. 871(2000)153
- Heinänen, M., see García, A. 871(2000)341
- Hermida, L.G., see Lucangioli, S.E. 871(2000)207
- Hernández-Cassou, S., see Latorre, R.M. 871(2000)331
- Hernández-Córdoba, M., see Viñas, P. 871(2000)85
- Hernández-Méndez, J., see Carabias-Martínez, R. 869(2000)427
- Hernández-Méndez, J., see Carabias-Martínez, R. 869(2000)451
- Hernández-Méndez, J., see Delgado-Zamarreño, M.M. 871(2000)403
- Herraiz, T.
Analysis of tetrahydro- β -carboline-3-carboxylic acids in foods by solid-phase extraction and reversed-phase high-performance liquid chromatography combined with fluorescence detection 871(2000)23
- Herten, D.-P., see Neumann, M. 871(2000)299
- Heusinkveld, H.A.G., see Molins, C. 869(2000)487
- Higes, M., see Jiménez, J.J. 871(2000)67
- Hogendoorn, E.A., see Molins, C. 869(2000)487
- Holčapek, M., see Jandera, P. 869(2000)65
- Hoogmartens, J., see Chepkwony, H.K. 870(2000)227
- Hoogmartens, J., see Orwa, J.A. 870(2000)237
- Huang, H.-M., see Cheng, F.-C. 870(2000)405
- Huber, C.G., see Huck, C.W. 870(2000)453
- Huber, C.G. and Krajete, A.
Sheath liquid effects in capillary high-performance liquid chromatography-electrospray mass spectrometry of oligonucleotides 870(2000)413
- Hubert, Ph., see Chiap, P. 870(2000)121
- Hubert, Ph., see Toussaint, B. 871(2000)173
- Huck, C.W., Huber, C.G., Ongania, K.-H. and Bonn, G.K.
Isolation and characterization of methoxylated flavones in the flowers of *Primula veris* by liquid chromatography and mass spectrometry 870(2000)453
- Ibañez, E., see Señoráns, F.J. 870(2000)491
- Iglesias, E., see Yritia, M. 870(2000)115
- Imaz, C., Navajas, R., Carreras, D., Rodríguez, C. and Rodríguez, A.F.
Comparison of various reversed-phase columns for the simultaneous determination of ephedrine in urine by high-performance liquid chromatography 870(2000)23
- Irache, J.M., see Arnedo, A. 871(2000)311
- Irache, J.M., see Merodio, M. 870(2000)159
- Ireland, I.D., see Li, X.-F. 869(2000)375
- Irles, A., see Barrón, D. 871(2000)367
- Irles, A., see Barrón, D. 871(2000)381
- Ivanov, A.R. and Nazimov, I.V.
Identification of unusual (modified and non-encoded) amino acid residues in peptides by combinations of high-performance liquid chromatography and high-performance capillary electrophoresis with matrix-assisted laser desorption ionization time-of-flight mass spectrometry 870(2000)255
- Ivanov, A.R., Nazimov, I.V. and Baratova, L.A.
Qualitative and quantitative determination of biologically active low-molecular-mass thiols in human blood by reversed-phase high-performance liquid chromatography with photometry and fluorescence detection 870(2000)433
- Jaillais, B., see Auger, J. 870(2000)395
- James, K.J., see Draisci, R. 871(2000)13

- James, K.J., Gillman, M., Lehane, M. and Gago-Martinez, A.
New fluorimetric method of liquid chromatography for the determination of the neurotoxin domoic acid in seafood and marine phytoplankton 871(2000)1
- Jandera, P., Bunčková, S. and Planeta, J.
Separation of isomeric naphthalenesulphonic acids by micro high-performance liquid chromatography with mobile phases containing cyclodextrin 871(2000)139
- Jandera, P., Holčápek, M. and Kolářová, L.
Retention mechanism, isocratic and gradient-elution separation and characterization of (co)polymers in normal-phase and reversed-phase high-performance liquid chromatography 869(2000)65
- Janoszka, B., see Tyrpień, K. 870(2000)29
- Jardim, I.C.S.F., see Melo, L.F.C. 869(2000)129
- Jardim, I.C.S.F., see Pinto, G.M.F. 869(2000)463
- Ji, J., see Geng, M. 870(2000)295
- Jiménez, J.J., Bernal, J.L., del Nozal, M.^a, Novo, M., Higes, M. and Llorente, J.
Determination of rotenone residues in raw honey by solid-phase extraction and high-performance liquid chromatography 871(2000)67
- Jiménez, J.J., see Bernal, J.L. 871(2000)127
- Jiménez, J.J., see Nozal, M.J. 870(2000)69
- Jiménez, L.M., see García, A. 871(2000)341
- Jiménez, M., Mateo, J.J. and Mateo, R.
Determination of type A trichothecenes by high-performance liquid chromatography with coumarin-3-carbonyl chloride derivatisation and fluorescence detection 870(2000)473
- Jiménez, R.M., see López, J.A. 870(2000)105
- Jiménez-Lozano, E., see Barrón, D. 871(2000)381
- Jisaki, F., see Okada, T.K. 869(2000)91
- Jönsson, J.Å., Andersson, M., Melander, C., Norberg, J., Thordarson, E. and Mathiasson, L.
Automated liquid membrane extraction for high-performance liquid chromatography of Ropivacaine metabolites in urine 870(2000)151
- Jönsson, J.Å., see Norberg, J. 869(2000)523
- Josa, M., see de Jalón, E.G.^a 870(2000)143
- Józová, B., see Romanová, D. 870(2000)463
- Kaczmarek, K., Prus, W. and Kowalska, T.
Adsorption/partition model of liquid chromatography for chemically bonded stationary phases of the aliphatic cyano, reversed-phase C₈ and reversed-phase C₁₈ types 869(2000)57
- Kalman, J., see Ragonese, R. 870(2000)45
- Kanazawa, H., Atsumi, R., Matsushima, Y. and Kizu, J.
Determination of theophylline and its metabolites in biological samples by liquid chromatography–mass spectrometry 870(2000)87
- Kanazawa, H., Kunito, Y., Matsushima, Y., Okubo, S. and Mashige, F.
Stereospecific analysis of lorazepam in plasma by chiral column chromatography with a circular dichroism-based detector 871(2000)181
- Kaptein, B., see Péter, A. 871(2000)105
- Karst, U., see Zurek, G. 869(2000)251
- Katzhendler, J., see Assaf, P. 869(2000)243
- Katzhendler, J., see Haj-Yehia, A.I. 870(2000)381
- Kaufner, L., see Bünger, H. 870(2000)363
- Kawaguchi, S., see Fujimoto, C. 871(2000)415
- Keegan, J., see Mulholland, M. 870(2000)135
- Kele, M. and Guiochon, G.
Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns. IV. Results obtained with Luna C₁₈ (2) columns 869(2000)181
- Kizu, J., see Kanazawa, H. 870(2000)87
- Klaus, P.M., see Franco, P. 869(2000)111
- Kolářová, L., see Jandera, P. 869(2000)65
- Kong, L., see Wang, H.L. 870(2000)501
- Kowalska, T., see Kaczmarek, K. 869(2000)57
- Krajete, A., see Huber, C.G. 870(2000)413
- Krákorová, I., see Marklová, E. 870(2000)289
- Kunito, Y., see Kanazawa, H. 871(2000)181
- Kuo, J.-S., see Cheng, F.-C. 870(2000)405
- Kuronen, P., see Väänänen, T. 869(2000)301
- Kutlán, D., see Vasánits, A. 870(2000)271
- Lämmerhofer, M., see Franco, P. 869(2000)111
- Latorre, R.M., Saurina, J. and Hernández-Cassou, S.
Determination of amino acids in overlapped capillary electrophoresis peaks by means of partial least-squares regression 871(2000)331
- Le, X.C., see Li, X.-F. 869(2000)375
- Lee, C.-W., see Cheng, F.-C. 870(2000)389
- Legaz, M.-E., see Mateos, J.L. 870(2000)425
- Legrand, J., see Marchal, L. 869(2000)339
- Lehane, M., see James, K.J. 871(2000)1
- Lengyel, T., see Guttman, A. 871(2000)289
- Li, X.-F., Ren, H.J., Le, X.C., Qi, M., Ireland, I.D. and Dovichi, N.J.
Migration time correction for the analysis of derivatized amino acids and oligosaccharides by micellar capillary electrochromatography 869(2000)375
- Lin, C.-E. and Chen, Yu.-T.
Migration behavior and separation of benzenediamines, aminophenols and benzenediols by capillary zone electrophoresis 871(2000)357
- Lindner, W., see Franco, P. 869(2000)111
- Liu, P., see Cheung, A.P. 870(2000)179
- Liu, Z., see Ye, M. 869(2000)385
- Llorente, J., see Jiménez, J.J. 871(2000)67
- Llovera, M., see Velázquez, C. 870(2000)469
- López, E.E., see Lucangioli, S.E. 871(2000)207
- López, J.A., Martínez, V., Alonso, R.M. and Jiménez, R.M.
High-performance liquid chromatography with amperometric detection applied to the screening of 1,4-dihydropyridines in human plasma 870(2000)105
- López-Erroz, C., see Viñas, P. 871(2000)85
- Lores, M., see Fernández García-Borregón, P. 870(2000)39
- Lucangioli, S.E., Hermida, L.G., Tripodi, V.P., Rodríguez, V.G., López, E.E., Rouge, P.D. and Carducci, C.N.
Analysis of *cis-trans* isomers and enantiomers of sertraline by cyclodextrin-modified micellar electrokinetic chromatography 871(2000)207
- Lucentini, L., see Draisci, R. 870(2000)511

- Lurie, I.S., Bailey, C.G., Anex, D.S., Bethea, M.J., McKibben, T.D. and Casale, J.F.
Profiling of impurities in illicit methamphetamine by high-performance liquid chromatography and capillary electrochromatography 870(2000)53
- Makovičková, H., see Marklová, E. 870(2000)289
- Mañes, J., see Fernández, M. 871(2000)43
- Marcato, B. and Vianello, M.
Microwave-assisted extraction by fast sample preparation for the systematic analysis of additives in polyolefins by high-performance liquid chromatography 869(2000)285
- Marchal, L., Foucault, A., Patissier, G., Rosant, J.M. and Legrand, J.
Influence of flow patterns on chromatographic efficiency in centrifugal partition chromatography 869(2000)339
- Marín-Hernández, J.J., see Viñas, P. 871(2000)85
- Marina, M.L., see Crego, A.L. 869(2000)329
- Marklová, E., Makovičková, H. and Krákorová, I.
Screening for defects in tryptophan metabolism 870(2000)289
- Martín, M.T., see Nozal, M.J. 870(2000)69
- Martín-Biosca, Y., see Molero-Monfort, M. 870(2000)1
- Martínez, J., see Crego, A.L. 869(2000)329
- Martínez, V., see López, J.A. 870(2000)105
- Martínez Vidal, J.L., see Garrido Frenich, A. 869(2000)497
- Mashige, F., see Kanazawa, H. 871(2000)181
- Mateo, J.J., see Jiménez, M. 870(2000)473
- Mateo, R., see Jiménez, M. 870(2000)473
- Mateos, J.L., Reyes, A., Vicente, C. and Legaz, M.-E.
Separation of polyamines, conjugated to DNA, by reversed-phase high-performance liquid chromatography 870(2000)425
- Mateu Sánchez, M., see Garrido Frenich, A. 869(2000)497
- Mathiasson, L., see Jönsson, J.Å. 870(2000)151
- Mathiasson, L., see Norberg, J. 869(2000)523
- Matsushima, Y., see Kanazawa, H. 870(2000)87
- Matsushima, Y., see Kanazawa, H. 871(2000)181
- McKibben, T.D., see Lurie, I.S. 870(2000)53
- Medina-Hernández, M.J., see Molero-Monfort, M. 870(2000)1
- Mejuto, C., see Pensado, L. 869(2000)505
- Melander, C., see Jönsson, J.Å. 870(2000)151
- Melo, L.F.C., Collins, C.H., Collins, K.E. and Jardim, I.C.S.F.
Stability of high-performance liquid chromatography columns packed with poly(methyloctylsiloxane) sorbed and radiation-immobilized onto porous silica and zirconized silica 869(2000)129
- Mengerink, Y., van der Wal, S., Claessens, H.A. and Cramers, C.A.
Analysis of higher polyamide-6 oligomers on a silica-based reversed-phase column with a gradient of formic acid as compared with hexafluoroisopropanol 871(2000)259
- Merodio, M., Campanero, M.A., Mirshahi, T., Mirshahi, M. and Irache, J.M.
Development of a sensitive method for the determination of ganciclovir by reversed-phase high-performance liquid chromatography 870(2000)159
- Michailova, A., see Stoev, G. 871(2000)37
- Miclaus, V., see Cimpan, G. 869(2000)49
- Mihailova, A., see Stoev, G. 869(2000)275
- Mino, A., see Ortelli, D. 871(2000)163
- Mirshahi, M., see Merodio, M. 870(2000)159
- Mirshahi, T., see Merodio, M. 870(2000)159
- Moe, G.W., see Naik, G.O.A. 870(2000)349
- Molero-Monfort, M., Martín-Biosca, Y., Sagrado, S., Villanueva-Camañas, R.M. and Medina-Hernández, M.J.
Micellar liquid chromatography for prediction of drug transport 870(2000)1
- Molins, C., Hogendoorn, E.A., Dijkman, E., Heusinkveld, H.A.G. and Baumann, R.A.
Determination of linuron and related compounds in soil by microwave-assisted solvent extraction and reversed-phase liquid chromatography with UV detection 869(2000)487
- Molnár-Perl, I., see Vasánits, A. 870(2000)271
- Moreda, J.M., see Arranz, A. 871(2000)399
- Moreno, P. and Salvadó, V.
Determination of eight water- and fat-soluble vitamins in multi-vitamin pharmaceutical formulations by high-performance liquid chromatography 870(2000)207
- Moyano, E., see Castro, R. 869(2000)441
- Moyano, E., see Toribio, F. 869(2000)307
- Mrestani, Y. and Neubert, R.H.H.
Thiamine analysis in biological media by capillary zone electrophoresis with a high-sensitivity cell 871(2000)351
- Mrestani, Y. and Neubert, R.
Characterization of cephalosporin transfer between aqueous and colloidal phases by micellar electrokinetic chromatography 871(2000)439
- Mulholland, M., see Ragonese, R. 870(2000)45
- Mulholland, M., Whelan, T.J., Rose, H. and Keegan, J.
Direct identification and quantitation of prednisone in the presence of overlapping hydrocortisone by liquid chromatography with electrospray and atmospheric-pressure chemical-ionisation mass spectrometry 870(2000)135
- Naik, G.O.A. and Moe, G.W.
Simultaneous separation of angiotensin and endothelin peptide families by high-performance liquid chromatography: application to the specific radioimmunoassay measurement of angiotensin II or endothelin-1 from tissue 870(2000)349
- Nakabayashi, Y., see Okada, T.K. 869(2000)91
- Nassar, T., see Haj-Yehia, A.I. 870(2000)381
- Navajas, R., see Imaz, C. 870(2000)23
- Nazimov, I.V., see Ivanov, A.R. 870(2000)255
- Nazimov, I.V., see Ivanov, A.R. 870(2000)433
- Needham, S.R., Brown, P.R., Duff, K. and Bell, D.
Optimized stationary phases for the high-performance liquid chromatography–electrospray ionization mass spectrometric analysis of basic pharmaceuticals 869(2000)159
- Nerrie, M., see Catimel, B. 869(2000)261
- Neubert, R., see Mrestani, Y. 871(2000)439
- Neubert, R.H.H., see Mrestani, Y. 871(2000)351
- Neumann, M., Herten, D.-P., Dietrich, A., Wolfrum, J. and Sauer, M.
Capillary array scanner for time-resolved detection and identification of fluorescently labelled DNA fragments 871(2000)299
- Nguyen, N., see Cheung, A.P. 870(2000)179
- Nguyo, J.M., see Chepkwony, H.K. 870(2000)227
- Ni, J., see Ye, M. 869(2000)385

- Ni, J.Y., see Wang, H.L. 870(2000)501
- Nice, E.C., see Catimel, B. 869(2000)261
- Nicewonger, R.B., see Várady, L. 869(2000)171
- Nichols, J.A., see Foster, M.D. 869(2000)231
- Nichols, J.A., see Wolcott, R.G. 869(2000)211
- Nieto, E.M., see Bernal, J.L. 871(2000)127
- Norberg, J., see Jönsson, J.Å. 870(2000)151
- Norberg, J., Thordarson, E., Mathiasson, L. and Jönsson, J.Å.
Microporous membrane liquid–liquid extraction coupled on-line with normal-phase liquid chromatography for the determination of cationic surfactants in river and waste water 869(2000)523
- Novo, M., see Jiménez, J.J. 871(2000)67
- Nozal, M.J., Bernal, J.L., Toribio, L., Jiménez, J.J. and Martín, M.T.
Validation of the removal of acetylsalicylic acid. Recovery and determination of residues on various surfaces by high performance liquid chromatographic 870(2000)69
- Núñez, M.I., see Valenzuela, M.T. 871(2000)321
- Obach, R., see Celma, C. 870(2000)13
- Obach, R., see Celma, C. 870(2000)77
- Obrezkov, O., see Sánchez, J.M. 871(2000)217
- Ohira, M., see Okusa, K. 869(2000)143
- Ohira, M., see Tanaka, H. 869(2000)151
- Okada, T.K., Nakabayashi, Y. and Jisaki, F.
Coupling of chromatographic ion-exchange reaction with change-partner reaction. Presumed mechanism on the ion-ion interaction of inorganic ions in Sephadex G-15 columns 869(2000)91
- Okubo, S., see Kanazawa, H. 871(2000)181
- Okusa, K., Tanaka, H. and Ohira, M.
Development of a new cyano-bonded column for high-performance liquid chromatography 869(2000)143
- Olajos, E., see Péter, A. 871(2000)105
- Ongania, K.-H., see Huck, C.W. 870(2000)453
- Ortelli, D., Rudaz, S., Chevalley, A.-F., Mino, A., Deglon, J.-J., Balant, L. and Veuthey, J.-L.
Enantioselective analysis of methadone in saliva by liquid chromatography–mass spectrometry 871(2000)163
- Orwa, J.A., Van Gerven, A., Roets, E. and Hoogmartens, J.
Liquid chromatography of polymyxin B sulphate 870(2000)237
- Owens, P.K., see Wikström, H. 869(2000)395
- Palleschi, L., see Draisci, R. 870(2000)511
- Palleschi, L., see Draisci, R. 871(2000)13
- Palomino, O., Gómez-Serranillos, M.P., Slowing, K., Carretero, E. and Villar, A.
Study of polyphenols in grape berries by reversed-phase high-performance liquid chromatography 870(2000)449
- Paniagua-Marcos, P.H., see Carabias-Martínez, R. 869(2000)427
- Parra, P., see Yritia, M. 870(2000)115
- Parrilla Vázquez, P., see Garrido Frenich, A. 869(2000)497
- Patissier, G., see Marchal, L. 869(2000)339
- Pehu, E., see Väänänen, T. 869(2000)301
- Pensado, L., Casais, C., Mejuto, C. and Cela, R.
Optimization of the extraction of polycyclic aromatic hydrocarbons from wood samples by the use of microwave energy 869(2000)505
- Peraire, C., see Celma, C. 870(2000)13
- Peraire, C., see Celma, C. 870(2000)77
- Pérez, M.L., see Rodríguez-Delgado, M.A. 871(2000)427
- Pérez-Urquiza, M., Prat, M.D. and Beltrán, J.L.
Determination of sulphonated dyes in water by ion-interaction high-performance liquid chromatography 871(2000)227
- Péter, A., Olajos, E., Casimir, R., Tourwé, D., Broxterman, Q.B., Kaptein, B. and Armstrong, D.W.
High-performance liquid chromatographic separation of the enantiomers of unusual α -amino acid analogues 871(2000)105
- Péter, A., see Péter, M. 871(2000)115
- Péter, M., Péter, A. and Fülöp, F.
Application of (1*S*,2*S*)- and (1*R*,2*R*)-1,3-diacetoxy-1-(4-nitrophenyl)-2-propylisothiocyanate to the indirect enantioseparation of racemic proteinogenic amino acids 871(2000)115
- Petritis, K., see Chaimbault, P. 870(2000)245
- Philipp, W., see Wyss, R. 870(2000)189
- Picó, Y., see Fernández, M. 871(2000)43
- Picó, Y., see Valenzuela, A.I. 871(2000)57
- Pino, V., Ayala, J.H., Afonso, A.M. and González, V.
Determination of polycyclic aromatic hydrocarbons in marine sediments by high-performance liquid chromatography after microwave-assisted extraction with micellar media 869(2000)515
- Pinto, G.M.F. and Jardim, I.C.S.F.
Use of solid-phase extraction and high-performance liquid chromatography for the determination of triazine residues in water: validation of the method 869(2000)463
- Pison, U., see Büniger, H. 870(2000)363
- Plana, J., see Velázquez, C. 870(2000)469
- Planeta, J., see Jandera, P. 871(2000)139
- Prat, M.D., see Pérez-Urquiza, M. 871(2000)227
- Pruñonosa, J., see Celma, C. 870(2000)13
- Pruñonosa, J., see Celma, C. 870(2000)77
- Prus, W., see Kaczmarek, K. 869(2000)57
- Puignou, L., see Toribio, F. 869(2000)307
- Pyell, U., see Banholczer, A. 869(2000)363
- Qi, M., see Li, X.-F. 869(2000)375
- Ragonese, R., Mulholland, M. and Kalman, J.
Full and fractionated experimental designs for robustness testing in the high-performance liquid chromatographic analysis of codeine phosphate, pseudoephedrine hydrochloride and chlorpheniramine maleate in a pharmaceutical preparation 870(2000)45
- Rajur, S.B., see Várady, L. 869(2000)171
- Raouafi, F., see Trabelsi, H. 871(2000)189
- Ratiskol, J., see Chevolut, L. 869(2000)353
- Redondo, M.J., see Valenzuela, A.I. 871(2000)57
- Reglero, G., see Señoráns, F.J. 870(2000)491
- Regnier, F.E., see Geng, M. 870(2000)295
- Regnier, F.E., see Zhang, X. 869(2000)319
- Reichenbacher, M., see Berente, B. 871(2000)95
- Remon, J.P., see Baeyens, W.R.G. 871(2000)153
- Ren, H.J., see Li, X.-F. 869(2000)375
- Renedo, M.J., see Arnedo, A. 871(2000)311
- Reschiglian, P., see Contado, C. 871(2000)449
- Revesado, P.R., see Gigoso, P.G. 871(2000)31
- Reyes, A., see Mateos, J.L. 870(2000)425

- Rissler, K.
Separation of polyesters by gradient reversed-phase high-performance liquid chromatography on a 1.5 μm non-porous column 871(2000)243
- Roca, M.J., see Almela, L. 870(2000)483
- Rochette, I., see Talamond, P. 871(2000)7
- Rodríguez, A.F., see Imaz, C. 870(2000)23
- Rodríguez, C., see Imaz, C. 870(2000)23
- Rodríguez, V.G., see Lucangioli, S.E. 871(2000)207
- Rodríguez-Delgado, M.A., Pérez, M.L., Corbella, R., González, G. and García Montelongo, F.J.
Optimization of the separation of phenolic compounds by micellar electrokinetic capillary chromatography 871(2000)427
- Rodríguez-Gonzalo, E., see Carabias-Martínez, R. 869(2000)471
- Rodríguez-Gonzalo, E., see Carabias-Martínez, R. 869(2000)427
- Rodríguez-Gonzalo, E., see Carabias-Martínez, R. 869(2000)451
- Roets, E., see Chepkwony, H.K. 870(2000)227
- Roets, E., see Orwa, J.A. 870(2000)237
- Romanová, D., Grančai, D., Józová, B., Božek, P. and Vachálková, A.
Determination of apigenin in rat plasma by high-performance liquid chromatography 870(2000)463
- Romero, R., Gázquez, D., Bagur, M.G. and Sánchez-Viñas, M.
Optimization of chromatographic parameters for the determination of biogenic amines in wines by reversed-phase high-performance liquid chromatography 871(2000)75
- Rosant, J.M., see Marchal, L. 869(2000)339
- Rose, H., see Mulholland, M. 870(2000)135
- Rouge, P.D., see Lucangioli, S.E. 871(2000)207
- Rudaz, S., see Ortelli, D. 871(2000)163
- Ruiz de Almodóvar, J.M., see Valenzuela, M.T. 871(2000)321
- Russo, M.V. and Goretta, G.
Hydrophobic-phase-modified fused-silica columns for capillary electrophoresis 871(2000)279
- Saavedra, L., see Barbas, C. 870(2000)97
- Sabbah, S., see Trabelsi, H. 871(2000)189
- Sagrado, S., see Molero-Monfort, M. 870(2000)1
- Salvadó, V., see Moreno, P. 870(2000)207
- Salvadó, V., see Sánchez, J.M. 871(2000)217
- Sánchez, J.M., Obrezkov, O. and Salvadó, V.
Separation of some platinum group metal chelates with 8-hydroxyquinoline by various high-performance liquid chromatographic methods 871(2000)217
- Sánchez San Román, F.J., see Carabias Martínez, R. 869(2000)471
- Sánchez-Pérez, A., see Delgado-Zamarreño, M.M. 871(2000)403
- Sánchez-Viñas, M., see Romero, R. 871(2000)75
- Santoyo, S., see de Jalón, E.G.^a 870(2000)143
- Sanz-Nebot, V., Benavente, F. and Barbosa, J.
Separation and characterization of multicomponent peptide mixtures by liquid chromatography–electrospray ionization mass spectrometry. Application to crude products of the synthesis of leuprolide 870(2000)315
- Sanz-Nebot, V., see Bergés, R. 869(2000)27
- Sanz-Nebot, V., Toro, I. and Barbosa, J.
Separation of potentially therapeutic peptide hormones by liquid chromatography. Optimisation of the composition and pH of the mobile phase 870(2000)335
- Sass, P., see Vasanits, A. 870(2000)271
- Sasvari-Szekely, M., see Guttman, A. 871(2000)289
- Satake, M., see Draisci, R. 871(2000)13
- Sauer, M., see Neumann, M. 871(2000)299
- Saurina, J., see Latorre, R.M. 871(2000)331
- Scalia, S.
Determination of sunscreen agents in cosmetic products by supercritical fluid extraction and high-performance liquid chromatography 870(2000)199
- Schreiber, A., Efer, J. and Engewald, W.
Application of spectral libraries for high-performance liquid chromatography–atmospheric pressure ionisation mass spectrometry to the analysis of pesticide and explosive residues in environmental samples 869(2000)411
- Schwikowski, M., see Tenberken-Pöttsch, B. 871(2000)391
- Señoráns, F.J., Ibañez, E., Caverro, S., Tabera, J. and Reglero, G.
Liquid chromatographic–mass spectrometric analysis of supercritical-fluid extracts of rosemary plants 870(2000)491
- Shum, A.Y.C., see Tsai, T.H. 870(2000)443
- Silva, R.B., Collins, K.E. and Collins, C.H.
Effects in high-performance liquid chromatography of a high pH in the mobile phase on poly(methyloctylsiloxane) immobilized by γ -radiation on titanium-grafted silica 869(2000)137
- Sinquin, C., see Chevolut, L. 869(2000)353
- Slowing, K., see Palomino, O. 870(2000)449
- Snyder, L.R., see Wolcott, R.G. 869(2000)3
- Snyder, L.R., see Wolcott, R.G. 869(2000)211
- Stęplewski, Z., see Tyrpień, K. 870(2000)29
- Stoev, G. and Michailova, A.
Quantitative determination of sulfonamide residues in foods of animal origin by high-performance liquid chromatography with fluorescence detection 871(2000)37
- Stoev, G. and Mihailova, A.
Increasing the reliability of the identification by high-performance liquid chromatography by means of selective and/or sensitive detection 869(2000)275
- Strasser, G.R. and Váradi, I.
Investigations of artifact peaks in sensitive high-performance liquid chromatography methods 869(2000)85
- Struble, E., see Cheung, A.P. 870(2000)179
- Svensson, L.A., see Wikström, H. 869(2000)395
- Szoke, M., see Guttman, A. 871(2000)289
- Tabera, J., see Señoráns, F.J. 870(2000)491
- Takahashi, K., see Tanaka, H. 869(2000)151
- Talamond, P., Doubeau, S., Rochette, I., Guyot, J.-P. and Treche, S.
Anion-exchange high-performance liquid chromatography with conductivity detection for the analysis of phytic acid in food 871(2000)7
- Tanaka, H., see Okusa, K. 869(2000)143

- Tanaka, H., Takahashi, K. and Ohira, M.
Characterization of an avidin-bonded column for direct injection in reversed-phase high-performance liquid chromatography 869(2000)151
- Tenberken-Pötzsch, B., Schwikowski, M. and Gäggeler, H.W.
Analysis of size-classified ice crystals by capillary electrophoresis 871(2000)391
- Thordarson, E., see Jönsson, J.Å. 870(2000)151
- Thordarson, E., see Norberg, J. 869(2000)523
- Tjaden, U.R., see Toussaint, B. 871(2000)173
- Toribio, F., Moyano, E., Puignou, L. and Galceran, M.T.
Determination of heterocyclic aromatic amines in meat extracts by liquid chromatography–ion-trap atmospheric pressure chemical ionization mass spectrometry 869(2000)307
- Toribio, L., see Bernal, J.L. 871(2000)127
- Toribio, L., see Nozal, M.J. 870(2000)69
- Toro, I., see Sanz-Nebot, V. 870(2000)335
- Torstensson, A., see Wikström, H. 869(2000)395
- Tourwé, D., see Péter, A. 871(2000)105
- Toussaint, B., Hubert, Ph., Tjaden, U.R., van der Greef, J. and Crommen, J.
Enantiomeric separation of clenbuterol by transient isotachopheresis–capillary zone electrophoresis–UV detection. New optimization technique for transient isotachopheresis 871(2000)173
- Trabelsi, H., Bouabdallah, S., Sabbah, S., Raouafi, F. and Bouzouita, K.
Study of the *cis*–*trans* isomerization of enalapril by reversed-phase liquid chromatography 871(2000)189
- Treche, S., see Talamond, P. 871(2000)7
- Tripodi, V.P., see Lucangioli, S.E. 871(2000)207
- Trujillo, A.-J., Casals, I. and Guamis, B.
Analysis of major ovine milk proteins by reversed-phase high-performance liquid chromatography and flow injection analysis with electrospray ionization mass spectrometry 870(2000)371
- Tsai, T.H., Chen, Y.F., Chou, C.J. and Chen, C.F.
Measurement and pharmacokinetics of unbound 20(S)-camptothecin in rat blood and brain by microdialysis coupled to microbore liquid chromatography with fluorescence detection 870(2000)221
- Tsai, T.H., Chen, Y.F., Shum, A.Y.C. and Chen, C.F.
Determination of chlorogenic acid in rat blood by microdialysis coupled with microbore liquid chromatography and its application to pharmacokinetic studies 870(2000)443
- Tsai, T.-H., see Cheng, F.-C. 870(2000)389
- Tsai, T.-H., see Cheng, F.-C. 870(2000)405
- Tyrpień, K., Wielkoszyński, T., Janoszka, B., Dobosz, C., Bodzek, D. and Stęplewski, Z.
Application of liquid separation techniques to the determination of the main urinary nicotine metabolites 870(2000)29
- Väänänen, T., Kuronen, P. and Pehu, E.
Comparison of commercial solid-phase extraction sorbents for the sample preparation of potato glycoalkaloids 869(2000)301
- Vachálková, A., see Romanová, D. 870(2000)463
- Valcárcel, M., see Ballesteros, E. 869(2000)101
- Valenzuela, A.I., Redondo, M.J., Picó, Y. and Font, G.
Determination of abamectin in citrus fruits by liquid chromatography–electrospray ionization mass spectrometry 871(2000)57
- Valenzuela, M.T., Núñez, M.I., Guerrero, M.R., Villalobos, M. and Ruiz de Almodóvar, J.M.
Capillary electrophoresis of DNA damage after irradiation: apoptosis and necrosis 871(2000)321
- Vandereecken, P., see Verhelst, V. 871(2000)269
- Van der Greef, J., see Toussaint, B. 871(2000)173
- Van der Wal, S., see Mengerink, Y. 871(2000)259
- Van der Weken, G., see Baeyens, W.R.G. 871(2000)153
- Van Gerven, A., see Orwa, J.A. 870(2000)237
- Vanderriest, I., see Chepkwony, H.K. 870(2000)227
- Váradí, I., see Strasser, G.R. 869(2000)85
- Váradý, L., Rajur, S.B., Nicewonger, R.B., Guo, M. and Ditto, L.
Fast and quantitative high-performance liquid chromatography method for the determination of 9-fluorenylmethoxycarbonyl release from solid-phase synthesis resins 869(2000)171
- Vasanits, A., Kutlán, D., Sass, P. and Molnár-Perl, I.
Retention/quantitation properties of the *o*-phthalaldehyde–3-mercaptopropionic acid and the *o*-phthalaldehyde–*N*-acetyl-L-cysteine amino acid derivatives in reversed-phase high-performance liquid chromatography 870(2000)271
- Vazquez, B.I., see Gigosos, P.G. 871(2000)31
- Velázquez, C., Llovera, M., Plana, J. and Canela, R.
Effect of solvents on the fumonisins analysis by high-performance liquid chromatography with AccQ.Fluor as the derivatizing reagent 870(2000)469
- Verhelst, V. and Vandereecken, P.
Analysis of organosilicone copolymers by gradient polymer elution chromatography with evaporative light scattering detection 871(2000)269
- Veuthey, J.-L., see Ortelli, D. 871(2000)163
- Vianello, M., see Marcato, B. 869(2000)285
- Vicente, C., see Mateos, J.L. 870(2000)425
- Villalobos, M., see Valenzuela, M.T. 871(2000)321
- Villanueva-Camañas, R.M., see Molero-Monfort, M. 870(2000)1
- Villar, A., see Palomino, O. 870(2000)449
- Viñas, P., López-Erroz, C., Marín-Hernández, J.J. and Hernández-Córdoba, M.
Determination of phenols in wines by liquid chromatography with photodiode array and fluorescence detection 871(2000)85
- Wang, H.L., Zou, H.F., Ni, J.Y., Kong, L., Gao, S. and Guo, B.
Fractionation and analysis of *Artemisia capillaris* Thunb. by affinity chromatography with human serum albumin as stationary phase 870(2000)501
- Weinstock, J., see Catimel, B. 869(2000)261
- Whelan, T.J., see Mulholland, M. 870(2000)135
- Wielkoszyński, T., see Tyrpień, K. 870(2000)29
- Wikström, H., Svensson, L.A., Torstensson, A. and Owens, P.K.
Immobilisation and evaluation of a vancomycin chiral stationary phase for capillary electrochromatography 869(2000)395
- Williams, M.G., see Zhong, W.-Z. 871(2000)201

- Wolcott, R.G., Dolan, J.W. and Snyder, L.R.
Computer simulation for the convenient optimization of isocratic reversed-phase liquid chromatographic separations by varying temperature and mobile phase strength 869(2000)3
- Wolcott, R.G., Dolan, J.W., Snyder, L.R., Bakalyar, S.R., Arnold, M.A. and Nichols, J.A.
Control of column temperature in reversed-phase liquid chromatography 869(2000)211
- Wolfrum, J., see Neumann, M. 871(2000)299
- Wongyai, S.
Determination of vitamin B₁₂ in multivitamin tablets by multimode high-performance liquid chromatography 870(2000)217
- Wu, T.-F., see Cheng, F.-C. 870(2000)405
- Wyss, R., Bucheli, F. and Philipp, W.
Determination of the *N*-methyl-*D*-aspartate receptor NR2B subunit blocker Ro 63-1908 in rat, cynomolgus monkey and human plasma by high-performance liquid chromatography with column switching and fluorescence detection 870(2000)189
- Yang, D.-Y., see Cheng, F.-C. 870(2000)389
- Yang, D.-Y., see Cheng, F.-C. 870(2000)405
- Yang, L.-L., see Cheng, F.-C. 870(2000)389
- Yasumoto, T., see Draisci, R. 871(2000)13
- Ye, M., Zou, H., Liu, Z. and Ni, J.
Separation of peptides by strong cation-exchange capillary electrochromatography 869(2000)385
- Ygartua, P., see de Jalón, E.G.^a. 870(2000)143
- Yritia, M., Parra, P., Iglesias, E. and Barbanøj, J.M.
Quantitation of nifedipine in human plasma by on-line solid-phase extraction and high-performance liquid chromatography 870(2000)115
- Zattoni, A., see Contado, C. 871(2000)449
- Zhang, X. and Regnier, F.E.
Analysis of channel-geometry effects on separation efficiency in rectangular-capillary electrochromatography columns 869(2000)319
- Zhong, W.-Z. and Williams, M.G.
Enantiospecific determination of PNU-83894 and its major metabolite, PNU-83892, in plasma, and its application to the characterization of the enantioselective pharmacokinetics of PNU-83894 in the dog 871(2000)201
- Zou, H., see Ye, M. 869(2000)385
- Zou, H.F., see Wang, H.L. 870(2000)501
- Zurek, G. and Karst, U.
2,4-Dinitro-3,5,6-trideuterophenylhydrazones for the quantitation of aldehydes and ketones in air samples by liquid chromatography–mass spectrometry 869(2000)251