



ELSEVIER

Journal of Chromatography A, 872 (2000) 329–334

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 872

Acetylcholinesterase inhibitors

High-performance liquid chromatography with on-line coupled UV, mass spectrometric and biochemical detection for identification of acetylcholinesterase inhibitors from natural products 872(2000)61

Adsorption enthalpy

Microcalorimetric studies of interactions between proteins and hydrophobic ligands in hydrophobic interaction chromatography: effects of ligand chain length, density and the amount of bound protein 872(2000)37

Adsorption isotherms

Study on the accuracy of the elution by characteristic point method for the determination of single component isotherms 872(2000)1

Alcohols

Utilization of fluorescein sodium salt for the indirect fluorimetric detection in micellar electrokinetic chromatography 872(2000)247

n-Alkanes

Low-energy interactions in high-performance liquid chromatography 872(2000)49

Amines

Capillary electrochromatography of basic compounds using octadecyl-silica stationary phases with an amine-containing mobile phase 872(2000)315

Band broadening

Use of equations for the description of experimental dependence of the height equivalent to a theoretical plate on carrier gas velocity in capillary gas–liquid chromatography 872(2000)111

Basic compounds

Capillary electrochromatography of basic compounds using octadecyl-silica stationary phases with an amine-containing mobile phase 872(2000)315

Beer

Determination of sulphur compounds in beer using headspace solid-phase microextraction and gas chromatographic analysis with pulsed flame photometric detection 872(2000)203

Betaine

Design of a simulated moving bed unit for sucrose–betaine separations 872(2000)23

Biochemical detection

High-performance liquid chromatography with on-line coupled UV, mass spectrometric and biochemical detection for identification of acetylcholinesterase inhibitors from natural products 872(2000)61

Bisphosphonates

Analysis of bisphosphonates by capillary electrophoresis–electrospray ionization mass spectrometry 872(2000)289

Capillary electrophoresis–mass spectrometry

Investigation of Cr(III) hydrolytic polymerisation products by capillary electrophoresis–inductively coupled plasma–mass spectrometry 872(2000)227

Central composite design

Development of a method for the simultaneous determination of phosphoric and amino acid group containing pesticides by gas chromatography with mass-selective detection. Optimization of the derivatization procedure using an experimental design approach 872(2000)215

Characteristic point method

Study on the accuracy of the elution by characteristic point method for the determination of single component isotherms 872(2000)1

Chemometrics

Development of a method for the simultaneous determination of phosphoric and amino acid group containing pesticides by gas chromatography with mass-selective detection. Optimization of the derivatization procedure using an experimental design approach 872(2000)215

Chlorine selective detector

Applications using the chlorine-selective pulsed discharge emission detector 872(2000)167

Development and characterization of chlorine-selective pulsed discharge emission detector for gas chromatography 872(2000)141

Characterization of chlorinated compounds using a dual chlorine-selective pulsed discharge emission detector–helium-pulsed discharge photoionization detector system 872(2000)179

Chromium

Investigation of Cr(III) hydrolytic polymerisation products by capillary electrophoresis–inductively coupled plasma-mass spectrometry 872(2000)227

Clodronate

Analysis of bisphosphonates by capillary electrophoresis–ion-spray mass spectrometry 872(2000)289

Cyclodepsipeptides

Liquid chromatography–electrospray time-of-flight mass spectrometry for on-line accurate mass determination and identification of cyclodepsipeptides in a crude extract of the fungus *Metarrhizium anisopliae* 872(2000)85

Cyclodextrins

Investigation of the effects of cyclodextrins and organic solvents on the separation of cationic surfactants in capillary electrophoresis 872(2000)269

Enantiomeric separation of enzymatic hydrolysis products of dihydropyrimidinone methyl ester with cationic cyclodextrin by capillary electrophoresis 872(2000)279

Derivatization, GC

Development of a method for the simultaneous determination of phosphoric and amino acid group containing pesticides by gas chromatography with mass-selective detection. Optimization of the derivatization procedure using an experimental design approach 872(2000)215

Destruxins

Liquid chromatography–electrospray time-of-flight mass spectrometry for on-line accurate mass determination and identification of cyclodepsipeptides in a crude extract of the fungus *Metarrhizium anisopliae* 872(2000)85

Utilization of fluorescein sodium salt for the indirect fluorimetric detection in micellar electrokinetic chromatography 872(2000)247

On-column amperometric detection in capillary electrophoresis with an improved high-voltage electric field decoupler 872(2000)259

Detection, GC

Pulsed discharge emission detector: an element-selective detector for gas chromatography 872(2000)119

Development and characterization of chlorine-selective pulsed discharge emission detector for gas chromatography 872(2000)141

Applications using the chlorine-selective pulsed discharge emission detector 872(2000)167

Characterization of chlorinated compounds using a dual chlorine-selective pulsed discharge emission detector–helium-pulsed discharge photoionization detector system 872(2000)179

Determination of sulphur compounds in beer using headspace solid-phase microextraction and gas chromatographic analysis with pulsed flame photometric detection 872(2000)203

Detection, LC

High-performance liquid chromatography with on-line coupled UV, mass spectrometric and biochemical detection for identification of acetylcholinesterase inhibitors from natural products 872(2000)61

Ion-exclusion controlled size-exclusion chromatography of methacrylic acid–methyl methacrylate copolymers 872(2000)91

Erratum to: "Use of surface plasmon resonance for studies of protein–protein and protein–phospholipid membrane interactions. Application to the binding of factor VIII to von Willebrand factor and to phosphatidylserine-containing membranes". [J. Chromatogr. A, 852 (1999) 59-71] 872(2000)323

Dihydropyrimidinone methyl ester

Enantiomeric separation of enzymatic hydrolysis products of dihydropyrimidinone methyl ester with cationic cyclodextrin by capillary electrophoresis 872(2000)279

Electrochemical detection

On-column amperometric detection in capillary electrophoresis with an improved high-voltage electric field decoupler 872(2000)259

Electrochromatography

Capillary electrochromatography of basic compounds using octadecyl-silica stationary phases with an amine-containing mobile phase 872(2000)315

Enantiomer separation

Enantiomeric separation of enzymatic hydrolysis products of dihydropyrimidinone methyl ester with cationic cyclodextrin by capillary electrophoresis 872(2000)279

Environmental analysis

Trace-level determination of triazines and several degradation products in environmental waters by disk solid-phase extraction and micellar electrokinetic chromatography 872(2000)299

Analysis of steroids in environmental water samples using solid-phase extraction and ion-trap gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry 872(2000)309

Enzyme inhibitors

High-performance liquid chromatography with on-line coupled UV, mass spectrometric and biochemical detection for identification of acetylcholinesterase inhibitors from natural products 872(2000)61

Eudragit polymers

Ion-exclusion controlled size-exclusion chromatography of methacrylic acid–methyl methacrylate copolymers 872(2000)91

Experimental design

Development of a method for the simultaneous determination of phosphoric and amino acid group containing pesticides by gas chromatography with mass-selective detection. Optimization of the derivatization procedure using an experimental design approach 872(2000)215

Extraction methods

Determination of sulphur compounds in beer using headspace solid-phase microextraction and gas chromatographic analysis with pulsed flame photometric detection 872(2000)203

Factor VIII

Erratum to: "Use of surface plasmon resonance for studies of protein–protein and protein–phospholipid membrane interactions. Application to the binding of factor VIII to von Willebrand factor and to phosphatidylserine-containing membranes". [J. Chromatogr. A, 852 (1999) 59-71] 872(2000)323

Flow velocity

Use of equations for the description of experimental dependence of the height equivalent to a theoretical plate on carrier gas velocity in capillary gas–liquid chromatography 872(2000)111

Fluorescein

Utilization of fluorescein sodium salt for the indirect fluorimetric detection in micellar electrokinetic chromatography 872(2000)247

Fluorescence detection

Utilization of fluorescein sodium salt for the indirect fluorimetric detection in micellar electrokinetic chromatography 872(2000)247

Fluvoxamine

Capillary electrochromatography of basic compounds using octadecyl-silica stationary phases with an amine-containing mobile phase 872(2000)315

Food analysis

High-performance liquid chromatographic determination of Δ^9 -tetrahydrocannabinol and the corresponding acid in hemp containing foods with special regard to the fluorescence properties of Δ^9 -tetrahydrocannabinol 872(2000)101

Determination of sulphur compounds in beer using headspace solid-phase microextraction and gas chromatographic analysis with pulsed flame photometric detection 872(2000)203

Utilization of fluorescein sodium salt for the indirect fluorimetric detection in micellar electrokinetic chromatography 872(2000)247

Growth hormone secretagogue

Development of analytical and preparative chromatographic separations of novel growth hormone secretagogue compounds 872(2000)75

Headspace analysis

Determination of sulphur compounds in beer using headspace solid-phase microextraction and gas chromatographic analysis with pulsed flame photometric detection 872(2000)203

Height equivalent to a theoretical plate

Use of equations for the description of experimental dependence of the height equivalent to a theoretical plate on carrier gas velocity in capillary gas–liquid chromatography 872(2000)111

Hemp

High-performance liquid chromatographic determination of Δ^9 -tetrahydrocannabinol and the corresponding acid in hemp containing foods with special regard to the fluorescence properties of Δ^9 -tetrahydrocannabinol 872(2000)101

Hold-up volume

Low-energy interactions in high-performance liquid chromatography 872(2000)49

Indirect detection

Utilization of fluorescein sodium salt for the indirect fluorimetric detection in micellar electrokinetic chromatography 872(2000)247

Instrumentation

Design of a simulated moving bed unit for sucrose–betaine separations 872(2000)23

Investigation of Cr(III) hydrolytic polymerisation products by capillary electrophoresis–inductively coupled plasma-mass spectrometry 872(2000)227

On-column amperometric detection in capillary electrophoresis with an improved high-voltage electric field decoupler 872(2000)259

Isothermal titration calorimetry

Microcalorimetric studies of interactions between proteins and hydrophobic ligands in hydrophobic interaction chromatography: effects of ligand chain length, density and the amount of bound protein 872(2000)37

Krypton

Development and characterization of chlorine-selective pulsed discharge emission detector for gas chromatography 872(2000)141

Applications using the chlorine-selective pulsed discharge emission detector 872(2000)167

Characterization of chlorinated compounds using a dual chlorine-selective pulsed discharge emission detector–helium-pulsed discharge photoionization detector system 872(2000)179

Low-energy interactions

Low-energy interactions in high-performance liquid chromatography 872(2000)49

Mathematical modelling

Study on the accuracy of the elution by characteristic point method for the determination of single component isotherms 872(2000)1

Membranes

Erratum to: "Use of surface plasmon resonance for studies of protein–protein and protein–phospholipid membrane interactions. Application to the binding of factor VIII to von Willebrand factor and to phosphatidylserine-containing membranes". [J. Chromatogr. A, 852 (1999) 59-71] 872(2000)323

Metarrhizium anisopliae

Liquid chromatography–electrospray time-of-flight mass spectrometry for on-line accurate mass determination and identification of cyclodepsipeptides in a crude extract of the fungus *Metarrhizium anisopliae* 872(2000)85

Metal cations

Investigation of Cr(III) hydrolytic polymerisation products by capillary electrophoresis–inductively coupled plasma-mass spectrometry 872(2000)227

Methacrylic acid–methyl methacrylate polymers

Ion-exclusion controlled size-exclusion chromatography of methacrylic acid–methyl methacrylate copolymers 872(2000)91

Method development

Development of a method for the simultaneous determination of phosphoric and amino acid group containing pesticides by gas chromatography with mass-selective detection. Optimization of the derivatization procedure using an experimental design approach 872(2000)215

Mobile phase composition

Capillary electrochromatography of basic compounds using octadecyl-silica stationary phases with an amine-containing mobile phase 872(2000)315

Optimization

Development of a method for the simultaneous determination of phosphoric and amino acid group containing pesticides by gas chromatography with mass-selective detection. Optimization of the derivatization procedure using an experimental design approach 872(2000)215

Organic solvents

Investigation of the effects of cyclodextrins and organic solvents on the separation of cationic surfactants in capillary electrophoresis 872(2000)269

Organochlorine compounds

Development and characterization of chlorine-selective pulsed discharge emission detector for gas chromatography 872(2000)141

Applications using the chlorine-selective pulsed discharge emission detector 872(2000)167

Characterization of chlorinated compounds using a dual chlorine-selective pulsed discharge emission detector–helium-pulsed discharge photoionization detector system 872(2000)179

Organohalogen compounds

Pulsed discharge emission detector: an element-selective detector for gas chromatography 872(2000)119

Organophosphorus compounds

Development of a method for the simultaneous determination of phosphoric and amino acid group containing pesticides by gas chromatography with mass-selective detection. Optimization of the derivatization procedure using an experimental design approach 872(2000)215

Peptides

Liquid chromatography–electrospray time-of-flight mass spectrometry for on-line accurate mass determination and identification of cyclodepsipeptides in a crude extract of the fungus *Metarrhizium anisopliae* 872(2000)85

Pesticides

Applications using the chlorine-selective pulsed discharge emission detector 872(2000)167

Development of a method for the simultaneous determination of phosphoric and amino acid group containing pesticides by gas chromatography with mass-selective detection. Optimization of the derivatization procedure using an experimental design approach 872(2000)215

Trace-level determination of triazines and several degradation products in environmental waters by disk solid-phase extraction and micellar electrokinetic chromatography 872(2000)299

Pharmaceutical analysis

Ion-exclusion controlled size-exclusion chromatography of methacrylic acid–methyl methacrylate copolymers 872(2000)91

Phenols

On-column amperometric detection in capillary electrophoresis with an improved high-voltage electric field decoupler 872(2000)259

Tea

High-performance liquid chromatographic determination of Δ^9 -tetrahydrocannabinol and the corresponding acid in hemp containing foods with special regard to the fluorescence properties of Δ^9 -tetrahydrocannabinol 872(2000)101

Temperature dependence

Low-energy interactions in high-performance liquid chromatography 872(2000)49

Tetrahydrocannabinol

High-performance liquid chromatographic determination of Δ^9 -tetrahydrocannabinol and the corresponding acid in hemp containing foods with special regard to the fluorescence properties of Δ^9 -tetrahydrocannabinol 872(2000)101

Tetrahydrocannabinolic acid

High-performance liquid chromatographic determination of Δ^9 -tetrahydrocannabinol and the corresponding acid in hemp containing foods with special regard to the fluorescence properties of Δ^9 -tetrahydrocannabinol 872(2000)101

Thermodynamic parameters

Microcalorimetric studies of interactions between proteins and hydrophobic ligands in hydrophobic interaction chromatography: effects of ligand chain length, density and the amount of bound protein 872(2000)37

Time-of-flight mass spectrometry

Liquid chromatography–electrospray time-of-flight mass spectrometry for on-line accurate mass determination and identification of cyclodepsipeptides in a crude extract of the fungus *Metarrhizium anisopliae* 872(2000)85

Triazines

Trace-level determination of triazines and several degradation products in environmental waters by disk solid-phase extraction and micellar electrokinetic chromatography 872(2000)299

Von Willebrand factor

Erratum to: "Use of surface plasmon resonance for studies of protein–protein and protein–phospholipid membrane interactions. Application to the binding of factor VIII to von Willebrand factor and to phosphatidylserine-containing membranes". [J. Chromatogr. A, 852 (1999) 59-71] 872(2000)323

Water analysis

Trace-level determination of triazines and several degradation products in environmental waters by disk solid-phase extraction and micellar electrokinetic chromatography 872(2000)299

Analysis of steroids in environmental water samples using solid-phase extraction and ion-trap gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry 872(2000)309

Wine

Utilization of fluorescein sodium salt for the indirect fluorimetric detection in micellar electrokinetic chromatography 872(2000)247