



ELSEVIER

Journal of Chromatography A, 874 (2000) 321–326

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 874

Acetic acid

Determination of acetic acid in aqueous samples, by water-phase derivatisation, solid-phase microextraction and gas chromatography 874(2000)225

Adsorption

Quantitative studies on the adsorption of proteins to the bare silica wall in capillary electrophoresis. II. Effects of adsorbed, neutral polymers on quenching the interaction 874(2000)293

Adsorption isotherms

Determination of mobile phase effect on single-component adsorption isotherm by use of numerical estimation 874(2000)1

Aliphatic alcohol ethoxylates

Analysis of aliphatic alcohol ethoxylates in terms of alkyl and ethylene oxide chain lengths by reversed-phase liquid chromatography with evaporative light scattering detection 874(2000)305

Amino acids

Chromatographic resolution of tryptophan enantiomers with L-Leu–L-Leu–L-Leu peptide. Effects of mobile phase composition and chromatographic support 874(2000)21

Chiral separation of unmodified amino acids with non-aqueous capillary electrophoresis based on the ligand-exchange principle 874(2000)285

Anionic surfactants

Determination of anionic surfactants during wastewater recycling process by ion pair chromatography with suppressed conductivity detection 874(2000)207

Ascomycin

Purification of an ascomycin derivative with simulated moving bed chromatography. A case study 874(2000)155

Background electrolyte composition

Development and robustness testing of a nonaqueous capillary electrophoresis method for the analysis of nonsteroidal anti-inflammatory drugs 874(2000)121

Band profiles

Determination of mobile phase effect on single-component adsorption isotherm by use of numerical estimation 874(2000)1

Buffer composition

Quantitative studies on the adsorption of proteins to the bare silica wall in capillary electrophoresis. II. Effects of adsorbed, neutral polymers on quenching the interaction 874(2000)293

Camphor

Comparative study on camphor enantiomers behavior under the conditions of gas–liquid chromatography and reversed-phase high-performance liquid chromatography systems modified with α - and β -cyclodextrins 874(2000)73

Capillary columns

Quantitative studies on the adsorption of proteins to the bare silica wall in capillary electrophoresis. II. Effects of adsorbed, neutral polymers on quenching the interaction 874(2000)293

Carbohydrates

Screening for limonoid glucosides in *Citrus tangerina* (Tanaka) Tseng by high-performance liquid chromatography–electrospray ionization mass spectrometry 874(2000)13

Chlorobenzenes

Trace analysis of ten chlorinated benzenes in water by headspace solid-phase microextraction 874(2000)149

Citrus tangerina

Screening for limonoid glucosides in *Citrus tangerina* (Tanaka) Tseng by high-performance liquid chromatography–electrospray ionization mass spectrometry 874(2000)13

Conductivity detection

Determination of silicate in water by ion exclusion chromatography with conductivity detection 874(2000)143

Critical effects

Robustness testing of a reversed-phase high-performance liquid chromatographic assay: comparison of fractional and asymmetrical factorial designs 874(2000)167

Cyclodextrins

Comparative study on camphor enantiomers behavior under the conditions of gas-liquid chromatography and reversed-phase high-performance liquid chromatography systems modified with α - and β -cyclodextrins 874(2000)73

DDD

Extraction of DDT [1,1,1,-trichloro-2,2-bis(*p*-chlorophenyl)-ethane] and its metabolites DDE [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethylene] and DDD [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethane)] from aged contaminated soil 874(2000)257

DDE

Extraction of DDT [1,1,1,-trichloro-2,2-bis(*p*-chlorophenyl)-ethane] and its metabolites DDE [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethylene] and DDD [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethane)] from aged contaminated soil 874(2000)257

DDT

Extraction of DDT [1,1,1,-trichloro-2,2-bis(*p*-chlorophenyl)-ethane] and its metabolites DDE [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethylene] and DDD [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethane)] from aged contaminated soil 874(2000)257

Derivatization, GC

Enantiomeric separation and discrimination of 2-hydroxy acids as *O*-trifluoroacetylated (*S*)-(+)-3-methyl-2-butyl esters by achiral dual-capillary column gas chromatography 874(2000)91

Determination of acetic acid in aqueous samples, by water-phase derivatisation, solid-phase microextraction and gas chromatography 874(2000)225

Derivatization, pyrolysis

Analysis of pitch deposits produced in Kraft pulp mills using a totally chlorine free bleaching sequence 874(2000)235

Detection, LC

Speciation of selenium compounds with ion-pair reversed-phase liquid chromatography using inductively coupled plasma mass spectrometry as element-specific detection 874(2000)55

Diesel fuel

Extraction of hydrocarbon contamination from soils using accelerated solvent extraction 874(2000)217

Dimethyl sulfoxide

Separation of purines and pyrimidines by normal-phase high-performance liquid chromatography using dimethyl sulfoxide in binary and ternary eluents 874(2000)45

Dinophysistoxin-1

Liquid chromatography-electrospray ionization mass spectrometry of the diarrhetic shellfish-poisoning toxins okadaic acid, dinophysistoxin-1 and pectenotoxin-6 in bivalves 874(2000)199

Enantiomer separation

Chromatographic resolution of tryptophan enantiomers with L-Leu-L-Leu-L-Leu peptide. Effects of mobile phase composition and chromatographic support 874(2000)21

Comparative study on camphor enantiomers behavior under the conditions of gas-liquid chromatography and reversed-phase high-performance liquid chromatography systems modified with α - and β -cyclodextrins 874(2000)73

Enantiomeric separation and discrimination of 2-hydroxy acids as *O*-trifluoroacetylated (*S*)-(+)-3-methyl-2-butyl esters by achiral dual-capillary column gas chromatography 874(2000)91

Chiral separation of unmodified amino acids with non-aqueous capillary electrophoresis based on the ligand-exchange principle 874(2000)285

Environmental analysis

Determination of triazines in soil leachates by solid-phase microextraction coupled to gas chromatography-mass spectrometry 874(2000)247

Extraction of DDT [1,1,1,-trichloro-2,2-bis(*p*-chlorophenyl)ethane] and its metabolites DDE [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethylene] and DDD [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethane)] from aged contaminated soil 874(2000)257

Enzymes

Immobilised metal affinity chromatography of β -galactosidase from unclarified *Escherichia coli* homogenates using expanded bed adsorption 874(2000)27

Escherichia coli

Immobilised metal affinity chromatography of β -galactosidase from unclarified *Escherichia coli* homogenates using expanded bed adsorption 874(2000)27

4-Ethylguaiaicol

Quantitative analysis of 4-ethylphenol and 4-ethylguaiaicol in red wine 874(2000)101

4-Ethylphenol

Quantitative analysis of 4-ethylphenol and 4-ethylguaiaicol in red wine 874(2000)101

Eucalyptus globulus

Analysis of pitch deposits produced in Kraft pulp mills using a totally chlorine free bleaching sequence 874(2000)235

Expanded bed adsorption

Immobilised metal affinity chromatography of β -galactosidase from unclarified *Escherichia coli* homogenates using expanded bed adsorption 874(2000)27

Extraction methods

Immobilised metal affinity chromatography of β -galactosidase from unclarified *Escherichia coli* homogenates using expanded bed adsorption 874(2000)27

Trace analysis of ten chlorinated benzenes in water by headspace solid-phase microextraction 874(2000)149

Extraction of hydrocarbon contamination from soils using accelerated solvent extraction 874(2000)217

Extraction of DDT [1,1,1-trichloro-2,2-bis(*p*-chlorophenyl)-ethane] and its metabolites DDE [1,1-dichloro-2,2-bis(*p*-chlorophenyl)-ethylene] and DDD [1,1-dichloro-2,2-bis(*p*-chlorophenyl)-ethane] from aged contaminated soil 874(2000)257

Fats

Automatic microgravimetric determination of fats in milk products by use of supercritical fluid extraction with on-line piezoelectric detection 874(2000)265

Fluidised bed

Immobilised metal affinity chromatography of β -galactosidase from unclarified *Escherichia coli* homogenates using expanded bed adsorption 874(2000)27

Food analysis

Separation of polyphenols in Canary Islands wine by capillary zone electrophoresis without preconcentration 874(2000)111

Food samples

Automatic microgravimetric determination of fats in milk products by use of supercritical fluid extraction with on-line piezoelectric detection 874(2000)265

Fractional factorial design

Robustness testing of a reversed-phase high-performance liquid chromatographic assay: comparison of fractional and asymmetrical factorial designs 874(2000)167

 β -Galactosidase

Immobilised metal affinity chromatography of β -galactosidase from unclarified *Escherichia coli* homogenates using expanded bed adsorption 874(2000)27

Glucosides

Screening for limonoid glucosides in *Citrus tangerina* (Tanaka) Tseng by high-performance liquid chromatography–electrospray ionization mass spectrometry 874(2000)13

Half-normal plots

Robustness testing of a reversed-phase high-performance liquid chromatographic assay: comparison of fractional and asymmetrical factorial designs 874(2000)167

Headspace analysis

Trace analysis of ten chlorinated benzenes in water by headspace solid-phase microextraction 874(2000)149

Herbicides

Solid-phase extraction followed by high-performance liquid chromatography–ionspray interface–mass spectrometry for monitoring of herbicides in environmental water 874(2000)187

Hindered amine stabilizers

Hindered amine stabilizers investigated by the use of packed capillary temperature-programmed liquid chromatography. I. Poly(6-(1,1,3,3-tetramethylbutyl)-amino)-1,3,5-triazine-2,4-diyl)(2,2,6,6-tetramethyl-4-piperidyl)imino)-1,6-hexanediyl (2,2,6,6-tetramethyl-4-piperidyl)imino) 874(2000)65

Hydrocarbons

Extraction of hydrocarbon contamination from soils using accelerated solvent extraction 874(2000)217

2-Hydroxycarboxylic acids

Enantiomeric separation and discrimination of 2-hydroxy acids as *O*-trifluoroacetylated (*S*)-(+)-3-methyl-2-butyl esters by achiral dual-capillary column gas chromatography 874(2000)91

Inductively coupled plasma mass spectrometry

Speciation of selenium compounds with ion-pair reversed-phase liquid chromatography using inductively coupled plasma mass spectrometry as element-specific detection 874(2000)55

Kraft pulp

Analysis of pitch deposits produced in Kraft pulp mills using a totally chlorine free bleaching sequence 874(2000)235

Large-volume injection

Trace analysis of pesticide residues in water by high-speed narrow-bore capillary gas chromatography–mass spectrometry with programmable temperature vaporizer 874(2000)81

Ligand-exchange capillary electrophoresis

Chiral separation of unmodified amino acids with non-aqueous capillary electrophoresis based on the ligand-exchange principle 874(2000)285

Light scattering detection

Hindered amine stabilizers investigated by the use of packed capillary temperature-programmed liquid chromatography. I. Poly(6-(1,1,3,3-tetramethylbutyl)-amino)-1,3,5-triazine-2,4-diyl)(2,2,6,6-tetramethyl-4-piperidyl)imino)-1,6-hexanediyl (2,2,6,6-tetramethyl-4-piperidyl)imino) 874(2000)65

Limonoid glucosides

Screening for limonoid glucosides in *Citrus tangerina* (Tanaka) Tseng by high-performance liquid chromatography–electrospray ionization mass spectrometry 874(2000)13

Magnetapheresis

Analytical magnetapheresis of magnetically susceptible particles 874(2000)131

Magnetic particles

Analytical magnetapheresis of magnetically susceptible particles 874(2000)131

Microgravimetry

Automatic microgravimetric determination of fats in milk products by use of supercritical fluid extraction with on-line piezoelectric detection 874(2000)265

Milk powder

Determination of vitamins A and E in milk powder using supercritical fluid extraction for sample clean-up 874(2000)275

Mobile phase composition

Determination of mobile phase effect on single-component adsorption isotherm by use of numerical estimation 874(2000)1

Chromatographic resolution of tryptophan enantiomers with L-Leu-L-Leu-L-Leu peptide. Effects of mobile phase composition and chromatographic support 874(2000)21

Separation of purines and pyrimidines by normal-phase high-performance liquid chromatography using dimethyl sulfoxide in binary and ternary eluents 874(2000)45

Narrow-bore columns

Trace analysis of pesticide residues in water by high-speed narrow-bore capillary gas chromatography-mass spectrometry with programmable temperature vaporizer 874(2000)81

Nomilin glucoside

Screening for limonoid glucosides in *Citrus tangerina* (Tanaka) Tseng by high-performance liquid chromatography-electrospray ionization mass spectrometry 874(2000)13

Nonaqueous capillary electrophoresis

Development and robustness testing of a nonaqueous capillary electrophoresis method for the analysis of nonsteroidal anti-inflammatory drugs 874(2000)121

Chiral separation of unmodified amino acids with non-aqueous capillary electrophoresis based on the ligand-exchange principle 874(2000)285

Nonsteroidal anti-inflammatory drugs

Development and robustness testing of a nonaqueous capillary electrophoresis method for the analysis of nonsteroidal anti-inflammatory drugs 874(2000)121

Obacunone glucoside

Screening for limonoid glucosides in *Citrus tangerina* (Tanaka) Tseng by high-performance liquid chromatography-electrospray ionization mass spectrometry 874(2000)13

Okadaic acid

Liquid chromatography-electrospray ionization mass spectrometry of the diarrhetic shellfish-poisoning toxins okadaic acid, dinophysistoxin-1 and pectenotoxin-6 in bivalves 874(2000)199

Oils

Extraction of hydrocarbon contamination from soils using accelerated solvent extraction 874(2000)217

Organochlorine compounds

Extraction of DDT [1,1,1-trichloro-2,2-bis(*p*-chlorophenyl)ethane] and its metabolites DDE [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethylene] and DDD [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethane]) from aged contaminated soil 874(2000)257

Overload gradient elution

Determination of mobile phase effect on single-component adsorption isotherm by use of numerical estimation 874(2000)1

Partition-adsorption systems

Separation of purines and pyrimidines by normal-phase high-performance liquid chromatography using dimethyl sulfoxide in binary and ternary eluents 874(2000)45

Pectenotoxin-6

Liquid chromatography-electrospray ionization mass spectrometry of the diarrhetic shellfish-poisoning toxins okadaic acid, dinophysistoxin-1 and pectenotoxin-6 in bivalves 874(2000)199

Pesticides

Trace analysis of pesticide residues in water by high-speed narrow-bore capillary gas chromatography-mass spectrometry with programmable temperature vaporizer 874(2000)81

Determination of triazines in soil leachates by solid-phase microextraction coupled to gas chromatography-mass spectrometry 874(2000)247

Extraction of DDT [1,1,1-trichloro-2,2-bis(*p*-chlorophenyl)ethane] and its metabolites DDE [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethylene] and DDD [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethane]) from aged contaminated soil 874(2000)257

Pharmaceutical analysis

Development and robustness testing of a nonaqueous capillary electrophoresis method for the analysis of nonsteroidal anti-inflammatory drugs 874(2000)121

Piezoelectric detection

Automatic microgravimetric determination of fats in milk products by use of supercritical fluid extraction with on-line piezoelectric detection 874(2000)265

Pitch

Analysis of pitch deposits produced in Kraft pulp mills using a totally chlorine free bleaching sequence 874(2000)235

Polyphenols

Separation of polyphenols in Canary Islands wine by capillary zone electrophoresis without preconcentration 874(2000)111

Preparative chromatography

Determination of mobile phase effect on single-component adsorption isotherm by use of numerical estimation 874(2000)1

Pressurized liquid extraction

Extraction of hydrocarbon contamination from soils using accelerated solvent extraction 874(2000)217

Extraction of DDT [1,1,1,-trichloro-2,2-bis(*p*-chlorophenyl)-ethane] and its metabolites DDE [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethylene] and DDD [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethane]) from aged contaminated soil 874(2000)257

Programmable temperature vaporizer

Trace analysis of pesticide residues in water by high-speed narrow-bore capillary gas chromatography–mass spectrometry with programmable temperature vaporizer 874(2000)81

Proteins

Quantitative studies on the adsorption of proteins to the bare silica wall in capillary electrophoresis. II. Effects of adsorbed, neutral polymers on quenching the interaction 874(2000)293

Purines

Separation of purines and pyrimidines by normal-phase high-performance liquid chromatography using dimethyl sulfoxide in binary and ternary eluents 874(2000)45

Pyrimidines

Separation of purines and pyrimidines by normal-phase high-performance liquid chromatography using dimethyl sulfoxide in binary and ternary eluents 874(2000)45

Pyrolysis

Analysis of pitch deposits produced in Kraft pulp mills using a totally chlorine free bleaching sequence 874(2000)235

Rare earth ions

Separation and determination of rare earth elements by Dowex 2-X8 resin using sodium trimetaphosphate as elution agent 874(2000)311

Robustness test

Robustness testing of a reversed-phase high-performance liquid chromatographic assay: comparison of fractional and asymmetrical factorial designs 874(2000)167

Selenium compounds

Speciation of selenium compounds with ion-pair reversed-phase liquid chromatography using inductively coupled plasma mass spectrometry as element-specific detection 874(2000)55

Shellfish poisoning

Liquid chromatography–electrospray ionization mass spectrometry of the diarrhetic shellfish-poisoning toxins okadaic acid, dinophysistoxin-1 and pectenotoxin-6 in bivalves 874(2000)199

Silicate

Determination of silicate in water by ion exclusion chromatography with conductivity detection 874(2000)143

Simulated moving bed

Purification of an ascomycin derivative with simulated moving bed chromatography. A case study 874(2000)155

Sodium trimetaphosphate

Separation and determination of rare earth elements by Dowex 2-X8 resin using sodium trimetaphosphate as elution agent 874(2000)311

Soil

Extraction of hydrocarbon contamination from soils using accelerated solvent extraction 874(2000)217

Determination of triazines in soil leachates by solid-phase microextraction coupled to gas chromatography–mass spectrometry 874(2000)247

Extraction of DDT [1,1,1,-trichloro-2,2-bis(*p*-chlorophenyl)-ethane] and its metabolites DDE [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethylene] and DDD [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethane]) from aged contaminated soil 874(2000)257

Speciation

Speciation of selenium compounds with ion-pair reversed-phase liquid chromatography using inductively coupled plasma mass spectrometry as element-specific detection 874(2000)55

Stability constants

Comparative study on camphor enantiomers behavior under the conditions of gas–liquid chromatography and reversed-phase high-performance liquid chromatography systems modified with α - and β -cyclodextrins 874(2000)73

Stationary phases, LC

Chromatographic resolution of tryptophan enantiomers with L-Leu–L-Leu–L-Leu peptide. Effects of mobile phase composition and chromatographic support 874(2000)21

Sterol esters

Analysis of pitch deposits produced in Kraft pulp mills using a totally chlorine free bleaching sequence 874(2000)235

Sterols

Analysis of pitch deposits produced in Kraft pulp mills using a totally chlorine free bleaching sequence 874(2000)235

Streamline chelating

Immobilised metal affinity chromatography of β -galactosidase from unclarified *Escherichia coli* homogenates using expanded bed adsorption 874(2000)27

Surfactants

Analysis of aliphatic alcohol ethoxylates in terms of alkyl and ethylene oxide chain lengths by reversed-phase liquid chromatography with evaporative light scattering detection 874(2000)305

Temperature programming

Hindered amine stabilizers investigated by the use of packed capillary temperature-programmed liquid chromatography. I. Poly(6-(1,1,3,3-tetramethylbutyl)-amino)-1,3,5-triazine-2,4-diyl(2,2,6,6-tetramethyl-4-piperidyl)imino)-1,6-hexanediyl(2,2,6,6-tetramethyl-4-piperidyl)imino) 874(2000)65

Tetramethylammonium hydroxide

Analysis of pitch deposits produced in Kraft pulp mills using a totally chlorine free bleaching sequence 874(2000)235

Thorium

Separation and determination of rare earth elements by Dowex 2-X8 resin using sodium trimetaphosphate as elution agent 874(2000)311

Triazines

Determination of triazines in soil leachates by solid-phase microextraction coupled to gas chromatography–mass spectrometry 874(2000)247

Triterpenes

Screening for limonoid glucosides in *Citrus tangerina* (Tanaka) Tseng by high-performance liquid chromatography–electrospray ionization mass spectrometry 874(2000)13

Tryptophan

Chromatographic resolution of tryptophan enantiomers with L-Leu–L-Leu–L-Leu peptide. Effects of mobile phase composition and chromatographic support 874(2000)21

Vitamins

Determination of vitamins A and E in milk powder using supercritical fluid extraction for sample clean-up 874(2000)275

Wastewater recycling

Determination of anionic surfactants during wastewater recycling process by ion pair chromatography with suppressed conductivity detection 874(2000)207

Water analysis

Determination of silicate in water by ion exclusion chromatography with conductivity detection 874(2000)143

Trace analysis of ten chlorinated benzenes in water by headspace solid-phase microextraction 874(2000)149

Water samples

Solid-phase extraction followed by high-performance liquid chromatography–ionspray interface–mass spectrometry for monitoring of herbicides in environmental water 874(2000)187

Wine

Quantitative analysis of 4-ethylphenol and 4-ethylguaiacol in red wine 874(2000)101

Separation of polyphenols in Canary Islands wine by capillary zone electrophoresis without preconcentration 874(2000)111

Wood

Analysis of pitch deposits produced in Kraft pulp mills using a totally chlorine free bleaching sequence 874(2000)235