

Journal of Chromatography A, 876 (2000) 249-253

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 876

Albumin

New pseudo-stationary phases for electrokinetic capillary chromatography. Complexes between bovine serum albumin and sodium dodecyl sulfate 876(2000)169

Amino acids

Micellar electrokinetic capillary chromatographic separation and fluorescent detection of amino acids derivatized with 4-fluoro-7-nitro-2,1,3-benzoxadiazole 876(2000)183

Aminophosphonate-bonded silica

Determination of beryllium in a stream sediment by highperformance chelation ion chromatography 876(2000)127

Artificial sweeteners

Development of a capillary electrophoresis method for the simultaneous analysis of artificial sweeteners, preservatives and colours in soft drinks 876(2000)213

Ascorbic acid

Simultaneous analysis of tea catechins, caffeine, gallic acid, theanine and ascorbic acid by micellar electrokinetic capillary chromatography 876(2000)235

Astragalus membranaceus

Liquid chromatography-electrospray ionization mass spectrometry study of the flavonoids of the roots of *Astragalus mongholicus* and *A. membranaceus* 876(2000)87

Astragalus mongholicus

Liquid chromatography-electrospray ionization mass spectrometry study of the flavonoids of the roots of *Astragalus mongholicus* and *A. membranaceus* 876(2000)87

Background electrolyte composition

New pseudo-stationary phases for electrokinetic capillary chromatography. Complexes between bovine serum albumin and sodium dodecyl sulfate 876(2000)169

Bervllium

Determination of beryllium in a stream sediment by highperformance chelation ion chromatography 876(2000)127

Buffer composition

Microemulsion electrokinetic chromatography in suppressed electroosmotic flow environment. Separation of fat-soluble vitamins 876(2000)201

Caffeine

Simultaneous analysis of tea catechins, caffeine, gallic acid, theanine and ascorbic acid by micellar electrokinetic capillary chromatography 876(2000)235

Carotenes

Improved liquid chromatographic method for the analysis of photosynthetic pigments of higher plants 876(2000)111

Catechins

Simultaneous analysis of tea catechins, caffeine, gallic acid, theanine and ascorbic acid by micellar electrokinetic capillary chromatography 876(2000)235

Ceramides

Ceramide analysis utilizing gas chromatography-mass spectrometry 876(2000)229

Chiral stationary phases, LC

Stereoselective binding of 2,3-substituted 3-hydroxypropionic acids on an immobilised human serum albumin chiral stationary phase: stereochemical characterisation and quantitative structure–retention relationship study 876(2000)75

Liquid chromatographic separation of the stereoisomers of thiazide diuretics 876(2000)221

Chlorophenols

New pseudo-stationary phases for electrokinetic capillary chromatography. Complexes between bovine serum albumin and sodium dodecyl sulfate 876(2000)169

Complementary separation

Complementary mobile-phase optimisation for resolution enhancement in high-performance liquid chromatography 876(2000)17

0021-9673/00/\$ - see front matter © 2000 Elsevier Science B.V. All right reserved

PII: S0021-9673(00)00371-X

Cosmetics

Determination of sunscreen agents in cosmetic products using microwave-assisted extraction and liquid chromatography 876(2000)243

Derivatization, electrophoresis

Micellar electrokinetic capillary chromatographic separation and fluorescent detection of amino acids derivatized with 4-fluoro-7-nitro-2,1,3-benzoxadiazole 876(2000)183

Derivatization, GC

Gas chromatographic determination of organomercury following aqueous derivatization with sodium tetraethylborate and sodium tetraphenylborate. Comparative study of gas chromatography coupled with atomic fluorescence spectrometry, atomic emission spectrometry and mass spectrometry 876(2000)147

Detection, GC

Gas chromatographic determination of organomercury following aqueous derivatization with sodium tetraethylborate and sodium tetraphenylborate. Comparative study of gas chromatography coupled with atomic fluorescence spectrometry, atomic emission spectrometry and mass spectrometry 876(2000)147

Displacement chromatography

Optimization of ion-exchange displacement separations. I. Validation of an iterative scheme and its use as a methods development tool 876(2000)51

Optimization of ion-exchange displacement separations. II. Comparison of displacement separations on various ion-exchange resins 876(2000)63

Dves

Development of a capillary electrophoresis method for the simultaneous analysis of artificial sweeteners, preservatives and colours in soft drinks 876(2000)213

Electrokinetic chromatography

New pseudo-stationary phases for electrokinetic capillary chromatography. Complexes between bovine serum albumin and sodium dodecyl sulfate 876(2000)169

Electroosmotic flow

Microemulsion electrokinetic chromatography in suppressed electroosmotic flow environment. Separation of fat-soluble vitamins 876(2000)201

Enantiomer separation

Stereoselective binding of 2,3-substituted 3-hydroxypropionic acids on an immobilised human serum albumin chiral stationary phase: stereochemical characterisation and quantitative structure–retention relationship study 876(2000)75

Simultaneous separation and enantioseparation of thalidomide and its hydroxylated metabolites using high-performance liquid chromatography in common-size columns, capillary liquid chromatography and nonaqueous capillary electrochromatography 876(2000)157

Liquid chromatographic separation of the stereoisomers of thiazide diuretics 876(2000)221

Enzymes

Separation of the enzyme cofactor pyrroloquinoline quinone and three isomeric analogues by capillary electrophoresis with ion-pairing media 876(2000)193

Equilibrium theory

Design and optimisation of a simulated moving bed unit: role of deviations from equilibrium theory 876(2000)3

Fatty acid methyl esters

Introduction of large volumes of water-containing samples into a gas chromatograph. Improved retention of volatile solutes through the swing system 876(2000)135

Fatty acids

Ceramide analysis utilizing gas chromatography-mass spectrometry 876(2000)229

Flavonoids

Liquid chromatography-electrospray ionization mass spectrometry study of the flavonoids of the roots of *Astragalus mongholicus* and *A. membranaceus* 876(2000)87

Fluoronitrobenzoxadiazole

Micellar electrokinetic capillary chromatographic separation and fluorescent detection of amino acids derivatized with 4-fluoro-7-nitro-2,1,3-benzoxadiazole 876(2000)183

Food analysis

Development of a capillary electrophoresis method for the simultaneous analysis of artificial sweeteners, preservatives and colours in soft drinks 876(2000)213

Simultaneous analysis of tea catechins, caffeine, gallic acid, theanine and ascorbic acid by micellar electrokinetic capillary chromatography 876(2000)235

Gallic acid

Simultaneous analysis of tea catechins, caffeine, gallic acid, theanine and ascorbic acid by micellar electrokinetic capillary chromatography 876(2000)235

Higher plants

Improved liquid chromatographic method for the analysis of photosynthetic pigments of higher plants 876(2000)111

Human serum albumin

Stereoselective binding of 2,3-substituted 3-hydroxypropionic acids on an immobilised human serum albumin chiral stationary phase: stereochemical characterisation and quantitative structure–retention relationship study 876(2000)75

3-Hydroxypropionic acid

Stereoselective binding of 2,3-substituted 3-hydroxypropionic acids on an immobilised human serum albumin chiral stationary phase: stereochemical characterisation and quantitative structure–retention relationship study 876(2000)75

Injection methods

Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. I. Injection procedure and column stability 876(2000)37

Introduction of large volumes of water-containing samples into a gas chromatograph. Improved retention of volatile solutes through the swing system 876(2000)135

Instrumentation

Introduction of large volumes of water-containing samples into a gas chromatograph. Improved retention of volatile solutes through the swing system 876(2000)135

Ion-exchange chromatography

Optimization of ion-exchange displacement separations. I. Validation of an iterative scheme and its use as a methods development tool 876(2000)51

Optimization of ion-exchange displacement separations. II. Comparison of displacement separations on various ion-exchange resins 876(2000)63

Lipids

Quantitation and characterization of phospholipids in pharmaceutical formulations by liquid chromatography–mass spectrometry 876(2000)97

Malonates

Liquid chromatography-electrospray ionization mass spectrometry study of the flavonoids of the roots of *Astragalus mongholicus* and *A. membranaceus* 876(2000)87

Microemulsion electrokinetic chromatography

Microemulsion electrokinetic chromatography in suppressed electroosmotic flow environment. Separation of fat-soluble vitamins 876(2000)201

Microwave-assisted extraction

Determination of sunscreen agents in cosmetic products using microwave-assisted extraction and liquid chromatography 876(2000)243

Mobile-phase composition

Complementary mobile-phase optimisation for resolution enhancement in high-performance liquid chromatography 876(2000)17

Nitrophenols

New pseudo-stationary phases for electrokinetic capillary chromatography. Complexes between bovine serum albumin and sodium dodecyl sulfate 876(2000)169

Simultaneous analysis of tea catechins, caffeine, gallic acid, theanine and ascorbic acid by micellar electrokinetic capillary chromatography 876(2000)235

Non-chlorinated solvents

Development and validation of a high-performance liquid chromatographic method using fluorimetric detection for the determination of the diarrhetic shellfish poisoning toxin okadaic acid without chlorinated solvents 876(2000)117

Nylon

Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. I. Injection procedure and column stability 876(2000)37

Okadaic acid

Development and validation of a high-performance liquid chromatographic method using fluorimetric detection for the determination of the diarrhetic shellfish poisoning toxin okadaic acid without chlorinated solvents 876(2000)117

Optimization

Complementary mobile-phase optimisation for resolution enhancement in high-performance liquid chromatography 876(2000)17

Optimization of ion-exchange displacement separations. I. Validation of an iterative scheme and its use as a methods development tool 876(2000)51

Optimization of ion-exchange displacement separations. II. Comparison of displacement separations on various ion-exchange resins 876(2000)63

Organomercury compounds

Gas chromatographic determination of organomercury following aqueous derivatization with sodium tetraethylborate and sodium tetraphenylborate. Comparative study of gas chromatography coupled with atomic fluorescence spectrometry, atomic emission spectrometry and mass spectrometry 876(2000)147

Peak resolution

Complementary mobile-phase optimisation for resolution enhancement in high-performance liquid chromatography 876(2000)17

Pharmaceutical analysis

Quantitation and characterization of phospholipids in pharmaceutical formulations by liquid chromatography–mass spectrometry 876(2000)97

Phenols

New pseudo-stationary phases for electrokinetic capillary chromatography. Complexes between bovine serum albumin and sodium dodecyl sulfate 876(2000)169

Simultaneous analysis of tea catechins, caffeine, gallic acid, theanine and ascorbic acid by micellar electrokinetic capillary chromatography 876(2000)235

Pheophytin a

Improved liquid chromatographic method for the analysis of photosynthetic pigments of higher plants 876(2000)111

Phospholipids

Quantitation and characterization of phospholipids in pharmaceutical formulations by liquid chromatography-mass spectrometry 876(2000)97

Photosynthetic pigments

Improved liquid chromatographic method for the analysis of photosynthetic pigments of higher plants 876(2000)111

Plant materials

Liquid chromatography-electrospray ionization mass spectrometry study of the flavonoids of the roots of *Astragalus mongholicus* and *A. membranaceus* 876(2000)87

Polyamide

Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. I. Injection procedure and column stability 876(2000)37

Polymer

Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. I. Injection procedure and column stability 876(2000)37

Preparative chromatography

Design and optimisation of a simulated moving bed unit: role of deviations from equilibrium theory 876(2000)3

Preservatives

Development of a capillary electrophoresis method for the simultaneous analysis of artificial sweeteners, preservatives and colours in soft drinks 876(2000)213

Programmed-temperature vaporizer

Introduction of large volumes of water-containing samples into a gas chromatograph. Improved retention of volatile solutes through the swing system 876(2000)135

Pseudostationary phases

New pseudo-stationary phases for electrokinetic capillary chromatography. Complexes between bovine serum albumin and sodium dodecyl sulfate 876(2000)169

Pyrroloquinoline quinone

Separation of the enzyme cofactor pyrroloquinoline quinone and three isomeric analogues by capillary electrophoresis with ion-pairing media 876(2000)193

Quantitative structure-retention relationship

Stereoselective binding of 2,3-substituted 3-hydroxypropionic acids on an immobilised human serum albumin chiral stationary phase: stereochemical characterisation and quantitative structure–retention relationship study 876(2000)75

Sample introduction

Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. I. Injection procedure and column stability 876(2000)37

Sandwich injection

Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. I. Injection procedure and column stability 876(2000)37

Shellfish poisoning

Development and validation of a high-performance liquid chromatographic method using fluorimetric detection for the determination of the diarrhetic shellfish poisoning toxin okadaic acid without chlorinated solvents 876(2000)117

Simulated moving bed

Design and optimisation of a simulated moving bed unit: role of deviations from equilibrium theory 876(2000)3

Sodium dodecyl sulfate

New pseudo-stationary phases for electrokinetic capillary chromatography. Complexes between bovine serum albumin and sodium dodecyl sulfate 876(2000)169

Sodium tetraethylborate

Gas chromatographic determination of organomercury following aqueous derivatization with sodium tetraethylborate and sodium tetraphenylborate. Comparative study of gas chromatography coupled with atomic fluorescence spectrometry, atomic emission spectrometry and mass spectrometry 876(2000)147

Sodium tetraphenylborate

Gas chromatographic determination of organomercury following aqueous derivatization with sodium tetraethylborate and sodium tetraphenylborate. Comparative study of gas chromatography coupled with atomic fluorescence spectrometry, atomic emission spectrometry and mass spectrometry 876(2000)147

Soft drinks

Development of a capillary electrophoresis method for the simultaneous analysis of artificial sweeteners, preservatives and colours in soft drinks 876(2000)213

Steric mass action

Optimization of ion-exchange displacement separations. I. Validation of an iterative scheme and its use as a methods development tool 876(2000)51

Optimization of ion-exchange displacement separations. II. Comparison of displacement separations on various ion-exchange resins 876(2000)63

Sunscreen agents

Determination of sunscreen agents in cosmetic products using microwave-assisted extraction and liquid chromatography 876(2000)243

Swing injection system

Introduction of large volumes of water-containing samples into a gas chromatograph. Improved retention of volatile solutes through the swing system 876(2000)135

Tea

Simultaneous analysis of tea catechins, caffeine, gallic acid, theanine and ascorbic acid by micellar electrokinetic capillary chromatography 876(2000)235

Thalidomide

Simultaneous separation and enantioseparation of thalidomide and its hydroxylated metabolites using high-performance liquid chromatography in common-size columns, capillary liquid chromatography and nonaqueous capillary electrochromatography 876(2000)157

Theanine

Simultaneous analysis of tea catechins, caffeine, gallic acid, theanine and ascorbic acid by micellar electrokinetic capillary chromatography 876(2000)235

Thiazides

Liquid chromatographic separation of the stereoisomers of thiazide diuretics 876(2000)221

Vitamins

Microemulsion electrokinetic chromatography in suppressed electroosmotic flow environment. Separation of fat-soluble vitamins 876(2000)201