



ELSEVIER

Journal of Chromatography A, 879 (2000) 341–360

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vols. 880–882

Acrinathrine

Gas chromatographic determination of acrinathrine and 3-phenoxybenzaldehyde residues in honey 882(2000)239

Aflatoxins

Application of the assay of aflatoxins by liquid chromatography with fluorescence detection in food analysis 882(2000)1

Determination of aflatoxins in food by overpressured-layer chromatography 882(2000)11

β -Agonists

β_2 -Agonist extraction procedures for chromatographic analysis 880(2000)69

Alcohols

Electrophoretic methods in the analysis of beverages 880(2000)243

Authentication of vegetable oils by chromatographic techniques 881(2000)93

Aldehydes

Determination of aldehydes in food by high-performance liquid chromatography with biosensor coupling and micromembrane suppressors 880(2000)233

Alkaloids

On-line identification of phytochemical constituents in botanical extracts by combined high-performance liquid chromatographic–diode array detection–mass spectrometric techniques 880(2000)203

Analysis of tea components by high-performance liquid chromatography and high-performance capillary electrophoresis 881(2000)425

Analysis of the bioactive alkaloids tetrahydro- β -carboline and β -carboline in food 881(2000)483

Alkylmethoxypyrazines

Headspace solid-phase microextraction method for determining 3-alkyl-2-methoxypyrazines in musts by means of polydimethylsiloxane–divinylbenzene fibres 880(2000)93

Amines

Electrophoretic methods in the analysis of beverages 880(2000)243

Amines, heterocyclic

Applications of in-capillary reaction micellar electrokinetic chromatography in the food industry 880(2000)295

Analysis of the bioactive alkaloids tetrahydro- β -carboline and β -carboline in food 881(2000)483

Amines, heterocyclic aromatic

Comparison of different commercial solid-phase extraction cartridges used to extract heterocyclic amines from a lyophilised meat extract 880(2000)101

Amino acids

Electrophoretic methods in the analysis of beverages 880(2000)243

Effect of the activity levels of the added proteolytic enzyme mixture on free amino acids in ripening Ossau-Iraty cheese 881(2000)69

Chromatographic determination of amino acid enantiomers in beers and raw materials used for their manufacture 881(2000)81

Use of an amino acid in the mobile phase for the determination of ascorbic acid in food by high-performance liquid chromatography with electrochemical detection 881(2000)317

Use of nucleic acids in the mobile phase for the determination of ascorbic acid in foods by high-performance liquid chromatography with electrochemical detection 881(2000)327

Determination of organic acids in food samples by capillary zone electrophoresis 881(2000)357

Analysis of tea components by high-performance liquid chromatography and high-performance capillary electrophoresis 881(2000)425

Tetrahydro- β -carboline-3-carboxylic acids and contaminants of L-tryptophan 881(2000)501

Monitoring and control of industrial downstream processing of sugar beet molasses 882(2000)329

Ampicillin

Stability of penicillin antibiotic residues in meat during storage. Ampicillin 882(2000)135

Anthocyanins

Electrophoretic methods in the analysis of beverages 880(2000)243

Analysis of anthocyanins in foods by liquid chromatography, liquid chromatography–mass spectrometry and capillary electrophoresis 881(2000)403

Anthraquinones

Analysis of natural food pigments by capillary electrophoresis 880(2000)311

Antibiotics

Application of ion-exchange cartridge clean-up in food analysis. III. Determination of benzylpenicillin, phenoxymethyl-penicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine liver and kidney by liquid chromatography with ultraviolet detection 880(2000)85

Electrophoretic methods in the analysis of beverages 880(2000)243

Quantitation of nine quinolones in chicken tissues by high-performance liquid chromatography with fluorescence detection 882(2000)63

Chromatographic analysis of tetracycline antibiotics in foods 882(2000)109

Stability of penicillin antibiotic residues in meat during storage. Ampicillin 882(2000)135

Antibiotics

Determination of cephalosporins in raw bovine milk by high-performance liquid chromatography 882(2000)145

Antioxidants

Chromatographic analysis of tocol-derived lipid antioxidants 881(2000)197

Simultaneous determination of α -tocopherol and β -carotene in olive oil by reversed-phase high-performance liquid chromatography 881(2000)255

Analysis of several phenolic compounds with potential antioxidant properties in grape extracts and wines by high-performance liquid chromatography–photodiode array detection without sample preparation 881(2000)461

Analysis of resveratrol in wine by capillary electrophoresis 881(2000)471

Contamination in food from packaging material 882(2000)255

Determination of synthetic phenolic antioxidants in food by high-performance liquid chromatography 882(2000)271

Apples

Determination of fenpyroximate in apples by supercritical fluid extraction and packed capillary liquid chromatography with UV detection 880(2000)121

Aroma compounds

Sample preparation for the analysis of flavors and off-flavors in foods 880(2000)3

Applications of solid-phase microextraction in food analysis 880(2000)35

Headspace solid-phase microextraction method for determining 3-alkyl-2-methoxypyrazines in musts by means of polydimethylsiloxane–divinylbenzene fibres 880(2000)93

Analysis of organic sulfur compounds in wine aroma 881(2000)569

Analysis of low-volatility organic sulphur compounds in wines by solid-phase microextraction and gas chromatography 881(2000)583

Artificial sweeteners

Electrophoretic methods in the analysis of beverages 880(2000)243

Ascorbic acid

Dehydroascorbic acid 881(2000)299

Enzymatically validated liquid chromatographic method for the determination of ascorbic and dehydroascorbic acids in fruit and vegetables 881(2000)309

Use of an amino acid in the mobile phase for the determination of ascorbic acid in food by high-performance liquid chromatography with electrochemical detection 881(2000)317

Use of nucleic acids in the mobile phase for the determination of ascorbic acid in foods by high-performance liquid chromatography with electrochemical detection 881(2000)327

Automation

Automated analysis of vitamin E isomers in vegetable oils by continuous membrane extraction and liquid chromatography–electrochemical detection 881(2000)229

Beer

Electrophoretic methods in the analysis of beverages 880(2000)243

High-performance liquid chromatographic determination of mono-, poly- and hydroxycarboxylic acids in foods and beverages as their 2-nitrophenylhydrazides 881(2000)365

Chromatographic determination of amino acid enantiomers in beers and raw materials used for their manufacture 881(2000)81

Beverages

Determination of aldehydes in food by high-performance liquid chromatography with biosensor coupling and micromembrane suppressors 880(2000)233

Biogenic amines

Liquid chromatographic determination of biogenic amines in fermented foods after derivatization with 3,5-dinitrobenzoyl chloride 881(2000)517

Biosensors

Determination of aldehydes in food by high-performance liquid chromatography with biosensor coupling and micromembrane suppressors 880(2000)233

Monitoring and control of industrial downstream processing of sugar beet molasses 882(2000)329

Biotin

Analytical techniques for determining biotin 881(2000)331

Bromate

Eliminating the chlorite interference in US Environmental Protection Agency Method 317.0 permits analysis of trace bromate levels in all drinking water matrices 882(2000)309

Caffeine

Analysis of tea components by high-performance liquid chromatography and high-performance capillary electrophoresis 881(2000)425

Carbohydrates

Electrophoretic methods in the analysis of beverages 880(2000)243

Changes in free and conjugated polyamines during starvation of sugarcane juices as analyzed by high-performance liquid chromatography 881(2000)531

Determination of inulin in meat products by high-performance liquid chromatography with refractive index detection 881(2000)591

Carbolines

Analysis of the bioactive alkaloids tetrahydro- β -carboline and β -carboline in food 881(2000)483

Carboxylic acids

Herbicide and plant growth regulator analysis by capillary electrophoresis 880(2000)281

High-performance liquid chromatographic determination of mono-, poly- and hydroxycarboxylic acids in foods and beverages as their 2-nitrophenylhydrazides 881(2000)365

Influence of organic solvents in the mobile phase on the determination of carboxylic acids and inorganic anions in grape juice by ion chromatography 881(2000)387

Tetrahydro- β -carboline-3-carboxylic acids and contaminants of L-tryptophan 881(2000)501

Carotenes

C₃₀ Stationary phases for the analysis of food by liquid chromatography 880(2000)189

Simultaneous determination of α -tocopherol and β -carotene in olive oil by reversed-phase high-performance liquid chromatography 881(2000)255

Carotenoids

C₃₀ Stationary phases for the analysis of food by liquid chromatography 880(2000)189

Chromatographic determination of carotenoids in foods 881(2000)543

Carthamus tinctorius

Analysis of natural food pigments by capillary electrophoresis 880(2000)311

Caseins

Evaluation of the effect of rennet type on casein proteolysis in an ovine milk cheese by means of capillary electrophoresis 881(2000)59

Catechins

Electrophoretic methods in the analysis of beverages 880(2000)243

Determination of tea catechins 881(2000)411

Analysis of tea components by high-performance liquid chromatography and high-performance capillary electrophoresis 881(2000)425

Comparative analysis of tea catechins and theaflavins by high-performance liquid chromatography and capillary electrophoresis 881(2000)439

Cephalosporin

Determination of cephalosporins in raw bovine milk by high-performance liquid chromatography 882(2000)145

Cereals

Application of chromatography and mass spectrometry to the characterization of food proteins and derived peptides 881(2000)1

Electrophoresis of cereal storage proteins 881(2000)23

Analysis of herbicide residues in cereals, fruits and vegetables 882(2000)175

Cheese

Application of chromatography and mass spectrometry to the characterization of food proteins and derived peptides 881(2000)1

Evaluation of the effect of rennet type on casein proteolysis in an ovine milk cheese by means of capillary electrophoresis 881(2000)59

Effect of the activity levels of the added proteolytic enzyme mixture on free amino acids in ripening Ossau-Iraty cheese 881(2000)69

Chemometrics

Substitution of fish species detected by thin-layer isoelectric focusing and a computer-assisted method for the evaluation of gels 880(2000)303

Chlorite

Eliminating the chlorite interference in US Environmental Protection Agency Method 317.0 permits analysis of trace bromate levels in all drinking water matrices 882(2000)309

Clopidol

Determination of clopidol residues in chicken tissues by high-performance liquid chromatography–mass spectrometry 882(2000)85

Clopidol and poultry feed

Determination of nicarbazin and clopidol in poultry feeds by liquid chromatography 882(2000)79

Cluster analysis

Substitution of fish species detected by thin-layer isoelectric focusing and a computer-assisted method for the evaluation of gels 880(2000)303

Coccidiostat

Determination of nicarbazin and clopidol in poultry feeds by liquid chromatography 882(2000)79

Column switching

Direct analysis of food samples by high-performance liquid chromatography 880(2000)149

Determination of vitamin D₂ in emulsified nutritional supplements by solid-phase extraction and column-switching high-performance liquid chromatography with UV detection 881(2000)189

Cysteine

Picomolar quantitation of free sulfite in foods by means of [⁵⁷Co]hydroxocobalamin and radiometric chromatography of [⁵⁷Co]sulfitecobalamin. Method, applications and significance of coexisting sulfides 881(2000)345

Dehydroascorbic acid

Dehydroascorbic acid 881(2000)299

Enzymatically validated liquid chromatographic method for the determination of ascorbic and dehydroascorbic acids in fruit and vegetables 881(2000)309

Derivatization, GC

Analysis of herbicide residues in cereals, fruits and vegetables 882(2000)175

Derivatization, LC

Development of phosphine reagents for the high-performance liquid chromatographic–fluorometric determination of lipid hydroperoxides 881(2000)159

Liquid chromatographic determination of biogenic amines in fermented foods after derivatization with 3,5-dinitrobenzoyl chloride 881(2000)517

Analysis of herbicide residues in cereals, fruits and vegetables 882(2000)175

Detection, LC

Determination of aldehydes in food by high-performance liquid chromatography with biosensor coupling and micromembrane suppressors 880(2000)233

Development of phosphine reagents for the high-performance liquid chromatographic–fluorometric determination of lipid hydroperoxides 881(2000)159

Dialysis

Direct analysis of food samples by high-performance liquid chromatography 880(2000)149

Dinitrobenzoyl chloride

Liquid chromatographic determination of biogenic amines in fermented foods after derivatization with 3,5-dinitrobenzoyl chloride 881(2000)517

Diphenylpyrenyl phosphine

Development of phosphine reagents for the high-performance liquid chromatographic–fluorometric determination of lipid hydroperoxides 881(2000)159

Direct derivatization, LC

High-performance liquid chromatographic determination of mono-, poly- and hydroxycarboxylic acids in foods and beverages as their 2-nitrophenylhydrazides 881(2000)365

Direct immersion

Applications of solid-phase microextraction in food analysis 880(2000)35

Dithiothreitol

Enzymatically validated liquid chromatographic method for the determination of ascorbic and dehydroascorbic acids in fruit and vegetables 881(2000)309

Drugs

Applications of matrix solid-phase dispersion in food analysis 880(2000)63

Regulatory problems caused by contamination, a frequently overlooked cause of veterinary drug residues 882(2000)37

Eggs

Application of chromatography and mass spectrometry to the characterization of food proteins and derived peptides 881(2000)1

Enantiomer separation

Chromatographic determination of amino acid enantiomers in beers and raw materials used for their manufacture 881(2000)81

Environmental analysis

Advances in the determination of inorganic anions by ion chromatography 881(2000)607

On-line microdialysis–ion chromatographic determination of inorganic anions in olive-oil mill wastewater 882(2000)321

Enzymes

Applications of in-capillary reaction micellar electrokinetic chromatography in the food industry 880(2000)295

Effect of the activity levels of the added proteolytic enzyme mixture on free amino acids in ripening Ossau-Iraty cheese 881(2000)69

Ethylidenabis(tryptophan)

Tetrahydro- β -carboline-3-carboxylic acids and contaminants of L-tryptophan 881(2000)501

Experimental design

Spectrophotometric and coulometric detection in the high-performance liquid chromatography of flavonoids and optimization of sample treatment for the determination of quercetin in orange juice 881(2000)449

Extraction methods

Applications of matrix solid-phase dispersion in food analysis 880(2000)63

β_2 -Agonist extraction procedures for chromatographic analysis 880(2000)69

Headspace solid-phase microextraction method for determining 3-alkyl-2-methoxypyrazines in musts by means of polydimethylsiloxane–divinylbenzene fibres 880(2000)93

Determination of fenpyroximate in apples by supercritical fluid extraction and packed capillary liquid chromatography with UV detection 880(2000)121

Automated analysis of vitamin E isomers in vegetable oils by continuous membrane extraction and liquid chromatography–electrochemical detection 881(2000)229

Gas chromatographic determination of acrinathrine and 3-phenoxybenzaldehyde residues in honey 882(2000)239

Fats

Chromatographic analysis of unsaponifiable compounds of olive oils and fat-containing foods 881(2000)105

High-performance liquid chromatographic determination of mono-, poly- and hydroxycarboxylic acids in foods and beverages as their 2-nitrophenylhydrazides 881(2000)365

Polycyclic aromatic hydrocarbons in edible fats and oils: occurrence and analytical methods 882(2000)245

Fatty acids

Authentication of vegetable oils by chromatographic techniques 881(2000)93

Determination of organic acids in food samples by capillary zone electrophoresis 881(2000)357

High-performance liquid chromatographic determination of mono-, poly- and hydroxycarboxylic acids in foods and beverages as their 2-nitrophenylhydrazides 881(2000)365

Fenpyroximate

Determination of fenpyroximate in apples by supercritical fluid extraction and packed capillary liquid chromatography with UV detection 880(2000)121

Fish

Substitution of fish species detected by thin-layer isoelectric focusing and a computer-assisted method for the evaluation of gels 880(2000)303

Determination of aflatoxins in food by overpressured-layer chromatography 882(2000)11

Flavins

Chromatographic determination of riboflavin and its derivatives in food 881(2000)285

Flavonoids

On-line identification of phytochemical constituents in botanical extracts by combined high-performance liquid chromatographic–diode array detection–mass spectrometric techniques 880(2000)203

Comparative analysis of tea catechins and theaflavins by high-performance liquid chromatography and capillary electrophoresis 881(2000)439

Spectrophotometric and coulometric detection in the high-performance liquid chromatography of flavonoids and optimization of sample treatment for the determination of quercetin in orange juice 881(2000)449

Flow injection analysis

Development of phosphine reagents for the high-performance liquid chromatographic–fluorometric determination of lipid hydroperoxides 881(2000)159

Fluorescence detection

Development of phosphine reagents for the high-performance liquid chromatographic–fluorometric determination of lipid hydroperoxides 881(2000)159

Food analysis

Sample preparation for the analysis of flavors and off-flavors in foods 880(2000)3

Applications of solid-phase microextraction in food analysis 880(2000)35

Applications of matrix solid-phase dispersion in food analysis 880(2000)63

Application of ion-exchange cartridge clean-up in food analysis. III. Determination of benzylpenicillin, phenoxymethyl-penicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine liver and kidney by liquid chromatography with ultraviolet detection 880(2000)85

Headspace solid-phase microextraction method for determining 3-alkyl-2-methoxypyrazines in musts by means of polydimethylsiloxane–divinylbenzene fibres 880(2000)93

Comparison of different commercial solid-phase extraction cartridges used to extract heterocyclic amines from a lyophilised meat extract 880(2000)101

Determination of 1-nitropyrene in herbs after selective enrichment by a sol–gel-generated immunoaffinity column 880(2000)113

Determination of fenpyroximate in apples by supercritical fluid extraction and packed capillary liquid chromatography with UV detection 880(2000)121

Thin-layer chromatography in food and agricultural analysis 880(2000)129

Direct analysis of food samples by high-performance liquid chromatography 880(2000)149

Perfusion chromatography: an emergent technique for the analysis of food proteins 880(2000)169

C₃₀ Stationary phases for the analysis of food by liquid chromatography 880(2000)189

Determination of aldehydes in food by high-performance liquid chromatography with biosensor coupling and micromembrane suppressors 880(2000)233

Electrophoretic methods in the analysis of beverages 880(2000)243

Applications of in-capillary reaction micellar electrokinetic chromatography in the food industry 880(2000)295

Substitution of fish species detected by thin-layer isoelectric focusing and a computer-assisted method for the evaluation of gels 880(2000)303

Analysis of natural food pigments by capillary electrophoresis 880(2000)311

Application of chromatography and mass spectrometry to the characterization of food proteins and derived peptides 881(2000)1

Determination by perfusion reversed-phase high-performance liquid chromatography of the soybean protein content of commercial soybean products prepared directly from whole soybeans 881(2000)37

Characterization of commercial soybean products by conventional and perfusion reversed-phase high-performance liquid chromatography and multivariate analysis 881(2000)47

Evaluation of the effect of rennet type on casein proteolysis in an ovine milk cheese by means of capillary electrophoresis 881(2000)59

Effect of the activity levels of the added proteolytic enzyme mixture on free amino acids in ripening Ossau-Iraty cheese 881(2000)69

Chromatographic determination of amino acid enantiomers in beers and raw materials used for their manufacture 881(2000)81

Chromatographic analysis of unsaponifiable compounds of olive oils and fat-containing foods 881(2000)105

Chromatographic analysis of minor constituents in vegetable oils 881(2000)131

Analysis of olive and hazelnut oil mixtures by high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry of triacylglycerols and gas–liquid chromatography of non-saponifiable compounds (tocopherols and sterols) 881(2000)149

Development of phosphine reagents for the high-performance liquid chromatographic–fluorometric determination of lipid hydroperoxides 881(2000)159

Determination of vitamins in food-matrix Standard Reference Materials 881(2000)171

Determination of vitamin D₂ in emulsified nutritional supplements by solid-phase extraction and column-switching high-performance liquid chromatography with UV detection 881(2000)189

Chromatographic analysis of tocol-derived lipid antioxidants 881(2000)197

- Normal-phase high-performance liquid chromatography of tocopherols and tocotrienols. Comparison of different chromatographic columns 881(2000)217
- Automated analysis of vitamin E isomers in vegetable oils by continuous membrane extraction and liquid chromatography–electrochemical detection 881(2000)229
- Determination of tocopherol acetate in emulsified nutritional supplements by solid-phase extraction and high-performance liquid chromatography with fluorescence detection 881(2000)243
- Rapid determination of vitamin E in vegetable oils by reversed-phase high-performance liquid chromatography 881(2000)251
- Simultaneous determination of α -tocopherol and β -carotene in olive oil by reversed-phase high-performance liquid chromatography 881(2000)255
- Determination of vitamin K₁ in emulsified nutritional supplements by solid-phase extraction and high-performance liquid chromatography with postcolumn reduction on a platinum catalyst and fluorescence detection 881(2000)261
- Determination of thiamine by high-performance liquid chromatography 881(2000)267
- Chromatographic determination of riboflavin and its derivatives in food 881(2000)285
- Enzymatically validated liquid chromatographic method for the determination of ascorbic and dehydroascorbic acids in fruit and vegetables 881(2000)309
- Use of an amino acid in the mobile phase for the determination of ascorbic acid in food by high-performance liquid chromatography with electrochemical detection 881(2000)317
- Use of nucleic acids in the mobile phase for the determination of ascorbic acid in foods by high-performance liquid chromatography with electrochemical detection 881(2000)327
- Analytical techniques for determining biotin 881(2000)331
- Picomolar quantitation of free sulfite in foods by means of [⁵⁷Co]hydroxocobalamin and radiometric chromatography of [⁵⁷Co]sulfitecobalamin. Method, applications and significance of coexisting sulfides 881(2000)345
- Determination of organic acids in food samples by capillary zone electrophoresis 881(2000)357
- High-performance liquid chromatographic determination of mono-, poly- and hydroxycarboxylic acids in foods and beverages as their 2-nitrophenylhydrazides 881(2000)365
- Influence of organic solvents in the mobile phase on the determination of carboxylic acids and inorganic anions in grape juice by ion chromatography 881(2000)387
- Development and validation of a capillary electrophoresis method for direct measurement of isocitric, citric, tartaric and malic acids as adulteration markers in orange juice 881(2000)395
- Analysis of anthocyanins in foods by liquid chromatography, liquid chromatography–mass spectrometry and capillary electrophoresis 881(2000)403
- Determination of tea catechins 881(2000)411
- Analysis of tea components by high-performance liquid chromatography and high-performance capillary electrophoresis 881(2000)425
- Comparative analysis of tea catechins and theaflavins by high-performance liquid chromatography and capillary electrophoresis 881(2000)439
- Spectrophotometric and coulometric detection in the high-performance liquid chromatography of flavonoids and optimization of sample treatment for the determination of quercetin in orange juice 881(2000)449
- Analysis of several phenolic compounds with potential antioxidant properties in grape extracts and wines by high-performance liquid chromatography–photodiode array detection without sample preparation 881(2000)461
- Analysis of resveratrol in wine by capillary electrophoresis 881(2000)471
- Analysis of the bioactive alkaloids tetrahydro- β -carboline and β -carboline in food 881(2000)483
- Liquid chromatographic determination of biogenic amines in fermented foods after derivatization with 3,5-dinitrobenzoyl chloride 881(2000)517
- Changes in free and conjugated polyamines during starvation of sugarcane juices as analyzed by high-performance liquid chromatography 881(2000)531
- Chromatographic determination of carotenoids in foods 881(2000)543
- Monoterpenes in grape juice and wines 881(2000)557
- Analysis of organic sulfur compounds in wine aroma 881(2000)569
- Analysis of low-volatility organic sulphur compounds in wines by solid-phase microextraction and gas chromatography 881(2000)583
- Determination of inulin in meat products by high-performance liquid chromatography with refractive index detection 881(2000)591

- High-performance liquid chromatographic determination of Maillard compounds in store-brand and name-brand ultra-high-temperature-treated cows' milk 881(2000)599
- Advances in the determination of inorganic anions by ion chromatography 881(2000)607
- Determination of oxalate, sulfate and nitrate in honey and honeydew by ion-chromatography 881(2000)629
- Analysis of condensed phosphates in food products by ion chromatography with an on-line hydroxide eluent generator 881(2000)639
- Determination of lithium in wines by ion chromatography 881(2000)645
- Application of the assay of aflatoxins by liquid chromatography with fluorescence detection in food analysis 882(2000)1
- Chromatographic analysis of tetracycline antibiotics in foods 882(2000)109
- Determination of aflatoxins in food by overpressured-layer chromatography 882(2000)11
- Chromatographic determination of the mycotoxin patulin in fruit and fruit juices 882(2000)17
- Simultaneous determination of trichothecene mycotoxins and zearalenone in cereals by gas chromatography–mass spectrometry 882(2000)23
- Solid-phase extraction applied to the determination of ochratoxin A in wines by reversed-phase high-performance liquid chromatography 882(2000)29
- Regulatory problems caused by contamination, a frequently overlooked cause of veterinary drug residues 882(2000)37
- Determination of trenbolone and zeranol in bovine muscle and liver by liquid chromatography–electrospray mass spectrometry 882(2000)53
- Quantitation of nine quinolones in chicken tissues by high-performance liquid chromatography with fluorescence detection 882(2000)63
- Determination of clopidol residues in chicken tissues by high-performance liquid chromatography–mass spectrometry 882(2000)85
- Determination of four nitroimidazole residues in poultry meat by liquid chromatography–mass spectrometry 882(2000)89
- Simultaneous determination of triclabendazole and its sulphoxide and sulphone metabolites in bovine milk by high-performance liquid chromatography 882(2000)99
- Stability of penicillin antibiotic residues in meat during storage. Ampicillin 882(2000)135
- Determination of cephalosporins in raw bovine milk by high-performance liquid chromatography 882(2000)145
- Pesticide residue determination in fruit and vegetables by liquid chromatography–mass spectrometry 882(2000)153
- Analysis of herbicide residues in cereals, fruits and vegetables 882(2000)175
- Simplified method for the determination of chlorinated fungicides and insecticides in fruits by gas chromatography 882(2000)193
- Multiresidue analysis of seventeen pesticides in wine by gas chromatography with mass-selective detection 882(2000)205
- Multiresidue method for the rapid determination of organophosphorus insecticides in grapes, must and wine 882(2000)213
- Multiresidue method for the rapid determination – in grape, must and wine – of fungicides frequently used on vineyards 882(2000)221
- Interlaboratory study of identification and quantitation of multiresidue pyrethroids in agricultural products by gas chromatography–mass spectrometry 882(2000)231
- Gas chromatographic determination of acrinathrine and 3-phenoxybenzaldehyde residues in honey 882(2000)239
- Contamination in food from packaging material 882(2000)255
- Determination of synthetic phenolic antioxidants in food by high-performance liquid chromatography 882(2000)271
- Application of chromatographic and electrophoretic methodology to the speciation of organomercury compounds in food analysis 882(2000)283
- Fructans**
Determination of inulin in meat products by high-performance liquid chromatography with refractive index detection 881(2000)591
- Fructose**
Determination of inulin in meat products by high-performance liquid chromatography with refractive index detection 881(2000)591
- Furaldehyde**
Determination of aldehydes in food by high-performance liquid chromatography with biosensor coupling and micromembrane suppressors 880(2000)233

Furfurals

High-performance liquid chromatographic determination of Maillard compounds in store-brand and name-brand ultra-high-temperature-treated cows' milk 881(2000)599

Furosine

High-performance liquid chromatographic determination of Maillard compounds in store-brand and name-brand ultra-high-temperature-treated cows' milk 881(2000)599

Fruit juices

Electrophoretic methods in the analysis of beverages 880(2000)243

Use of an amino acid in the mobile phase for the determination of ascorbic acid in food by high-performance liquid chromatography with electrochemical detection 881(2000)317

High-performance liquid chromatographic determination of mono-, poly- and hydroxycarboxylic acids in foods and beverages as their 2-nitrophenylhydrazides 881(2000)365

Influence of organic solvents in the mobile phase on the determination of carboxylic acids and inorganic anions in grape juice by ion chromatography 881(2000)387

Development and validation of a capillary electrophoresis method for direct measurement of isocitric, citric, tartaric and malic acids as adulteration markers in orange juice 881(2000)395

Spectrophotometric and coulometric detection in the high-performance liquid chromatography of flavonoids and optimization of sample treatment for the determination of quercetin in orange juice 881(2000)449

Monoterpenes in grape juice and wines 881(2000)557

Chromatographic determination of the mycotoxin patulin in fruit and fruit juices 882(2000)17

Fruits

Determination of fenpyroximate in apples by supercritical fluid extraction and packed capillary liquid chromatography with UV detection 880(2000)121

Enzymatically validated liquid chromatographic method for the determination of ascorbic and dehydroascorbic acids in fruit and vegetables 881(2000)309

Analysis of anthocyanins in foods by liquid chromatography, liquid chromatography–mass spectrometry and capillary electrophoresis 881(2000)403

Chromatographic determination of the mycotoxin patulin in fruit and fruit juices 882(2000)17

Pesticide residue determination in fruit and vegetables by liquid chromatography–mass spectrometry 882(2000)153

Analysis of herbicide residues in cereals, fruits and vegetables 882(2000)175

Simplified method for the determination of chlorinated fungicides and insecticides in fruits by gas chromatography 882(2000)193

Interlaboratory study of identification and quantitation of multiresidue pyrethroids in agricultural products by gas chromatography–mass spectrometry 882(2000)231

Gardenia jasminoides

Analysis of natural food pigments by capillary electrophoresis 880(2000)311

Glycerides

Chromatographic analysis of minor constituents in vegetable oils 881(2000)131

Glycoamylase

Applications of in-capillary reaction micellar electrokinetic chromatography in the food industry 880(2000)295

Glycosides

Chromatographic determination of riboflavin and its derivatives in food 881(2000)285

Monoterpenes in grape juice and wines 881(2000)557

Gradient elution

Analysis of condensed phosphates in food products by ion chromatography with an on-line hydroxide eluent generator 881(2000)639

Grapes

Analysis of anthocyanins in foods by liquid chromatography, liquid chromatography–mass spectrometry and capillary electrophoresis 881(2000)403

Analysis of several phenolic compounds with potential antioxidant properties in grape extracts and wines by high-performance liquid chromatography–photodiode array detection without sample preparation 881(2000)461

Multiresidue method for the rapid determination of organophosphorus insecticides in grapes, must and wine 882(2000)213

Multiresidue method for the rapid determination – in grape, must and wine – of fungicides frequently used on vineyards 882(2000)221

Growth hormones

Determination of trenbolone and zeranol in bovine muscle and liver by liquid chromatography–electrospray mass spectrometry 882(2000)53

Headspace analysis

Applications of solid-phase microextraction in food analysis 880(2000)35

Headspace solid-phase microextraction method for determining 3-alkyl-2-methoxypyrazines in musts by means of polydimethylsiloxane–divinylbenzene fibres 880(2000)93

Honey

Determination of oxalate, sulfate and nitrate in honey and honeydew by ion-chromatography 881(2000)629

Gas chromatographic determination of acrinathrine and 3-phenoxybenzaldehyde residues in honey 882(2000)239

Hydrocarbons

Authentication of vegetable oils by chromatographic techniques 881(2000)93

Chromatographic analysis of minor constituents in vegetable oils 881(2000)131

Hydroxocobalamin

Picomolar quantitation of free sulfite in foods by means of [⁵⁷Co]hydroxocobalamin and radiometric chromatography of [⁵⁷Co]sulfitecobalamin. Method, applications and significance of coexisting sulfides 881(2000)345

Hydroxycarboxylic acids

High-performance liquid chromatographic determination of mono-, poly- and hydroxycarboxylic acids in foods and beverages as their 2-nitrophenylhydrazides 881(2000)365

Hydroxymethylfuraldehyde

Determination of aldehydes in food by high-performance liquid chromatography with biosensor coupling and micromembrane suppressors 880(2000)233

Imidazoles

Determination of four nitroimidazole residues in poultry meat by liquid chromatography–mass spectrometry 882(2000)89

Immunoaffinity chromatography

Determination of 1-nitropyrene in herbs after selective enrichment by a sol–gel-generated immunoaffinity column 880(2000)113

In-capillary reaction micellar electrokinetic chromatography

Applications of in-capillary reaction micellar electrokinetic chromatography in the food industry 880(2000)295

Injection methods

Direct analysis of food samples by high-performance liquid chromatography 880(2000)149

Inorganic anions

Electrophoretic methods in the analysis of beverages 880(2000)243

Influence of organic solvents in the mobile phase on the determination of carboxylic acids and inorganic anions in grape juice by ion chromatography 881(2000)387

Advances in the determination of inorganic anions by ion chromatography 881(2000)607

Determination of oxalate, sulfate and nitrate in honey and honeydew by ion-chromatography 881(2000)629

Eliminating the chlorite interference in US Environmental Protection Agency Method 317.0 permits analysis of trace bromate levels in all drinking water matrices 882(2000)309

On-line microdialysis–ion chromatographic determination of inorganic anions in olive-oil mill wastewater 882(2000)321

Inorganic cations

Electrophoretic methods in the analysis of beverages 880(2000)243

Analysis of tea components by high-performance liquid chromatography and high-performance capillary electrophoresis 881(2000)425

Eliminating the chlorite interference in US Environmental Protection Agency Method 317.0 permits analysis of trace bromate levels in all drinking water matrices 882(2000)309

Interfaces, LC–MS

Application of chromatography and mass spectrometry to the characterization of food proteins and derived peptides 881(2000)1

Pesticide residue determination in fruit and vegetables by liquid chromatography–mass spectrometry 882(2000)153

Interlaboratory studies

Interlaboratory study of identification and quantitation of multiresidue pyrethroids in agricultural products by gas chromatography–mass spectrometry 882(2000)231

Inulin

Determination of inulin in meat products by high-performance liquid chromatography with refractive index detection 881(2000)591

Ion chromatography

Advances in the determination of inorganic anions by ion chromatography 881(2000)607

Iron

Eliminating the chlorite interference in US Environmental Protection Agency Method 317.0 permits analysis of trace bromate levels in all drinking water matrices 882(2000)309

Isoelectric focusing

Substitution of fish species detected by thin-layer isoelectric focusing and a computer-assisted method for the evaluation of gels 880(2000)303

Lactams

Stability of penicillin antibiotic residues in meat during storage. Ampicillin 882(2000)135

Determination of cephalosporins in raw bovine milk by high-performance liquid chromatography 882(2000)145

Lipid hydroperoxides

Development of phosphine reagents for the high-performance liquid chromatographic–fluorometric determination of lipid hydroperoxides 881(2000)159

Lipids

Chromatographic analysis of unsaponifiable compounds of olive oils and fat-containing foods 881(2000)105

Chromatographic analysis of minor constituents in vegetable oils 881(2000)131

Chromatographic analysis of tocol-derived lipid antioxidants 881(2000)197

Liquid chromatography–mass spectrometry

Application of chromatography and mass spectrometry to the characterization of food proteins and derived peptides 881(2000)1

Pesticide residue determination in fruit and vegetables by liquid chromatography–mass spectrometry 882(2000)153

Lithium

Determination of lithium in wines by ion chromatography 881(2000)645

Matrix solid-phase dispersion

Applications of matrix solid-phase dispersion in food analysis 880(2000)63

Meat

Comparison of different commercial solid-phase extraction cartridges used to extract heterocyclic amines from a lyophilised meat extract 880(2000)101

Determination of inulin in meat products by high-performance liquid chromatography with refractive index detection 881(2000)591

Determination of clopidol residues in chicken tissues by high-performance liquid chromatography–mass spectrometry 882(2000)85

Determination of four nitroimidazole residues in poultry meat by liquid chromatography–mass spectrometry 882(2000)89

Stability of penicillin antibiotic residues in meat during storage. Ampicillin 882(2000)135

Metal cations

Determination of lithium in wines by ion chromatography 881(2000)645

Micellar electrokinetic chromatography

Applications of in-capillary reaction micellar electrokinetic chromatography in the food industry 880(2000)295

Microdialysis

On-line microdialysis–ion chromatographic determination of inorganic anions in olive-oil mill wastewater 882(2000)321

Milk

Electrophoretic methods in the analysis of beverages 880(2000)243

Application of chromatography and mass spectrometry to the characterization of food proteins and derived peptides 881(2000)1

High-performance liquid chromatographic determination of mono-, poly- and hydroxycarboxylic acids in foods and beverages as their 2-nitrophenylhydrazides 881(2000)365

High-performance liquid chromatographic determination of Maillard compounds in store-brand and name-brand ultra-high-temperature-treated cows' milk 881(2000)599

Simultaneous determination of triclabendazole and its sulphoxide and sulphone metabolites in bovine milk by high-performance liquid chromatography 882(2000)99

Determination of cephalosporins in raw bovine milk by high-performance liquid chromatography 882(2000)145

Mobile phase composition

High-performance liquid chromatography of non-polar retinoid isomers 881(2000)183

Use of an amino acid in the mobile phase for the determination of ascorbic acid in food by high-performance liquid chromatography with electrochemical detection 881(2000)317

Use of nucleic acids in the mobile phase for the determination of ascorbic acid in foods by high-performance liquid chromatography with electrochemical detection 881(2000)327

Influence of organic solvents in the mobile phase on the determination of carboxylic acids and inorganic anions in grape juice by ion chromatography 881(2000)387

Molasses

Monitoring and control of industrial downstream processing of sugar beet molasses 882(2000)329

Monascus

Applications of in-capillary reaction micellar electrokinetic chromatography in the food industry 880(2000)295

Analysis of natural food pigments by capillary electrophoresis 880(2000)311

Monosodium glutamate

Use of an amino acid in the mobile phase for the determination of ascorbic acid in food by high-performance liquid chromatography with electrochemical detection 881(2000)317

Monoterpenes

Monoterpenes in grape juice and wines 881(2000)557

Multivariate analysis

Characterization of commercial soybean products by conventional and perfusion reversed-phase high-performance liquid chromatography and multivariate analysis 881(2000)47

Must

Headspace solid-phase microextraction method for determining 3-alkyl-2-methoxypyrazines in musts by means of polydimethylsiloxane–divinylbenzene fibres 880(2000)93

Multiresidue method for the rapid determination of organophosphorus insecticides in grapes, must and wine 882(2000)213

Multiresidue method for the rapid determination – in grape, must and wine – of fungicides frequently used on vineyards 882(2000)221

Mycotoxins

Chromatographic determination of the mycotoxin patulin in fruit and fruit juices 882(2000)17

Simultaneous determination of trichothecene mycotoxins and zearalenone in cereals by gas chromatography–mass spectrometry 882(2000)23

Solid-phase extraction applied to the determination of ochratoxin A in wines by reversed-phase high-performance liquid chromatography 882(2000)29

Nicarbazin

Determination of nicarbazin and clopidol in poultry feeds by liquid chromatography 882(2000)79

Nitrate

Determination of oxalate, sulfate and nitrate in honey and honeydew by ion-chromatography 881(2000)629

Nitroimidazoles

Determination of four nitroimidazole residues in poultry meat by liquid chromatography–mass spectrometry 882(2000)89

2-Nitrophenylhydrazine hydrochloride

High-performance liquid chromatographic determination of mono-, poly- and hydroxycarboxylic acids in foods and beverages as their 2-nitrophenylhydrazides 881(2000)365

Nitropyrenes

Determination of 1-nitropyrene in herbs after selective enrichment by a sol–gel-generated immunoaffinity column 880(2000)113

Nucleic acids

Use of nucleic acids in the mobile phase for the determination of ascorbic acid in foods by high-performance liquid chromatography with electrochemical detection 881(2000)327

Nucleotides

Chromatographic determination of riboflavin and its derivatives in food 881(2000)285

Ochratoxin A

Solid-phase extraction applied to the determination of ochratoxin A in wines by reversed-phase high-performance liquid chromatography 882(2000)29

Off-flavor compounds

Sample preparation for the analysis of flavors and off-flavors in foods 880(2000)3

Oils

Analysis of olive and hazelnut oil mixtures by high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry of triacylglycerols and gas–liquid chromatography of non-saponifiable compounds (tocopherols and sterols) 881(2000)149

Rapid determination of vitamin E in vegetable oils by reversed-phase high-performance liquid chromatography 881(2000)251

High-performance liquid chromatographic determination of mono-, poly- and hydroxycarboxylic acids in foods and beverages as their 2-nitrophenylhydrazides 881(2000)365

Polycyclic aromatic hydrocarbons in edible fats and oils: occurrence and analytical methods 882(2000)245

Olive oil

Chromatographic analysis of unsaponifiable compounds of olive oils and fat-containing foods 881(2000)105

Analysis of olive and hazelnut oil mixtures by high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry of triacylglycerols and gas–liquid chromatography of non-saponifiable compounds (tocopherols and sterols) 881(2000)149

Simultaneous determination of α -tocopherol and β -carotene in olive oil by reversed-phase high-performance liquid chromatography 881(2000)255

On-line microdialysis–ion chromatographic determination of inorganic anions in olive-oil mill wastewater 882(2000)321

Organic acids

Electrophoretic methods in the analysis of beverages 880(2000)243

Use of nucleic acids in the mobile phase for the determination of ascorbic acid in foods by high-performance liquid chromatography with electrochemical detection 881(2000)327

Determination of organic acids in food samples by capillary zone electrophoresis 881(2000)357

Development and validation of a capillary electrophoresis method for direct measurement of isocitric, citric, tartaric and malic acids as adulteration markers in orange juice 881(2000)395

Analysis of tea components by high-performance liquid chromatography and high-performance capillary electrophoresis 881(2000)425

Determination of oxalate, sulfate and nitrate in honey and honeydew by ion-chromatography 881(2000)629

Organochlorine compounds

Simplified method for the determination of chlorinated fungicides and insecticides in fruits by gas chromatography 882(2000)193

Organomercury compounds

Application of chromatographic and electrophoretic methodology to the speciation of organomercury compounds in food analysis 882(2000)283

Organophosphorus compounds

Herbicide and plant growth regulator analysis by capillary electrophoresis 880(2000)281

Development of phosphine reagents for the high-performance liquid chromatographic–fluorometric determination of lipid hydroperoxides 881(2000)159

Multiresidue method for the rapid determination of organophosphorus insecticides in grapes, must and wine 882(2000)213

Organosulfur compounds

Analysis of organic sulfur compounds in wine aroma 881(2000)569

Overpressured layer chromatography

Determination of aflatoxins in food by overpressured-layer chromatography 882(2000)11

Oxalate

Determination of oxalate, sulfate and nitrate in honey and honeydew by ion-chromatography 881(2000)629

Patulin

Chromatographic determination of the mycotoxin patulin in fruit and fruit juices 882(2000)17

Penicillium spp.

Chromatographic determination of the mycotoxin patulin in fruit and fruit juices 882(2000)17

Penicillins

Application of ion-exchange cartridge clean-up in food analysis. III. Determination of benzylpenicillin, phenoxymethyl-penicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine liver and kidney by liquid chromatography with ultraviolet detection 880(2000)85

Stability of penicillin antibiotic residues in meat during storage. Ampicillin 882(2000)135

Peptides

Application of chromatography and mass spectrometry to the characterization of food proteins and derived peptides 881(2000)1

Perfusion chromatography

Perfusion chromatography: an emergent technique for the analysis of food proteins 880(2000)169

Determination by perfusion reversed-phase high-performance liquid chromatography of the soybean protein content of commercial soybean products prepared directly from whole soybeans 881(2000)37

Characterization of commercial soybean products by conventional and perfusion reversed-phase high-performance liquid chromatography and multivariate analysis 881(2000)47

Pesticides

Applications of solid-phase microextraction in food analysis 880(2000)35

Applications of matrix solid-phase dispersion in food analysis 880(2000)63

Determination of fenpyroximate in apples by supercritical fluid extraction and packed capillary liquid chromatography with UV detection 880(2000)121

Thin-layer chromatography in food and agricultural analysis 880(2000)129

Herbicide and plant growth regulator analysis by capillary electrophoresis 880(2000)281

Pesticide residue determination in fruit and vegetables by liquid chromatography–mass spectrometry 882(2000)153

Analysis of herbicide residues in cereals, fruits and vegetables 882(2000)175

Simplified method for the determination of chlorinated fungicides and insecticides in fruits by gas chromatography 882(2000)193

Multiresidue analysis of seventeen pesticides in wine by gas chromatography with mass-selective detection 882(2000)205

Multiresidue method for the rapid determination of organophosphorus insecticides in grapes, must and wine 882(2000)213

Multiresidue method for the rapid determination – in grape, must and wine – of fungicides frequently used on vineyards 882(2000)221

Interlaboratory study of identification and quantitation of multiresidue pyrethroids in agricultural products by gas chromatography–mass spectrometry 882(2000)231

Gas chromatographic determination of acrinathrine and 3-phenoxybenzaldehyde residues in honey 882(2000)239

Pharmaceutical analysis

Analytical techniques for determining biotin 881(2000)331

Phenolic compounds

On-line identification of phytochemical constituents in botanical extracts by combined high-performance liquid chromatographic–diode array detection–mass spectrometric techniques 880(2000)203

Electrophoretic methods in the analysis of beverages 880(2000)243

Chromatographic analysis of minor constituents in vegetable oils 881(2000)131

Determination of organic acids in food samples by capillary zone electrophoresis 881(2000)357

Determination of tea catechins 881(2000)411

Analysis of several phenolic compounds with potential antioxidant properties in grape extracts and wines by high-performance liquid chromatography–photodiode array detection without sample preparation 881(2000)461

Determination of synthetic phenolic antioxidants in food by high-performance liquid chromatography 882(2000)271

Phenoxybenzaldehyde

Gas chromatographic determination of acrinathrine and 3-phenoxybenzaldehyde residues in honey 882(2000)239

(Phenylamino)alanine

Tetrahydro- β -carboline-3-carboxylic acids and contaminants of L-tryptophan 881(2000)501

Phosphates

Analysis of condensed phosphates in food products by ion chromatography with an on-line hydroxide eluent generator 881(2000)639

Phosphines

Development of phosphine reagents for the high-performance liquid chromatographic–fluorometric determination of lipid hydroperoxides 881(2000)159

Phospholipids

Chromatographic analysis of minor constituents in vegetable oils 881(2000)131

Pigments

Analysis of natural food pigments by capillary electrophoresis 880(2000)311

Chromatographic analysis of minor constituents in vegetable oils 881(2000)131

Plant hormones

Herbicide and plant growth regulator analysis by capillary electrophoresis 880(2000)281

Plant materials

On-line identification of phytochemical constituents in botanical extracts by combined high-performance liquid chromatographic–diode array detection–mass spectrometric techniques 880(2000)203

Polyamines

Changes in free and conjugated polyamines during starvation of sugarcane juices as analyzed by high-performance liquid chromatography 881(2000)531

Polymers

Contamination in food from packaging material 882(2000)255

Polynuclear aromatic hydrocarbons

Chromatographic analysis of minor constituents in vegetable oils 881(2000)131

Polycyclic aromatic hydrocarbons in edible fats and oils: occurrence and analytical methods 882(2000)245

Polyphenols

Analysis of tea components by high-performance liquid chromatography and high-performance capillary electrophoresis 881(2000)425

Comparative analysis of tea catechins and theaflavins by high-performance liquid chromatography and capillary electrophoresis 881(2000)439

Polyphosphates

Analysis of condensed phosphates in food products by ion chromatography with an on-line hydroxide eluent generator 881(2000)639

Process monitoring

Monitoring and control of industrial downstream processing of sugar beet molasses 882(2000)329

Proteins

Perfusion chromatography: an emergent technique for the analysis of food proteins 880(2000)169

Electrophoretic methods in the analysis of beverages 880(2000)243

Application of chromatography and mass spectrometry to the characterization of food proteins and derived peptides 881(2000)1

Electrophoresis of cereal storage proteins 881(2000)23

Determination by perfusion reversed-phase high-performance liquid chromatography of the soybean protein content of commercial soybean products prepared directly from whole soybeans 881(2000)37

Characterization of commercial soybean products by conventional and perfusion reversed-phase high-performance liquid chromatography and multivariate analysis 881(2000)47

Evaluation of the effect of rennet type on casein proteolysis in an ovine milk cheese by means of capillary electrophoresis 881(2000)59

Pyrazines

Headspace solid-phase microextraction method for determining 3-alkyl-2-methoxypyrazines in musts by means of polydimethylsiloxane–divinylbenzene fibres 880(2000)93

Pyrethroids

Interlaboratory study of identification and quantitation of multiresidue pyrethroids in agricultural products by gas chromatography–mass spectrometry 882(2000)231

Quercetin

Spectrophotometric and coulometric detection in the high-performance liquid chromatography of flavonoids and optimization of sample treatment for the determination of quercetin in orange juice 881(2000)449

Quinolones

Quantitation of nine quinolones in chicken tissues by high-performance liquid chromatography with fluorescence detection 882(2000)63

Resveratrol

Analysis of resveratrol in wine by capillary electrophoresis 881(2000)471

Restricted-access media

Direct analysis of food samples by high-performance liquid chromatography 880(2000)149

Retinoids

C₃₀ Stationary phases for the analysis of food by liquid chromatography 880(2000)189

High-performance liquid chromatography of non-polar retinoid isomers 881(2000)183

Reviews

Sample preparation for the analysis of flavors and off-flavors in foods (Review) 880(2000)3

Applications of solid-phase microextraction in food analysis (Review) 880(2000)35

β₂-Agonist extraction procedures for chromatographic analysis (Review) 880(2000)69

Thin-layer chromatography in food and agricultural analysis (Review) 880(2000)129

Direct analysis of food samples by high-performance liquid chromatography (Review) 880(2000)149

Perfusion chromatography: an emergent technique for the analysis of food proteins (Review) 880(2000)169

C₃₀ Stationary phases for the analysis of food by liquid chromatography (Review) 880(2000)189

On-line identification of phytochemical constituents in botanical extracts by combined high-performance liquid chromatographic–diode array detection–mass spectrometric techniques (Review) 880(2000)203

Electrophoretic methods in the analysis of beverages (Review) 880(2000)243

Herbicide and plant growth regulator analysis by capillary electrophoresis (Review) 880(2000)281

Applications of in-capillary reaction micellar electrokinetic chromatography in the food industry (Review) 880(2000)295

Analysis of natural food pigments by capillary electrophoresis (Review) 880(2000)311

Application of chromatography and mass spectrometry to the characterization of food proteins and derived peptides (Review) 881(2000)1

Authentication of vegetable oils by chromatographic techniques (Review) 881(2000)93

Electrophoresis of cereal storage proteins (Review) 881(2000)23

Chromatographic analysis of unsaponifiable compounds of olive oils and fat-containing foods (Review) 881(2000)105

Chromatographic analysis of minor constituents in vegetable oils (Review) 881(2000)131

Chromatographic analysis of tocol-derived lipid antioxidants (Review) 881(2000)197

Determination of thiamine by high-performance liquid chromatography (Review) 881(2000)267

Dehydroascorbic acid (Review) 881(2000)299

Analytical techniques for determining biotin (Review) 881(2000)331

Determination of organic acids in food samples by capillary zone electrophoresis (Review) 881(2000)357

High-performance liquid chromatographic determination of mono-, poly- and hydroxycarboxylic acids in foods and beverages as their 2-nitrophenylhydrazides (Review) 881(2000)365

Analysis of anthocyanins in foods by liquid chromatography, liquid chromatography–mass spectrometry and capillary electrophoresis (Review) 881(2000)403

Determination of tea catechins (Review) 881(2000)411

Analysis of tea components by high-performance liquid chromatography and high-performance capillary electrophoresis (Review) 881(2000)425

Analysis of resveratrol in wine by capillary electrophoresis (Review) 881(2000)471

Chromatographic determination of carotenoids in foods (Review) 881(2000)543

Monoterpenes in grape juice and wines (Review) 881(2000)557

Analysis of organic sulfur compounds in wine aroma (Review) 881(2000)569

Advances in the determination of inorganic anions by ion chromatography (Review) 881(2000)607

Chromatographic analysis of tetracycline antibiotics in foods (Review) 882(2000)109

Pesticide residue determination in fruit and vegetables by liquid chromatography–mass spectrometry (Review) 882(2000)153

Regulatory problems caused by contamination, a frequently overlooked cause of veterinary drug residues (Review) 882(2000)37

Chromatographic determination of the mycotoxin patulin in fruit and fruit juices (Review) 882(2000)17

Analysis of herbicide residues in cereals, fruits and vegetables (Review) 882(2000)175

Polycyclic aromatic hydrocarbons in edible fats and oils: occurrence and analytical methods (Review) 882(2000)245

Contamination in food from packaging material (Review) 882(2000)255

Determination of synthetic phenolic antioxidants in food by high-performance liquid chromatography (Review) 882(2000)271

Application of chromatographic and electrophoretic methodology to the speciation of organomercury compounds in food analysis (Review) 882(2000)283

Rice

Applications of in-capillary reaction micellar electrokinetic chromatography in the food industry 880(2000)295

Riboflavins

Chromatographic determination of riboflavin and its derivatives in food 881(2000)285

Sambucus nigra

Analysis of natural food pigments by capillary electrophoresis 880(2000)311

Sample handling

Application of ion-exchange cartridge clean-up in food analysis. III. Determination of benzylpenicillin, phenoxymethyl-penicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine liver and kidney by liquid chromatography with ultraviolet detection 880(2000)85

Analysis of organic sulfur compounds in wine aroma 881(2000)569

On-line microdialysis–ion chromatographic determination of inorganic anions in olive-oil mill wastewater 882(2000)321

Sample preparation

Sample preparation for the analysis of flavors and off-flavors in foods 880(2000)3

Determination of 1-nitropyrene in herbs after selective enrichment by a sol–gel-generated immunoaffinity column 880(2000)113

Analysis of herbicide residues in cereals, fruits and vegetables 882(2000)175

Multiresidue analysis of seventeen pesticides in wine by gas chromatography with mass-selective detection 882(2000)205

Polycyclic aromatic hydrocarbons in edible fats and oils: occurrence and analytical methods 882(2000)245

Saponins

On-line identification of phytochemical constituents in botanical extracts by combined high-performance liquid chromatographic–diode array detection–mass spectrometric techniques 880(2000)203

Soft drinks

Electrophoretic methods in the analysis of beverages 880(2000)243

Sol–gel immunoaffinity chromatography

Determination of 1-nitropyrene in herbs after selective enrichment by a sol–gel-generated immunoaffinity column 880(2000)113

Solid-phase extraction

Comparison of different commercial solid-phase extraction cartridges used to extract heterocyclic amines from a lyophilised meat extract 880(2000)101

Solid-phase microextraction

Applications of solid-phase microextraction in food analysis 880(2000)35

Soybean

Determination by perfusion reversed-phase high-performance liquid chromatography of the soybean protein content of commercial soybean products prepared directly from whole soybeans 881(2000)37

Characterization of commercial soybean products by conventional and perfusion reversed-phase high-performance liquid chromatography and multivariate analysis 881(2000)47

Stability studies

Use of an amino acid in the mobile phase for the determination of ascorbic acid in food by high-performance liquid chromatography with electrochemical detection 881(2000)317

Stability of penicillin antibiotic residues in meat during storage. Ampicillin 882(2000)135

Standard Reference Materials

Determination of vitamins in food-matrix Standard Reference Materials 881(2000)171

Stationary phase, LC

C₃₀ Stationary phases for the analysis of food by liquid chromatography 880(2000)189

Statistical analysis

Spectrophotometric and coulometric detection in the high-performance liquid chromatography of flavonoids and optimization of sample treatment for the determination of quercetin in orange juice 881(2000)449

Sterols

Authentication of vegetable oils by chromatographic techniques 881(2000)93

Analysis of olive and hazelnut oil mixtures by high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry of triacylglycerols and gas–liquid chromatography of non-saponifiable compounds (tocopherols and sterols) 881(2000)149

Sugarcane juices

Changes in free and conjugated polyamines during starvation of sugarcane juices as analyzed by high-performance liquid chromatography 881(2000)531

Sulfates

Determination of oxalate, sulfate and nitrate in honey and honeydew by ion-chromatography 881(2000)629

Sulfides

Picomolar quantitation of free sulfite in foods by means of [⁵⁷Co]hydroxocobalamin and radiometric chromatography of [⁵⁷Co]sulfitocobalamin. Method, applications and significance of coexisting sulfides 881(2000)345

Sulfite

Picomolar quantitation of free sulfite in foods by means of [⁵⁷Co]hydroxocobalamin and radiometric chromatography of [⁵⁷Co]sulfitocobalamin. Method, applications and significance of coexisting sulfides 881(2000)345

Sulfonyl ureas

Herbicide and plant growth regulator analysis by capillary electrophoresis 880(2000)281

Sulfur compounds

Analysis of organic sulfur compounds in wine aroma 881(2000)569

Analysis of low-volatility organic sulphur compounds in wines by solid-phase microextraction and gas chromatography 881(2000)583

Tea

Electrophoretic methods in the analysis of beverages 880(2000)243

Determination of tea catechins 881(2000)411

Analysis of tea components by high-performance liquid chromatography and high-performance capillary electrophoresis 881(2000)425

Comparative analysis of tea catechins and theaflavins by high-performance liquid chromatography and capillary electrophoresis 881(2000)439

Terpenes

Monoterpenes in grape juice and wines 881(2000)557

Tetracyclines

Chromatographic analysis of tetracycline antibiotics in foods 882(2000)109

Tetrahydrocarbolinecarboxylic acids

Tetrahydro-β-carboline-3-carboxylic acids and contaminants of L-tryptophan 881(2000)501

Tetrahydrocarbolines

Analysis of the bioactive alkaloids tetrahydro-β-carboline and β-carboline in food 881(2000)483

Theaflavins

Comparative analysis of tea catechins and theaflavins by high-performance liquid chromatography and capillary electrophoresis 881(2000)439

Thiamine

Determination of thiamine by high-performance liquid chromatography 881(2000)267

Thin-layer chromatography

Thin-layer chromatography in food and agricultural analysis 880(2000)129

Tocopherol acetate

Determination of tocopherol acetate in emulsified nutritional supplements by solid-phase extraction and high-performance liquid chromatography with fluorescence detection 881(2000)243

Tocopherols

C₃₀ Stationary phases for the analysis of food by liquid chromatography 880(2000)189

Analysis of olive and hazelnut oil mixtures by high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry of triacylglycerols and gas–liquid chromatography of non-saponifiable compounds (tocopherols and sterols) 881(2000)149

Chromatographic analysis of tocol-derived lipid antioxidants 881(2000)197

Normal-phase high-performance liquid chromatography of tocopherols and tocotrienols. Comparison of different chromatographic columns 881(2000)217

Automated analysis of vitamin E isomers in vegetable oils by continuous membrane extraction and liquid chromatography–electrochemical detection 881(2000)229

Rapid determination of vitamin E in vegetable oils by reversed-phase high-performance liquid chromatography 881(2000)251

Simultaneous determination of α -tocopherol and β -carotene in olive oil by reversed-phase high-performance liquid chromatography 881(2000)255

Tocotrienols

Normal-phase high-performance liquid chromatography of tocopherols and tocotrienols. Comparison of different chromatographic columns 881(2000)217

Tocotrienols

Chromatographic analysis of tocol-derived lipid antioxidants 881(2000)197

Trenbolone

Determination of trenbolone and zeranol in bovine muscle and liver by liquid chromatography–electrospray mass spectrometry 882(2000)53

Triacylglycerols

Analysis of olive and hazelnut oil mixtures by high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry of triacylglycerols and gas–liquid chromatography of non-saponifiable compounds (tocopherols and sterols) 881(2000)149

Triazines

Herbicide and plant growth regulator analysis by capillary electrophoresis 880(2000)281

Trichothecenes

Simultaneous determination of trichothecene mycotoxins and zearalenone in cereals by gas chromatography–mass spectrometry 882(2000)23

Triclabendazole

Simultaneous determination of triclabendazole and its sulphoxide and sulphone metabolites in bovine milk by high-performance liquid chromatography 882(2000)99

Triglycerides

Authentication of vegetable oils by chromatographic techniques 881(2000)93

Triterpenic acids

Chromatographic analysis of minor constituents in vegetable oils 881(2000)131

Tryptophan

Tetrahydro- β -carboline-3-carboxylic acids and contaminants of L-tryptophan 881(2000)501

Validation

Development and validation of a capillary electrophoresis method for direct measurement of isocitric, citric, tartaric and malic acids as adulteration markers in orange juice 881(2000)395

Quantitation of nine quinolones in chicken tissues by high-performance liquid chromatography with fluorescence detection 882(2000)63

Vegetable oils

Authentication of vegetable oils by chromatographic techniques 881(2000)93

Chromatographic analysis of minor constituents in vegetable oils 881(2000)131

Automated analysis of vitamin E isomers in vegetable oils by continuous membrane extraction and liquid chromatography–electrochemical detection 881(2000)229

Vegetables

Enzymatically validated liquid chromatographic method for the determination of ascorbic and dehydroascorbic acids in fruit and vegetables 881(2000)309

Pesticide residue determination in fruit and vegetables by liquid chromatography–mass spectrometry 882(2000)153

Analysis of herbicide residues in cereals, fruits and vegetables 882(2000)175

Vitamins

C₃₀ Stationary phases for the analysis of food by liquid chromatography 880(2000)189

Authentication of vegetable oils by chromatographic techniques 881(2000)93

Chromatographic analysis of minor constituents in vegetable oils 881(2000)131

Analysis of olive and hazelnut oil mixtures by high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry of triacylglycerols and gas–liquid chromatography of non-saponifiable compounds (tocopherols and sterols) 881(2000)149

Determination of vitamins in food-matrix Standard Reference Materials 881(2000)171

High-performance liquid chromatography of non-polar retinoid isomers 881(2000)183

Determination of vitamin D₂ in emulsified nutritional supplements by solid-phase extraction and column-switching high-performance liquid chromatography with UV detection 881(2000)189

Chromatographic analysis of tocol-derived lipid antioxidants 881(2000)197

Normal-phase high-performance liquid chromatography of tocopherols and tocotrienols. Comparison of different chromatographic columns 881(2000)217

Automated analysis of vitamin E isomers in vegetable oils by continuous membrane extraction and liquid chromatography–electrochemical detection 881(2000)229

Determination of tocopherol acetate in emulsified nutritional supplements by solid-phase extraction and high-performance liquid chromatography with fluorescence detection 881(2000)243

Rapid determination of vitamin E in vegetable oils by reversed-phase high-performance liquid chromatography 881(2000)251

Simultaneous determination of α -tocopherol and β -carotene in olive oil by reversed-phase high-performance liquid chromatography 881(2000)255

Determination of vitamin K₁ in emulsified nutritional supplements by solid-phase extraction and high-performance liquid chromatography with postcolumn reduction on a platinum catalyst and fluorescence detection 881(2000)261

Determination of thiamine by high-performance liquid chromatography 881(2000)267

Chromatographic determination of riboflavin and its derivatives in food 881(2000)285

Enzymatically validated liquid chromatographic method for the determination of ascorbic and dehydroascorbic acids in fruit and vegetables 881(2000)309

Use of an amino acid in the mobile phase for the determination of ascorbic acid in food by high-performance liquid chromatography with electrochemical detection 881(2000)317

Analytical techniques for determining biotin 881(2000)331

Picomolar quantitation of free sulfite in foods by means of [⁵⁷Co]hydroxocobalamin and radiometric chromatography of [⁵⁷Co]sulfitocobalamin. Method, applications and significance of coexisting sulfides 881(2000)345

Determination of organic acids in food samples by capillary zone electrophoresis 881(2000)357

Analysis of tea components by high-performance liquid chromatography and high-performance capillary electrophoresis 881(2000)425

Water analysis

Advances in the determination of inorganic anions by ion chromatography 881(2000)607

Eliminating the chlorite interference in US Environmental Protection Agency Method 317.0 permits analysis of trace bromate levels in all drinking water matrices 882(2000)309

On-line microdialysis–ion chromatographic determination of inorganic anions in olive-oil mill wastewater 882(2000)321

Waxes

Authentication of vegetable oils by chromatographic techniques 881(2000)93

Wheat

Determination of aflatoxins in food by overpressured-layer chromatography 882(2000)11

Simultaneous determination of trichothecene mycotoxins and zearalenone in cereals by gas chromatography–mass spectrometry 882(2000)23

Interlaboratory study of identification and quantitation of multiresidue pyrethroids in agricultural products by gas chromatography–mass spectrometry 882(2000)231

Wine

Electrophoretic methods in the analysis of beverages 880(2000)243

Headspace solid-phase microextraction method for determining 3-alkyl-2-methoxypyrazines in musts by means of polydimethylsiloxane–divinylbenzene fibres 880(2000)93

High-performance liquid chromatographic determination of mono-, poly- and hydroxycarboxylic acids in foods and beverages as their 2-nitrophenylhydrazides 881(2000)365

Analysis of anthocyanins in foods by liquid chromatography, liquid chromatography–mass spectrometry and capillary electrophoresis 881(2000)403

Analysis of several phenolic compounds with potential antioxidant properties in grape extracts and wines by high-performance liquid chromatography–photodiode array detection without sample preparation 881(2000)461

Analysis of resveratrol in wine by capillary electrophoresis 881(2000)471

Monoterpenes in grape juice and wines 881(2000)557

Analysis of organic sulfur compounds in wine aroma 881(2000)569

Analysis of low-volatility organic sulphur compounds in wines by solid-phase microextraction and gas chromatography 881(2000)583

Determination of lithium in wines by ion chromatography 881(2000)645

Solid-phase extraction applied to the determination of ochratoxin A in wines by reversed-phase high-performance liquid chromatography 882(2000)29

Multiresidue analysis of seventeen pesticides in wine by gas chromatography with mass-selective detection 882(2000)205

Multiresidue method for the rapid determination of organophosphorus insecticides in grapes, must and wine 882(2000)213

Multiresidue method for the rapid determination – in grape, must and wine – of fungicides frequently used on vineyards 882(2000)221

Zearalenone

Simultaneous determination of trichothecene mycotoxins and zearalenone in cereals by gas chromatography–mass spectrometry 882(2000)23

Zeranol

Determination of trenbolone and zeranol in bovine muscle and liver by liquid chromatography–electrospray mass spectrometry 882(2000)53