



ELSEVIER

Journal of Chromatography A, 883 (2000) 313–318

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 883

Alkanals

Dynamic system for the calibration of semi-volatile carbonyl compounds in air 883(2000)171

Amines, heterocyclic aromatic

Quantitative analysis of mutagenic heterocyclic aromatic amines in cooked meat using liquid chromatography–atmospheric pressure chemical ionisation tandem mass spectrometry 883(2000)89

Amino acids

Fast development of separation methods for the chiral analysis of amino acid derivatives using capillary electrophoresis and experimental designs 883(2000)249

Aminolevulinic acid

Validation of a capillary electrophoresis method for determination of 5-aminolevulinic acid and degradation products 883(2000)285

Apis spp

Investigation of combwax of honeybees with high-temperature gas chromatography and high-temperature gas chromatography–chemical ionization mass spectrometry. II: High-temperature gas chromatography–chemical ionization mass spectrometry 883(2000)75

Azo dyes

Determination of sulfonated azo dyes in river water samples by capillary zone electrophoresis 883(2000)277

Basic aromatic compounds

New stationary phase for liquid chromatography with chemically bonded pinane ligand: synthesis and characterization by nuclear magnetic resonance and high-performance liquid chromatographic investigations 883(2000)27

Bed porosity

Hydrodynamic aspects of slurry packing processes in microcolumn liquid chromatography 883(2000)11

Beeswax

Investigation of combwax of honeybees with high-temperature gas chromatography and high-temperature gas chromatography–chemical ionization mass spectrometry. II: High-temperature gas chromatography–chemical ionization mass spectrometry 883(2000)75

Benzoic acids

Split-flow injector for capillary zone electrophoresis 883(2000)223

Beverages

Preparation of 4,4'-(1-[²H₆]methylene)bis-[2,3,5,6-²H₄]phenol and its application to the measurement of bisphenol A in beverages by stable isotope dilution mass spectrometry 883(2000)163

Bisphenol A

Preparation of 4,4'-(1-[²H₆]methylene)bis-[2,3,5,6-²H₄]phenol and its application to the measurement of bisphenol A in beverages by stable isotope dilution mass spectrometry 883(2000)163

High-performance liquid chromatography with multi-wavelength detection of the bisphenol A impurities 883(2000)291

Buffer composition

Fast development of separation methods for the chiral analysis of amino acid derivatives using capillary electrophoresis and experimental designs 883(2000)249

Capillary electrophoresis

Free solution mobility of DNA molecules containing variable numbers of cationic phosphoramidate internucleoside linkages 883(2000)267

Carbonyl compounds

Dynamic system for the calibration of semi-volatile carbonyl compounds in air 883(2000)171

Cation-exchange adsorbents

Pore size distributions of cation-exchange adsorbents determined by inverse size-exclusion chromatography 883(2000)39

Ceramides

Retention behaviour of ceramides in sub-critical fluid chromatography in comparison with non-aqueous reversed-phase liquid chromatography 883(2000)211

Computer simulation

Hydrodynamic aspects of slurry packing processes in microcolumn liquid chromatography 883(2000)11

Conductivity detection

Conductivity detection of polymerase chain reaction products separated by micro-reversed-phase liquid chromatography 883(2000)1

Coumarins

Preparative isolation and purification of notopterol and isoimperatorin from *Notopterygium forbesii* boiss (Chinese traditional medicinal herb) by high-speed counter-current chromatography 883(2000)67

Counter-current chromatography

Preparative isolation and purification of notopterol and isoimperatorin from *Notopterygium forbesii* boiss (Chinese traditional medicinal herb) by high-speed counter-current chromatography 883(2000)67

Cyclodextrin stationary phases

Insoluble β -cyclodextrin polymer for capillary gas chromatographic separation of enantiomers and isomers 883(2000)137

Cyclodextrins

Fast development of separation methods for the chiral analysis of amino acid derivatives using capillary electrophoresis and experimental designs 883(2000)249

Deconvolution

Laser-induced dispersed fluorescence detection of polycyclic aromatic compounds in soil extracts separated by capillary electrochromatography 883(2000)231

Derivatization, LC

Determination of neurotoxin 3-*N*-oxalyl-2,3-diaminopropionic acid and non-protein amino acids in *Lathyrus sativus* by precolumn derivatization with 1-fluoro-2,4-dinitrobenzene 883(2000)113

Detection, LC

Conductivity detection of polymerase chain reaction products separated by micro-reversed-phase liquid chromatography 883(2000)1

Dicarboxyethylpyrazines

Validation of a capillary electrophoresis method for determination of 5-aminolevulinic acid and degradation products 883(2000)285

Diffusion tubes

Dynamic system for the calibration of semi-volatile carbonyl compounds in air 883(2000)171

DNA

Conductivity detection of polymerase chain reaction products separated by micro-reversed-phase liquid chromatography 883(2000)1

Free solution mobility of DNA molecules containing variable numbers of cationic phosphoramidate internucleoside linkages 883(2000)267

Enantiomer separation

Insoluble β -cyclodextrin polymer for capillary gas chromatographic separation of enantiomers and isomers 883(2000)137

Fast development of separation methods for the chiral analysis of amino acid derivatives using capillary electrophoresis and experimental designs 883(2000)249

Environmental analysis

Pressurised liquid extraction of polycyclic aromatic hydrocarbons from contaminated soils 883(2000)151

Experimental design

Fast development of separation methods for the chiral analysis of amino acid derivatives using capillary electrophoresis and experimental designs 883(2000)249

Factorial design

Fast development of separation methods for the chiral analysis of amino acid derivatives using capillary electrophoresis and experimental designs 883(2000)249

1-Fluoro-2,4-dinitrobenzene

Determination of neurotoxin 3-*N*-oxalyl-2,3-diaminopropionic acid and non-protein amino acids in *Lathyrus sativus* by precolumn derivatization with 1-fluoro-2,4-dinitrobenzene 883(2000)113

Food analysis

Preparation of 4,4'-(1-[$^2\text{H}_6$]methylene)bis-[2,3,5,6- $^2\text{H}_4$]phenol and its application to the measurement of bisphenol A in beverages by stable isotope dilution mass spectrometry 883(2000)163

Rapid high-performance liquid chromatography method for the analysis of sodium benzoate and potassium sorbate in foods 883(2000)299

Fruit juices

Rapid high-performance liquid chromatography method for the analysis of sodium benzoate and potassium sorbate in foods 883(2000)299

Fullerenes

Fullerenes separation with monomeric type C_{30} stationary phase in high-performance liquid chromatography 883(2000)55

Impurities

High-performance liquid chromatography with multi-wavelength detection of the bisphenol A impurities 883(2000)291

Injection methods

Split-flow injector for capillary zone electrophoresis
883(2000)223

Instrumentation

Conductivity detection of polymerase chain reaction products separated by micro-reversed-phase liquid chromatography
883(2000)1

Investigation of combwax of honeybees with high-temperature gas chromatography and high-temperature gas chromatography–chemical ionization mass spectrometry. II: High-temperature gas chromatography–chemical ionization mass spectrometry
883(2000)75

Split-flow injector for capillary zone electrophoresis
883(2000)223

Interfaces, GC–MS

Investigation of combwax of honeybees with high-temperature gas chromatography and high-temperature gas chromatography–chemical ionization mass spectrometry. II: High-temperature gas chromatography–chemical ionization mass spectrometry
883(2000)75

Inter-laboratory

Quantitative analysis of mutagenic heterocyclic aromatic amines in cooked meat using liquid chromatography–atmospheric pressure chemical ionisation tandem mass spectrometry
883(2000)89

Inverse size-exclusion chromatography

Pore size distributions of cation-exchange adsorbents determined by inverse size-exclusion chromatography 883(2000)39

Ion exchangers

Pore size distributions of cation-exchange adsorbents determined by inverse size-exclusion chromatography 883(2000)39

Isoimperatorin

Preparative isolation and purification of notopterol and isoimperatorin from *Notopterygium forbesii* boiss (Chinese traditional medicinal herb) by high-speed counter-current chromatography 883(2000)67

Laser-induced dispersed fluorescence

Laser-induced dispersed fluorescence detection of polycyclic aromatic compounds in soil extracts separated by capillary electrochromatography 883(2000)231

Lathyrus sativus

Determination of neurotoxin 3-*N*-oxalyl-2,3-diaminopropionic acid and non-protein amino acids in *Lathyrus sativus* by precolumn derivatization with 1-fluoro-2,4-dinitrobenzene
883(2000)113

Lipids

Investigation of combwax of honeybees with high-temperature gas chromatography and high-temperature gas chromatography–chemical ionization mass spectrometry. II: High-temperature gas chromatography–chemical ionization mass spectrometry
883(2000)75

Mass spectrometry

Investigation of combwax of honeybees with high-temperature gas chromatography and high-temperature gas chromatography–chemical ionization mass spectrometry. II: High-temperature gas chromatography–chemical ionization mass spectrometry
883(2000)75

Membranes

Novel use of a dual-zone restricted access sorbent: normal-phase solid-phase extraction separation of methyl oleate from polynuclear aromatic hydrocarbons stemming from semi-permeable membrane devices 883(2000)143

Method development

Fast development of separation methods for the chiral analysis of amino acid derivatives using capillary electrophoresis and experimental designs 883(2000)249

Methylene blue

Sensitive determination of dissolved sulfide in estuarine water by solid-phase extraction and high-performance liquid chromatography of methylene blue 883(2000)305

Methyl oleate

Novel use of a dual-zone restricted access sorbent: normal-phase solid-phase extraction separation of methyl oleate from polynuclear aromatic hydrocarbons stemming from semi-permeable membrane devices 883(2000)143

Microcystins

Isolation and preparative purification of microcystin variants
883(2000)103

Molecular imprinting

Chromatographic characterization of molecularly imprinted polymers binding the herbicide 2,4,5-trichlorophenoxyacetic acid
883(2000)119

Mutagens

Quantitative analysis of mutagenic heterocyclic aromatic amines in cooked meat using liquid chromatography–atmospheric pressure chemical ionisation tandem mass spectrometry
883(2000)89

Nitrophenols

Split-flow injector for capillary zone electrophoresis
883(2000)223

Non-protein amino acids

Determination of neurotoxin 3-*N*-oxalyl-2,3-diaminopropionic acid and non-protein amino acids in *Lathyrus sativus* by precolumn derivatization with 1-fluoro-2,4-dinitrobenzene
883(2000)113

Notoptero

Preparative isolation and purification of notoptero and isoimperatorin from *Notopterygium forbesii* boiss (Chinese traditional medicinal herb) by high-speed counter-current chromatography 883(2000)67

Notopterygium forbesii

Preparative isolation and purification of notoptero and isoimperatorin from *Notopterygium forbesii* boiss (Chinese traditional medicinal herb) by high-speed counter-current chromatography 883(2000)67

Nuclear magnetic resonance spectrometry

New stationary phase for liquid chromatography with chemically bonded pinane ligand: synthesis and characterization by nuclear magnetic resonance and high-performance liquid chromatographic investigations 883(2000)27

Nuclear magnetic resonance spectroscopy

Fullerenes separation with monomeric type C_{30} stationary phase in high-performance liquid chromatography 883(2000)55

3-N-Oxalyl-2,3-diaminopropionic acid

Determination of neurotoxin 3-N-oxalyl-2,3-diaminopropionic acid and non-protein amino acids in *Lathyrus sativus* by precolumn derivatization with 1-fluoro-2,4-dinitrobenzene 883(2000)113

Organophosphorus compounds

Multiple-technique analytical characterization of a mixture containing chemical-weapons simulant from a munition 883(2000)185

Peptides

Isolation and preparative purification of microcystin variants 883(2000)103

Pesticides

Chromatographic characterization of molecularly imprinted polymers binding the herbicide 2,4,5-trichlorophenoxyacetic acid 883(2000)119

Pharmaceutical analysis

Preparative isolation and purification of notoptero and isoimperatorin from *Notopterygium forbesii* boiss (Chinese traditional medicinal herb) by high-speed counter-current chromatography 883(2000)67

Validation of a capillary electrophoresis method for determination of 5-aminolevulinic acid and degradation products 883(2000)285

Phenols

Preparation of 4,4'-(1-[2H_6]methylene)bis-[2,3,5,6- 2H_4]phenol and its application to the measurement of bisphenol A in beverages by stable isotope dilution mass spectrometry 883(2000)163

Phosphoramidates

Free solution mobility of DNA molecules containing variable numbers of cationic phosphoramidate internucleoside linkages 883(2000)267

Pinanes

New stationary phase for liquid chromatography with chemically bonded pinane ligand: synthesis and characterization by nuclear magnetic resonance and high-performance liquid chromatographic investigations 883(2000)27

Plasticizers

Polymer additive analysis by pyrolysis-gas chromatography. I. Plasticizers 883(2000)199

Polymers

Polymer additive analysis by pyrolysis-gas chromatography. I. Plasticizers 883(2000)199

Polynuclear aromatic compounds

Laser-induced dispersed fluorescence detection of polycyclic aromatic compounds in soil extracts separated by capillary electrochromatography 883(2000)231

Polynuclear aromatic hydrocarbons

Novel use of a dual-zone restricted access sorbent: normal-phase solid-phase extraction separation of methyl oleate from polynuclear aromatic hydrocarbons stemming from semi-permeable membrane devices 883(2000)143

Pressurised liquid extraction of polycyclic aromatic hydrocarbons from contaminated soils 883(2000)151

Pore size distribution

Pore size distributions of cation-exchange adsorbents determined by inverse size-exclusion chromatography 883(2000)39

Positional isomers

Insoluble β -cyclodextrin polymer for capillary gas chromatographic separation of enantiomers and isomers 883(2000)137

Potassium sorbate

Rapid high-performance liquid chromatography method for the analysis of sodium benzoate and potassium sorbate in foods 883(2000)299

Preparative chromatography

Isolation and preparative purification of microcystin variants 883(2000)103

Preservatives

Rapid high-performance liquid chromatography method for the analysis of sodium benzoate and potassium sorbate in foods 883(2000)299

Pressurized liquid extraction

Pressurised liquid extraction of polycyclic aromatic hydrocarbons from contaminated soils 883(2000)151

Pyrolysis

Polymer additive analysis by pyrolysis–gas chromatography. I. Plasticizers 883(2000)199

Restricted-access media

Novel use of a dual-zone restricted access sorbent: normal-phase solid-phase extraction separation of methyl oleate from polynuclear aromatic hydrocarbons stemming from semi-permeable membrane devices 883(2000)143

Retention behaviour

Retention behaviour of ceramides in sub-critical fluid chromatography in comparison with non-aqueous reversed-phase liquid chromatography 883(2000)211

Retention chart

Retention behaviour of ceramides in sub-critical fluid chromatography in comparison with non-aqueous reversed-phase liquid chromatography 883(2000)211

Seawater

Improved scheme of chelation ion chromatography with a mixed eluent for the simultaneous analysis of transition metals at $\mu\text{g l}^{-1}$ levels 883(2000)127

Slurry packing

Hydrodynamic aspects of slurry packing processes in microcolumn liquid chromatography 883(2000)11

Sodium benzoate

Rapid high-performance liquid chromatography method for the analysis of sodium benzoate and potassium sorbate in foods 883(2000)299

Soil

Pressurised liquid extraction of polycyclic aromatic hydrocarbons from contaminated soils 883(2000)151

Soil extracts

Laser-induced dispersed fluorescence detection of polycyclic aromatic compounds in soil extracts separated by capillary electrochromatography 883(2000)231

Solid-phase extraction

Quantitative analysis of mutagenic heterocyclic aromatic amines in cooked meat using liquid chromatography–atmospheric pressure chemical ionisation tandem mass spectrometry 883(2000)89

Novel use of a dual-zone restricted access sorbent: normal-phase solid-phase extraction separation of methyl oleate from polynuclear aromatic hydrocarbons stemming from semi-permeable membrane devices 883(2000)143

Solid-state NMR spectroscopy

Fullerenes separation with monomeric type C_{30} stationary phase in high-performance liquid chromatography 883(2000)55

Sorbents

Novel use of a dual-zone restricted access sorbent: normal-phase solid-phase extraction separation of methyl oleate from polynuclear aromatic hydrocarbons stemming from semi-permeable membrane devices 883(2000)143

Split-flow injector

Split-flow injector for capillary zone electrophoresis 883(2000)223

Stable isotope dilution

Preparation of 4,4'-(1-[$^2\text{H}_6$]methylene)bis-[2,3,5,6- $^2\text{H}_4$]phenol and its application to the measurement of bisphenol A in beverages by stable isotope dilution mass spectrometry 883(2000)163

Stationary phases, GC

Insoluble β -cyclodextrin polymer for capillary gas chromatographic separation of enantiomers and isomers 883(2000)137

Stationary phases, LC

Hydrodynamic aspects of slurry packing processes in microcolumn liquid chromatography 883(2000)11

New stationary phase for liquid chromatography with chemically bonded pinane ligand: synthesis and characterization by nuclear magnetic resonance and high-performance liquid chromatographic investigations 883(2000)27

Pore size distributions of cation-exchange adsorbents determined by inverse size-exclusion chromatography 883(2000)39

Fullerenes separation with monomeric type C_{30} stationary phase in high-performance liquid chromatography 883(2000)55

Subcritical fluid chromatography

Retention behaviour of ceramides in sub-critical fluid chromatography in comparison with non-aqueous reversed-phase liquid chromatography 883(2000)211

Sulfide

Sensitive determination of dissolved sulfide in estuarine water by solid-phase extraction and high-performance liquid chromatography of methylene blue 883(2000)305

Tandem mass spectrometry

Quantitative analysis of mutagenic heterocyclic aromatic amines in cooked meat using liquid chromatography–atmospheric pressure chemical ionisation tandem mass spectrometry 883(2000)89

Temperature effects

Fullerenes separation with monomeric type C_{30} stationary phase in high-performance liquid chromatography 883(2000)55

Test atmosphere systems

Dynamic system for the calibration of semi-volatile carbonyl compounds in air 883(2000)171

Toxins

Isolation and preparative purification of microcystin variants
883(2000)103

Transition metals

Improved scheme of chelation ion chromatography with a
mixed eluent for the simultaneous analysis of transition metals
at $\mu\text{g l}^{-1}$ levels 883(2000)127

2,4,5-Trichlorophenoxyacetic acid

Chromatographic characterization of molecularly imprinted
polymers binding the herbicide 2,4,5-trichlorophenoxyacetic acid
883(2000)119

Validation

Validation of a capillary electrophoresis method for
determination of 5-aminolevulinic acid and degradation products
883(2000)285

VX

Multiple-technique analytical characterization of a mixture
containing chemical-weapons simulant from a munition
883(2000)185

Warfare agents

Multiple-technique analytical characterization of a mixture
containing chemical-weapons simulant from a munition
883(2000)185

Water analysis

Determination of sulfonated azo dyes in river water samples by
capillary zone electrophoresis 883(2000)277

Sensitive determination of dissolved sulfide in estuarine water
by solid-phase extraction and high-performance liquid
chromatography of methylene blue 883(2000)305