



ELSEVIER

Journal of Chromatography A, 885 (2000) 467–471

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 885

Air analysis

Application of solid-phase microextraction for determination of organic vapours in gaseous matrices 885(2000)405

Antifouling compounds

Trace determination of antifouling compounds by on-line solid-phase extraction–gas chromatography–mass spectrometry 885(2000)361

Atrazines

Graphitized carbons for solid-phase extraction 885(2000)73

Automation

Automating solid-phase extraction: current aspects and future prospects 885(2000)97

Biological matrices

Solid-phase micro-extraction of drugs from biological matrices 885(2000)445

Breakthrough volume

Contributions of theory to method development in solid-phase extraction 885(2000)17

4-Chloro-3-methylphenol

Trace determination of antifouling compounds by on-line solid-phase extraction–gas chromatography–mass spectrometry 885(2000)361

Combinatorial chemistry

Solid-phase extraction for combinatorial libraries 885(2000)305

Complexation

On-line preconcentration of niobium(V) and tantalum(V) as 4-(2-pyridylazo) resorcinol–citrate ternary complexes in geological samples by ion interaction high-performance liquid chromatography 885(2000)369

Derivatisation

Solid-phase extraction of phenols 885(2000)291

Dichlofluanid

Trace determination of antifouling compounds by on-line solid-phase extraction–gas chromatography–mass spectrometry 885(2000)361

Diuron

Investigation into the effects of temperature and stirring rate on the solid-phase extraction of diuron from water using a C₁₈ extraction disk 885(2000)41

Drugs

Solid-phase micro-extraction of drugs from biological matrices 885(2000)445

Environmental analysis

Fifty years of solid-phase extraction in water analysis – historical development and overview 885(2000)3

Multiresidue methods using solid-phase extraction techniques for monitoring priority pesticides, including triazines and degradation products, in ground and surface waters 885(2000)217

Solid-phase extraction of quaternary ammonium herbicides 885(2000)251

On-line dual-precursor-based trace enrichment for the determination of polar and acidic microcontaminants in river water by liquid chromatography with diode-array UV and tandem mass spectrometric detection 885(2000)377

Application of solid-phase microextraction for determination of organic vapours in gaseous matrices 885(2000)405

Explosives

Application of solid-phase microextraction to the recovery of explosives and ignitable liquid residues from forensic specimens 885(2000)419

Extraction methods

Multiresidue methods using solid-phase extraction techniques for monitoring priority pesticides, including triazines and degradation products, in ground and surface waters 885(2000)217

Solid-phase extraction of quaternary ammonium herbicides 885(2000)251

Role of solid-phase microextraction in the identification of highly volatile pheromones of two Rhinoceros beetles *Scapanes australis* and *Strategus aloeus* (Coleoptera, Scarabaeidae, Dynastinae) 885(2000)433

Food analysis

Solid-phase extraction of quaternary ammonium herbicides 885(2000)251

Forensic analysis

Application of solid-phase microextraction to the recovery of explosives and ignitable liquid residues from forensic specimens 885(2000)419

Geological samples

On-line preconcentration of niobium(V) and tantalum(V) as 4-(2-pyridylazo) resorcinol–citrate ternary complexes in geological samples by ion interaction high-performance liquid chromatography 885(2000)369

Graphitized carbon black

Graphitized carbons for solid-phase extraction 885(2000)73

Headspace analysis

Application of solid-phase microextraction for determination of organic vapours in gaseous matrices 885(2000)405

Role of solid-phase microextraction in the identification of highly volatile pheromones of two Rhinoceros beetles *Scapanes australis* and *Strategus aloeus* (Coleoptera, Scarabaeidae, Dynastinae) 885(2000)433

Ignitable liquids

Application of solid-phase microextraction to the recovery of explosives and ignitable liquid residues from forensic specimens 885(2000)419

Ion-pair solid-phase extraction

Ion-pair solid-phase extraction 885(2000)343

Inorganic cations

On-line preconcentration of niobium(V) and tantalum(V) as 4-(2-pyridylazo) resorcinol–citrate ternary complexes in geological samples by ion interaction high-performance liquid chromatography 885(2000)369

Irgarol 1051

Trace determination of antifouling compounds by on-line solid-phase extraction–gas chromatography–mass spectrometry 885(2000)361

Lipids

Update on solid-phase extraction for the analysis of lipid classes and related compounds 885(2000)321

Matrix effects

Solid-phase extraction of phenols 885(2000)291

Matrix solid-phase dispersion

Matrix solid-phase dispersion 885(2000)115

Metal complexes

On-line preconcentration of niobium(V) and tantalum(V) as 4-(2-pyridylazo) resorcinol–citrate ternary complexes in geological samples by ion interaction high-performance liquid chromatography 885(2000)369

Method development

Contributions of theory to method development in solid-phase extraction 885(2000)17

Multiresidue analysis

Solid-phase extraction for multiresidue analysis of organic contaminants in water 885(2000)195

Naphthalenesulfonates

Solid-phase extraction of polycyclic aromatic compounds 885(2000)273

Niobium

On-line preconcentration of niobium(V) and tantalum(V) as 4-(2-pyridylazo) resorcinol–citrate ternary complexes in geological samples by ion interaction high-performance liquid chromatography 885(2000)369

Organic contaminants

Solid-phase extraction for multiresidue analysis of organic contaminants in water 885(2000)195

Pesticides

Investigation into the effects of temperature and stirring rate on the solid-phase extraction of diuron from water using a C₁₈ extraction disk 885(2000)41

Graphitized carbons for solid-phase extraction 885(2000)73

Multiresidue methods using solid-phase extraction techniques for monitoring priority pesticides, including triazines and degradation products, in ground and surface waters 885(2000)217

Solid-phase extraction of acidic herbicides 885(2000)237

Solid-phase extraction of quaternary ammonium herbicides 885(2000)251

On-line dual-precursor-based trace enrichment for the determination of polar and acidic microcontaminants in river water by liquid chromatography with diode-array UV and tandem mass spectrometric detection 885(2000)377

Solid-phase microextraction in pesticide residue analysis 885(2000)389

Phenols

Solid-phase extraction of phenols 885(2000)291

Pheromones

Role of solid-phase microextraction in the identification of highly volatile pheromones of two Rhinoceros beetles *Scapanes australis* and *Strategus aloeus* (Coleoptera, Scarabaeidae, Dynastinae) 885(2000)433

Plant materials

Solid-phase extraction of quaternary ammonium herbicides 885(2000)251

Polymer-based sorbents

Recent developments in polymer-based sorbents for solid-phase extraction 885(2000)51

Polynuclear aromatic hydrocarbons

Solid-phase extraction of polycyclic aromatic compounds 885(2000)273

Porous graphitic carbon

Graphitized carbons for solid-phase extraction 885(2000)73

Prostaglandins

Solid- and liquid-phase extraction for the gas chromatographic–tandem mass spectrometric quantification of 2,3-dinor-thromboxane B₂ and 2,3-dinor-6-oxo-prostaglandin F_{1α} in human urine 885(2000)351

Quaternary ammonium compounds

Solid-phase extraction of quaternary ammonium herbicides 885(2000)251

Reviews

Fifty years of solid-phase extraction in water analysis – historical development and overview (Review) 885(2000)3

Contributions of theory to method development in solid-phase extraction (Review) 885(2000)17

Matrix solid-phase dispersion (Review) 885(2000)115

Sorbent trapping of volatile organic compounds from air (Review) 885(2000)129

Evolution of solid-phase microextraction technology (Review) 885(2000)153

Recent developments in polymer-based sorbents for solid-phase extraction (Review) 885(2000)51

Graphitized carbons for solid-phase extraction (Review) 885(2000)73

Automating solid-phase extraction: current aspects and future prospects (Review) 885(2000)97

Solid-phase extraction for multiresidue analysis of organic contaminants in water (Review) 885(2000)195

Multiresidue methods using solid-phase extraction techniques for monitoring priority pesticides, including triazines and degradation products, in ground and surface waters (Review) 885(2000)217

Solid-phase extraction of acidic herbicides (Review) 885(2000)237

Solid-phase extraction of quaternary ammonium herbicides (Review) 885(2000)251

Solid-phase extraction of polycyclic aromatic compounds (Review) 885(2000)273

Solid-phase extraction of phenols (Review) 885(2000)291

Update on solid-phase extraction for the analysis of lipid classes and related compounds (Review) 885(2000)321

Solid-phase extraction for combinatorial libraries 885(2000)305

Ion-pair solid-phase extraction (Review) 885(2000)343

Solid-phase microextraction in pesticide residue analysis (Review) 885(2000)389

Application of solid-phase microextraction for determination of organic vapours in gaseous matrices (Review) 885(2000)405

Solid-phase micro-extraction of drugs from biological matrices (Review) 885(2000)445

Sample preparation

On-line preconcentration of niobium(V) and tantalum(V) as 4-(2-pyridylazo) resorcinol–citrate ternary complexes in geological samples by ion interaction high-performance liquid chromatography 885(2000)369

Automating solid-phase extraction: current aspects and future prospects 885(2000)97

Scapanes australis

Role of solid-phase microextraction in the identification of highly volatile pheromones of two Rhinoceros beetles *Scapanes australis* and *Strategus aloeus* (Coleoptera, Scarabaeidae, Dynastinae) 885(2000)433

Soil

Solid-phase extraction of quaternary ammonium herbicides 885(2000)251

Solid-phase extraction

Fifty years of solid-phase extraction in water analysis – historical development and overview 885(2000)3

Contributions of theory to method development in solid-phase extraction 885(2000)17

Investigation into the effects of temperature and stirring rate on the solid-phase extraction of diuron from water using a C₁₈ extraction disk 885(2000)41

Recent developments in polymer-based sorbents for solid-phase extraction 885(2000)51

Graphitized carbons for solid-phase extraction 885(2000)73

Automating solid-phase extraction: current aspects and future prospects 885(2000)97

Matrix solid-phase dispersion 885(2000)115

Solid-phase extraction for multiresidue analysis of organic contaminants in water 885(2000)195

Multiresidue methods using solid-phase extraction techniques for monitoring priority pesticides, including triazines and degradation products, in ground and surface waters 885(2000)217

Solid-phase extraction of acidic herbicides 885(2000)237

Solid-phase extraction of quaternary ammonium herbicides 885(2000)251

Solid-phase extraction of polycyclic aromatic compounds 885(2000)273

Solid-phase extraction of phenols 885(2000)291

Solid-phase extraction for combinatorial libraries 885(2000)305

Update on solid-phase extraction for the analysis of lipid classes and related compounds 885(2000)321

Ion-pair solid-phase extraction 885(2000)343

On-line dual-precursor-based trace enrichment for the determination of polar and acidic microcontaminants in river water by liquid chromatography with diode-array UV and tandem mass spectrometric detection 885(2000)377

Solid-phase microextraction

Evolution of solid-phase microextraction technology 885(2000)153

Solid-phase microextraction in pesticide residue analysis 885(2000)389

Application of solid-phase microextraction for determination of organic vapours in gaseous matrices 885(2000)405

Application of solid-phase microextraction to the recovery of explosives and ignitable liquid residues from forensic specimens 885(2000)419

Role of solid-phase microextraction in the identification of highly volatile pheromones of two Rhinoceros beetles *Scapanes australis* and *Strategus aloeus* (Coleoptera, Scarabaeidae, Dynastinae) 885(2000)433

Solid-phase micro-extraction of drugs from biological matrices 885(2000)445

Sorbents

Solid-phase extraction of phenols 885(2000)291

Sorbent retention

Contributions of theory to method development in solid-phase extraction 885(2000)17

Recent developments in polymer-based sorbents for solid-phase extraction 885(2000)51

Sorbent trapping

Sorbent trapping of volatile organic compounds from air 885(2000)129

Strategus aloeus

Role of solid-phase microextraction in the identification of highly volatile pheromones of two Rhinoceros beetles *Scapanes australis* and *Strategus aloeus* (Coleoptera, Scarabaeidae, Dynastinae) 885(2000)433

Synthesis

Solid-phase extraction for combinatorial libraries 885(2000)305

Tandem mass spectrometry

On-line dual-precursor-based trace enrichment for the determination of polar and acidic microcontaminants in river water by liquid chromatography with diode-array UV and tandem mass spectrometric detection 885(2000)377

Tantalum

On-line preconcentration of niobium(V) and tantalum(V) as 4-(2-pyridylazo)resorcinol-citrate ternary complexes in geological samples by ion interaction high-performance liquid chromatography 885(2000)369

Temperature effects

Investigation into the effects of temperature and stirring rate on the solid-phase extraction of diuron from water using a C₁₈ extraction disk 885(2000)41

Thromboxanes

Solid- and liquid-phase extraction for the gas chromatographic-tandem mass spectrometric quantification of 2,3-dinor-thromboxane B₂ and 2,3-dinor-6-oxo-prostaglandin F_{1α} in human urine 885(2000)351

Trapping

Sorbent trapping of volatile organic compounds from air 885(2000)129

Triazines

Multiresidue methods using solid-phase extraction techniques for monitoring priority pesticides, including triazines and degradation products, in ground and surface waters 885(2000)217

Volatile organic compounds

Sorbent trapping of volatile organic compounds from air 885(2000)129

Application of solid-phase microextraction for determination of organic vapours in gaseous matrices 885(2000)405

Role of solid-phase microextraction in the identification of highly volatile pheromones of two Rhinoceros beetles *Scapanes australis* and *Strategus aloeus* (Coleoptera, Scarabaeidae, Dynastinae) 885(2000)433

Water analysis

Fifty years of solid-phase extraction in water analysis – historical development and overview 885(2000)3

Multiresidue methods using solid-phase extraction techniques for monitoring priority pesticides, including triazines and degradation products, in ground and surface waters 885(2000)217

Solid-phase extraction of quaternary ammonium herbicides 885(2000)251

Solid-phase extraction of polycyclic aromatic compounds 885(2000)273

On-line dual-precursor-based trace enrichment for the determination of polar and acidic microcontaminants in river water by liquid chromatography with diode-array UV and tandem mass spectrometric detection 885(2000)377

Investigation into the effects of temperature and stirring rate on the solid-phase extraction of diuron from water using a C₁₈ extraction disk 885(2000)41