



ELSEVIER

Journal of Chromatography A, 886 (2000) 327–332

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 886

Acetaldehyde

Poly(allylamine) beads as selective sorbent for preconcentration of formaldehyde and acetaldehyde in high-performance liquid chromatographic analysis 886(2000)83

Adsorbents

Effect of surface heterogeneity on adsorption on solid surfaces. Application of inverse gas chromatography in the studies of energetic heterogeneity of adsorbents 886(2000)133

Fullerenes-extracted soot: a new adsorbent for collecting volatile organic compounds in ambient air 886(2000)313

Adsorption isotherms

Effect of surface heterogeneity on adsorption on solid surfaces. Application of inverse gas chromatography in the studies of energetic heterogeneity of adsorbents 886(2000)133

Amines

Combined ion-pair extraction and gas chromatography–mass spectrometry for the simultaneous determination of diamines, polyamines and aromatic amines in Port wine and grape juice 886(2000)183

Aminomethylphosphonic acid

New methods for determination of glyphosate and (aminomethyl)phosphonic acid in water and soil 886(2000)207

Apples

High-speed counter-current chromatography of apple procyanidins 886(2000)65

Archangelica officinalis

Separation of coumarins from *Archangelica officinalis* in high-performance liquid chromatography and thin-layer chromatography systems 886(2000)75

Azadirachta indica

Rapid and sensitive analysis of azadirachtin and related triterpenoids from Neem (*Azadirachta indica*) by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 886(2000)89

Azadirachtin

Rapid and sensitive analysis of azadirachtin and related triterpenoids from Neem (*Azadirachta indica*) by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 886(2000)89

Biochanin A

Quantitative determination of isoflavones and coumestrol in soybean by column liquid chromatography 886(2000)55

Biochemical detection

High-performance liquid chromatography coupled to enzyme-amplified biochemical detection for the analysis of hemoglobin after pre-column biotinylation 886(2000)19

Bisphenol A

Qualitative and quantitative analysis of a thermoset polymer, poly(benzoxazine), by pyrolysis–gas chromatography 886(2000)217

Butylphenol

Qualitative and quantitative analysis of a thermoset polymer, poly(benzoxazine), by pyrolysis–gas chromatography 886(2000)217

3-Butyn-2-one

Characterization of a chemical artifact in the liquid chromatographic determination of 3-butyn-2-one using the 2,4-dinitrophenylhydrazine method 886(2000)303

Carbonyl compounds

Solid-phase microextraction with on-fibre derivatisation applied to the analysis of volatile carbonyl compounds 886(2000)175

Chiral recognition mechanism

Experimental support differentiating two proposed chiral recognition models for the resolution of *N*-(3,5-Dinitrobenzoyl)- α -arylalkylamines on high-performance liquid chromatography chiral stationary phases 886(2000)47

Chiral stationary phases, LC

Experimental support differentiating two proposed chiral recognition models for the resolution of *N*-(3,5-Dinitrobenzoyl)- α -arylalkylamines on high-performance liquid chromatography chiral stationary phases 886(2000)47

Chlorotriazines

Identification of reactive dyes in spent dyebaths and wastewater by capillary electrophoresis–mass spectrometry 886(2000)271

Cornus officinalis

Separation of gallic acid from *Cornus officinalis* Sieb. et Zucc by high-speed counter-current chromatography 886(2000)309

Coumarins

Separation of coumarins from *Archangelica officinalis* in high-performance liquid chromatography and thin-layer chromatography systems 886(2000)75

Coumestrol

Quantitative determination of isoflavones and coumestrol in soybean by column liquid chromatography 886(2000)55

Counter-current chromatography

High-speed counter-current chromatography of apple procyanidins 886(2000)65

Relationship between retention, linear velocity and flow for counter-current chromatography 886(2000)283

Separation of gallic acid from *Cornus officinalis* Sieb. et Zucc by high-speed counter-current chromatography 886(2000)309

Daidzein

Quantitative determination of isoflavones and coumestrol in soybean by column liquid chromatography 886(2000)55

Derivatization, GC

Solid-phase microextraction with on-fibre derivatisation applied to the analysis of volatile carbonyl compounds 886(2000)175

Derivatization, LC

Characterization of a chemical artifact in the liquid chromatographic determination of 3-butyn-2-one using the 2,4-dinitrophenylhydrazine method 886(2000)303

Detection, LC

High-performance liquid chromatography coupled to enzyme-amplified biochemical detection for the analysis of hemoglobin after pre-column biotinylation 886(2000)19

Deuterium exchange

Selective deuterium exchange during superheated heavy water chromatography–nuclear magnetic resonance spectroscopy–mass spectrometry of sulfonamides 886(2000)289

***N*-(3,5-Dinitrobenzoyl)- α -arylalkylamines**

Experimental support differentiating two proposed chiral recognition models for the resolution of *N*-(3,5-Dinitrobenzoyl)- α -arylalkylamines on high-performance liquid chromatography chiral stationary phases 886(2000)47

2,4-Dinitrophenylhydrazine

Characterization of a chemical artifact in the liquid chromatographic determination of 3-butyn-2-one using the 2,4-dinitrophenylhydrazine method 886(2000)303

DNA

Mobile-phase-viscosity dependence on DNA separation in slalom chromatography 886(2000)1

Dyes

Analysis of anionic metallized azo and formazan dyes by capillary electrophoresis–mass spectrometry 886(2000)259

Identification of reactive dyes in spent dyebaths and wastewater by capillary electrophoresis–mass spectrometry 886(2000)271

Environmental analysis

Validation of an analytical procedure for polychlorinated biphenyls, coplanar polychlorinated biphenyls and polycyclic aromatic hydrocarbons in environmental samples 886(2000)153

New methods for determination of glyphosate and (aminomethyl)phosphonic acid in water and soil 886(2000)207

Static subcritical water extraction with simultaneous solid-phase extraction for determining polycyclic aromatic hydrocarbons on environmental solids 886(2000)237

Identification of reactive dyes in spent dyebaths and wastewater by capillary electrophoresis–mass spectrometry 886(2000)271

Enzyme-amplified biochemical detection

High-performance liquid chromatography coupled to enzyme-amplified biochemical detection for the analysis of hemoglobin after pre-column biotinylation 886(2000)19

Fish

Validation of an analytical procedure for polychlorinated biphenyls, coplanar polychlorinated biphenyls and polycyclic aromatic hydrocarbons in environmental samples 886(2000)153

Flame retardants

Polymer additive analysis by pyrolysis–gas chromatography. II. Flame retardants 886(2000)225

Flash chromatography

On-column refractive index detector for flash chromatography 886(2000)9

Flavonoids

High-speed counter-current chromatography of apple procyanidins 886(2000)65

Flow rate

Relationship between retention, linear velocity and flow for counter-current chromatography 886(2000)283

Flufenacet

Analysis of flufenacet in soil, wheat grain and straw by gas chromatography 886(2000)319

Food analysis

High-speed counter-current chromatography of apple procyanidins 886(2000)65

Solid-phase microextraction with on-fibre derivatisation applied to the analysis of volatile carbonyl compounds 886(2000)175

Combined ion-pair extraction and gas chromatography–mass spectrometry for the simultaneous determination of diamines, polyamines and aromatic amines in Port wine and grape juice 886(2000)183

Formaldehyde

Poly(allylamine) beads as selective sorbent for preconcentration of formaldehyde and acetaldehyde in high-performance liquid chromatographic analysis 886(2000)83

Formononetin

Quantitative determination of isoflavones and coumestrol in soybean by column liquid chromatography 886(2000)55

Fruit juices

Combined ion-pair extraction and gas chromatography–mass spectrometry for the simultaneous determination of diamines, polyamines and aromatic amines in Port wine and grape juice 886(2000)183

Fullerenes-extracted soot

Fullerenes-extracted soot: a new adsorbent for collecting volatile organic compounds in ambient air 886(2000)313

Gallic acid

Separation of gallic acid from *Cornus officinalis* Sieb. et Zucc by high-speed counter-current chromatography 886(2000)309

Genistein

Quantitative determination of isoflavones and coumestrol in soybean by column liquid chromatography 886(2000)55

Glyphosate

New methods for determination of glyphosate and (aminomethyl)phosphonic acid in water and soil 886(2000)207

Grignard pentylation

Direct Grignard pentylation of organotin-contaminated lard samples followed by capillary gas chromatography with flame photometric detection 886(2000)197

Hemoglobins

High-performance liquid chromatography coupled to enzyme-amplified biochemical detection for the analysis of hemoglobin after pre-column biotinylation 886(2000)19

Hexadecylsulfonate

Low-capacity cation-exchange chromatography of ultraviolet-absorbing urinary basic metabolites using a reversed-phase column coated with hexadecylsulfonate 886(2000)297

Instrumentation

Protein identification platform utilizing micro dispensing technology interfaced to matrix-assisted laser desorption ionization time-of-flight mass spectrometry 886(2000)99

Interfaces, LC–MS

Protein identification platform utilizing micro dispensing technology interfaced to matrix-assisted laser desorption ionization time-of-flight mass spectrometry 886(2000)99

Inverse gas chromatography

Effect of surface heterogeneity on adsorption on solid surfaces. Application of inverse gas chromatography in the studies of energetic heterogeneity of adsorbents 886(2000)133

Ion-pairing reagents

Combined ion-pair extraction and gas chromatography–mass spectrometry for the simultaneous determination of diamines, polyamines and aromatic amines in Port wine and grape juice 886(2000)183

Isoflavones

Quantitative determination of isoflavones and coumestrol in soybean by column liquid chromatography 886(2000)55

Lard

Direct Grignard pentylation of organotin-contaminated lard samples followed by capillary gas chromatography with flame photometric detection 886(2000)197

Light-harvesting complex

Resolution and identification of the protein components of the photosystem II antenna system of higher plants by reversed-phase liquid chromatography with electrospray-mass spectrometric detection 886(2000)111

Linear solvation energy relationships

Statistical evaluation of linear solvation energy relationship models used to characterize chemical selectivity in micellar electrokinetic chromatography 886(2000)245

Linear velocity

Relationship between retention, linear velocity and flow for counter-current chromatography 886(2000)283

Mass spectrometry

Selective deuterium exchange during superheated heavy water chromatography–nuclear magnetic resonance spectroscopy–mass spectrometry of sulfonamides 886(2000)289

Matrix-assisted laser desorption ionization mass spectrometry

Protein identification platform utilizing micro dispensing technology interfaced to matrix-assisted laser desorption ionization time-of-flight mass spectrometry 886(2000)99

Metal complexes

Analysis of anionic metallized azo and formazan dyes by capillary electrophoresis–mass spectrometry 886(2000)259

3-Methyl-1-(2',4'-dinitrophenyl)pyrazol

Characterization of a chemical artifact in the liquid chromatographic determination of 3-buten-2-one using the 2,4-dinitrophenylhydrazine method 886(2000)303

Micellar electrokinetic chromatography

Statistical evaluation of linear solvation energy relationship models used to characterize chemical selectivity in micellar electrokinetic chromatography 886(2000)245

Mobile phase composition

Interpretive optimisation strategy applied to the isocratic separation of phenols by reversed-phase liquid chromatography with acetonitrile–water and methanol–water mobile phases 886(2000)31

Neem

Rapid and sensitive analysis of azadirachtin and related triterpenoids from Neem (*Azadirachta indica*) by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 886(2000)89

Nuclear magnetic resonance spectroscopy

Selective deuterium exchange during superheated heavy water chromatography–nuclear magnetic resonance spectroscopy–mass spectrometry of sulfonamides 886(2000)289

Optimization

Interpretive optimisation strategy applied to the isocratic separation of phenols by reversed-phase liquid chromatography with acetonitrile–water and methanol–water mobile phases 886(2000)31

Organic cations

Low-capacity cation-exchange chromatography of ultraviolet-absorbing urinary basic metabolites using a reversed-phase column coated with hexadecylsulfonate 886(2000)297

Organochlorine compounds

Liquid chromatographic profiles of individual compounds of technical toxaphene 886(2000)123

Organotin compounds

Direct Grignard pentylation of organotin-contaminated lard samples followed by capillary gas chromatography with flame photometric detection 886(2000)197

Peak purity

Interpretive optimisation strategy applied to the isocratic separation of phenols by reversed-phase liquid chromatography with acetonitrile–water and methanol–water mobile phases 886(2000)31

Pesticides

Liquid chromatographic profiles of individual compounds of technical toxaphene 886(2000)123

New methods for determination of glyphosate and (aminomethyl)phosphonic acid in water and soil 886(2000)207

Analysis of flufenacet in soil, wheat grain and straw by gas chromatography 886(2000)319

Phenols

Interpretive optimisation strategy applied to the isocratic separation of phenols by reversed-phase liquid chromatography with acetonitrile–water and methanol–water mobile phases 886(2000)31

Qualitative and quantitative analysis of a thermoset polymer, poly(benzoxazine), by pyrolysis–gas chromatography 886(2000)217

Phosphonic acids

New methods for determination of glyphosate and (aminomethyl)phosphonic acid in water and soil 886(2000)207

Photosystem II

Resolution and identification of the protein components of the photosystem II antenna system of higher plants by reversed-phase liquid chromatography with electrospray-mass spectrometric detection 886(2000)111

Poly(allylamine)

Poly(allylamine) beads as selective sorbent for preconcentration of formaldehyde and acetaldehyde in high-performance liquid chromatographic analysis 886(2000)83

Poly(benzoxazine)

Qualitative and quantitative analysis of a thermoset polymer, poly(benzoxazine), by pyrolysis–gas chromatography 886(2000)217

Polychlorinated biphenyls

Liquid chromatographic profiles of individual compounds of technical toxaphene 886(2000)123

Validation of an analytical procedure for polychlorinated biphenyls, coplanar polychlorinated biphenyls and polycyclic aromatic hydrocarbons in environmental samples 886(2000)153

Polymers

Qualitative and quantitative analysis of a thermoset polymer, poly(benzoxazine), by pyrolysis–gas chromatography 886(2000)217

Polymer additive analysis by pyrolysis–gas chromatography. II. Flame retardants 886(2000)225

Polynuclear aromatic hydrocarbons

Validation of an analytical procedure for polychlorinated biphenyls, coplanar polychlorinated biphenyls and polycyclic aromatic hydrocarbons in environmental samples 886(2000)153

Static subcritical water extraction with simultaneous solid-phase extraction for determining polycyclic aromatic hydrocarbons on environmental solids 886(2000)237

Polyphenols

High-speed counter-current chromatography of apple procyanidins 886(2000)65

Preconcentration

Poly(allylamine) beads as selective sorbent for preconcentration of formaldehyde and acetaldehyde in high-performance liquid chromatographic analysis 886(2000)83

Procyanidins

High-speed counter-current chromatography of apple procyanidins 886(2000)65

Proteins

High-performance liquid chromatography coupled to enzyme-amplified biochemical detection for the analysis of hemoglobin after pre-column biotinylation 886(2000)19

Protein identification platform utilizing micro dispensing technology interfaced to matrix-assisted laser desorption ionization time-of-flight mass spectrometry 886(2000)99

Resolution and identification of the protein components of the photosystem II antenna system of higher plants by reversed-phase liquid chromatography with electrospray-mass spectrometric detection 886(2000)111

Pyrolysis

Qualitative and quantitative analysis of a thermoset polymer, poly(benzoxazine), by pyrolysis-gas chromatography 886(2000)217

Polymer additive analysis by pyrolysis-gas chromatography. II. Flame retardants 886(2000)225

Refractive index detection

On-column refractive index detector for flash chromatography 886(2000)9

Retention

Relationship between retention, linear velocity and flow for counter-current chromatography 886(2000)283

Reviews

Effect of surface heterogeneity on adsorption on solid surfaces. Application of inverse gas chromatography in the studies of energetic heterogeneity of adsorbents (Review) 886(2000)133

Sediment

Validation of an analytical procedure for polychlorinated biphenyls, coplanar polychlorinated biphenyls and polycyclic aromatic hydrocarbons in environmental samples 886(2000)153

Slalom chromatography

Mobile-phase-viscosity dependence on DNA separation in slalom chromatography 886(2000)1

Soil

New methods for determination of glyphosate and (aminomethyl)phosphonic acid in water and soil 886(2000)207

Analysis of flufenacet in soil, wheat grain and straw by gas chromatography 886(2000)319

Solid phase extraction

Static subcritical water extraction with simultaneous solid-phase extraction for determining polycyclic aromatic hydrocarbons on environmental solids 886(2000)237

Soybean

Quantitative determination of isoflavones and coumestrol in soybean by column liquid chromatography 886(2000)55

Stationary phases, LC

Low-capacity cation-exchange chromatography of ultraviolet-absorbing urinary basic metabolites using a reversed-phase column coated with hexadecylsulfonate 886(2000)297

Statistical analysis

Statistical evaluation of linear solvation energy relationship models used to characterize chemical selectivity in micellar electrokinetic chromatography 886(2000)245

Subcritical water extraction

Static subcritical water extraction with simultaneous solid-phase extraction for determining polycyclic aromatic hydrocarbons on environmental solids 886(2000)237

Sulfonamides

Selective deuterium exchange during superheated heavy water chromatography-nuclear magnetic resonance spectroscopy-mass spectrometry of sulfonamides 886(2000)289

Superheated water chromatography

Selective deuterium exchange during superheated heavy water chromatography-nuclear magnetic resonance spectroscopy-mass spectrometry of sulfonamides 886(2000)289

Surface heterogeneity

Effect of surface heterogeneity on adsorption on solid surfaces. Application of inverse gas chromatography in the studies of energetic heterogeneity of adsorbents 886(2000)133

Surfactants

Statistical evaluation of linear solvation energy relationship models used to characterize chemical selectivity in micellar electrokinetic chromatography 886(2000)245

Tannins

High-speed counter-current chromatography of apple procyanidins 886(2000)65

Toxaphene

Liquid chromatographic profiles of individual compounds of technical toxaphene 886(2000)123

Triazines

Identification of reactive dyes in spent dyebaths and wastewater by capillary electrophoresis–mass spectrometry 886(2000)271

Triterpenoids

Rapid and sensitive analysis of azadirachtin and related triterpenoids from Neem (*Azadirachta indica*) by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 886(2000)89

Validation

Validation of an analytical procedure for polychlorinated biphenyls, coplanar polychlorinated biphenyls and polycyclic aromatic hydrocarbons in environmental samples 886(2000)153

Vegetable oils

Solid-phase microextraction with on-fibre derivatisation applied to the analysis of volatile carbonyl compounds 886(2000)175

Vinylsulfones

Identification of reactive dyes in spent dyebaths and wastewater by capillary electrophoresis–mass spectrometry 886(2000)271

Viscosity

Mobile-phase-viscosity dependence on DNA separation in slalom chromatography 886(2000)1

Volatile organic compounds

Fullerenes-extracted soot: a new adsorbent for collecting volatile organic compounds in ambient air 886(2000)313

Water analysis

New methods for determination of glyphosate and (aminomethyl)phosphonic acid in water and soil 886(2000)207

Identification of reactive dyes in spent dyebaths and wastewater by capillary electrophoresis–mass spectrometry 886(2000)271

Wine

Combined ion-pair extraction and gas chromatography–mass spectrometry for the simultaneous determination of diamines, polyamines and aromatic amines in Port wine and grape juice 886(2000)183