



ELSEVIER

Journal of Chromatography A, 887 (2000) 505–507

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Author Index Vol. 887

- Adam, T., Unger, K.K., Dittmann, M.M. and Rozing, G.P.
Towards the column bed stabilization of columns in
capillary electroendosmotic chromatography. Immobilization
of microparticulate silica columns to a continuous bed
887(2000)327
- Adam, Th., see Luedtke, S. 887(2000)339
- Angus, P.D.A., Demarest, C.W., Catalano, T. and Stobaugh, J.F.
Aspects of column fabrication for packed capillary
electrochromatography 887(2000)347
- Apffel, A., see Choudhary, G. 887(2000)85
- Baker, A.G., see Que, A.H. 887(2000)379
- Bartle, K.D., see Roulin, S. 887(2000)307
- Bayer, E., see Rapp, E. 887(2000)367
- Blaschke, G., see Girod, M. 887(2000)439
- Blaschke, G., see Strickmann, D.B. 887(2000)393
- Boughtflower, R.J., Paterson, C.J. and Knox, J.H.
Control of dispersion in capillary electrochromatography
coupled to UV and mass spectrometric detection
887(2000)409
- Carney, R., see Roulin, S. 887(2000)307
- Catabay, A.P., see Jinno, K. 887(2000)479
- Catalano, T., see Angus, P.D.A. 887(2000)347
- Chankvetadze, B., see Girod, M. 887(2000)439
- Chankvetadze, B., see Strickmann, D.B. 887(2000)393
- Choudhary, G., Apffel, A., Yin, H. and Hancock, W.
Use of on-line mass spectrometric detection in capillary
electrochromatography 887(2000)85
- Colón, L.A., Maloney, T.D. and Fermier, A.M.
Packing columns for capillary electrochromatography
887(2000)43
- Constantin, S. and Freitag, R.
Preparation of stationary phases for open-tubular capillary
electrochromatography using the sol-gel method
887(2000)253
- Demarest, C.W., see Angus, P.D.A. 887(2000)347
- Desiderio, C., Ossicini, L. and Fanali, S.
Analysis of hydroquinone and some of its ethers by using
capillary electrochromatography 887(2000)489
- Desiderio, C., see Strickmann, D.B. 887(2000)393
- Ding, J. and Vouros, P.
Capillary electrochromatography-mass spectrometry for the
separation and identification of isomeric polyaromatic
hydrocarbon DNA adducts derived from in vitro reactions
887(2000)103
- Dittmann, M.M., see Adam, T. 887(2000)327
- Dittmann, M.M., Masuch, K. and Rozing, G.P.
Separation of basic solutes by reversed-phase capillary
electrochromatography 887(2000)209
- Djordjevic, N.M., Fitzpatrick, F., Houdiere, F., Lerch, G. and
Rozing, G.
High temperature and temperature programming in
capillary electrochromatography 887(2000)245
- Dmoch, R., see Roulin, S. 887(2000)307
- Dorsey, J.G., see Rimmer, C.A. 887(2000)115
- El Rassi, Z., see Zhang, M. 887(2000)287
- Euerby, M.R., see Roulin, S. 887(2000)307
- Fanali, S., see Desiderio, C. 887(2000)489
- Fanali, S., see Strickmann, D.B. 887(2000)393
- Fermier, A.M., see Colón, L.A. 887(2000)43
- Fitzpatrick, F., see Djordjevic, N.M. 887(2000)245
- Fréchet, J.M.J., see Svec, F. 887(2000)3
- Freitag, R., see Constantin, S. 887(2000)253
- Girod, M., Chankvetadze, B. and Blaschke, G.
Enantioseparations in non-aqueous capillary
electrochromatography using polysaccharide type chiral
stationary phases 887(2000)439
- Haji Sabli, N.B., see Jinno, K. 887(2000)479
- Hancock, W., see Choudhary, G. 887(2000)85
- Hearn, M.T.W., see Walhagen, K. 887(2000)165
- Henry, M.P., see Ratnayake, C.K. 887(2000)277
- Horváth, Cs., see Zhang, S. 887(2000)465
- Horváth, Cs., Foreword 887(2000)1
- Hosoya, K., see Tanigawa, T. 887(2000)299
- Houdiere, F., see Djordjevic, N.M. 887(2000)245
- Huang, X., see Zhang, S. 887(2000)465
- Jinno, K., Sawada, H., Catabay, A.P., Watanabe, H., Haji Sabli,
N.B., Pesek, J.J. and Matyska, M.T.
Comparison of separation behavior of benzodiazepines in
packed capillary electrochromatography and open-tubular
capillary electrochromatography 887(2000)479
- Johnson, C., see Roulin, S. 887(2000)307
- Kimata, K., see Tanigawa, T. 887(2000)299
- Knox, J.H., see Boughtflower, R.J. 887(2000)409
- Kok, W.Th., see Stol, R. 887(2000)199
- Krull, I.S., Sebag, A. and Stevenson, R.
Specific applications of capillary electrochromatography to
biopolymers, including proteins, nucleic acids, peptide
mapping, antibodies, and so forth 887(2000)137

- Lämmerhofer, M., Tobler, E. and Lindner, W.
Chiral anion exchangers applied to capillary electrochromatography enantioseparation of oppositely charged chiral analytes: investigation of stationary and mobile phase parameters 887(2000)421
- Lee, M.L., see Tang, Q. 887(2000)265
- Lerch, G., see Djordjevic, N.M. 887(2000)245
- Lindner, W., see Lämmerhofer, M. 887(2000)421
- Liu, Z., see Ye, M. 887(2000)223
- Luedtke, S., Adam, Th., von Doehren, N. and Unger, K.K.
Towards the ultimate minimum particle diameter of silica packings in capillary electrochromatography 887(2000)339
- Maloney, T.D., see Colón, L.A. 887(2000)43
- Masuch, K., see Dittmann, M.M. 887(2000)209
- Matyska, M.T., see Jinno, K. 887(2000)479
- Matyska, M.T., see Pesek, J.J. 887(2000)31
- Matyska, M.T., Pesek, J.J. and Yang, L.
Screening method for determining the presence of N-nitrosodiethanolamine in cosmetics by open-tubular capillary electrochromatography 887(2000)497
- Mikami, C., see Otsuka, K. 887(2000)457
- Myers, P., see Roulin, S. 887(2000)307
- Nagayama, H., see Tanigawa, T. 887(2000)299
- Nakagawa, T., see Tanigawa, T. 887(2000)299
- Ni, J., see Ye, M. 887(2000)223
- Novotny, M.V., see Que, A.H. 887(2000)379
- Oh, C.S., see Ratnayake, C.K. 887(2000)277
- Ossicini, L., see Desiderio, C. 887(2000)489
- Ostrander, G.K., see Zhang, M. 887(2000)287
- Otsuka, K., Mikami, C. and Terabe, S.
Enantiomer separations by capillary electrochromatography using chiral stationary phases 887(2000)457
- Palm, A., see Que, A.H. 887(2000)379
- Paterson, C.J., see Boughtflower, R.J. 887(2000)409
- Pesek, J.J., see Jinno, K. 887(2000)479
- Pesek, J.J. and Matyska, M.T.
Open tubular capillary electrokinetic chromatography in etched fused-silica tubes 887(2000)31
- Pesek, J.J., see Matyska, M.T. 887(2000)497
- Peters, E.C., see Svec, F. 887(2000)3
- Piraino, S.M., see Rimmer, C.A. 887(2000)115
- Poppe, H., see Stol, R. 887(2000)199
- Pursch, M. and Sander, L.C.
Stationary phases for capillary electrochromatography 887(2000)313
- Que, A.H., Palm, A., Baker, A.G. and Novotny, M.V.
Steroid profiles determined by capillary electrochromatography, laser-induced fluorescence detection and electrospray-mass spectrometry 887(2000)379
- Rapp, E. and Bayer, E.
Improved column preparation and performance in capillary electrochromatography 887(2000)367
- Ratnayake, C.K., Oh, C.S. and Henry, M.P.
Characteristics of particle-loaded monolithic sol-gel columns for capillary electrochromatography. I. Structural, electrical and band-broadening properties 887(2000)277
- Remcho, V.T., see Vallano, P.T. 887(2000)125
- Rimmer, C.A., Piraino, S.M. and Dorsey, J.G.
Gradient elution techniques for capillary electrochromatography 887(2000)115
- Roulin, S., Dmoch, R., Carney, R., Bartle, K.D., Myers, P., Euerby, M.R. and Johnson, C.
Comparison of different packing methods for capillary electrochromatography columns 887(2000)307
- Roizing, G., see Djordjevic, N.M. 887(2000)245
- Roizing, G.P., see Adam, T. 887(2000)327
- Roizing, G.P., see Dittmann, M.M. 887(2000)209
- Sander, L.C., see Pursch, M. 887(2000)313
- Sawada, H., see Jinno, K. 887(2000)479
- Scherer, B., see Steiner, F. 887(2000)55
- Sebag, A., see Krull, I.S. 887(2000)137
- Smith, N.W.
Comparison of aqueous and non-aqueous capillary electrochromatography for the separation of basic solutes 887(2000)233
- Ståhlberg, J.
Theory for migration of ions in capillary electrochromatography 887(2000)187
- Steiner, F. and Scherer, B.
Instrumentation for capillary electrochromatography 887(2000)55
- Stevenson, R., see Krull, I.S. 887(2000)137
- Stobaugh, J.F., see Angus, P.D.A. 887(2000)347
- Stol, R., Poppe, H. and Kok, W.Th.
Modelling of the pore flow in capillary electrochromatography 887(2000)199
- Strickmann, D.B., Chankvetadze, B., Blaschke, G., Desiderio, C. and Fanali, S.
Separation and identification of etodolac and its urinary phase I metabolites using capillary electrochromatography and on-line capillary electrochromatography-electrospray ionisation mass spectrometry coupling 887(2000)393
- Svec, F., Peters, E.C., Sýkora, D. and Fréchet, J.M.J.
Design of the monolithic polymers used in capillary electrochromatography columns 887(2000)3
- Sýkora, D., see Svec, F. 887(2000)3
- Tanaka, N., see Tanigawa, T. 887(2000)299
- Tang, Q. and Lee, M.L.
Capillary electrochromatography using continuous-bed columns of sol-gel bonded silica particles with mixed-mode octadecyl and propylsulfonic acid functional groups 887(2000)265
- Tanigawa, T., Nakagawa, T., Kimata, K., Nagayama, H., Hosoya, K. and Tanaka, N.
Stationary phase structures enhancing electroosmotic flow in capillary electrochromatography 887(2000)299
- Terabe, S., see Otsuka, K. 887(2000)457
- Tobler, E., see Lämmerhofer, M. 887(2000)421
- Unger, K.K., see Adam, T. 887(2000)327
- Unger, K.K., see Luedtke, S. 887(2000)339
- Unger, K.K., see Walhagen, K. 887(2000)165
- Vallano, P.T. and Remcho, V.T.
Highly selective separations by capillary electrochromatography: molecular imprint polymer sorbents 887(2000)125
- Von Doehren, N., see Luedtke, S. 887(2000)339
- Vouros, P., see Ding, J. 887(2000)103
- Walhagen, K., Unger, K.K. and Hearn, M.T.W.
Capillary electroosmotic chromatography of peptides 887(2000)165

- Watanabe, H., see Jinno, K. 887(2000)479
- Yang, L., see Matyska, M.T. 887(2000)497
- Ye, M., Zou, H., Liu, Z. and Ni, J.
Separation of acidic compounds by strong anion-exchange
capillary electrochromatography 887(2000)223
- Yin, H., see Choudhary, G. 887(2000)85
- Zhang, J., see Zhang, S. 887(2000)465
- Zhang, M., Ostrander, G.K. and El Rassi, Z.
Capillary electrochromatography with novel stationary
phases. IV. Retention behavior of glycosphingolipids on
porous and non-porous octadecyl sulfonated silica
887(2000)287
- Zhang, S., Huang, X., Zhang, J. and Horváth, Cs.
Capillary electrochromatography of proteins and peptides
with a cationic acrylic monolith 887(2000)465
- Zou, H., see Ye, M. 887(2000)223