



ELSEVIER

Journal of Chromatography A, 887 (2000) 509–513

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 887

Band broadcasting

Characteristics of particle-loaded monolithic sol–gel columns for capillary electrochromatography. I. Structural, electrical and band-broadening properties 887(2000)277

Band spreading

Control of dispersion in capillary electrochromatography coupled to UV and mass spectrometric detection 887(2000)409

Basic solutes

Separation of basic solutes by reversed-phase capillary electrochromatography 887(2000)209

Benzodiazepines

Comparison of separation behavior of benzodiazepines in packed capillary electrochromatography and open-tubular capillary electrochromatography 887(2000)479

Benzoic acids

Separation of acidic compounds by strong anion-exchange capillary electrochromatography 887(2000)223

Capillary electrochromatography

Improved column preparation and performance in capillary electrochromatography 887(2000)367

Carbohydrates

Specific applications of capillary electrochromatography to biopolymers, including proteins, nucleic acids, peptide mapping, antibodies, and so forth (Review) 887(2000)137

Chemical modification

Open tubular capillary electrokinetic chromatography in etched fused-silica tubes (Review) 887(2000)31

Chiral stationary phases, CEC

Chiral anion exchangers applied to capillary electrochromatography enantioseparation of oppositely charged chiral analytes: investigation of stationary and mobile phase parameters 887(2000)421

Enantioseparations in non-aqueous capillary electrochromatography using polysaccharide type chiral stationary phases 887(2000)439

Enantiomer separations by capillary electrochromatography using chiral stationary phases 887(2000)457

Column design

Improved column preparation and performance in capillary electrochromatography 887(2000)367

Column fabrication

Aspects of column fabrication for packed capillary electrochromatography 887(2000)347

Column packing

Comparison of different packing methods for capillary electrochromatography columns 887(2000)307

Cosmetics

Screening method for determining the presence of N-nitrosodiethanolamine in cosmetics by open-tubular capillary electrochromatography (Review) 887(2000)497

Detection, CEC

Use of on-line mass spectrometric detection in capillary electrochromatography 887(2000)85

Control of dispersion in capillary electrochromatography coupled to UV and mass spectrometric detection 887(2000)409

Dispersion

Control of dispersion in capillary electrochromatography coupled to UV and mass spectrometric detection 887(2000)409

DNA adducts

Capillary electrochromatography–mass spectrometry for the separation and identification of isomeric polyaromatic hydrocarbon dna adducts derived from in vitro reactions 887(2000)103

Electrochromatography

Design of the monolithic polymers used in capillary electrochromatography columns (Review) 887(2000)3

Packing columns for capillary electrochromatography (Review) 887(2000)43

Instrumentation for capillary electrochromatography (Review) 887(2000)55

- Use of on-line mass spectrometric detection in capillary electrochromatography (Review) 887(2000)85
- Capillary electrochromatography–mass spectrometry for the separation and identification of isomeric polyaromatic hydrocarbon DNA adducts derived from in vitro reactions (Review) 887(2000)103
- Gradient elution techniques for capillary electrochromatography (Review) 887(2000)115
- Specific applications of capillary electrochromatography to biopolymers, including proteins, nucleic acids, peptide mapping, antibodies, and so forth (Review) 887(2000)137
- Capillary electroosmotic chromatography of peptides 887(2000)165
- Theory for migration of ions in capillary electrochromatography 887(2000)187
- Modelling of the pore flow in capillary electrochromatography 887(2000)199
- Separation of basic solutes by reversed-phase capillary electrochromatography 887(2000)209
- Separation of acidic compounds by strong anion-exchange capillary electrochromatography 887(2000)223
- Comparison of aqueous and non-aqueous capillary electrochromatography for the separation of basic solutes 887(2000)233
- High temperature and temperature programming in capillary electrochromatography 887(2000)245
- Preparation of stationary phases for open-tubular capillary electrochromatography using the sol–gel method 887(2000)253
- Capillary electrochromatography using continuous-bed columns of sol–gel bonded silica particles with mixed-mode octadecyl and propylsulfonic acid functional groups 887(2000)265
- Characteristics of particle-loaded monolithic sol–gel columns for capillary electrochromatography. I. Structural, electrical and band-broadening properties 887(2000)277
- Capillary electrochromatography with novel stationary phases. IV. Retention behavior of glycosphingolipids on porous and non-porous octadecyl sulfonated silica 887(2000)287
- Stationary phase structures enhancing electroosmotic flow in capillary electrochromatography 887(2000)299
- Comparison of different packing methods for capillary electrochromatography columns 887(2000)307
- Stationary phases for capillary electrochromatography (Review) 887(2000)313
- Towards the column bed stabilization of columns in capillary electroosmotic chromatography. Immobilization of microparticulate silica columns to a continuous bed 887(2000)327
- Towards the ultimate minimum particle diameter of silica packings in capillary electrochromatography 887(2000)339
- Aspects of column fabrication for packed capillary electrochromatography 887(2000)347
- Steroid profiles determined by capillary electrochromatography, laser-induced fluorescence detection and electrospray–mass spectrometry 887(2000)379
- Separation and identification of etodolac and its urinary phase I metabolites using capillary electrochromatography and on-line capillary electrochromatography–electrospray ionisation mass spectrometry coupling 887(2000)393
- Chiral anion exchangers applied to capillary electrochromatography enantioseparation of oppositely charged chiral analytes: investigation of stationary and mobile phase parameters 887(2000)421
- Capillary electrochromatography of proteins and peptides with a cationic acrylic monolith 887(2000)465
- Analysis of hydroquinone and some of its ethers by using capillary electrochromatography 887(2000)489
- Screening method for determining the presence of N-nitrosodiethanolamine in cosmetics by open-tubular capillary electrochromatography 887(2000)497
- Electroosmotic flow**
Stationary phase structures enhancing electroosmotic flow in capillary electrochromatography 887(2000)299
- Comparison of different packing methods for capillary electrochromatography columns 887(2000)307
- Capillary electrochromatography of proteins and peptides with a cationic acrylic monolith 887(2000)465
- Enantiomer separation**
Chiral anion exchangers applied to capillary electrochromatography enantioseparation of oppositely charged chiral analytes: investigation of stationary and mobile phase parameters 887(2000)421

Enantiomer separations by capillary electrochromatography using chiral stationary phases 887(2000)457

Enantiomer separations

Enantioseparations in non-aqueous capillary electrochromatography using polysaccharide type chiral stationary phases 887(2000)439

Etched capillaries

Open tubular capillary electrokinetic chromatography in etched fused-silica tubes (Review) 887(2000)31

Etodolac

Separation and identification of etodolac and its urinary phase I metabolites using capillary electrochromatography and on-line capillary electrochromatography–electrospray ionisation mass spectrometry coupling 887(2000)393

Fritless packed capillaries

Improved column preparation and performance in capillary electrochromatography 887(2000)367

Glycosphingolipids

Capillary electrochromatography with novel stationary phases. IV. Retention behavior of glycosphingolipids on porous and non-porous octadecyl sulfonated silica 887(2000)287

Gradient elution

Gradient elution techniques for capillary electrochromatography (Review) 887(2000)115

Hydrodynamic radius

Modelling of the pore flow in capillary electrochromatography 887(2000)199

Hydroquinone

Analysis of hydroquinone and some of its ethers by using capillary electrochromatography 887(2000)489

Hydrosilation

Open tubular capillary electrokinetic chromatography in etched fused-silica tubes (Review) 887(2000)31

Immobilization

Towards the column bed stabilization of columns in capillary electroendosmotic chromatography. Immobilization of microparticulate silica columns to a continuous bed 887(2000)327

Instrumentation

Instrumentation for capillary electrochromatography (Review) 887(2000)55

Interfaces, CEC–MS

Use of on-line mass spectrometric detection in capillary electrochromatography (Review) 887(2000)85

Ion-exchange electrochromatography

Separation of acidic compounds by strong anion-exchange capillary electrochromatography 887(2000)223

Lipids

Capillary electrochromatography with novel stationary phases. IV. Retention behavior of glycosphingolipids on porous and non-porous octadecyl sulfonated silica 887(2000)287

Mass spectrometry

Use of on-line mass spectrometric detection in capillary electrochromatography 887(2000)85

Capillary electrochromatography–mass spectrometry for the separation and identification of isomeric polyaromatic hydrocarbon DNA adducts derived from in vitro reactions (Review) 887(2000)103

Separation and identification of etodolac and its urinary phase I metabolites using capillary electrochromatography and on-line capillary electrochromatography–electrospray ionisation mass spectrometry coupling 887(2000)393

Migration factor

Capillary electrochromatography of proteins and peptides with a cationic acrylic monolith 887(2000)465

Mobile phase composition

Separation of acidic compounds by strong anion-exchange capillary electrochromatography 887(2000)223

Comparison of aqueous and non-aqueous capillary electrochromatography for the separation of basic solutes 887(2000)233

Chiral anion exchangers applied to capillary electrochromatography enantioseparation of oppositely charged chiral analytes: investigation of stationary and mobile phase parameters 887(2000)421

Modelling

Modelling of the pore flow in capillary electrochromatography 887(2000)199

Molecular imprint polymers

Highly selective separations by capillary electrochromatography: molecular imprint polymer sorbents (Review) 887(2000)125

Monolith

Capillary electrochromatography of proteins and peptides with a cationic acrylic monolith 887(2000)465

Monolithic columns

Design of the monolithic polymers used in capillary electrochromatography columns (Review) 887(2000)3

Steroid profiles determined by capillary electrochromatography, laser-induced fluorescence detection and electrospray–mass spectrometry 887(2000)379

Monolithic sol–gel

Characteristics of particle-loaded monolithic sol–gel columns for capillary electrochromatography. I. Structural, electrical and band-broadening properties 887(2000)277

Nitrosodiethanolamine

Screening method for determining the presence of N-nitrosodiethanolamine in cosmetics by open-tubular capillary electrochromatography 887(2000)497

Nucleic acids

Specific applications of capillary electrochromatography to biopolymers, including proteins, nucleic acids, peptide mapping, antibodies, and so forth (Review) 887(2000)137

Oligonucleotides

Specific applications of capillary electrochromatography to biopolymers, including proteins, nucleic acids, peptide mapping, antibodies, and so forth (Review) 887(2000)137

Open-tubular capillary electrochromatography

Comparison of separation behavior of benzodiazepines in packed capillary electrochromatography and open-tubular capillary electrochromatography 887(2000)479

Optimisation

Capillary electroosmotic chromatography of peptides (Review) 887(2000)165

Packed column capillary electrochromatography

Comparison of separation behavior of benzodiazepines in packed capillary electrochromatography and open-tubular capillary electrochromatography 887(2000)479

Packed columns

Packing columns for capillary electrochromatography (Review) 887(2000)43

Packing methods

Comparison of different packing methods for capillary electrochromatography columns 887(2000)307

Packing procedures

Packing columns for capillary electrochromatography (Review) 887(2000)43

Particle diameter

Towards the ultimate minimum particle diameter of silica packings in capillary electrochromatography 887(2000)339

Peptides

Specific applications of capillary electrochromatography to biopolymers, including proteins, nucleic acids, peptide mapping, antibodies, and so forth (Review) 887(2000)137

Capillary electroosmotic chromatography of peptides 887(2000)165

Capillary electrochromatography of proteins and peptides with a cationic acrylic monolith 887(2000)465

Polyaromatic hydrocarbons

Capillary electrochromatography–mass spectrometry for the separation and identification of isomeric polyaromatic hydrocarbon dna adducts derived from in vitro reactions 887(2000)103

Polymers, monolithic

Design of the monolithic polymers used in capillary electrochromatography columns (Review) 887(2000)3

Polynuclear aromatic hydrocarbons

Preparation of stationary phases for open-tubular capillary electrochromatography using the sol–gel method 887(2000)253

Polysaccharide derivatives

Enantioseparations in non-aqueous capillary electrochromatography using polysaccharide type chiral stationary phases 887(2000)439

Polystyrene

Modelling of the pore flow in capillary electrochromatography 887(2000)199

Pore flow

Modelling of the pore flow in capillary electrochromatography 887(2000)199

Proteins

Specific applications of capillary electrochromatography to biopolymers, including proteins, nucleic acids, peptide mapping, antibodies, and so forth (Review) 887(2000)137

Capillary electrochromatography of proteins and peptides with a cationic acrylic monolith 887(2000)465

Retention behaviour

Capillary electrochromatography with novel stationary phases. IV. Retention behavior of glycosphingolipids on porous and non-porous octadecyl sulfonated silica 887(2000)287

Retention models

Separation of basic solutes by reversed-phase capillary electrochromatography 887(2000)209

Reviews

Design of the monolithic polymers used in capillary electrochromatography columns (Review) 887(2000)3

Open tubular capillary electrokinetic chromatography in etched fused-silica tubes (Review) 887(2000)31

Stationary phases for capillary electrochromatography (Review) 887(2000)313

Packing columns for capillary electrochromatography (Review) 887(2000)43

Instrumentation for capillary electrochromatography (Review) 887(2000)55

Use of on-line mass spectrometric detection in capillary electrochromatography (Review) 887(2000)85

Capillary electrochromatography–mass spectrometry for the separation and identification of isomeric polyaromatic hydrocarbon DNA adducts derived from in vitro reactions (Review) 887(2000)103

Gradient elution techniques for capillary electrochromatography (Review) 887(2000)115

Highly selective separations by capillary electrochromatography: molecular imprint polymer sorbents (Review) 887(2000)125

Specific applications of capillary electrochromatography to biopolymers, including proteins, nucleic acids, peptide mapping, antibodies, and so forth (Review) 887(2000)137

Capillary electroosmotic chromatography of peptides (Review) 887(2000)165

Silanization

Open tubular capillary electrokinetic chromatography in etched fused-silica tubes (Review) 887(2000)31

Silanol groups, residual

Comparison of aqueous and non-aqueous capillary electrochromatography for the separation of basic solutes 887(2000)233

Silica, microparticulate

Towards the column bed stabilization of columns in capillary electroosmotic chromatography. Immobilization of microparticulate silica columns to a continuous bed 887(2000)327

Silica, octadecyl sulfonated

Capillary electrochromatography with novel stationary phases. IV. Retention behavior of glycosphingolipids on porous and non-porous octadecyl sulfonated silica 887(2000)287

Silica packings

Towards the ultimate minimum particle diameter of silica packings in capillary electrochromatography 887(2000)339

Sol–gel

Capillary electrochromatography using continuous-bed columns of sol–gel bonded silica particles with mixed-mode octadecyl and propylsulfonic acid functional groups 887(2000)265

Sol–gel method

Preparation of stationary phases for open-tubular capillary electrochromatography using the sol–gel method 887(2000)253

Stationary phases

Characteristics of particle-loaded monolithic sol–gel columns for capillary electrochromatography. I. Structural, electrical and band-broadening properties 887(2000)277

Stationary phases, CEC

Packing columns for capillary electrochromatography 887(2000)43

Highly selective separations by capillary electrochromatography: molecular imprint polymer sorbents (Review) 887(2000)125

Comparison of aqueous and non-aqueous capillary electrochromatography for the separation of basic solutes 887(2000)233

Preparation of stationary phases for open-tubular capillary electrochromatography using the sol–gel method 887(2000)253

Capillary electrochromatography using continuous-bed columns of sol–gel bonded silica particles with mixed-mode octadecyl and propylsulfonic acid functional groups 887(2000)265

Capillary electrochromatography with novel stationary phases. IV. Retention behavior of glycosphingolipids on porous and non-porous octadecyl sulfonated silica 887(2000)287

Stationary phase structures enhancing electroosmotic flow in capillary electrochromatography 887(2000)299

Stationary phases for capillary electrochromatography (Review) 887(2000)313

Towards the column bed stabilization of columns in capillary electroosmotic chromatography. Immobilization of microparticulate silica columns to a continuous bed 887(2000)327

Aspects of column fabrication for packed capillary electrochromatography 887(2000)347

Stationary phases, LC

Capillary electrochromatography of proteins and peptides with a cationic acrylic monolith 887(2000)465

Steroids

Steroid profiles determined by capillary electrochromatography, laser-induced fluorescence detection and electrospray–mass spectrometry 887(2000)379

Tapers

Improved column preparation and performance in capillary electrochromatography 887(2000)367

Temperature effects

High temperature and temperature programming in capillary electrochromatography 887(2000)245

Temperature programming

High temperature and temperature programming in capillary electrochromatography 887(2000)245