



ELSEVIER

Journal of Chromatography A, 889 (2000) 291–297

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 889

Air analysis

Importance of handling organic atmospheric pollutants for assessing air quality 889(2000)271

Alkaloids

Effect of sample handling on alkaloid and mineral content of aqueous extracts of greater celandine (*Chelidonium majus* L.) 889(2000)69

Alkylbenzene sulfonates, linear

Extraction and isolation of linear alkylbenzene sulfonates and their intermediate metabolites from various marine organisms 889(2000)99

Inter-laboratory comparison of liquid chromatographic techniques and enzyme-linked immunosorbent assay for the determination of surfactants in wastewaters 889(2000)195

Handling of marine and estuarine samples for the determination of linear alkylbenzene sulfonates and sulfophenylcarboxylic acids 889(2000)211

Alkylbenzenesulfonates, linear

Assessment of the pollutant elimination efficiency by gas chromatography/mass spectrometry, liquid chromatography–mass spectrometry and –tandem mass spectrometry. Comparison of conventional and membrane-assisted biological wastewater treatment processes 889(2000)155

Determination of linear alkylbenzenesulfonates in wastewater treatment plants and coastal waters by automated solid-phase extraction followed by capillary electrophoresis–UV detection and confirmation by capillary electrophoresis–mass spectrometry 889(2000)221

Alkyl polyglycol ethers

Assessment of the pollutant elimination efficiency by gas chromatography/mass spectrometry, liquid chromatography–mass spectrometry and –tandem mass spectrometry. Comparison of conventional and membrane-assisted biological wastewater treatment processes 889(2000)155

Amino acids

Column-switching system for selenium speciation by coupling reversed-phase and ion-exchange high-performance liquid chromatography with microwave-assisted digestion–hydride generation–atomic fluorescence spectrometry 889(2000)33

Antibiotics

New configurations and applications of molecularly imprinted polymers 889(2000)15

Arsenic

Evaluation of extraction procedures for the ion chromatographic determination of arsenic species in plant materials 889(2000)83

Aspartam

New configurations and applications of molecularly imprinted polymers 889(2000)15

Atomic fluorescence detection

Column-switching system for selenium speciation by coupling reversed-phase and ion-exchange high-performance liquid chromatography with microwave-assisted digestion–hydride generation–atomic fluorescence spectrometry 889(2000)33

Benzenesulfonates

Stability of sulfonated derivatives of benzene and naphthalene on disposable solid-phase extraction pre-columns and in an aqueous matrix 889(2000)231

Bisethylisooctanolactones

Unknown bisethylisooctanolactone isomers in industrial waste water. Isolation, identification and occurrence in surface water 889(2000)245

β -Blockers

Optimisation of procedures for the extraction of structural analogues of propranolol with molecularly imprinted polymers for sample preparation 889(2000)143

Capsicum annuum

Optimisation of the microwave-assisted extraction of pigments from paprika (*Capsicum annuum* L.) powders 889(2000)41

Carbohydrates

Determination of glucosinolates in rapeseed and *Thlaspi caerulescens* plants by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 889(2000)75

Carboxylic acids

Extraction and isolation of linear alkylbenzene sulfonates and their intermediate metabolites from various marine organisms 889(2000)99

Handling of marine and estuarine samples for the determination of linear alkylbenzene sulfonates and sulfophenylcarboxylic acids 889(2000)211

Carotenoids

Optimisation of the microwave-assisted extraction of pigments from paprika (*Capsicum annuum* L.) powders 889(2000)41

Chelidone

Effect of sample handling on alkaloid and mineral content of aqueous extracts of greater celandine (*Chelidonium majus* L.) 889(2000)69

Chelidonium majus

Effect of sample handling on alkaloid and mineral content of aqueous extracts of greater celandine (*Chelidonium majus* L.) 889(2000)69

Chemometrics

Optimisation of the microwave-assisted extraction of pigments from paprika (*Capsicum annuum* L.) powders 889(2000)41

Chlorothalonil

Multiresidue method for the analysis of five antifouling agents in marine and coastal waters by gas chromatography–mass spectrometry with large-volume injection 889(2000)261

Clenbuterol

Use of molecularly imprinted solid-phase extraction for the selective clean-up of clenbuterol from calf urine 889(2000)105

Clonixin

Determination of clonixin in plasma and urine by reversed-phase high-performance liquid chromatography 889(2000)135

Column switching

Column-switching system for selenium speciation by coupling reversed-phase and ion-exchange high-performance liquid chromatography with microwave-assisted digestion–hydride generation–atomic fluorescence spectrometry 889(2000)33

Computer simulation

Importance of handling organic atmospheric pollutants for assessing air quality 889(2000)271

Coptisine

Effect of sample handling on alkaloid and mineral content of aqueous extracts of greater celandine (*Chelidonium majus* L.) 889(2000)69

Derivatization, GC

Experimental design of a microwave-assisted extraction–derivatization method for the analysis of methylmercury 889(2000)185

Detection, LC

Column-switching system for selenium speciation by coupling reversed-phase and ion-exchange high-performance liquid chromatography with microwave-assisted digestion–hydride generation–atomic fluorescence spectrometry 889(2000)33

Dibutylmelamine

Solid-phase extraction with a dibutylmelamine-imprinted polymer as triazine herbicide-selective sorbent 889(2000)25

Dichlofluanid

Multiresidue method for the analysis of five antifouling agents in marine and coastal waters by gas chromatography–mass spectrometry with large-volume injection 889(2000)261

Diethylpropylvalerolactone

Unknown bisethylisooctanolactone isomers in industrial waste water. Isolation, identification and occurrence in surface water 889(2000)245

Diplodus vulgaris

Extraction and isolation of linear alkylbenzene sulfonates and their intermediate metabolites from various marine organisms 889(2000)99

Dyes

Electrochemical treatment of textile dyes and their analysis by high-performance liquid chromatography with diode array detection 889(2000)253

Environmental analysis

Solid-phase microextraction: a promising technique for sample preparation in environmental analysis 889(2000)3

Extraction and isolation of linear alkylbenzene sulfonates and their intermediate metabolites from various marine organisms 889(2000)99

Fractionation and toxicity evaluation of waste waters 889(2000)149

Inter-laboratory comparison of liquid chromatographic techniques and enzyme-linked immunosorbent assay for the determination of surfactants in wastewaters 889(2000)195

Handling of marine and estuarine samples for the determination of linear alkylbenzene sulfonates and sulfophenylcarboxylic acids 889(2000)211

Determination of linear alkylbenzenesulfonates in wastewater treatment plants and coastal waters by automated solid-phase extraction followed by capillary electrophoresis–UV detection and confirmation by capillary electrophoresis–mass spectrometry 889(2000)221

Unknown bisethylisooctanollactone isomers in industrial waste water. Isolation, identification and occurrence in surface water 889(2000)245

Multiresidue method for the analysis of five antifouling agents in marine and coastal waters by gas chromatography–mass spectrometry with large-volume injection 889(2000)261

Importance of handling organic atmospheric pollutants for assessing air quality 889(2000)271

Ethoxylates

Assessment of the pollutant elimination efficiency by gas chromatography/mass spectrometry, liquid chromatography–mass spectrometry and –tandem mass spectrometry. Comparison of conventional and membrane-assisted biological wastewater treatment processes 889(2000)155

Inter-laboratory comparison of liquid chromatographic techniques and enzyme-linked immunosorbent assay for the determination of surfactants in wastewaters 889(2000)195

Experimental design

Experimental design of a microwave-assisted extraction–derivatization method for the analysis of methylmercury 889(2000)185

Extraction methods

Optimisation of the microwave-assisted extraction of pigments from paprika (*Capsicum annuum* L.) powders 889(2000)41

Effect of sample handling on alkaloid and mineral content of aqueous extracts of greater celandine (*Chelidonium majus* L.) 889(2000)69

Evaluation of extraction procedures for the ion chromatographic determination of arsenic species in plant materials 889(2000)83

Extraction of glyphosate by a supported liquid membrane technique 889(2000)93

Extraction and isolation of linear alkylbenzene sulfonates and their intermediate metabolites from various marine organisms 889(2000)99

Optimisation of procedures for the extraction of structural analogues of propranolol with molecular imprinted polymers for sample preparation 889(2000)143

Experimental design of a microwave-assisted extraction–derivatization method for the analysis of methylmercury 889(2000)185

Handling of marine and estuarine samples for the determination of linear alkylbenzene sulfonates and sulfophenylcarboxylic acids 889(2000)211

Stability of sulfonated derivatives of benzene and naphthalene on disposable solid-phase extraction pre-columns and in an aqueous matrix 889(2000)231

Solid-phase extraction of sugar cane soot extract for analysis by gas chromatography with flame ionisation and mass spectrometric detection 889(2000)281

Factorial design

Experimental design of a microwave-assisted extraction–derivatization method for the analysis of methylmercury 889(2000)185

Fluorocinnamic acid

Analytical techniques used for monitoring the biodegradation of fluorinated compounds in waste streams from pharmaceutical production 889(2000)177

Food analysis

Optimisation of the microwave-assisted extraction of pigments from paprika (*Capsicum annuum* L.) powders 889(2000)41

Solid-phase extraction and high-performance liquid chromatographic separation of pigments of red wines 889(2000)51

Multi-residue methodology for pesticide screening in wines 889(2000)59

Effect of sample handling on alkaloid and mineral content of aqueous extracts of greater celandine (*Chelidonium majus* L.) 889(2000)69

Glucosinolates

Determination of glucosinolates in rapeseed and *Thlaspi caerulescens* plants by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 889(2000)75

Glyphosate

Extraction of glyphosate by a supported liquid membrane technique 889(2000)93

Goserelin

Liquid chromatography–electrospray mass spectrometry of multicomponent peptide mixtures. Characterization of a mixture from the synthesis of the hormone goserelin 889(2000)119

Growth hormones

Use of molecularly imprinted solid-phase extraction for the selective clean-up of clenbuterol from calf urine 889(2000)105

Herbicides

Solid-phase extraction with a dibutylmelamine-imprinted polymer as triazine herbicide-selective sorbent 889(2000)25

Hormones

Recognition of oxytocin and oxytocin-related peptides in aqueous media using a molecularly imprinted polymer synthesized by the epitope approach 889(2000)111

Liquid chromatography–electrospray mass spectrometry of multicomponent peptide mixtures. Characterization of a mixture from the synthesis of the hormone goserelin 889(2000)119

Hydrophobicity

Fractionation and toxicity evaluation of waste waters 889(2000)149

Inter-laboratory study

Inter-laboratory comparison of liquid chromatographic techniques and enzyme-linked immunosorbent assay for the determination of surfactants in wastewaters 889(2000)195

Irgarols

Multiresidue method for the analysis of five antifouling agents in marine and coastal waters by gas chromatography–mass spectrometry with large-volume injection 889(2000)261

Lactams

New configurations and applications of molecularly imprinted polymers 889(2000)15

Lactones

Unknown bisethylisooctanolactone isomers in industrial waste water. Isolation, identification and occurrence in surface water 889(2000)245

Linear solvation energy relationships

Liquid chromatography–electrospray mass spectrometry of multicomponent peptide mixtures. Characterization of a mixture from the synthesis of the hormone goserelin 889(2000)119

Marine sediments

Handling of marine and estuarine samples for the determination of linear alkylbenzene sulfonates and sulfophenylcarboxylic acids 889(2000)211

Membranes

Extraction of glyphosate by a supported liquid membrane technique 889(2000)93

Metal cations

Effect of sample handling on alkaloid and mineral content of aqueous extracts of greater celandine (*Chelidonium majus* L.) 889(2000)69

Methylmercury

Experimental design of a microwave-assisted extraction–derivatization method for the analysis of methylmercury 889(2000)185

Microwave-assisted extraction

Optimisation of the microwave-assisted extraction of pigments from paprika (*Capsicum annuum* L.) powders 889(2000)41

Experimental design of a microwave-assisted extraction–derivatization method for the analysis of methylmercury 889(2000)185

Molecular imprinting

New configurations and applications of molecularly imprinted polymers 889(2000)15

Solid-phase extraction with a dibutylmelamine-imprinted polymer as triazine herbicide-selective sorbent 889(2000)25

Use of molecularly imprinted solid-phase extraction for the selective clean-up of clenbuterol from calf urine 889(2000)105

Recognition of oxytocin and oxytocin-related peptides in aqueous media using a molecularly imprinted polymer synthesized by the epitope approach 889(2000)111

Optimisation of procedures for the extraction of structural analogues of propranolol with molecularly imprinted polymers for sample preparation 889(2000)143

Naphthalenesulfonates

Stability of sulfonated derivatives of benzene and naphthalene on disposable solid-phase extraction pre-columns and in an aqueous matrix 889(2000)231

Nonsteroidal anti-inflammatory drugs

Determination of clonixin in plasma and urine by reversed-phase high-performance liquid chromatography 889(2000)135

Nonylphenol ethoxylates

Assessment of the pollutant elimination efficiency by gas chromatography/mass spectrometry, liquid chromatography–mass spectrometry and –tandem mass spectrometry. Comparison of conventional and membrane-assisted biological wastewater treatment processes 889(2000)155

Organoarsenic compounds

Evaluation of extraction procedures for the ion chromatographic determination of arsenic species in plant materials 889(2000)83

Organochlorine compounds

Multi-residue methodology for pesticide screening in wines 889(2000)59

Organofluorine compounds

Analytical techniques used for monitoring the biodegradation of fluorinated compounds in waste streams from pharmaceutical production 889(2000)177

Organomercury compounds

Experimental design of a microwave-assisted extraction–derivatization method for the analysis of methylmercury 889(2000)185

Organophosphorous compounds

Multi-residue methodology for pesticide screening in wines 889(2000)59

Organoselenium compounds

Column-switching system for selenium speciation by coupling reversed-phase and ion-exchange high-performance liquid chromatography with microwave-assisted digestion–hydride generation–atomic fluorescence spectrometry 889(2000)33

Oxytocin

Recognition of oxytocin and oxytocin-related peptides in aqueous media using a molecularly imprinted polymer synthesized by the epitope approach 889(2000)111

Penicillins

New configurations and applications of molecularly imprinted polymers 889(2000)15

Peptides

Recognition of oxytocin and oxytocin-related peptides in aqueous media using a molecularly imprinted polymer synthesized by the epitope approach 889(2000)111

Liquid chromatography–electrospray mass spectrometry of multicomponent peptide mixtures. Characterization of a mixture from the synthesis of the hormone goserelin 889(2000)119

Pesticides

Multi-residue methodology for pesticide screening in wines 889(2000)59

Extraction of glyphosate by a supported liquid membrane technique 889(2000)93

Multiresidue method for the analysis of five antifouling agents in marine and coastal waters by gas chromatography–mass spectrometry with large-volume injection 889(2000)261

Pharmaceutical analysis

Liquid chromatography–electrospray mass spectrometry of multicomponent peptide mixtures. Characterization of a mixture from the synthesis of the hormone goserelin 889(2000)119

Phthalates

Fractionation and toxicity evaluation of waste waters 889(2000)149

Pigments

Optimisation of the microwave-assisted extraction of pigments from paprika (*Capsicum annuum* L.) powders 889(2000)41

Pigments

Solid-phase extraction and high-performance liquid chromatographic separation of pigments of red wines 889(2000)51

Plant materials

Determination of glucosinolates in rapeseed and *Thlaspi caerulescens* plants by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 889(2000)75

Evaluation of extraction procedures for the ion chromatographic determination of arsenic species in plant materials 889(2000)83

Polynuclear aromatic hydrocarbons

Solid-phase extraction of sugar cane soot extract for analysis by gas chromatography with flame ionisation and mass spectrometric detection 889(2000)281

Pressurized liquid extraction

Evaluation of extraction procedures for the ion chromatographic determination of arsenic species in plant materials 889(2000)83

Process monitoring

Analytical techniques used for monitoring the biodegradation of fluorinated compounds in waste streams from pharmaceutical production 889(2000)177

Propranolol

Optimisation of procedures for the extraction of structural analogues of propranolol with molecular imprinted polymers for sample preparation 889(2000)143

Reviews

Solid-phase microextraction: a promising technique for sample preparation in environmental analysis (Review) 889(2000)3

New configurations and applications of molecularly imprinted polymers (Review) 889(2000)15

Ruditapes decussatus

Extraction and isolation of linear alkylbenzene sulfonates and their intermediate metabolites from various marine organisms 889(2000)99

Sea-Nine 211

Multiresidue method for the analysis of five antifouling agents in marine and coastal waters by gas chromatography–mass spectrometry with large-volume injection 889(2000)261

Selenium

Column-switching system for selenium speciation by coupling reversed-phase and ion-exchange high-performance liquid chromatography with microwave-assisted digestion–hydride generation–atomic fluorescence spectrometry 889(2000)33

Solid-phase extraction

Solid-phase extraction with a dibutylmelamine-imprinted polymer as triazine herbicide-selective sorbent 889(2000)25

Solid-phase extraction and high-performance liquid chromatographic separation of pigments of red wines 889(2000)51

Use of molecularly imprinted solid-phase extraction for the selective clean-up of clenbuterol from calf urine 889(2000)105

Solid-phase microextraction

Solid-phase microextraction: a promising technique for sample preparation in environmental analysis 889(2000)3

Sorbents

Solid-phase extraction with a dibutylmelamine-imprinted polymer as triazine herbicide-selective sorbent 889(2000)25

Sparus aurata

Extraction and isolation of linear alkylbenzene sulfonates and their intermediate metabolites from various marine organisms 889(2000)99

Stability studies

Stability of sulfonated derivatives of benzene and naphthalene on disposable solid-phase extraction pre-columns and in an aqueous matrix 889(2000)231

Stationary phases, LC

New configurations and applications of molecularly imprinted polymers 889(2000)15

Sulfonates

Stability of sulfonated derivatives of benzene and naphthalene on disposable solid-phase extraction pre-columns and in an aqueous matrix 889(2000)231

Sulfophenylcarboxylic acids

Extraction and isolation of linear alkylbenzene sulfonates and their intermediate metabolites from various marine organisms 889(2000)99

Handling of marine and estuarine samples for the determination of linear alkylbenzene sulfonates and sulfophenylcarboxylic acids 889(2000)211

Sulfur compounds

Determination of glucosinolates in rapeseed and *Thlaspi caerulescens* plants by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 889(2000)75

Surfactants

Extraction and isolation of linear alkylbenzene sulfonates and their intermediate metabolites from various marine organisms 889(2000)99

Assessment of the pollutant elimination efficiency by gas chromatography/mass spectrometry, liquid chromatography–mass spectrometry and –tandem mass spectrometry. Comparison of conventional and membrane-assisted biological wastewater treatment processes 889(2000)155

Inter-laboratory comparison of liquid chromatographic techniques and enzyme-linked immunosorbent assay for the determination of surfactants in wastewaters 889(2000)195

Handling of marine and estuarine samples for the determination of linear alkylbenzene sulfonates and sulfophenylcarboxylic acids 889(2000)211

Determination of linear alkylbenzenesulfonates in wastewater treatment plants and coastal waters by automated solid-phase extraction followed by capillary electrophoresis–UV detection and confirmation by capillary electrophoresis–mass spectrometry 889(2000)221

Sugar cane

Solid-phase extraction of sugar cane soot extract for analysis by gas chromatography with flame ionisation and mass spectrometric detection 889(2000)281

Supported liquid membranes

Extraction of glyphosate by a supported liquid membrane technique 889(2000)93

Tea

Effect of sample handling on alkaloid and mineral content of aqueous extracts of greater celandine (*Chelidonium majus* L.) 889(2000)69

Thiocyanomethylthiobenzothiazole

Multiresidue method for the analysis of five antifouling agents in marine and coastal waters by gas chromatography–mass spectrometry with large-volume injection 889(2000)261

Thlaspi caerulescens

Determination of glucosinolates in rapeseed and *Thlaspi caerulescens* plants by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 889(2000)75

Toxicological analysis

Fractionation and toxicity evaluation of waste waters 889(2000)149

Triazines

Solid-phase extraction with a dibutylmelamine-imprinted polymer as triazine herbicide-selective sorbent 889(2000)25

Validation

Determination of clonixin in plasma and urine by reversed-phase high-performance liquid chromatography 889(2000)135

Volatile organic compounds

Importance of handling organic atmospheric pollutants for assessing air quality 889(2000)271

Water analysis

Fractionation and toxicity evaluation of waste waters 889(2000)149

Assessment of the pollutant elimination efficiency by gas chromatography/mass spectrometry, liquid chromatography–mass spectrometry and –tandem mass spectrometry. Comparison of conventional and membrane-assisted biological wastewater treatment processes 889(2000)155

Inter-laboratory comparison of liquid chromatographic techniques and enzyme-linked immunosorbent assay for the determination of surfactants in wastewaters 889(2000)195

Handling of marine and estuarine samples for the determination of linear alkylbenzene sulfonates and sulfophenylcarboxylic acids 889(2000)211

Determination of linear alkylbenzenesulfonates in wastewater treatment plants and coastal waters by automated solid-phase extraction followed by capillary electrophoresis–UV detection and confirmation by capillary electrophoresis–mass spectrometry 889(2000)221

Stability of sulfonated derivatives of benzene and naphthalene on disposable solid-phase extraction pre-columns and in an aqueous matrix 889(2000)231

Unknown bisethylisooctanolactone isomers in industrial waste water. Isolation, identification and occurrence in surface water 889(2000)245

Multiresidue method for the analysis of five antifouling agents in marine and coastal waters by gas chromatography–mass spectrometry with large-volume injection 889(2000)261

Wine

Multi-residue methodology for pesticide screening in wines 889(2000)59