



ELSEVIER

Journal of Chromatography A, 890 (2000) 375–377

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Author Index Vol. 890

- Albert, A., see Toussaint, B. 890(2000)239
- Alonso, M.C., see Loos, R. 890(2000)225
- Arata, Y., see Hirabayashi, J. 890(2000)261
- Asaro, M.R., see Izzo, V. 890(2000)371
- Badger, S.E., see Levison, P.R. 890(2000)45
- Barbieri, R., see Izzo, V. 890(2000)371
- Barceló, D., see Loos, R. 890(2000)225
- Bates, R.C., see Kang, X. 890(2000)37
- Bates, R.C., Kang, X. and Frey, D.D.
High-performance chromatofocusing using linear and concave pH gradients formed with simple buffer mixtures.
I. Effect of buffer composition on the gradient shape 890(2000)25
- Baygents, J.C., see Sounart, T.L. 890(2000)321
- Beltrán, J.L., see Gimeno, R.A. 890(2000)289
- Berrada, H., Font, G. and Moltó, J.C.
Indirect analysis of urea herbicides from environmental water using solid-phase microextraction 890(2000)303
- Boos, K.S., see Račaitytė, K. 890(2000)135
- Borrull, F., see Gimeno, R.A. 890(2000)289
- Bouvier, E.S.P., see Gilar, M. 890(2000)167
- Bruce, I.J., see Taylor, J.I. 890(2000)159
- Candela, M., Ruiz, A. and Feo, F.J.
Validation of an analysis method for 4-amino-3-hydroxybutyric acid by reversed-phase liquid chromatography 890(2000)273
- Carr, PW., see Subramanian, A. 890(2000)15
- Cole, D.L., see Deshmukh, R.R. 890(2000)179
- Crommen, J., see Toussaint, B. 890(2000)239
- Csaszar, E., see Dürauer, A. 890(2000)145
- Davies, M.J., see Taylor, J.I. 890(2000)159
- De Leon, P., see Deshmukh, R.R. 890(2000)179
- Deshmukh, R.R., Warner, T.N., Hutchison, F., Murphy, M., Leitch II, W.E., De Leon, P., Srivatsa, G.S., Cole, D.L. and Sanghvi, Y.S.
Large-scale purification of antisense oligonucleotides by high-performance membrane adsorber chromatography 890(2000)179
- Dickson, N., see Levison, P.R. 890(2000)45
- Diehl, G. and Karst, U.
Post-column oxidative derivatization for the liquid chromatographic determination of phenothiazines 890(2000)281
- Dilks Jr., C.H., see Kirkland, J.J. 890(2000)3
- Drouin, N., see Pichette, A. 890(2000)127
- Duchateau, A.L.L., see Toussaint, B. 890(2000)239
- Dürauer, A., Csaszar, E., Mechtler, K., Jungbauer, A. and Schmid, E.
Characterisation of the rubber elongation factor from ammoniated latex by electrophoresis and mass spectrometry 890(2000)145
- Engel, G.S., see Kirkland, J.J. 890(2000)3
- Feo, F.J., see Candela, M. 890(2000)273
- Fields, G.B., see Lauer-Fields, J.L. 890(2000)117
- Font, G., see Berrada, H. 890(2000)303
- Forte, G.I., see Izzo, V. 890(2000)371
- Frey, D.D., see Bates, R.C. 890(2000)25
- Frey, D.D., see Kang, X. 890(2000)37
- Gibbins, B.M., see Goheen, S.C. 890(2000)73
- Gilar, M. and Bouvier, E.S.P.
Purification of crude DNA oligonucleotides by solid-phase extraction and reversed-phase high-performance liquid chromatography 890(2000)167
- Gimeno, R.A., Beltrán, J.L., Marcé, R.M. and Borrull, F.
Determination of naphthalenesulfonates in water by on-line ion-pair solid-phase extraction and ion-pair liquid chromatography with fast-scanning fluorescence detection 890(2000)289
- Girard, M., see Pichette, A. 890(2000)127
- Goheen, S.C. and Gibbins, B.M.
Protein losses in ion-exchange and hydrophobic interaction high-performance liquid chromatography 890(2000)73
- Gorbunov, A., see Trathnigg, B. 890(2000)195
- Greibrokk, T., see Roed, L. 890(2000)347
- Greschonig, H., see Raber, G. 890(2000)355
- Grimes, B.A., Meyers, J.J. and Liapis, A.I.
Determination of the intraparticle electroosmotic volumetric flow-rate, velocity and Peclet number in capillary electrochromatography from pore network theory 890(2000)61
- Guiochon, G., see Miyabe, K. 890(2000)211
- Haddad, P.R., see Hilder, E.F. 890(2000)337
- Hamazono, T., see Yanagida, A. 890(2000)251
- Hathi, P., see Levison, P.R. 890(2000)45
- Hearn, M.T.W., see Zachariou, M. 890(2000)95
- Hilder, E.F., Klampfl, C.W. and Haddad, P.R.
Pressurized-flow anion-exchange capillary electrochromatography using a polymeric ion-exchange stationary phase 890(2000)337

- Hirabayashi, J., Arata, Y. and Kasai, K.-i.
Reinforcement of frontal affinity chromatography for effective analysis of lectin–oligosaccharide interactions 890(2000)261
- Hodges, R.S., see Yu, Y.B. 890(2000)81
- Honda, S., see Yanagida, A. 890(2000)251
- Hopkins, A.K., see Levison, P.R. 890(2000)45
- Hoshino, H., see Krokkin, O.V. 890(2000)363
- Hubert, Ph., see Toussaint, B. 890(2000)239
- Hurst, C.D., see Taylor, J.I. 890(2000)159
- Hutchison, F., see Deshmukh, R.R. 890(2000)179
- Izzo, V., Asaro, M.R., Forte, G.I. and Barbieri, R.
Use of voltage gradient gel electrophoresis in apoptotic DNA analysis 890(2000)371
- Jungbauer, A., see Dürauer, A. 890(2000)145
- Jungbauer, A., see Uretschläger, A. 890(2000)53
- Kamimura, A., see Yanagida, A. 890(2000)251
- Kanda, T., see Yanagida, A. 890(2000)251
- Kang, X., see Bates, R.C. 890(2000)25
- Kang, X., Bates, R.C. and Frey, D.D.
High-performance chromatofocusing using linear and concave pH gradients formed with simple buffer mixtures. II. Separation of proteins 890(2000)37
- Karst, U., see Diehl, G. 890(2000)281
- Kasai, K.-i., see Hirabayashi, J. 890(2000)261
- Kirkland, J.J., Truszkowski, F.A., Dilks Jr., C.H. and Engel, G.S.
Superficially porous silica microspheres for fast high-performance liquid chromatography of macromolecules 890(2000)3
- Klampfl, C.W., see Hilder, E.F. 890(2000)337
- Krokkin, O.V., Kuzina, O.V., Hoshino, H., Shpigun, O.A. and Yotsuyanagi, T.
Potential of ethylenediaminedi(*o*-hydroxyphenylacetic acid) and *N,N'*-bis(hydroxybenzyl)ethylenediamine-*N,N'*-diacetic acid for the determination of metal ions by capillary electrophoresis 890(2000)363
- Kuzina, O.V., see Krokkin, O.V. 890(2000)363
- Lauer-Fields, J.L., Nagase, H. and Fields, G.B.
Use of Edman degradation sequence analysis and matrix-assisted laser desorption/ionization mass spectrometry in designing substrates for matrix metalloproteinases 890(2000)117
- Leitch II, W.E., see Deshmukh, R.R. 890(2000)179
- Levison, P.R., Hopkins, A.K., Hathi, P., Badger, S.E., Mann, F., Dickson, N. and Purdom, G.
Suspended bed chromatography, a new approach in downstream processing 890(2000)45
- Liapis, A.I., see Grimes, B.A. 890(2000)61
- Loos, R., Alonso, M.C. and Barceló, D.
Solid-phase extraction of polar hydrophilic aromatic sulfonates followed by capillary zone electrophoresis–UV absorbance detection and ion-pair liquid chromatography–diode array UV detection and electrospray mass spectrometry 890(2000)225
- Lubda, D., see Račaiyté, K. 890(2000)135
- Lundanes, E., see Roed, L. 890(2000)347
- Lutz, E.S.M., see Račaiyté, K. 890(2000)135
- Mann, F., see Levison, P.R. 890(2000)45
- Mant, C.T., see Yu, Y.B. 890(2000)81
- Marcé, R.M., see Gimeno, R.A. 890(2000)289
- McNeff, C.V., see Subramanian, A. 890(2000)15
- Mechtler, K., see Dürauer, A. 890(2000)145
- Meyers, J.J., see Grimes, B.A. 890(2000)61
- Miyabe, K. and Guiochon, G.
Determination of the lumped mass transfer rate coefficient by frontal analysis 890(2000)211
- Moltó, J.C., see Berrada, H. 890(2000)303
- Murphy, M., see Deshmukh, R.R. 890(2000)179
- Nagase, H., see Lauer-Fields, J.L. 890(2000)117
- Pichette, A., Drouin, N. and Girard, M.
Analysis of human parathyroid hormone (1–84) products. Separation of a major impurity in synthetic products by ion-pairing reversed-phase high-performance liquid chromatography 890(2000)127
- Purdom, G., see Levison, P.R. 890(2000)45
- Raber, G. and Greschonig, H.
New preconditioning strategy for the determination of inorganic anions with capillary zone electrophoresis using indirect UV detection 890(2000)355
- Račaiyté, K., Lutz, E.S.M., Unger, K.K., Lubda, D. and Boos, K.S.
Analysis of neuropeptide Y and its metabolites by high-performance liquid chromatography–electrospray ionization mass spectrometry and integrated sample clean-up with a novel restricted-access sulphonated acid cation exchanger 890(2000)135
- Roed, L., Lundanes, E. and Greibrokk, T.
Nonaqueous electrochromatography on continuous bed columns of sol–gel bonded large-pore C₁₈ material: separation of retinyl esters 890(2000)347
- Ruiz, A., see Candela, M. 890(2000)273
- Ruther, J.
Retention index database for identification of general green leaf volatiles in plants by coupled capillary gas chromatography–mass spectrometry 890(2000)313
- Sachsinger, N., see Taylor, J.I. 890(2000)159
- Sanghvi, Y.S., see Deshmukh, R.R. 890(2000)179
- Schmid, E., see Dürauer, A. 890(2000)145
- Schminke, G. and Seubert, A.
Simultaneous determination of inorganic disinfection by-products and the seven standard anions by ion chromatography 890(2000)295
- Seubert, A., see Schminke, G. 890(2000)295
- Shpigun, O.A., see Krokkin, O.V. 890(2000)363
- Skvortsov, A., see Trathnigg, B. 890(2000)195
- Sounart, T.L. and Baygents, J.C.
Simulation of electrophoretic separations by the flux-corrected transport method 890(2000)321
- Srivatsa, G.S., see Deshmukh, R.R. 890(2000)179
- Subramanian, A., Carr, P.W. and McNeff, C.V.
Use of spray-dried zirconia microspheres in the separation of immunoglobulins from cell culture supernatant 890(2000)15
- Takahashi, T., see Yanagida, A. 890(2000)251
- Taylor, J.I., Hurst, C.D., Davies, M.J., Sachsinger, N. and Bruce, I.J.
Application of magnetite and silica–magnetite composites to the isolation of genomic DNA 890(2000)159
- Toussaint, B., Duchateau, A.L.L., van der Wal, S., Albert, A., Hubert, P. and Crommen, J.

- Determination of the enantiomers of 3-*tert*.-butylamino-1,2-propanediol by high-performance liquid chromatography coupled to evaporative light scattering detection 890(2000)239
- Trathnigg, B., Gorbunov, A. and Skvortsov, A.
Liquid adsorption chromatography of polyethers: experiments and simulation 890(2000)195
- Truszkowski, F.A., see Kirkland, J.J. 890(2000)3
- Unger, K.K., see Račaitė, K. 890(2000)135
- Uretschläger, A. and Jungbauer, A.
Scale-down of continuous protein purification by annular chromatography. Design parameters for the smallest unit 890(2000)53
- Van der Wal, S., see Toussaint, B. 890(2000)239
- Wagschal, K.C., see Yu, Y.B. 890(2000)81
- Warner, T.N., see Deshmukh, R.R. 890(2000)179
- Yanagida, A., Kanda, T., Takahashi, T., Kamimura, A., Hamazono, T. and Honda, S.
Fractionation of apple procyanidins according to their degree of polymerization by normal-phase high-performance liquid chromatography 890(2000)251
- Yotsuyanagi, T., see Krokhin, O.V. 890(2000)363
- Yu, Y.B., Wagschal, K.C., Mant, C.T. and Hodges, R.S.
Trapping the monomeric α -helical state during unfolding of coiled-coils by reversed-phase liquid chromatography 890(2000)81
- Zachariou, M. and Hearn, M.T.W.
Adsorption and selectivity characteristics of several human serum proteins with immobilised hard Lewis metal ion-chelate adsorbents 890(2000)95