



ELSEVIER

Journal of Chromatography A, 890 (2000) 379–385

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 890

Adsorbents

Adsorption and selectivity characteristics of several human serum proteins with immobilised hard Lewis metal ion–chelate adsorbents 890(2000)95

Solid-phase extraction of polar hydrophilic aromatic sulfonates followed by capillary zone electrophoresis–UV absorbance detection and ion-pair liquid chromatography–diode array UV detection and electrospray mass spectrometry 890(2000)225

Adsorption

Suspended bed chromatography, a new approach in downstream processing 890(2000)45

Liquid adsorption chromatography of polyethers: experiments and simulation 890(2000)195

Affinity adsorbents

Reinforcement of frontal affinity chromatography for effective analysis of lectin–oligosaccharide interactions 890(2000)261

Albumin

Scale-down of continuous protein purification by annular chromatography. Design parameters for the smallest unit 890(2000)53

Allergens

Characterisation of the rubber elongation factor from ammoniated latex by electrophoresis and mass spectrometry 890(2000)145

4-Amino-3-hydroxybutyric acid

Validation of an analysis method for 4-amino-3-hydroxybutyric acid by reversed-phase liquid chromatography 890(2000)273

Anions

Simultaneous determination of inorganic disinfection by-products and the seven standard anions by ion chromatography 890(2000)295

Anion exchange

Pressurized-flow anion-exchange capillary electrochromatography using a polymeric ion-exchange stationary phase 890(2000)337

Annular chromatography

Scale-down of continuous protein purification by annular chromatography. Design parameters for the smallest unit 890(2000)53

Apples

Fractionation of apple procyanidins according to their degree of polymerization by normal-phase high-performance liquid chromatography 890(2000)251

Artificial neural network

Pressurized-flow anion-exchange capillary electrochromatography using a polymeric ion-exchange stationary phase 890(2000)337

Bis(hydroxybenzyl)ethylenediaminediacetic acid

Potential of ethylenediaminedi(*o*-hydroxyphenylacetic acid) and *N,N'*-bis(hydroxybenzyl)ethylenediamine-*N,N'*-diacetic acid for the determination of metal ions by capillary electrophoresis 890(2000)363

Bromate

Simultaneous determination of inorganic disinfection by-products and the seven standard anions by ion chromatography 890(2000)295

Buffer composition

High-performance chromatofocusing using linear and concave pH gradients formed with simple buffer mixtures. I. Effect of buffer composition on the gradient shape 890(2000)25

High-performance chromatofocusing using linear and concave pH gradients formed with simple buffer mixtures. II. Separation of proteins 890(2000)37

Carpinus betulus

Retention index database for identification of general green leaf volatiles in plants by coupled capillary gas chromatography–mass spectrometry 890(2000)313

Chlorate

Simultaneous determination of inorganic disinfection by-products and the seven standard anions by ion chromatography 890(2000)295

Chlorite

Simultaneous determination of inorganic disinfection by-products and the seven standard anions by ion chromatography 890(2000)295

Chromatofocusing

High-performance chromatofocusing using linear and concave pH gradients formed with simple buffer mixtures. I. Effect of buffer composition on the gradient shape 890(2000)25

High-performance chromatofocusing using linear and concave pH gradients formed with simple buffer mixtures. II. Separation of proteins 890(2000)37

Closed loop stripping analysis

Retention index database for identification of general green leaf volatiles in plants by coupled capillary gas chromatography–mass spectrometry 890(2000)313

Collagen

Use of Edman degradation sequence analysis and matrix-assisted laser desorption/ionization mass spectrometry in designing substrates for matrix metalloproteinases 890(2000)117

Column switching

Analysis of neuropeptide Y and its metabolites by high-performance liquid chromatography–electrospray ionization mass spectrometry and integrated sample clean-up with a novel restricted-access sulphonic acid cation exchanger 890(2000)135

Computer simulation

Liquid adsorption chromatography of polyethers: experiments and simulation 890(2000)195

Simulation of electrophoretic separations by the flux-corrected transport method 890(2000)321

Continuous bed column

Nonaqueous electrochromatography on continuous bed columns of sol–gel bonded large-pore C₁₈ material: separation of retinyl esters 890(2000)347

Derivatization, LC

Post-column oxidative derivatization for the liquid chromatographic determination of phenothiazines 890(2000)281

Detection, LC

Determination of naphthalenesulfonates in water by on-line ion-pair solid-phase extraction and ion-pair liquid chromatography with fast-scanning fluorescence detection 890(2000)289

Disinfection by-products

Simultaneous determination of inorganic disinfection by-products and the seven standard anions by ion chromatography 890(2000)295

Dissociation constants

Reinforcement of frontal affinity chromatography for effective analysis of lectin–oligosaccharide interactions 890(2000)261

Distribution coefficients

Liquid adsorption chromatography of polyethers: experiments and simulation 890(2000)195

DNA

Application of magnetite and silica–magnetite composites to the isolation of genomic DNA 890(2000)159

Purification of crude DNA oligonucleotides by solid-phase extraction and reversed-phase high-performance liquid chromatography 890(2000)167

Large-scale purification of antisense oligonucleotides by high-performance membrane adsorber chromatography 890(2000)179

Use of voltage gradient gel electrophoresis in apoptotic DNA analysis 890(2000)371

Electric field strength

Simulation of electrophoretic separations by the flux-corrected transport method 890(2000)321

Electrochromatography

Pressurized-flow anion-exchange capillary electrochromatography using a polymeric ion-exchange stationary phase 890(2000)337

Nonaqueous electrochromatography on continuous bed columns of sol–gel bonded large-pore C₁₈ material: separation of retinyl esters 890(2000)347

Determination of the intraparticle electroosmotic volumetric flow-rate, velocity and Peclet number in capillary electrochromatography from pore network theory 890(2000)61

Electrokinetic chromatography

Potential of ethylenediaminedi(*o*-hydroxyphenylacetic acid) and *N,N'*-bis(hydroxybenzyl)ethylenediamine-*N,N'*-diacetic acid for the determination of metal ions by capillary electrophoresis 890(2000)363

Electroosmotic flow

Determination of the intraparticle electroosmotic volumetric flow-rate, velocity and Peclet number in capillary electrochromatography from pore network theory 890(2000)61

Enantiomer separation

Determination of the enantiomers of 3-*tert*-butylamino-1,2-propanediol by high-performance liquid chromatography coupled to evaporative light scattering detection 890(2000)239

Environmental analysis

Indirect analysis of urea herbicides from environmental water using solid-phase microextraction 890(2000)303

Enzymes

Use of Edman degradation sequence analysis and matrix-assisted laser desorption/ionization mass spectrometry in designing substrates for matrix metalloproteinases 890(2000)117

Ethylenediaminedi(*o*-hydroxyphenylacetic acid)

Potential of ethylenediaminedi(*o*-hydroxyphenylacetic acid) and *N,N'*-bis(hydroxybenzyl)ethylenediamine-*N,N'*-diacetic acid for the determination of metal ions by capillary electrophoresis* 890(2000)363

Evaporative light scattering detection

Determination of the enantiomers of 3-*tert.*-butylamino-1,2-propanediol by high-performance liquid chromatography coupled to evaporative light scattering detection 890(2000)239

Fagus sylvatica

Retention index database for identification of general green leaf volatiles in plants by coupled capillary gas chromatography–mass spectrometry 890(2000)313

Fast high-performance liquid chromatography

Superficially porous silica microspheres for fast high-performance liquid chromatography of macromolecules 890(2000)3

Fast scanning fluorescence detection

Determination of naphthalenesulfonates in water by on-line ion-pair solid-phase extraction and ion-pair liquid chromatography with fast-scanning fluorescence detection 890(2000)289

Flux-corrected transport

Simulation of electrophoretic separations by the flux-corrected transport method 890(2000)321

Frontal analysis

Determination of the lumped mass transfer rate coefficient by frontal analysis 890(2000)211

Frontal chromatography

Reinforcement of frontal affinity chromatography for effective analysis of lectin–oligosaccharide interactions 890(2000)261

Galectins

Reinforcement of frontal affinity chromatography for effective analysis of lectin–oligosaccharide interactions 890(2000)261

Gradient elution

High-performance chromatofocusing using linear and concave pH gradients formed with simple buffer mixtures. I. Effect of buffer composition on the gradient shape 890(2000)25

Green leaf volatile compounds

Retention index database for identification of general green leaf volatiles in plants by coupled capillary gas chromatography–mass spectrometry 890(2000)313

Hemoglobins

High-performance chromatofocusing using linear and concave pH gradients formed with simple buffer mixtures. II. Separation of proteins 890(2000)37

Hevea brasiliensis

Characterisation of the rubber elongation factor from ammoniated latex by electrophoresis and mass spectrometry 890(2000)145

Hormones

Analysis of human parathyroid hormone (1–84) products. Separation of a major impurity in synthetic products by ion-pairing reversed-phase high-performance liquid chromatography 890(2000)127

Hydrophobic interaction chromatography

Protein losses in ion-exchange and hydrophobic interaction high-performance liquid chromatography 890(2000)73

Immunoglobulins

Use of spray-dried zirconia microspheres in the separation of immunoglobulins from cell culture supernatant 890(2000)15

Scale-down of continuous protein purification by annular chromatography. Design parameters for the smallest unit 890(2000)53

Indirect detection

New preconditioning strategy for the determination of inorganic anions with capillary zone electrophoresis using indirect UV detection 890(2000)355

Inorganic anions

New preconditioning strategy for the determination of inorganic anions with capillary zone electrophoresis using indirect UV detection 890(2000)355

Instrumentation

Scale-down of continuous protein purification by annular chromatography. Design parameters for the smallest unit 890(2000)53

Intraparticle electroosmotic velocity

Determination of the intraparticle electroosmotic volumetric flow-rate, velocity and Peclet number in capillary electrochromatography from pore network theory 890(2000)61

Intraparticle flow

Determination of the intraparticle electroosmotic volumetric flow-rate, velocity and Peclet number in capillary electrochromatography from pore network theory 890(2000)61

Ion electrokinetic chromatography

Potential of ethylenediaminedi(*o*-hydroxyphenylacetic acid) and *N,N'*-bis(hydroxybenzyl)ethylenediamine-*N,N'*-diacetic acid for the determination of metal ions by capillary electrophoresis 890(2000)363

Kinetic studies

Determination of the lumped mass transfer rate coefficient by frontal analysis 890(2000)211

Latex

Characterisation of the rubber elongation factor from ammoniated latex by electrophoresis and mass spectrometry 890(2000)145

Lectins

Reinforcement of frontal affinity chromatography for effective analysis of lectin–oligosaccharide interactions 890(2000)261

Magnetic sorbents

Application of magnetite and silica–magnetite composites to the isolation of genomic DNA 890(2000)159

Magnetite sorbents

Application of magnetite and silica–magnetite composites to the isolation of genomic DNA 890(2000)159

Mass transfer

Determination of the lumped mass transfer rate coefficient by frontal analysis 890(2000)211

Mathematical modelling

Scale-down of continuous protein purification by annular chromatography. Design parameters for the smallest unit 890(2000)53

Determination of the intraparticle electroosmotic volumetric flow-rate, velocity and Peclet number in capillary electrochromatography from pore network theory 890(2000)61

Matrix metalloproteinases

Use of Edman degradation sequence analysis and matrix-assisted laser desorption/ionization mass spectrometry in designing substrates for matrix metalloproteinases 890(2000)117

Membranes

Large-scale purification of antisense oligonucleotides by high-performance membrane adsorber chromatography 890(2000)179

Metal cations

Potential of ethylenediaminedi(*o*-hydroxyphenylacetic acid) and *N,N'*-bis(hydroxybenzyl)ethylenediamine-*N,N'*-diacetic acid for the determination of metal ions by capillary electrophoresis^{*} 890(2000)363

Metal chelates

Adsorption and selectivity characteristics of several human serum proteins with immobilised hard Lewis metal ion–chelate adsorbents 890(2000)95

Potential of ethylenediaminedi(*o*-hydroxyphenylacetic acid) and *N,N'*-bis(hydroxybenzyl)ethylenediamine-*N,N'*-diacetic acid for the determination of metal ions by capillary electrophoresis^{*} 890(2000)363

Metalloproteinases

Use of Edman degradation sequence analysis and matrix-assisted laser desorption/ionization mass spectrometry in designing substrates for matrix metalloproteinases 890(2000)117

Monoclonal antibodies

Use of spray-dried zirconia microspheres in the separation of immunoglobulins from cell culture supernatant 890(2000)15

Myoglobin

High-performance chromatofocusing using linear and concave pH gradients formed with simple buffer mixtures. II. Separation of proteins 890(2000)37

Metal ion affinity chromatography

Adsorption and selectivity characteristics of several human serum proteins with immobilised hard Lewis metal ion–chelate adsorbents 890(2000)95

Naphthalenesulfonates

Determination of naphthalenesulfonates in water by on-line ion-pair solid-phase extraction and ion-pair liquid chromatography with fast-scanning fluorescence detection 890(2000)289

Neuropeptides

Analysis of neuropeptide Y and its metabolites by high-performance liquid chromatography–electrospray ionization mass spectrometry and integrated sample clean-up with a novel restricted-access sulphonic acid cation exchanger 890(2000)135

Nucleic acids

Superficially porous silica microspheres for fast high-performance liquid chromatography of macromolecules 890(2000)3

Oligonucleotides

Purification of crude DNA oligonucleotides by solid-phase extraction and reversed-phase high-performance liquid chromatography 890(2000)167

Large-scale purification of antisense oligonucleotides by high-performance membrane adsorber chromatography 890(2000)179

Oligosaccharides

Reinforcement of frontal affinity chromatography for effective analysis of lectin–oligosaccharide interactions 890(2000)261

Ovalbumin

Suspended bed chromatography, a new approach in downstream processing 890(2000)45

Partial least squares calibration

Determination of naphthalenesulfonates in water by on-line ion-pair solid-phase extraction and ion-pair liquid chromatography with fast-scanning fluorescence detection 890(2000)289

Parathyroid hormone

Analysis of human parathyroid hormone (1–84) products. Separation of a major impurity in synthetic products by ion-pairing reversed-phase high-performance liquid chromatography 890(2000)127

Peak dispersion

Liquid adsorption chromatography of polyethers: experiments and simulation 890(2000)195

Peclet number

Determination of the intraparticle electroosmotic volumetric flow-rate, velocity and Peclet number in capillary electrochromatography from pore network theory 890(2000)61

Peptides

Trapping the monomeric α -helical state during unfolding of coiled-coils by reversed-phase liquid chromatography 890(2000)81

Use of Edman degradation sequence analysis and matrix-assisted laser desorption/ionization mass spectrometry in designing substrates for matrix metalloproteinases 890(2000)117

Analysis of human parathyroid hormone (1–84) products. Separation of a major impurity in synthetic products by ion-pairing reversed-phase high-performance liquid chromatography 890(2000)127

Analysis of neuropeptide Y and its metabolites by high-performance liquid chromatography–electrospray ionization mass spectrometry and integrated sample clean-up with a novel restricted-access sulphonic acid cation exchanger 890(2000)135

Characterisation of the rubber elongation factor from ammoniated latex by electrophoresis and mass spectrometry 890(2000)145

Peroxyacetic acid

Post-column oxidative derivatization for the liquid chromatographic determination of phenothiazines 890(2000)281

Pesticides

Indirect analysis of urea herbicides from environmental water using solid-phase microextraction 890(2000)303

Phenothiazines

Post-column oxidative derivatization for the liquid chromatographic determination of phenothiazines 890(2000)281

Poly(ethylene glycol)

Liquid adsorption chromatography of polyethers: experiments and simulation 890(2000)195

Polymers

Liquid adsorption chromatography of polyethers: experiments and simulation 890(2000)195

Procyanidins

Fractionation of apple procyanidins according to their degree of polymerization by normal-phase high-performance liquid chromatography 890(2000)251

Proteins

Superficially porous silica microspheres for fast high-performance liquid chromatography of macromolecules 890(2000)3

Use of spray-dried zirconia microspheres in the separation of immunoglobulins from cell culture supernatant 890(2000)15

High-performance chromatofocusing using linear and concave pH gradients formed with simple buffer mixtures. II. Separation of proteins 890(2000)37

Suspended bed chromatography, a new approach in downstream processing 890(2000)45

Scale-down of continuous protein purification by annular chromatography. Design parameters for the smallest unit 890(2000)53

Protein losses in ion-exchange and hydrophobic interaction high-performance liquid chromatography 890(2000)73

Trapping the monomeric α -helical state during unfolding of coiled-coils by reversed-phase liquid chromatography 890(2000)81

Adsorption and selectivity characteristics of several human serum proteins with immobilised hard Lewis metal ion–chelate adsorbents 890(2000)95

Characterisation of the rubber elongation factor from ammoniated latex by electrophoresis and mass spectrometry 890(2000)145

pH gradients

High-performance chromatofocusing using linear and concave pH gradients formed with simple buffer mixtures. I. Effect of buffer composition on the gradient shape 890(2000)25

High-performance chromatofocusing using linear and concave pH gradients formed with simple buffer mixtures. II. Separation of proteins 890(2000)37

Plant materials

Retention index database for identification of general green leaf volatiles in plants by coupled capillary gas chromatography–mass spectrometry 890(2000)313

Polymeric adsorbents

Solid-phase extraction of polar hydrophilic aromatic sulfonates followed by capillary zone electrophoresis–UV absorbance detection and ion-pair liquid chromatography–diode array UV detection and electrospray mass spectrometry 890(2000)225

Pore diffusion coefficient

Determination of the intraparticle electroosmotic volumetric flow-rate, velocity and Peclet number in capillary electrochromatography from pore network theory 890(2000)61

Pore network model

Determination of the intraparticle electroosmotic volumetric flow-rate, velocity and Peclet number in capillary electrochromatography from pore network theory 890(2000)61

Poroshell packings

Superficially porous silica microspheres for fast high-performance liquid chromatography of macromolecules 890(2000)3

Porous particles

Superficially porous silica microspheres for fast high-performance liquid chromatography of macromolecules 890(2000)3

Preparative chromatography

Suspended bed chromatography, a new approach in downstream processing 890(2000)45

Pressurized flow

Pressurized-flow anion-exchange capillary electrochromatography using a polymeric ion-exchange stationary phase 890(2000)337

Protein coiled cells

Trapping the monomeric α -helical state during unfolding of coiled-coils by reversed-phase liquid chromatography 890(2000)81

Protein folding

Trapping the monomeric α -helical state during unfolding of coiled-coils by reversed-phase liquid chromatography 890(2000)81

Restricted-access media

Analysis of neuropeptide Y and its metabolites by high-performance liquid chromatography–electrospray ionization mass spectrometry and integrated sample clean-up with a novel restricted-access sulphonic acid cation exchanger 890(2000)135

Retinyl esters

Nonaqueous electrochromatography on continuous bed columns of sol–gel bonded large-pore C_{18} material: separation of retinyl esters 890(2000)347

Retention indices

Retention index database for identification of general green leaf volatiles in plants by coupled capillary gas chromatography–mass spectrometry 890(2000)313

Rubber elongation factor

Characterisation of the rubber elongation factor from ammoniated latex by electrophoresis and mass spectrometry 890(2000)145

Sample handling

Analysis of neuropeptide Y and its metabolites by high-performance liquid chromatography–electrospray ionization mass spectrometry and integrated sample clean-up with a novel restricted-access sulphonic acid cation exchanger 890(2000)135

Silica

Superficially porous silica microspheres for fast high-performance liquid chromatography of macromolecules 890(2000)3

Silica–magnetite sorbents

Application of magnetite and silica–magnetite composites to the isolation of genomic DNA 890(2000)159

Solid-phase extraction

Solid-phase extraction of polar hydrophilic aromatic sulfonates followed by capillary zone electrophoresis–UV absorbance detection and ion-pair liquid chromatography–diode array UV detection and electrospray mass spectrometry 890(2000)225

Determination of naphthalenesulfonates in water by on-line ion-pair solid-phase extraction and ion-pair liquid chromatography with fast-scanning fluorescence detection 890(2000)289

Solid-phase microextraction

Indirect analysis of urea herbicides from environmental water using solid-phase microextraction 890(2000)303

Stationary phases, CEC

Pressurized-flow anion-exchange capillary electrochromatography using a polymeric ion-exchange stationary phase 890(2000)337

Nonaqueous electrochromatography on continuous bed columns of sol–gel bonded large-pore C_{18} material: separation of retinyl esters 890(2000)347

Stationary phases, LC

Superficially porous silica microspheres for fast high-performance liquid chromatography of macromolecules 890(2000)3

Use of spray-dried zirconia microspheres in the separation of immunoglobulins from cell culture supernatant 890(2000)15

Sulfonates, aromatic

Solid-phase extraction of polar hydrophilic aromatic sulfonates followed by capillary zone electrophoresis–UV absorbance detection and ion-pair liquid chromatography–diode array UV detection and electrospray mass spectrometry 890(2000)225

Suspended bed chromatography

Suspended bed chromatography, a new approach in downstream processing 890(2000)45

Tannins

Fractionation of apple procyanidins according to their degree of polymerization by normal-phase high-performance liquid chromatography 890(2000)251

3-*tert.*-Butylamino-1,2-propanediol

Determination of the enantiomers of 3-*tert.*-butylamino-1,2-propanediol by high-performance liquid chromatography coupled to evaporative light scattering detection 890(2000)239

Triple-helical peptides

Use of Edman degradation sequence analysis and matrix-assisted laser desorption/ionization mass spectrometry in designing substrates for matrix metalloproteinases 890(2000)117

Triton X-114

Superficially porous silica microspheres for fast high-performance liquid chromatography of macromolecules 890(2000)3

Volatile organic compounds

Retention index database for identification of general green leaf volatiles in plants by coupled capillary gas chromatography–mass spectrometry 890(2000)313

Voltage gradient gel electrophoresis

Use of voltage gradient gel electrophoresis in apoptotic DNA analysis 890(2000)371

Water analysis

Determination of naphthalenesulfonates in water by on-line ion-pair solid-phase extraction and ion-pair liquid chromatography with fast-scanning fluorescence detection 890(2000)289

Simultaneous determination of inorganic disinfection by-products and the seven standard anions by ion chromatography 890(2000)295

Indirect analysis of urea herbicides from environmental water using solid-phase microextraction 890(2000)303

Zirconia

Use of spray-dried zirconia microspheres in the separation of immunoglobulins from cell culture supernatant 890(2000)15