



ELSEVIER

Journal of Chromatography A, 891 (2000) 375–381

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 891

Acenaphthene

Simultaneous determination of ethylbenzene, indan, indene and acenaphthene in air by capillary gas chromatography 891(2000)361

Acrylamide–allylcyclodextrin copolymer

Determination of cyclodextrin content using periodate oxidation by capillary electrophoresis 891(2000)201

Affinity chromatography

Biomimetic dyes as affinity chromatography tools in enzyme purification (Review) 891(2000)33

Air analysis

Simultaneous determination of ethylbenzene, indan, indene and acenaphthene in air by capillary gas chromatography 891(2000)361

Alkaloids

Determination of bisbenzylisoquinoline alkaloids by high-performance liquid chromatography (II) 891(2000)189

Alkyl methylphosphonic acids

Efficiency of pretreatment of aqueous samples using a macroporous strong anion-exchange resin on the determination of nerve gas hydrolysis products by gas chromatography–mass spectrometry after *tert.*-butyldimethylsilylation 891(2000)295

Amino acid analysis

Use of amino acid analysis for estimating the individual concentrations of proteins in mixtures 891(2000)355

Amino acids

Role of chromatography in the analysis of sugars, carboxylic acids and amino acids in food (Review) 891(2000)1

Antioxidants

Polymer additive analysis by pyrolysis–gas chromatography. IV. Antioxidants 891(2000)325

Background electrolyte composition

Determination of enantiomers in a synthetic argininal peptide using capillary zone electrophoresis and high-performance liquid chromatography 891(2000)115

Biomimetic dyes

Biomimetic dyes as affinity chromatography tools in enzyme purification (Review) 891(2000)33

Bisbenzylisoquinoline alkaloids

Determination of bisbenzylisoquinoline alkaloids by high-performance liquid chromatography (II) 891(2000)189

Caffeic acid

Determination of phenolic acids in fruit juices by isocratic column liquid chromatography 891(2000)183

Capillary electrophoresis–mass spectrometry

Capillary electrophoresis–inductively coupled plasma mass spectrometry interface with minimised dead volume for high separation efficiency 891(2000)129

Carbohydrates

Analysis of carbohydrates in wood and pulps employing enzymatic hydrolysis and subsequent capillary zone electrophoresis 891(2000)157

Determination of cyclodextrin content using periodate oxidation by capillary electrophoresis 891(2000)201

Carbonyl compounds

Microwave-assisted derivatization of volatile carbonyl compounds with *O*-(2,3,4,5,6-pentafluorobenzyl)hydroxylamine 891(2000)267

Carboxylic acids

Role of chromatography in the analysis of sugars, carboxylic acids and amino acids in food (Review) 891(2000)1

Application of gas chromatography coupled to chemical ionisation mass spectrometry following headspace solid-phase microextraction for the determination of free volatile fatty acids in aqueous samples 891(2000)287

Catecholamines

Miniaturized thin-layer radial flow cell with interdigitated ring-shaped microarray electrode used as amperometric detector for capillary electrophoresis 891(2000)149

Chiral acids

Configurational analysis of chiral acids as *O*-trifluoroacetylated (–)-menthyl esters by achiral dual-capillary column gas chromatography 891(2000)257

Chlorogenic acid

Determination of phenolic acids in fruit juices by isocratic column liquid chromatography 891(2000)183

Chlorophacinone

Determination of chlorophacinone and diphacinone in commercial rodenticides by liquid chromatography–UV detection and liquid chromatography–electrospray ionization mass spectrometry 891(2000)249

Column radial heterogeneity

Influence of the column radial heterogeneity on the determination of single-component isotherms by the elution by characteristic point method 891(2000)217

Cyclodextrins

Determination of cyclodextrin content using periodate oxidation by capillary electrophoresis 891(2000)201

Derivatization, GC

Microwave-assisted derivatization of volatile carbonyl compounds with *O*-(2,3,4,5,6-pentafluorobenzyl)hydroxylamine 891(2000)267

Derivatization, LC

Determination of enantiomers in a synthetic argininal peptide using capillary zone electrophoresis and high-performance liquid chromatography 891(2000)115

Detection, electrophoresis

Simple interface for capillary electrophoresis–inductively coupled plasma atomic emission spectrometry 891(2000)139

Miniaturized thin-layer radial flow cell with interdigitated ring-shaped microarray electrode used as amperometric detector for capillary electrophoresis 891(2000)149

Diastereoisomer separation

Determination of enantiomers in a synthetic argininal peptide using capillary zone electrophoresis and high-performance liquid chromatography 891(2000)115

Diphacinone

Determination of chlorophacinone and diphacinone in commercial rodenticides by liquid chromatography–UV detection and liquid chromatography–electrospray ionization mass spectrometry 891(2000)249

Dyes

Biomimetic dyes as affinity chromatography tools in enzyme purification (Review) 891(2000)33

Efficiency

Capillary electrophoresis–inductively coupled plasma mass spectrometry interface with minimised dead volume for high separation efficiency 891(2000)129

Electrochemical detection

Miniaturized thin-layer radial flow cell with interdigitated ring-shaped microarray electrode used as amperometric detector for capillary electrophoresis 891(2000)149

Electrodes

Miniaturized thin-layer radial flow cell with interdigitated ring-shaped microarray electrode used as amperometric detector for capillary electrophoresis 891(2000)149

Elemental analysis

Discoloration of ceramic hydroxyapatite used for protein chromatography 891(2000)93

Ellagic acid

Analysis of oak tannins by liquid chromatography–electrospray ionisation mass spectrometry 891(2000)75

Determination of phenolic acids in fruit juices by isocratic column liquid chromatography 891(2000)183

Elution by characteristic point

Influence of the column radial heterogeneity on the determination of single-component isotherms by the elution by characteristic point method 891(2000)217

Enantiomer separation

Determination of enantiomers in a synthetic argininal peptide using capillary zone electrophoresis and high-performance liquid chromatography 891(2000)115

Configurational analysis of chiral acids as *O*-trifluoroacetylated (–)-menthyl esters by achiral dual-capillary column gas chromatography 891(2000)257

Environmental analysis

Analysis of agrochemicals by capillary electrophoresis (Review) 891(2000)45

Comparison of two extraction methods independently developed on two conceptually different automated supercritical fluid extraction systems for the determination of polychlorinated biphenyls in sediments 891(2000)195

Application of gas chromatography coupled to chemical ionisation mass spectrometry following headspace solid-phase microextraction for the determination of free volatile fatty acids in aqueous samples 891(2000)287

Monitoring organochlorine pesticides from landfill leachates by gas chromatography–electron-capture detection after solid-phase microextraction 891(2000)305

Simultaneous determination of ethylbenzene, indan, indene and acenaphthene in air by capillary gas chromatography 891(2000)361

Enzyme inhibitors

Fast quantitation of recombinant plasminogen activator inhibitor type 1 in bacterial lysates by micropellicular reversed-phase liquid chromatography 891(2000)85

Enzymes

Biomimetic dyes as affinity chromatography tools in enzyme purification (Review) 891(2000)33

Analysis of carbohydrates in wood and pulps employing enzymatic hydrolysis and subsequent capillary zone electrophoresis 891(2000)157

Ethylbenzene

Simultaneous determination of ethylbenzene, indan, indene and acenaphthene in air by capillary gas chromatography 891(2000)361

Extraction methods

Comparison of two extraction methods independently developed on two conceptually different automated supercritical fluid extraction systems for the determination of polychlorinated biphenyls in sediments 891(2000)195

Miniaturised pressurised liquid extraction of polycyclic aromatic hydrocarbons from soil and sediment with subsequent large-volume injection–gas chromatography 891(2000)275

Fatty acids

Application of gas chromatography coupled to chemical ionisation mass spectrometry following headspace solid-phase microextraction for the determination of free volatile fatty acids in aqueous samples 891(2000)287

Polymer additive analysis by pyrolysis–gas chromatography. III. Lubricants 891(2000)313

Gas chromatographic determination of the fatty-acid content of heat-treated green beans 891(2000)367

Ferulic acid

Determination of phenolic acids in fruit juices by isocratic column liquid chromatography 891(2000)183

Flow cell

Miniaturized thin-layer radial flow cell with interdigitated ring-shaped microarray electrode used as amperometric detector for capillary electrophoresis 891(2000)149

Food analysis

Role of chromatography in the analysis of sugars, carboxylic acids and amino acids in food (Review) 891(2000)1

Analysis of agrochemicals by capillary electrophoresis (Review) 891(2000)45

Determination of fumaric acid in apple juice by on-line coupled capillary isotachopheresis–capillary zone electrophoresis with UV detection 891(2000)175

Gas chromatographic determination of the fatty-acid content of heat-treated green beans 891(2000)367

Forensic analysis

Efficiency of pretreatment of aqueous samples using a macroporous strong anion-exchange resin on the determination of nerve gas hydrolysis products by gas chromatography–mass spectrometry after *tert*.-butyldimethylsilylation 891(2000)295

Fruit juices

Determination of fumaric acid in apple juice by on-line coupled capillary isotachopheresis–capillary zone electrophoresis with UV detection 891(2000)175

Fumaric acid

Determination of fumaric acid in apple juice by on-line coupled capillary isotachopheresis–capillary zone electrophoresis with UV detection 891(2000)175

Gallic acid

Analysis of oak tannins by liquid chromatography-electrospray ionisation mass spectrometry 891(2000)75

Determination of phenolic acids in fruit juices by isocratic column liquid chromatography 891(2000)183

Glucose ester

Analysis of oak tannins by liquid chromatography-electrospray ionisation mass spectrometry 891(2000)75

Hexenuronic acid

Analysis of carbohydrates in wood and pulps employing enzymatic hydrolysis and subsequent capillary zone electrophoresis 891(2000)157

Hydrochloric acid

Experimental study on moving neutralization reaction boundary created with the strong reactive electrolytes of HCl and NaOH in agarose gel 891(2000)337

Hydroxy acids

Configurational analysis of chiral acids as *O*-trifluoroacetylated (–)-menthyl esters by achiral dual-capillary column gas chromatography 891(2000)257

Hydrolysis

Analysis of carbohydrates in wood and pulps employing enzymatic hydrolysis and subsequent capillary zone electrophoresis 891(2000)157

Hydroxyapatite

Discoloration of ceramic hydroxyapatite used for protein chromatography 891(2000)93

Indan

Simultaneous determination of ethylbenzene, indan, indene and acenaphthene in air by capillary gas chromatography 891(2000)361

Indanediones

Determination of chlorophacinone and diphacinone in commercial rodenticides by liquid chromatography–UV detection and liquid chromatography–electrospray ionization mass spectrometry 891(2000)249

Indene

Simultaneous determination of ethylbenzene, indan, indene and acenaphthene in air by capillary gas chromatography 891(2000)361

Inorganic anions

Simple interface for capillary electrophoresis–inductively coupled plasma atomic emission spectrometry 891(2000)139

***N*-isopropylacrylamide**

Concentration of nonylphenol and its polyethoxylated derivatives by polymer-mediated extraction 891(2000)69

Instrumentation

Capillary electrophoresis–inductively coupled plasma mass spectrometry interface with minimised dead volume for high separation efficiency 891(2000)129

Simple interface for capillary electrophoresis–inductively coupled plasma atomic emission spectrometry 891(2000)139

Miniaturized thin-layer radial flow cell with interdigitated ring-shaped microarray electrode used as amperometric detector for capillary electrophoresis 891(2000)149

Interfaces, CE–ICP

Simple interface for capillary electrophoresis–inductively coupled plasma atomic emission spectrometry 891(2000)139

Interfaces, CE–MS

Capillary electrophoresis–inductively coupled plasma mass spectrometry interface with minimised dead volume for high separation efficiency 891(2000)129

Ion-pairing reagents

Development of a method for the analysis of nucleotides from the mantle tissue of the mussel *Mytilus galloprovincialis* 891(2000)99

Isoelectric focusing

Experimental study on moving neutralization reaction boundary created with the strong reactive electrolytes of HCl and NaOH in agarose gel 891(2000)337

Isotachopheresis–capillary zone electrophoresis

Determination of fumaric acid in apple juice by on-line coupled capillary isotachopheresis–capillary zone electrophoresis with UV detection 891(2000)175

Lipids

Separation of the molecular species of intact phosphatidylethanolamines and their *N*-monomethyl and *N,N*-dimethyl derivatives by high-performance liquid chromatography on a C₈ column 891(2000)349

Lubricants

Polymer additive analysis by pyrolysis–gas chromatography. III. Lubricants 891(2000)313

Lysozyme

Pressure-induced retention of the lysozyme on reversed-phase liquid chromatography 891(2000)207

Malaprade's reaction

Determination of cyclodextrin content using periodate oxidation by capillary electrophoresis 891(2000)201

Malic acid

Determination of fumaric acid in apple juice by on-line coupled capillary isotachopheresis–capillary zone electrophoresis with UV detection 891(2000)175

Mass transfer resistance

Influence of the column radial heterogeneity on the determination of single-component isotherms by the elution by characteristic point method 891(2000)217

Metal cations

Discoloration of ceramic hydroxyapatite used for protein chromatography 891(2000)93

Simple interface for capillary electrophoresis–inductively coupled plasma atomic emission spectrometry 891(2000)139

Metal complexes

Simple interface for capillary electrophoresis–inductively coupled plasma atomic emission spectrometry 891(2000)139

Metals

Capillary electrophoresis–inductively coupled plasma mass spectrometry interface with minimised dead volume for high separation efficiency 891(2000)129

Methylphosphonic acid

Efficiency of pretreatment of aqueous samples using a macroporous strong anion-exchange resin on the determination of nerve gas hydrolysis products by gas chromatography–mass spectrometry after *tert*-butyldimethylsilylation 891(2000)295

Microwave-assisted derivatization

Microwave-assisted derivatization of volatile carbonyl compounds with *O*-(2,3,4,5,6-pentafluorobenzyl)hydroxylamine 891(2000)267

Mobile phase composition

Development of a method for the analysis of nucleotides from the mantle tissue of the mussel *Mytilus galloprovincialis* 891(2000)99

Mixtures

Use of amino acid analysis for estimating the individual concentrations of proteins in mixtures 891(2000)355

Mobile phase composition

Development of a method for the analysis of nucleotides from the mantle tissue of the mussel *Mytilus galloprovincialis* 891(2000)99

Monosaccharides

Analysis of carbohydrates in wood and pulps employing enzymatic hydrolysis and subsequent capillary zone electrophoresis 891(2000)157

Moving chemical reaction boundary

Experimental study on moving neutralization reaction boundary created with the strong reactive electrolytes of HCl and NaOH in agarose gel 891(2000)337

Mytilus galloprovincialis

Development of a method for the analysis of nucleotides from the mantle tissue of the mussel *Mytilus galloprovincialis* 891(2000)99

Nebulizing interface

Capillary electrophoresis–inductively coupled plasma mass spectrometry interface with minimised dead volume for high separation efficiency 891(2000)129

Nonylphenol

Concentration of nonylphenol and its polyethoxylated derivatives by polymer-mediated extraction 891(2000)69

Nucleotides

Development of a method for the analysis of nucleotides from the mantle tissue of the mussel *Mytilus galloprovincialis* 891(2000)99

Optical emission spectrometry

Discoloration of ceramic hydroxyapatite used for protein chromatography 891(2000)93

Organic acids

Determination of fumaric acid in apple juice by on-line coupled capillary isotachopheresis–capillary zone electrophoresis with UV detection 891(2000)175

Organochlorine compounds

Monitoring organochlorine pesticides from landfill leachates by gas chromatography–electron-capture detection after solid-phase microextraction 891(2000)305

Pentafluorobenzylhydroxylamine

Microwave-assisted derivatization of volatile carbonyl compounds with *O*-(2,3,4,5,6-pentafluorobenzyl)hydroxylamine 891(2000)267

Peptides

Determination of enantiomers in a synthetic argininal peptide using capillary zone electrophoresis and high-performance liquid chromatography 891(2000)115

Approaches towards the quantitative analysis of peptides and proteins by reversed-phase high-performance liquid chromatography in the absence of a pure reference sample 891(2000)235

Periodate

Determination of cyclodextrin content using periodate oxidation by capillary electrophoresis 891(2000)201

Pesticides

Analysis of agrochemicals by capillary electrophoresis (Review) 891(2000)45

Monitoring organochlorine pesticides from landfill leachates by gas chromatography–electron-capture detection after solid-phase microextraction 891(2000)305

Pharmaceutical analysis

Determination of vitamin B₁₂ in multivitamin tablets and fermentation medium by high-performance liquid chromatography with fluorescence detection 891(2000)243

Phenolic acids

Determination of phenolic acids in fruit juices by isocratic column liquid chromatography 891(2000)183

Phosphatidylethanolamines

Separation of the molecular species of intact phosphatidylethanolamines and their *N*-monomethyl and *N,N*-dimethyl derivatives by high-performance liquid chromatography on a C₈ column 891(2000)349

Polychlorinated biphenyls

Comparison of two extraction methods independently developed on two conceptually different automated supercritical fluid extraction systems for the determination of polychlorinated biphenyls in sediments 891(2000)195

Polyethoxylate

Concentration of nonylphenol and its polyethoxylated derivatives by polymer-mediated extraction 891(2000)69

Polyethylene

Polymer additive analysis by pyrolysis–gas chromatography. III. Lubricants 891(2000)313

Polymers

Determination of cyclodextrin content using periodate oxidation by capillary electrophoresis 891(2000)201

Polymer additive analysis by pyrolysis–gas chromatography. III. Lubricants 891(2000)313

Polymer additive analysis by pyrolysis–gas chromatography. IV. Antioxidants 891(2000)325

Polynuclear aromatic hydrocarbons

Miniaturised pressurised liquid extraction of polycyclic aromatic hydrocarbons from soil and sediment with subsequent large-volume injection–gas chromatography 891(2000)275

Preparative chromatography

Discoloration of ceramic hydroxyapatite used for protein chromatography 891(2000)93

Pressure-induced retention

Pressure-induced retention of the lysozyme on reversed-phase liquid chromatography 891(2000)207

Pressurized liquid extraction

Miniaturised pressurised liquid extraction of polycyclic aromatic hydrocarbons from soil and sediment with subsequent large-volume injection–gas chromatography 891(2000)275

Protein concentrations

Use of amino acid analysis for estimating the individual concentrations of proteins in mixtures 891(2000)355

Proteins

Fast quantitation of recombinant plasminogen activator inhibitor type 1 in bacterial lysates by micropellicular reversed-phase liquid chromatography 891(2000)85

Discoloration of ceramic hydroxyapatite used for protein chromatography 891(2000)93

Pressure-induced retention of the lysozyme on reversed-phase liquid chromatography 891(2000)207

Approaches towards the quantitative analysis of peptides and proteins by reversed-phase high-performance liquid chromatography in the absence of a pure reference sample 891(2000)235

Provitamins

Simultaneous determination of fat-soluble vitamins and provitamins in milk by microcolumn liquid chromatography 891(2000)109

Pyrolysis

Polymer additive analysis by pyrolysis–gas chromatography. III. Lubricants 891(2000)313

Polymer additive analysis by pyrolysis–gas chromatography. IV. Antioxidants 891(2000)325

Rare earth metals

Capillary electrophoresis–inductively coupled plasma mass spectrometry interface with minimised dead volume for high separation efficiency 891(2000)129

Retention behaviour

Pressure-induced retention of the lysozyme on reversed-phase liquid chromatography 891(2000)207

Reviews

Role of chromatography in the analysis of sugars, carboxylic acids and amino acids in food (Review) 891(2000)1

Biomimetic dyes as affinity chromatography tools in enzyme purification (Review) 891(2000)33

Analysis of agrochemicals by capillary electrophoresis (Review) 891(2000)45

Rodenticides

Determination of chlorophacinone and diphacinone in commercial rodenticides by liquid chromatography–UV detection and liquid chromatography–electrospray ionization mass spectrometry 891(2000)249

Sample treatment

Efficiency of pretreatment of aqueous samples using a macroporous strong anion-exchange resin on the determination of nerve gas hydrolysis products by gas chromatography–mass spectrometry after *tert.*-butyldimethylsilylation 891(2000)295

Sediments

Comparison of two extraction methods independently developed on two conceptually different automated supercritical fluid extraction systems for the determination of polychlorinated biphenyls in sediments 891(2000)195

Miniaturised pressurised liquid extraction of polycyclic aromatic hydrocarbons from soil and sediment with subsequent large-volume injection–gas chromatography 891(2000)275

Semicarbazide

Determination of enantiomers in a synthetic argininal peptide using capillary zone electrophoresis and high-performance liquid chromatography 891(2000)115

Sodium hydroxide

Experimental study on moving neutralization reaction boundary created with the strong reactive electrolytes of HCl and NaOH in agarose gel 891(2000)337

Soil

Analysis of agrochemicals by capillary electrophoresis (Review) 891(2000)45

Miniaturised pressurised liquid extraction of polycyclic aromatic hydrocarbons from soil and sediment with subsequent large-volume injection–gas chromatography 891(2000)275

Solid-phase extraction

Determination of phenolic acids in fruit juices by isocratic column liquid chromatography 891(2000)183

Stationary phases, LC

Discoloration of ceramic hydroxyapatite used for protein chromatography 891(2000)93

Sugars

Role of chromatography in the analysis of sugars, carboxylic acids and amino acids in food (Review) 891(2000)1

Supercritical fluid extraction

Comparison of two extraction methods independently developed on two conceptually different automated supercritical fluid extraction systems for the determination of polychlorinated biphenyls in sediments 891(2000)195

Tannins

Analysis of oak tannins by liquid chromatography-electrospray ionisation mass spectrometry 891(2000)75

Tartaric acid

Determination of fumaric acid in apple juice by on-line coupled capillary isotachopheresis-capillary zone electrophoresis with UV detection 891(2000)175

***O*-Trifluoroacetylated (–)-menthyl esters**

Configurational analysis of chiral acids as *O*-trifluoroacetylated (–)-menthyl esters by achiral dual-capillary column gas chromatography 891(2000)257

Uronic acid

Analysis of carbohydrates in wood and pulps employing enzymatic hydrolysis and subsequent capillary zone electrophoresis 891(2000)157

Vegetable oils

Microwave-assisted derivatization of volatile carbonyl compounds with *O*-(2,3,4,5,6-pentafluorobenzyl)hydroxylamine 891(2000)267

Vegetables

Gas chromatographic determination of the fatty-acid content of heat-treated green beans 891(2000)367

Vitamins

Determination of vitamin B₁₂ in multivitamin tablets and fermentation medium by high-performance liquid chromatography with fluorescence detection 891(2000)243

Vitamins, fat-soluble

Simultaneous determination of fat-soluble vitamins and provitamins in milk by microcolumn liquid chromatography 891(2000)109

Volatile organic compounds

Microwave-assisted derivatization of volatile carbonyl compounds with *O*-(2,3,4,5,6-pentafluorobenzyl)hydroxylamine 891(2000)267

Application of gas chromatography coupled to chemical ionisation mass spectrometry following headspace solid-phase microextraction for the determination of free volatile fatty acids in aqueous samples 891(2000)287

Warfare agents

Efficiency of pretreatment of aqueous samples using a macroporous strong anion-exchange resin on the determination of nerve gas hydrolysis products by gas chromatography-mass spectrometry after *tert*-butyldimethylsilylation 891(2000)295

Water analysis

Analysis of agrochemicals by capillary electrophoresis (Review) 891(2000)45

Application of gas chromatography coupled to chemical ionisation mass spectrometry following headspace solid-phase microextraction for the determination of free volatile fatty acids in aqueous samples 891(2000)287

Waxes

Polymer additive analysis by pyrolysis-gas chromatography. III. Lubricants 891(2000)313

Wood

Analysis of carbohydrates in wood and pulps employing enzymatic hydrolysis and subsequent capillary zone electrophoresis 891(2000)157