



ELSEVIER

Journal of Chromatography A, 892 (2000) 525–531

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 892

Air analysis

Determination of 1-(2-methoxyphenyl)piperazine derivatives of isocyanates at low concentrations by temperature-programmed miniaturized liquid chromatography 892(2000)67

Time-weighted average sampling of volatile and semi-volatile airborne organic compounds by the solid-phase microextraction device 892(2000)455

Alkanes

Comparison of comprehensive two-dimensional gas chromatography and gas chromatography – mass spectrometry for the characterization of complex hydrocarbon mixtures 892(2000)29

Alkenes

Comparison of comprehensive two-dimensional gas chromatography and gas chromatography – mass spectrometry for the characterization of complex hydrocarbon mixtures 892(2000)29

Amino acids

tert.-Butylcarbamoylquinine as chiral ion-pair agent in non-aqueous enantioselective capillary electrophoresis applying the partial filling technique 892(2000)509

Anilines

Reversed-phase separation of achiral isomers by varying temperature and either gradient time or solvent strength 892(2000)107

Aziridine

Enantioselective stopped-flow multidimensional gas chromatography. Determination of the inversion barrier of 1-chloro-2,2-dimethylaziridine 892(2000)487

Background electrolyte composition

Enantiomer separations by nonaqueous capillary electrophoresis using octakis(2,3-diacetyl-6-sulfato)- γ -cyclodextrin 892(2000)499

Basic drugs

Enantiomer separations by nonaqueous capillary electrophoresis using octakis(2,3-diacetyl-6-sulfato)- γ -cyclodextrin 892(2000)499

Benzoic acids

Reversed-phase separation of achiral isomers by varying temperature and either gradient time or solvent strength 892(2000)107

Bile acids

Electron-capture mass spectrometry: recent advances 892(2000)329

Biosensors

Capillary electrophoresis coupled to biosensor detection 892(2000)143

Buffer composition

Non-aqueous capillary electrophoresis 892(2000)155

Background theory and applications of microemulsion electrokinetic chromatography 892(2000)171

Butylcarbamoylquinine

tert.-Butylcarbamoylquinine as chiral ion-pair agent in non-aqueous enantioselective capillary electrophoresis applying the partial filling technique 892(2000)509

Capillary columns

Fast gas chromatography: packed column solvating gas chromatography versus open tubular column gas chromatography 892(2000)3

Advances in column technology and instrumentation in capillary electrochromatography 892(2000)257

Capillary electrochromatography on silica columns: factors influencing performance 892(2000)279

Capillary electrophoresis

Alternative methods providing enhanced sensitivity and selectivity in capillary electroseparation experiments 892(2000)203

Capillary electrophoresis–biosensors detection

Capillary electrophoresis coupled to biosensor detection 892(2000)143

Chemometrics

Optimization methods in chromatography and capillary electrophoresis 892(2000)75

Chiral selectors

tert.-Butylcarbamoylquinine as chiral ion-pair agent in non-aqueous enantioselective capillary electrophoresis applying the partial filling technique 892(2000)509

Chiral stationary phases, electrochromatography

Electrochromatography 892(2000)219

Chlorodimethylaziridine

Enantioselective stopped-flow multidimensional gas chromatography. Determination of the inversion barrier of 1-chloro-2,2-dimethylaziridine 892(2000)487

Complex mixture analysis

Multiple hyphenation of liquid chromatography with nuclear magnetic resonance spectroscopy, mass spectrometry and beyond 892(2000)315

Comprehensive two-dimensional gas chromatography

Comparison of comprehensive two-dimensional gas chromatography and gas chromatography – mass spectrometry for the characterization of complex hydrocarbon mixtures 892(2000)29

Computer simulation

Reversed-phase separation of achiral isomers by varying temperature and either gradient time or solvent strength 892(2000)107

Enantioselective stopped-flow multidimensional gas chromatography. Determination of the inversion barrier of 1-chloro-2,2-dimethylaziridine 892(2000)487

Coupled columns

Time-resolved cryogenic modulation for targeted multidimensional capillary gas chromatography analysis 892(2000)15

Cryogenic trapping

Time-resolved cryogenic modulation for targeted multidimensional capillary gas chromatography analysis 892(2000)15

Cyclodextrins

Enantiomer separations by nonaqueous capillary electrophoresis using octakis(2,3-diacetyl-6-sulfato)- γ -cyclodextrin 892(2000)499

Detection, electrophoresis

Non-aqueous capillary electrophoresis 892(2000)155

Detection, LC

Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by liquid chromatography–diode array detection–mass spectrometry 892(2000)391

Diesel

Fast gas chromatography: packed column solvating gas chromatography versus open tubular column gas chromatography 892(2000)3

Diesel fuel

Fast gas chromatography: packed column solvating gas chromatography versus open tubular column gas chromatography 892(2000)3

Dynamic gas chromatography

Enantioselective stopped-flow multidimensional gas chromatography. Determination of the inversion barrier of 1-chloro-2,2-dimethylaziridine 892(2000)487

Electrochromatography

Alternative methods providing enhanced sensitivity and selectivity in capillary electroseparation experiments 892(2000)203

Electrochromatography 892(2000)219

Advances in column technology and instrumentation in capillary electrochromatography 892(2000)257

Capillary electrochromatography on silica columns: factors influencing performance 892(2000)279

Migration of ions in capillary electrochromatography 892(2000)291

Peak shapes in open tubular ion-exchange capillary electrochromatography of inorganic anions 892(2000)303

Electron-capture mass spectrometry

Electron–capture mass spectrometry: recent advances 892(2000)329

Electroosmotic flow

Electrochromatography 892(2000)219

Electrospray ionization

Novel microfabricated device for electrokinetically induced pressure flow and electrospray ionization mass spectrometry 892(2000)195

Enantiomer separation

Non-aqueous capillary electrophoresis 892(2000)155

Enantioselective stopped-flow multidimensional gas chromatography. Determination of the inversion barrier of 1-chloro-2,2-dimethylaziridine 892(2000)487

Enantiomer separations by nonaqueous capillary electrophoresis using octakis(2,3-diacetyl-6-sulfato)- γ -cyclodextrin 892(2000)499

tert.-Butylcarbamoylquinine as chiral ion-pair agent in non-aqueous enantioselective capillary electrophoresis applying the partial filling technique 892(2000)509

Environmental analysis

Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by liquid chromatography–diode array detection–mass spectrometry 892(2000)391

Comparisons of Soxhlet extraction, pressurized liquid extraction, supercritical fluid extraction and subcritical water extraction for environmental solids: recovery, selectivity and effects on sample matrix 892(2000)421

Recent and future developments of liquid chromatography in pesticide trace analysis 892(2000)435

Estrogens

Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by liquid chromatography–diode array detection–mass spectrometry 892(2000)391

Extraction methods

Comparisons of Soxhlet extraction, pressurized liquid extraction, supercritical fluid extraction and subcritical water extraction for environmental solids: recovery, selectivity and effects on sample matrix 892(2000)421

Recent and future developments of liquid chromatography in pesticide trace analysis 892(2000)435

Fast chromatography

Fast gas chromatography: packed column solvating gas chromatography versus open tubular column gas chromatography 892(2000)3

Food analysis

Pesticide residue analysis in foodstuffs applying capillary gas chromatography with mass spectrometric detection. State-of-the-art use of modified DFG-multimethod S19 and automated data evaluation 892(2000)347

Fatty acid methyl esters

Reversed-phase separation of achiral isomers by varying temperature and either gradient time or solvent strength 892(2000)107

Determination of pesticides in vegetables using large-volume injection column liquid chromatography–electrospray tandem mass spectrometry 892(2000)379

Gas chromatography

Fast gas chromatography: packed column solvating gas chromatography versus open tubular column gas chromatography 892(2000)3

Time-resolved cryogenic modulation for targeted multidimensional capillary gas chromatography analysis 892(2000)15

Comparison of comprehensive two-dimensional gas chromatography and gas chromatography – mass spectrometry for the characterization of complex hydrocarbon mixtures 892(2000)29

Gas chromatography–mass spectrometry

Comparison of comprehensive two-dimensional gas chromatography and gas chromatography – mass spectrometry for the characterization of complex hydrocarbon mixtures 892(2000)29

Gradient elution

Reversed-phase separation of achiral isomers by varying temperature and either gradient time or solvent strength 892(2000)107

Headspace analysis

Influence of fibre coating in headspace solid-phase microextraction–gas chromatographic analysis of aromatic and medicinal plants 892(2000)469

Hormones

Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by liquid chromatography–diode array detection–mass spectrometry 892(2000)391

Hydrocarbons

Fast gas chromatography: packed column solvating gas chromatography versus open tubular column gas chromatography 892(2000)3

Comparison of comprehensive two-dimensional gas chromatography and gas chromatography – mass spectrometry for the characterization of complex hydrocarbon mixtures 892(2000)29

Hydrocarbons, aromatic

Time-resolved cryogenic modulation for targeted multidimensional capillary gas chromatography analysis 892(2000)15

Injection methods

Efficiency through combining high-performance liquid chromatography and high resolution gas chromatography: progress 1995–1999 892(2000)407

Inorganic anions

Peak shapes in open tubular ion-exchange capillary electrochromatography of inorganic anions 892(2000)303

Instrumentation

Novel microfabricated device for electrokinetically induced pressure flow and electrospray ionization mass spectrometry 892(2000)195

Advances in column technology and instrumentation in capillary electrochromatography 892(2000)257

Electron-capture mass spectrometry: recent advances
892(2000)329

Interfaces, CE-MS

Novel microfabricated device for electrokinetically induced pressure flow and electrospray ionization mass spectrometry
892(2000)195

Interfaces, LC-GC

Efficiency through combining high-performance liquid chromatography and high resolution gas chromatography: progress 1995-1999 892(2000)407

Ions

Migration of ions in capillary electrochromatography
892(2000)291

Isocyanates

Determination of 1-(2-methoxyphenyl)piperazine derivatives of isocyanates at low concentrations by temperature-programmed miniaturized liquid chromatography 892(2000)67

Kinetic studies

Enantioselective stopped-flow multidimensional gas chromatography. Determination of the inversion barrier of 1-chloro-2,2-dimethylaziridine 892(2000)487

Large-volume injection

Determination of pesticides in vegetables using large-volume injection column liquid chromatography-electrospray tandem mass spectrometry 892(2000)379

Efficiency through combining high-performance liquid chromatography and high resolution gas chromatography: progress 1995-1999 892(2000)407

Large-volume injections

Determination of 1-(2-methoxyphenyl)piperazine derivatives of isocyanates at low concentrations by temperature-programmed miniaturized liquid chromatography 892(2000)67

Liquid chromatography-gas chromatography

Efficiency through combining high-performance liquid chromatography and high resolution gas chromatography: progress 1995-1999 892(2000)407

Liquid chromatography-mass spectrometry

Recent and future developments of liquid chromatography in pesticide trace analysis 892(2000)435

Mass spectrometry

Novel microfabricated device for electrokinetically induced pressure flow and electrospray ionization mass spectrometry
892(2000)195

Electron-capture mass spectrometry: recent advances
892(2000)329

Mathematical modelling

Optimization methods in chromatography and capillary electrophoresis 892(2000)75

Matrix effects

Comparisons of Soxhlet extraction, pressurized liquid extraction, supercritical fluid extraction and subcritical water extraction for environmental solids: recovery, selectivity and effects on sample matrix 892(2000)421

Method development

Practitioner's guide to method development in thin-layer chromatography 892(2000)123

Methoxyphenylpiperazine

Determination of 1-(2-methoxyphenyl)piperazine derivatives of isocyanates at low concentrations by temperature-programmed miniaturized liquid chromatography 892(2000)67

Micellar electrokinetic chromatography, reversed migration

Reversed migration micellar electrokinetic chromatography with off-line and on-line concentration analysis of phenylurea herbicides 892(2000)187

Microchips

Novel microfabricated device for electrokinetically induced pressure flow and electrospray ionization mass spectrometry
892(2000)195

Microemulsion electrokinetic chromatography

Background theory and applications of microemulsion electrokinetic chromatography 892(2000)171

Mobile phase composition

Reversed-phase separation of achiral isomers by varying temperature and either gradient time or solvent strength
892(2000)107

Molecular imprinting

Recent and future developments of liquid chromatography in pesticide trace analysis 892(2000)435

Multiple hyphenation

Multiple hyphenation of liquid chromatography with nuclear magnetic resonance spectroscopy, mass spectrometry and beyond 892(2000)315

Non-aqueous capillary electrochromatography

Electrochromatography 892(2000)219

Nonaqueous capillary electrophoresis

Non-aqueous capillary electrophoresis 892(2000)155

Enantiomer separations by nonaqueous capillary electrophoresis using octakis(2,3-diacetyl-6-sulfato)- γ -cyclodextrin
892(2000)499

tert.-Butylcarbamoylquinine as chiral ion-pair agent in non-aqueous enantioselective capillary electrophoresis applying the partial filling technique 892(2000)509

Open tubular columns

Fast gas chromatography: packed column solvating gas chromatography versus open tubular column gas chromatography 892(2000)3

Open tubular ion-exchange capillary electrochromatography

Peak shapes in open tubular ion-exchange capillary electrochromatography of inorganic anions 892(2000)303

Optimization

Optimization methods in chromatography and capillary electrophoresis 892(2000)75

Packed capillary columns

Fast gas chromatography: packed column solvating gas chromatography versus open tubular column gas chromatography 892(2000)3

Partial-filling capillary electrophoresis

tert.-Butylcarbamoylquinine as chiral ion-pair agent in non-aqueous enantioselective capillary electrophoresis applying the partial filling technique 892(2000)509

Peak capacity

Fast gas chromatography: packed column solvating gas chromatography versus open tubular column gas chromatography 892(2000)3

Peak shapes

Peak shapes in open tubular ion-exchange capillary electrochromatography of inorganic anions 892(2000)303

Peptides

Novel microfabricated device for electrokinetically induced pressure flow and electrospray ionization mass spectrometry 892(2000)195

Pesticides

Reversed migration micellar electrokinetic chromatography with off-line and on-line concentration analysis of phenylurea herbicides 892(2000)187

Pesticide residue analysis in foodstuffs applying capillary gas chromatography with mass spectrometric detection. State-of-the-art use of modified DFG-multimethod S19 and automated data evaluation 892(2000)347

Determination of pesticides in vegetables using large-volume injection column liquid chromatography–electrospray tandem mass spectrometry 892(2000)379

Recent and future developments of liquid chromatography in pesticide trace analysis 892(2000)435

Pharmaceutical analysis

Background theory and applications of microemulsion electrokinetic chromatography 892(2000)171

Phenols

Fast gas chromatography: packed column solvating gas chromatography versus open tubular column gas chromatography 892(2000)3

Phenylalanine

Electron–capture mass spectrometry: recent advances 892(2000)329

Phenylureas

Reversed migration micellar electrokinetic chromatography with off-line and on-line concentration analysis of phenylurea herbicides 892(2000)187

Plant materials

Influence of fibre coating in headspace solid-phase microextraction–gas chromatographic analysis of aromatic and medicinal plants 892(2000)469

Polynuclear aromatic hydrocarbons

Reversed-phase separation of achiral isomers by varying temperature and either gradient time or solvent strength 892(2000)107

Comparisons of Soxhlet extraction, pressurized liquid extraction, supercritical fluid extraction and subcritical water extraction for environmental solids: recovery, selectivity and effects on sample matrix 892(2000)421

Porous particles

Synthesis of spherical porous silicas in the micron and submicron size range: challenges and opportunities for miniaturized high-resolution chromatographic and electrokinetic separations 892(2000)47

Positional isomers

Reversed-phase separation of achiral isomers by varying temperature and either gradient time or solvent strength 892(2000)107

Pressurized liquid extraction

Comparisons of Soxhlet extraction, pressurized liquid extraction, supercritical fluid extraction and subcritical water extraction for environmental solids: recovery, selectivity and effects on sample matrix 892(2000)421

Progestogens

Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by liquid chromatography–diode array detection–mass spectrometry 892(2000)391

Programmed-temperature vaporiser

Efficiency through combining high-performance liquid chromatography and high resolution gas chromatography: progress 1995–1999 892(2000)407

Resolution

Reversed-phase separation of achiral isomers by varying temperature and either gradient time or solvent strength 892(2000)107

Restricted-access media

Recent and future developments of liquid chromatography in pesticide trace analysis 892(2000)435

Retention gap

Efficiency through combining high-performance liquid chromatography and high resolution gas chromatography: progress 1995–1999 892(2000)407

Reviews

Synthesis of spherical porous silicas in the micron and submicron size range: challenges and opportunities for miniaturized high-resolution chromatographic and electrokinetic separations (Review) 892(2000)47

Chromatographic silanol activity test procedures: the quest for a universal test (Review) 892(2000)57

Optimization methods in chromatography and capillary electrophoresis (Review) 892(2000)75

Practitioner's guide to method development in thin-layer chromatography (Review) 892(2000)123

Capillary electrophoresis coupled to biosensor detection (Review) 892(2000)143

Non-aqueous capillary electrophoresis (Review) 892(2000)155

Background theory and applications of microemulsion electrokinetic chromatography (Review) 892(2000)171

Alternative methods providing enhanced sensitivity and selectivity in capillary electroseparation experiments (Review) 892(2000)203

Electrochromatography (Review) 892(2000)219

Advances in column technology and instrumentation in capillary electrochromatography (Review) 892(2000)257

Capillary electrochromatography on silica columns: factors influencing performance (Review) 892(2000)279

Multiple hyphenation of liquid chromatography with nuclear magnetic resonance spectroscopy, mass spectrometry and beyond 892(2000)315

Electron-capture mass spectrometry: recent advances (Review) 892(2000)329

Efficiency through combining high-performance liquid chromatography and high resolution gas chromatography: progress 1995–1999 (Review) 892(2000)407

Recent and future developments of liquid chromatography in pesticide trace analysis (Review) 892(2000)435

Sample capacity

Fast gas chromatography: packed column solvating gas chromatography versus open tubular column gas chromatography 892(2000)3

Sample handling

Time-weighted average sampling of volatile and semi-volatile airborne organic compounds by the solid-phase microextraction device 892(2000)455

Sample preparation

Reversed migration micellar electrokinetic chromatography with off-line and on-line concentration analysis of phenylurea herbicides 892(2000)187

Selectivity

Alternative methods providing enhanced sensitivity and selectivity in capillary electroseparation experiments 892(2000)203

Sensitivity

Alternative methods providing enhanced sensitivity and selectivity in capillary electroseparation experiments 892(2000)203

Silanol activity

Chromatographic silanol activity test procedures: the quest for a universal test 892(2000)57

Silica

Synthesis of spherical porous silicas in the micron and submicron size range: challenges and opportunities for miniaturized high-resolution chromatographic and electrokinetic separations 892(2000)47

Chromatographic silanol activity test procedures: the quest for a universal test 892(2000)57

Silica columns

Capillary electrochromatography on silica columns: factors influencing performance 892(2000)279

Soil

Comparisons of Soxhlet extraction, pressurized liquid extraction, supercritical fluid extraction and subcritical water extraction for environmental solids: recovery, selectivity and effects on sample matrix 892(2000)421

Recent and future developments of liquid chromatography in pesticide trace analysis 892(2000)435

Solid-phase microextraction

Influence of fibre coating in headspace solid-phase microextraction–gas chromatographic analysis of aromatic and medicinal plants 892(2000)469

Solvating gas chromatography

Fast gas chromatography: packed column solvating gas chromatography versus open tubular column gas chromatography 892(2000)3

Solvent strength

Reversed-phase separation of achiral isomers by varying temperature and either gradient time or solvent strength 892(2000)107

Soxhlet extraction

Comparisons of Soxhlet extraction, pressurized liquid extraction, supercritical fluid extraction and subcritical water extraction for environmental solids: recovery, selectivity and effects on sample matrix 892(2000)421

Stationary phases, electrochromatography

Advances in column technology and instrumentation in capillary electrochromatography 892(2000)257

Capillary electrochromatography on silica columns: factors influencing performance 892(2000)279

Stationary phases, LC

Synthesis of spherical porous silicas in the micron and submicron size range: challenges and opportunities for miniaturized high-resolution chromatographic and electrokinetic separations 892(2000)47

Chromatographic silanol activity test procedures: the quest for a universal test 892(2000)57

Recent and future developments of liquid chromatography in pesticide trace analysis 892(2000)435

Steroids

Reversed-phase separation of achiral isomers by varying temperature and either gradient time or solvent strength 892(2000)107

Stereoisomers

Reversed-phase separation of achiral isomers by varying temperature and either gradient time or solvent strength 892(2000)107

Stopped-flow multidimensional gas chromatography

Enantioselective stopped-flow multidimensional gas chromatography. Determination of the inversion barrier of 1-chloro-2,2-dimethylaziridine 892(2000)487

Subcritical water extraction

Comparisons of Soxhlet extraction, pressurized liquid extraction, supercritical fluid extraction and subcritical water extraction for environmental solids: recovery, selectivity and effects on sample matrix 892(2000)421

Supercritical fluid extraction

Comparisons of Soxhlet extraction, pressurized liquid extraction, supercritical fluid extraction and subcritical water extraction for environmental solids: recovery, selectivity and effects on sample matrix 892(2000)421

Temperature effects

Reversed-phase separation of achiral isomers by varying temperature and either gradient time or solvent strength 892(2000)107

Temperature programming

Determination of 1-(2-methoxyphenyl)piperazine derivatives of isocyanates at low concentrations by temperature-programmed miniaturized liquid chromatography 892(2000)67

Thermodynamic parameters

Enantioselective stopped-flow multidimensional gas chromatography. Determination of the inversion barrier of 1-chloro-2,2-dimethylaziridine 892(2000)487

Thin-layer chromatography

Practitioner's guide to method development in thin-layer chromatography 892(2000)123

Time-weighted average sampling

Time-weighted average sampling of volatile and semi-volatile airborne organic compounds by the solid-phase microextraction device 892(2000)455

Transducers

Capillary electrophoresis coupled to biosensor detection 892(2000)143

Vegetables

Determination of pesticides in vegetables using large-volume injection column liquid chromatography–electrospray tandem mass spectrometry 892(2000)379

Volatile organic compounds

Time-weighted average sampling of volatile and semi-volatile airborne organic compounds by the solid-phase microextraction device 892(2000)455

Water analysis

Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by liquid chromatography–diode array detection–mass spectrometry 892(2000)391

Recent and future developments of liquid chromatography in pesticide trace analysis 892(2000)435