



ELSEVIER

Journal of Chromatography A, 893 (2000) 421–423

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Author Index Vol. 893

- Abad, E., Sauló, J., Caixach, J. and Rivera, J.
Evaluation of a new automated cleanup system for the analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans in environmental samples 893(2000)383
- Achard, M.-F., see Gritti, F. 893(2000)359
- Albanis, T.A., see Lambropoulou, D.A. 893(2000)143
- Alden, B.A., see O'Gara, J.E. 893(2000)245
- Alli, I., see Alomirah, H.F. 893(2000)1
- Alomirah, H.F., Alli, I. and Konishi, Y.
Applications of mass spectrometry to food proteins and peptides 893(2000)1
- Ballantine, D.S., see Callihan, B.K. 893(2000)339
- Barbosa, J., see Toro, I. 893(2000)95
- Barrio, R.J., see Sampedro, M.C. 893(2000)347
- Bischoff, R., see Wagner, K. 893(2000)293
- Brinkman, U.A.Th., see Stolker, A.A.M. 893(2000)55
- Bucková, M., see Zdráhal, Z. 893(2000)201
- Caccamese, S. and Principato, G.
Separation of the four pairs of enantiomers of vincamine alkaloids by enantioselective high-performance liquid chromatography 893(2000)47
- Caixach, J., see Abad, E. 893(2000)383
- Callihan, B.K. and Ballantine, D.S.
Calculation of Abraham solute descriptors from McReynolds gas chromatographic retention data 893(2000)339
- Campíns-Falcó, P., see Herráez-Hernández, R. 893(2000)69
- Carda-Broch, S., Torres-Lapasió, J.R., Esteve-Romero, J.S. and García-Alvarez-Coque, M.C.
Use of a three-factor interpretive optimisation strategy in the development of an isocratic chromatographic procedure for the screening of diuretics in urine samples using micellar mobile phases 893(2000)321
- Chang, C.C. and Her, G.R.
On-line monitoring trihalomethanes in chlorinated water by membrane introduction–fast gas chromatography mass–spectrometry 893(2000)169
- Charpentier, M., see Desportes, C. 893(2000)281
- Cherrak, D.E., see Khattabi, S. 893(2000)307
- Costa-Moreira, J., see Sampedro, M.C. 893(2000)347
- Deshpande, A., see Fadnavis, N.W. 893(2000)189
- Desportes, C., Charpentier, M., Duteurtre, B., Maujean, A. and Duchiron, F.
Liquid chromatographic fractionation of small peptides from wine 893(2000)281
- Dewulf, J., see Huybrechts, T. 893(2000)367
- Duchiron, F., see Desportes, C. 893(2000)281
- Duteurtre, B., see Desportes, C. 893(2000)281
- Edholm, L.E., see Wagner, K. 893(2000)293
- Esteve-Romero, J.S., see Carda-Broch, S. 893(2000)321
- Fadnavis, N.W., Luke Babu, R., Sheelu, G. and Deshpande, A.
Determination of enantiomeric excess of α -hydroxy-3-phenoxybenzeneacetonitrile and its *n*-butyl ester by chiral high-performance liquid chromatography 893(2000)189
- Félix, G., see Gritti, F. 893(2000)359
- Field, J.A. and Sawyer, T.E.
High-performance liquid chromatography–diode array detection of trichloroethene and aromatic and aliphatic anionic surfactants used for surfactant-enhanced aquifer remediation 893(2000)253
- Forsling, W., see Horváth, E. 893(2000)37
- Frost, R.L., see Horváth, E. 893(2000)37
- García-Alvarez-Coque, M.C., see Carda-Broch, S. 893(2000)321
- Gaucheron, F. and Le Graet, Y.
Determination of ammonium in milk and dairy products by ion chromatography 893(2000)133
- Gendreau, C.A., see O'Gara, J.E. 893(2000)245
- Goicolea, M.A., see Sampedro, M.C. 893(2000)347
- Gómez de Balugera, Z., see Sampedro, M.C. 893(2000)347
- Gritti, F., Félix, G., Achard, M.-F. and Hardouin, F.
Investigation of the nematic–isotropic transition of a liquid crystalline polymer and determination of molecular diffusion coefficients using gas chromatography 893(2000)359
- Guiochon, G., see Khattabi, S. 893(2000)307
- Han, H., see Wang, Z. 893(2000)157
- Hardouin, F., see Gritti, F. 893(2000)359
- Hearn, M.T.W., see Walhagen, K. 893(2000)401
- Her, G.R., see Chang, C.C. 893(2000)169
- Herráez-Hernández, R. and Campíns-Falcó, P.
Derivatization of ephedrine with *o*-phthalaldehyde for liquid chromatography after treatment with sodium hypochlorite 893(2000)69

- Hirabayashi, J. and Kasai, K.-i.
Effects of DNA topology, temperature and solvent viscosity on DNA retardation in slalom chromatography 893(2000)115
- Hocart, C., see Liu, L. 893(2000)207
- Hodges, R.S., see Husband, D.L. 893(2000)81
- Horváth, E., Kristóf, J., Frost, R.L., Rintoul, L., Rédey, Á. and Forsling, W.
Investigation of mandelic acid bonding on Pirkle type chromatographic stationary phases by Raman spectroscopy 893(2000)37
- Howe, P., see Liu, L. 893(2000)207
- Huber, C.G., see Oberacher, H. 893(2000)23
- Huikko, K. and Kostianen, R.
Development and validation of a capillary zone electrophoretic method for the determination of bisphosphonate and phosphonate impurities in clodronate 893(2000)411
- Husband, D.L., Mant, C.T. and Hodges, R.S.
Development of simultaneous purification methodology for multiple synthetic peptides by reversed-phase sample displacement chromatography 893(2000)81
- Huybrechts, T., Dewulf, J., Moerman, O. and Van Langenhove, H.
Evaluation of purge-and-trap-high-resolution gas chromatography-mass spectrometry for the determination of 27 volatile organic compounds in marine water at the ng l⁻¹ concentration level 893(2000)367
- Iraneta, P.C., see O'Gara, J.E. 893(2000)245
- Itabashi, Y., Myher, J.J. and Kuksis, A.
High-performance liquid chromatographic resolution of reverse isomers of 1,2-diacetyl-*rac*-glycerols as 3,5-dinitrophenylurethanes 893(2000)261
- Jönsson, J.Å., see Sandahl, M. 893(2000)123
- Karásek, P., see Zdráhal, Z. 893(2000)201
- Karlsson, K. and Nyberg, F.
Purification of Substance P endopeptidase activity in the rat ventral tegmental area with the Äkta-Purifier chromatographic system 893(2000)107
- Kasai, K.-i., see Hirabayashi, J. 893(2000)115
- Khattabi, S., Cherrak, D.E., Mihlbachler, K. and Guiochon, G.
Enantioseparation of 1-phenyl-1-propanol by simulated moving bed under linear and nonlinear conditions 893(2000)307
- Knuutila, K.-G., see Ljunglöf, A. 893(2000)235
- Koide, T. and Ueno, K.
Enantiomeric separations of cationic and neutral compounds by capillary electrochromatography with monolithic chiral stationary phases of β -cyclodextrin-bonded negatively charged polyacrylamide gels 893(2000)177
- Konishi, Y., see Alomirah, H.F. 893(2000)1
- Konstantinou, I.K., see Lambropoulou, D.A. 893(2000)143
- Kostianen, R., see Huikko, K. 893(2000)411
- Krajete, A., see Oberacher, H. 893(2000)23
- Kristóf, J., see Horváth, E. 893(2000)37
- Kuksis, A., see Itabashi, Y. 893(2000)261
- Lambropoulou, D.A., Konstantinou, I.K. and Albanis, T.A.
Determination of fungicides in natural waters using solid-phase microextraction and gas chromatography coupled with electron-capture and mass spectrometric detection 893(2000)143
- Larsson, M., see Ljunglöf, A. 893(2000)235
- Le Graet, Y., see Gaucheron, F. 893(2000)133
- Lindgren, J., see Ljunglöf, A. 893(2000)235
- Liu, L., Howe, P., Zhou, Y.-F., Xu, Z.-Q., Hocart, C. and Zhang, R.
Fatty acids and β -carotene in Australian purslane (*Portulaca oleracea*) varieties 893(2000)207
- Ljunglöf, A., Larsson, M., Knuutila, K.-G. and Lindgren, J.
Measurement of ligand distribution in individual adsorbent particles using confocal scanning laser microscopy and confocal micro-Raman spectroscopy 893(2000)235
- Lojková, L., see Zdráhal, Z. 893(2000)201
- López de Armentia, C., see Sampedro, M.C. 893(2000)347
- Luke Babu, R., see Fadnavis, N.W. 893(2000)189
- Mant, C.T., see Husband, D.L. 893(2000)81
- Marko-Varga, G., see Wagner, K. 893(2000)293
- Martín, O., see Sampedro, M.C. 893(2000)347
- Mathiasson, L., see Sandahl, M. 893(2000)123
- Maujean, A., see Desportes, C. 893(2000)281
- Mihlbachler, K., see Khattabi, S. 893(2000)307
- Miliotis, T., see Wagner, K. 893(2000)293
- Moerman, O., see Huybrechts, T. 893(2000)367
- Myher, J.J., see Itabashi, Y. 893(2000)261
- Nagy, M., see Sándi, Á. 893(2000)215
- Nojiri, S., Taguchi, N., Oishi, M. and Suzuki, S.
Determination of sugar alcohols in confectioneries by high-performance liquid chromatography after nitrobenzoylation 893(2000)195
- Nyberg, F., see Karlsson, K. 893(2000)107
- Oberacher, H., Krajete, A., Parson, W. and Huber, C.G.
Preparation and evaluation of packed capillary columns for the separation of nucleic acids by ion-pair reversed-phase high-performance liquid chromatography 893(2000)23
- O'Gara, J.E., Alden, B.A., Gendreau, C.A., Iraneta, P.C. and Walter, T.H.
Dependence of cyano bonded phase hydrolytic stability on ligand structure and solution pH 893(2000)245
- Oishi, M., see Nojiri, S. 893(2000)195
- Parson, W., see Oberacher, H. 893(2000)23
- Principato, G., see Caccamese, S. 893(2000)47
- Racaityte, K., see Wagner, K. 893(2000)293
- Rédey, Á., see Horváth, E. 893(2000)37
- Rintoul, L., see Horváth, E. 893(2000)37
- Rivera, J., see Abad, E. 893(2000)383
- Rodríguez, E., see Sampedro, M.C. 893(2000)347
- Rohrbaugh, D.K.
Methanol chemical ionization quadrupole ion trap mass spectrometry of *O*-ethyl *S*-[2-(diisopropylamino)ethyl] methylphosphonothiolate (VX) and its degradation products 893(2000)393

- Sampedro, M.C., Martín, O., López de Armentia, C., Goicolea, M.A., Rodríguez, E., Gómez de Balugera, Z., Costa-Moreira, J. and Barrio, R.J.
Solid-phase microextraction for the determination of systemic and non-volatile pesticides in river water using gas chromatography with nitrogen-phosphorous and electron-capture detection 893(2000)347
- Sandahl, M., Mathiasson, L. and Jönsson, J.Å.
Determination of thiophanate-methyl and its metabolites at trace level in spiked natural water using the supported liquid membrane extraction and the microporous membrane liquid-liquid extraction techniques combined on-line with high-performance liquid chromatography 893(2000)123
- Sándi, Á., Nagy, M. and Szepesy, L.
Characterization of reversed-phase columns using the linear free energy relationship. III. Effect of the organic modifier and the mobile phase composition 893(2000)215
- Sanz-Nebot, V., see Toro, I. 893(2000)95
- Sauló, J., see Abad, E. 893(2000)383
- Sawyer, T.E., see Field, J.A. 893(2000)253
- Schwillens, P.L.W.J., see Stolker, A.A.M. 893(2000)55
- Sheelu, G., see Fadnavis, N.W. 893(2000)189
- Stolker, A.A.M., Schwillens, P.L.W.J., van Ginkel, L.A. and Brinkman, U.A.Th.
Comparison of different liquid chromatography methods for the determination of corticosteroids in biological matrices 893(2000)55
- Suzuki, S., see Nojiri, S. 893(2000)195
- Szepesy, L., see Sándi, Á. 893(2000)215
- Taguchi, N., see Nojiri, S. 893(2000)195
- Toro, I., Sanz-Nebot, V. and Barbosa, J.
Analysis of a peptide hormone mixture of therapeutic interest by liquid chromatography coupled to high-flow pneumatically assisted electrospray mass spectrometry 893(2000)95
- Torres-Lapasió, J.R., see Carda-Broch, S. 893(2000)321
- Ueno, K., see Koide, T. 893(2000)177
- Unger, K.K., see Wagner, K. 893(2000)293
- Unger, K.K., see Walhagen, K. 893(2000)401
- Van Ginkel, L.A., see Stolker, A.A.M. 893(2000)55
- Van Langenhove, H., see Huybrechts, T. 893(2000)367
- Večeřa, Z., see Zdráhal, Z. 893(2000)201
- Vejrosta, J., see Zdráhal, Z. 893(2000)201
- Wagner, K., Racaiyte, K., Unger, K.K., Miliotis, T., Edholm, L.E., Bischoff, R. and Marko-Varga, G.
Protein mapping by two-dimensional high performance liquid chromatography 893(2000)293
- Walhagen, K., Unger, K.K. and Hearn, M.T.W.
Influence of temperature on the behaviour of small linear peptides in capillary electrochromatography 893(2000)401
- Walter, T.H., see O'Gara, J.E. 893(2000)245
- Wang, Z., Xiao, C., Wu, C. and Han, H.
High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol-gel technology 893(2000)157
- Wu, C., see Wang, Z. 893(2000)157
- Xiao, C., see Wang, Z. 893(2000)157
- Xu, Z.-Q., see Liu, L. 893(2000)207
- Zdráhal, Z., Karásek, P., Lojková, L., Bucková, M., Večeřa, Z. and Vejrosta, J.
Pressurised liquid extraction of ketones of polycyclic aromatic hydrocarbons from soil 893(2000)201
- Zhang, R., see Liu, L. 893(2000)207
- Zhou, Y.-F., see Liu, L. 893(2000)207