



ELSEVIER

Journal of Chromatography A, 893 (2000) 425–432

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 893

Aerosol MA 80-I

High-performance liquid chromatography–diode array detection of trichloroethene and aromatic and aliphatic anionic surfactants used for surfactant-enhanced aquifer remediation 893(2000)253

Affinity adsorbents

Measurement of ligand distribution in individual adsorbent particles using confocal scanning laser microscopy and confocal micro-Raman spectroscopy 893(2000)235

Agarose beads

Measurement of ligand distribution in individual adsorbent particles using confocal scanning laser microscopy and confocal micro-Raman spectroscopy 893(2000)235

Alkaloids

Separation of the four pairs of enantiomers of vincamine alkaloids by enantioselective high-performance liquid chromatography 893(2000)47

Alkyl diphenyloxide disulfonates

High-performance liquid chromatography–diode array detection of trichloroethene and aromatic and aliphatic anionic surfactants used for surfactant-enhanced aquifer remediation 893(2000)253

Allyl carbamoylated β -cyclodextrin derivatives

Enantiomeric separations of cationic and neutral compounds by capillary electrochromatography with monolithic chiral stationary phases of β -cyclodextrin-bonded negatively charged polyacrylamide gels 893(2000)177

2-Aminobenzimidazole

Determination of thiophanate-methyl and its metabolites at trace level in spiked natural water using the supported liquid membrane extraction and the microporous membrane liquid–liquid extraction techniques combined on-line with high-performance liquid chromatography 893(2000)123

Ammonium

Determination of ammonium in milk and dairy products by ion chromatography 893(2000)133

Benzenes

High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol–gel technology 893(2000)157

Bisphosphonates

Development and validation of a capillary zone electrophoretic method for the determination of bisphosphonate and phosphonate impurities in clodronate 893(2000)411

Capillary columns

Preparation and evaluation of packed capillary columns for the separation of nucleic acids by ion-pair reversed-phase high-performance liquid chromatography 893(2000)23

Investigation of the nematic–isotropic transition of a liquid crystalline polymer and determination of molecular diffusion coefficients using gas chromatography 893(2000)359

Carbendazim

Determination of thiophanate-methyl and its metabolites at trace level in spiked natural water using the supported liquid membrane extraction and the microporous membrane liquid–liquid extraction techniques combined on-line with high-performance liquid chromatography 893(2000)123

Carotenes

Fatty acids and β -carotene in Australian purslane (*Portulaca oleracea*) varieties 893(2000)207

Cationic compounds

Enantiomeric separations of cationic and neutral compounds by capillary electrochromatography with monolithic chiral stationary phases of β -cyclodextrin-bonded negatively charged polyacrylamide gels 893(2000)177

Chemical ionization, methanol

Methanol chemical ionization quadrupole ion trap mass spectrometry of *O*-ethyl *S*-[2-(diisopropylamino)ethyl] methylphosphonothiolate (VX) and its degradation products 893(2000)393

Chiral stationary phases, electrochromatography

Enantiomeric separations of cationic and neutral compounds by capillary electrochromatography with monolithic chiral stationary phases of β -cyclodextrin-bonded negatively charged polyacrylamide gels 893(2000)177

Chiral stationary phases, LC

Investigation of mandelic acid bonding on Pirkle type chromatographic stationary phases by Raman spectroscopy 893(2000)37

Separation of the four pairs of enantiomers of vincamine alkaloids by enantioselective high-performance liquid chromatography 893(2000)47

Chlorinated water

On-line monitoring trihalomethanes in chlorinated water by membrane introduction-fast gas chromatography mass-spectrometry 893(2000)169

Chlorophenols

High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol-gel technology 893(2000)157

Clean-up methods

Evaluation of a new automated cleanup system for the analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans in environmental samples 893(2000)383

Clodronate

Development and validation of a capillary zone electrophoretic method for the determination of bisphosphonate and phosphonate impurities in clodronate 893(2000)411

Confectioneries

Determination of sugar alcohols in confectioneries by high-performance liquid chromatography after nitrobenzoylation 893(2000)195

Confocal micro-Raman spectroscopy

Measurement of ligand distribution in individual adsorbent particles using confocal scanning laser microscopy and confocal micro-Raman spectroscopy 893(2000)235

Confocal scanning laser microscopy

Measurement of ligand distribution in individual adsorbent particles using confocal scanning laser microscopy and confocal micro-Raman spectroscopy 893(2000)235

Corticosteroids

Comparison of different liquid chromatography methods for the determination of corticosteroids in biological matrices 893(2000)55

Cyano bonded phase

Dependence of cyano bonded phase hydrolytic stability on ligand structure and solution pH 893(2000)245

Cyanohydrins

Determination of enantiomeric excess of α -hydroxy-3-phenoxybenzeneacetonitrile and its *n*-butyl ester by chiral high-performance liquid chromatography 893(2000)189

Dairy products

Determination of ammonium in milk and dairy products by ion chromatography 893(2000)133

Deamidation

Determination of ammonium in milk and dairy products by ion chromatography 893(2000)133

Derivatization, LC

Determination of sugar alcohols in confectioneries by high-performance liquid chromatography after nitrobenzoylation 893(2000)195

Derivatization of ephedrine with *o*-phthaldialdehyde for liquid chromatography after treatment with sodium hypochlorite 893(2000)69

Diacylglycerols

High-performance liquid chromatographic resolution of reverse isomers of 1,2-diacyl-*rac*-glycerols as 3,5-dinitrophenylurethanes 893(2000)261

Diffusion coefficients

Investigation of the nematic-isotropic transition of a liquid crystalline polymer and determination of molecular diffusion coefficients using gas chromatography 893(2000)359

Dihexylsulfosuccinate

High-performance liquid chromatography-diode array detection of trichloroethene and aromatic and aliphatic anionic surfactants used for surfactant-enhanced aquifer remediation 893(2000)253

3,5-Dinitrophenylurethanes

High-performance liquid chromatographic resolution of reverse isomers of 1,2-diacyl-*rac*-glycerols as 3,5-dinitrophenylurethanes 893(2000)261

Dioxins

Evaluation of a new automated cleanup system for the analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans in environmental samples 893(2000)383

Diuretics

Use of a three-factor interpretive optimisation strategy in the development of an isocratic chromatographic procedure for the screening of diuretics in urine samples using micellar mobile phases 893(2000)321

DNA

Preparation and evaluation of packed capillary columns for the separation of nucleic acids by ion-pair reversed-phase high-performance liquid chromatography 893(2000)23

Effects of DNA topology, temperature and solvent viscosity on DNA retardation in slalom chromatography 893(2000)115

Dowfax 8390

High-performance liquid chromatography-diode array detection of trichloroethene and aromatic and aliphatic anionic surfactants used for surfactant-enhanced aquifer remediation 893(2000)253

Efficiency

Influence of temperature on the behaviour of small linear peptides in capillary electrochromatography 893(2000)401

Electrochromatography

Influence of temperature on the behaviour of small linear peptides in capillary electrochromatography 893(2000)401

Enantiomer bonding

Investigation of mandelic acid bonding on Pirkle type chromatographic stationary phases by Raman spectroscopy 893(2000)37

Enantiomeric excess

Determination of enantiomeric excess of α -hydroxy-3-phenoxybenzeneacetonitrile and its *n*-butyl ester by chiral high-performance liquid chromatography 893(2000)189

Enantiomer separation

Separation of the four pairs of enantiomers of vincamine alkaloids by enantioselective high-performance liquid chromatography 893(2000)47

Enantiomeric separations of cationic and neutral compounds by capillary electrochromatography with monolithic chiral stationary phases of β -cyclodextrin-bonded negatively charged polyacrylamide gels 893(2000)177

High-performance liquid chromatographic resolution of reverse isomers of 1,2-diacyl-*rac*-glycerols as 3,5-dinitrophenylurethanes 893(2000)261

Enantioseparation of 1-phenyl-1-propanol by simulated moving bed under linear and nonlinear conditions 893(2000)307

Environmental analysis

Determination of fungicides in natural waters using solid-phase microextraction and gas chromatography coupled with electron-capture and mass spectrometric detection 893(2000)143

Pressurised liquid extraction of ketones of polycyclic aromatic hydrocarbons from soil 893(2000)201

High-performance liquid chromatography–diode array detection of trichloroethene and aromatic and aliphatic anionic surfactants used for surfactant-enhanced aquifer remediation 893(2000)253

Solid-phase microextraction for the determination of systemic and non-volatile pesticides in river water using gas chromatography with nitrogen–phosphorous and electron-capture detection 893(2000)347

Evaluation of purge-and-trap–high-resolution gas chromatography–mass spectrometry for the determination of 27 volatile organic compounds in marine water at the ng l⁻¹ concentration level 893(2000)367

Enzymes

Purification of Substance P endopeptidase activity in the rat ventral tegemental area with the Äkta-Purifier chromatographic system 893(2000)107

Ephedrine

Derivatization of ephedrine with *o*-phthaldialdehyde for liquid chromatography after treatment with sodium hypochlorite 893(2000)69

Extraction methods

High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol–gel technology 893(2000)157

Pressurised liquid extraction of ketones of polycyclic aromatic hydrocarbons from soil 893(2000)201

Fatty acids

Fatty acids and β -carotene in Australian purslane (*Portulaca oleracea*) varieties 893(2000)207

Food analysis

Applications of mass spectrometry to food proteins and peptides 893(2000)1

Determination of sugar alcohols in confectioneries by high-performance liquid chromatography after nitrobenzoylation 893(2000)195

Forensic analysis

Preparation and evaluation of packed capillary columns for the separation of nucleic acids by ion-pair reversed-phase high-performance liquid chromatography 893(2000)23

Furans

Evaluation of a new automated cleanup system for the analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans in environmental samples 893(2000)383

Headspace analysis

High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol–gel technology 893(2000)157

Hormones

Analysis of a peptide hormone mixture of therapeutic interest by liquid chromatography coupled to high-flow pneumatically assisted electrospray mass spectrometry 893(2000)95

Hydrolytic stability

Dependence of cyano bonded phase hydrolytic stability on ligand structure and solution pH 893(2000)245

 α -Hydroxy-3-phenoxybenzeneacetonitrile

Determination of enantiomeric excess of α -hydroxy-3-phenoxybenzeneacetonitrile and its *n*-butyl ester by chiral high-performance liquid chromatography 893(2000)189

Immobilized proteins

Measurement of ligand distribution in individual adsorbent particles using confocal scanning laser microscopy and confocal micro-Raman spectroscopy 893(2000)235

Immunoglobulins

Measurement of ligand distribution in individual adsorbent particles using confocal scanning laser microscopy and confocal micro-Raman spectroscopy 893(2000)235

Inter-laboratory study

Evaluation of purge-and-trap–high-resolution gas chromatography–mass spectrometry for the determination of 27 volatile organic compounds in marine water at the ng l⁻¹ concentration level 893(2000)367

Inverse gas chromatography

Investigation of the nematic–isotropic transition of a liquid crystalline polymer and determination of molecular diffusion coefficients using gas chromatography 893(2000)359

Ion-pair chromatography

Preparation and evaluation of packed capillary columns for the separation of nucleic acids by ion-pair reversed-phase high-performance liquid chromatography 893(2000)23

Ketones

Pressurised liquid extraction of ketones of polycyclic aromatic hydrocarbons from soil 893(2000)201

Ligand structure

Dependence of cyano bonded phase hydrolytic stability on ligand structure and solution pH 893(2000)245

Linear free energy relationships

Characterization of reversed-phase columns using the linear free energy relationship. III. Effect of the organic modifier and the mobile phase composition 893(2000)215

Linear solvation energy relationships

Analysis of a peptide hormone mixture of therapeutic interest by liquid chromatography coupled to high-flow pneumatically assisted electrospray mass spectrometry 893(2000)95

Calculation of Abraham solute descriptors from McReynolds gas chromatographic retention data 893(2000)339

Linolenic acid

Fatty acids and β -carotene in Australian purslane (*Portulaca oleracea*) varieties 893(2000)207

Liquid crystalline stationary phases

Investigation of the nematic–isotropic transition of a liquid crystalline polymer and determination of molecular diffusion coefficients using gas chromatography 893(2000)359

Mandelic acid

Investigation of mandelic acid bonding on Pirkle type chromatographic stationary phases by Raman spectroscopy 893(2000)37

Mass spectrometry

Applications of mass spectrometry to food proteins and peptides 893(2000)1

Methanol chemical ionization quadrupole ion trap mass spectrometry of *O*-ethyl *S*-[2-(diisopropylamino)ethyl] methylphosphonothiolate (VX) and its degradation products 893(2000)393

Micellar liquid chromatography

Use of a three-factor interpretive optimisation strategy in the development of an isocratic chromatographic procedure for the screening of diuretics in urine samples using micellar mobile phases 893(2000)321

Microporous membrane liquid–liquid extraction

Determination of thiophanate-methyl and its metabolites at trace level in spiked natural water using the supported liquid membrane extraction and the microporous membrane liquid–liquid extraction techniques combined on-line with high-performance liquid chromatography 893(2000)123

Mobile phase composition

Characterization of reversed-phase columns using the linear free energy relationship. III. Effect of the organic modifier and the mobile phase composition 893(2000)215

Use of a three-factor interpretive optimisation strategy in the development of an isocratic chromatographic procedure for the screening of diuretics in urine samples using micellar mobile phases 893(2000)321

Molecular interactions

Characterization of reversed-phase columns using the linear free energy relationship. III. Effect of the organic modifier and the mobile phase composition 893(2000)215

Multiple linear regression analysis

Calculation of Abraham solute descriptors from McReynolds gas chromatographic retention data 893(2000)339

Naphthalenes

High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol–gel technology 893(2000)157

Neutral compounds

Enantiomeric separations of cationic and neutral compounds by capillary electrochromatography with monolithic chiral stationary phases of β -cyclodextrin-bonded negatively charged polyacrylamide gels 893(2000)177

Nitrobenzoyl chloride

Determination of sugar alcohols in confectioneries by high-performance liquid chromatography after nitrobenzoylation 893(2000)195

Nitrophenols

High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol–gel technology 893(2000)157

Oligonucleotides

Preparation and evaluation of packed capillary columns for the separation of nucleic acids by ion-pair reversed-phase high-performance liquid chromatography 893(2000)23

Optimization

Use of a three-factor interpretive optimisation strategy in the development of an isocratic chromatographic procedure for the screening of diuretics in urine samples using micellar mobile phases 893(2000)321

Peak shape

Influence of temperature on the behaviour of small linear peptides in capillary electrochromatography 893(2000)401

Peptides

Applications of mass spectrometry to food proteins and peptides 893(2000)1

Development of simultaneous purification methodology for multiple synthetic peptides by reversed-phase sample displacement chromatography 893(2000)81

Analysis of a peptide hormone mixture of therapeutic interest by liquid chromatography coupled to high-flow pneumatically assisted electrospray mass spectrometry 893(2000)95

Liquid chromatographic fractionation of small peptides from wine 893(2000)281

Influence of temperature on the behaviour of small linear peptides in capillary electrochromatography 893(2000)401

Pesticides

Determination of fungicides in natural waters using solid-phase microextraction and gas chromatography coupled with electron-capture and mass spectrometric detection 893(2000)143

High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol-gel technology 893(2000)157

Solid-phase microextraction for the determination of systemic and non-volatile pesticides in river water using gas chromatography with nitrogen-phosphorous and electron-capture detection 893(2000)347

Pharmaceutical analysis

Development and validation of a capillary zone electrophoretic method for the determination of bisphosphonate and phosphonate impurities in clodronate 893(2000)411

Phenols

High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol-gel technology 893(2000)157

1-Phenyl-1-propanol

Enantioseparation of 1-phenyl-1-propanol by simulated moving bed under linear and nonlinear conditions 893(2000)307

Phosphonates

Development and validation of a capillary zone electrophoretic method for the determination of bisphosphonate and phosphonate impurities in clodronate 893(2000)411

Phthalates

High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol-gel technology 893(2000)157

***o*-Phthaldialdehyde**

Derivatization of ephedrine with *o*-phthaldialdehyde for liquid chromatography after treatment with sodium hypochlorite 893(2000)69

Poly(ethylene glycol)

High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol-gel technology 893(2000)157

Polynuclear aromatic hydrocarbons

Pressurised liquid extraction of ketones of polycyclic aromatic hydrocarbons from soil 893(2000)201

Investigation of the nematic-isotropic transition of a liquid crystalline polymer and determination of molecular diffusion coefficients using gas chromatography 893(2000)359

Poly(styrene-divinylbenzene) stationary phases

Preparation and evaluation of packed capillary columns for the separation of nucleic acids by ion-pair reversed-phase high-performance liquid chromatography 893(2000)23

Portulaca oleracea

Fatty acids and β -carotene in Australian purslane (*Portulaca oleracea*) varieties 893(2000)207

Preparative chromatography

Development of simultaneous purification methodology for multiple synthetic peptides by reversed-phase sample displacement chromatography 893(2000)81

Enantioseparation of 1-phenyl-1-propanol by simulated moving bed under linear and nonlinear conditions 893(2000)307

Pressurised liquid extraction

Pressurised liquid extraction of ketones of polycyclic aromatic hydrocarbons from soil 893(2000)201

Proteins

Applications of mass spectrometry to food proteins and peptides 893(2000)1

Protein mapping by two-dimensional high performance liquid chromatography 893(2000)293

Purge-and-trap methods

Evaluation of purge-and-trap-high-resolution gas chromatography-mass spectrometry for the determination of 27 volatile organic compounds in marine water at the ng l^{-1} concentration level 893(2000)367

Quality assurance

Evaluation of purge-and-trap-high-resolution gas chromatography-mass spectrometry for the determination of 27 volatile organic compounds in marine water at the ng l^{-1} concentration level 893(2000)367

Quality control

Evaluation of purge-and-trap-high-resolution gas chromatography-mass spectrometry for the determination of 27 volatile organic compounds in marine water at the ng l^{-1} concentration level 893(2000)367

Raman spectroscopy

Investigation of mandelic acid bonding on Pirkle type chromatographic stationary phases by Raman spectroscopy 893(2000)37

Regression analysis

Calculation of Abraham solute descriptors from McReynolds gas chromatographic retention data 893(2000)339

Retention behaviour

Influence of temperature on the behaviour of small linear peptides in capillary electrochromatography 893(2000)401

Retention mechanisms

Effects of DNA topology, temperature and solvent viscosity on DNA retardation in slalom chromatography 893(2000)115

Retention volumes

Investigation of the nematic-isotropic transition of a liquid crystalline polymer and determination of molecular diffusion coefficients using gas chromatography 893(2000)359

Reverse isomers

High-performance liquid chromatographic resolution of reverse isomers of 1,2-diacyl-*rac*-glycerols as 3,5-dinitrophenylurethanes 893(2000)261

Reviews

Applications of mass spectrometry to food proteins and peptides (Review) 893(2000)1

Sample displacement chromatography

Development of simultaneous purification methodology for multiple synthetic peptides by reversed-phase sample displacement chromatography 893(2000)81

Sample handling

Evaluation of purge-and-trap-high-resolution gas chromatography-mass spectrometry for the determination of 27 volatile organic compounds in marine water at the ng l^{-1} concentration level 893(2000)367

Sample preparation

Purification of Substance P endopeptidase activity in the rat ventral tegemental area with the Äkta-Purifier chromatographic system 893(2000)107

Selectivity

Characterization of reversed-phase columns using the linear free energy relationship. III. Effect of the organic modifier and the mobile phase composition 893(2000)215

Short tandem repeats sequences

Preparation and evaluation of packed capillary columns for the separation of nucleic acids by ion-pair reversed-phase high-performance liquid chromatography 893(2000)23

Simulated moving bed chromatography

Enantioseparation of 1-phenyl-1-propanol by simulated moving bed under linear and nonlinear conditions 893(2000)307

Slalom chromatography

Effects of DNA topology, temperature and solvent viscosity on DNA retardation in slalom chromatography 893(2000)115

Sodium hypochlorite

Derivatization of ephedrine with *o*-phthaldialdehyde for liquid chromatography after treatment with sodium hypochlorite 893(2000)69

Soil

Pressurised liquid extraction of ketones of polycyclic aromatic hydrocarbons from soil 893(2000)201

Sol-gel chemistry

High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol-gel technology 893(2000)157

Solid-phase extraction

Comparison of different liquid chromatography methods for the determination of corticosteroids in biological matrices 893(2000)55

Solid-phase microextraction

Determination of fungicides in natural waters using solid-phase microextraction and gas chromatography coupled with electron-capture and mass spectrometric detection 893(2000)143

High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol-gel technology 893(2000)157

Solid-phase microextraction for the determination of systemic and non-volatile pesticides in river water using gas chromatography with nitrogen-phosphorous and electron-capture detection 893(2000)347

Solute descriptors

Calculation of Abraham solute descriptors from McReynolds gas chromatographic retention data 893(2000)339

Stationary phase, LC

Measurement of ligand distribution in individual adsorbent particles using confocal scanning laser microscopy and confocal micro-Raman spectroscopy 893(2000)235

Dependence of cyano bonded phase hydrolytic stability on ligand structure and solution pH 893(2000)245

Stationary phases, LC

Preparation and evaluation of packed capillary columns for the separation of nucleic acids by ion-pair reversed-phase high-performance liquid chromatography 893(2000)23

Characterization of reversed-phase columns using the linear free energy relationship. III. Effect of the organic modifier and the mobile phase composition 893(2000)215

Steroids

Comparison of different liquid chromatography methods for the determination of corticosteroids in biological matrices 893(2000)55

Substance P endopeptidase

Purification of Substance P endopeptidase activity in the rat ventral tegmental area with the Äkta-Purifier chromatographic system 893(2000)107

Sugar alcohols

Determination of sugar alcohols in confectioneries by high-performance liquid chromatography after nitrobenzoylation 893(2000)195

Supported liquid membrane extraction

Determination of thiophanate-methyl and its metabolites at trace level in spiked natural water using the supported liquid membrane extraction and the microporous membrane liquid-liquid extraction techniques combined on-line with high-performance liquid chromatography 893(2000)123

Surfactants

High-performance liquid chromatography-diode array detection of trichloroethene and aromatic and aliphatic anionic surfactants used for surfactant-enhanced aquifer remediation 893(2000)253

Temperature effects

Effects of DNA topology, temperature and solvent viscosity on DNA retardation in slalom chromatography 893(2000)115

Influence of temperature on the behaviour of small linear peptides in capillary electrochromatography 893(2000)401

Thiophanate-methyl

Determination of thiophanate-methyl and its metabolites at trace level in spiked natural water using the supported liquid membrane extraction and the microporous membrane liquid-liquid extraction techniques combined on-line with high-performance liquid chromatography 893(2000)123

Toluene

High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol-gel technology 893(2000)157

Trichloroethene

High-performance liquid chromatography-diode array detection of trichloroethene and aromatic and aliphatic anionic surfactants used for surfactant-enhanced aquifer remediation 893(2000)253

Trihalomethanes

On-line monitoring trihalomethanes in chlorinated water by membrane introduction-fast gas chromatography mass-spectrometry 893(2000)169

Two-dimensional liquid chromatography

Protein mapping by two-dimensional high performance liquid chromatography 893(2000)293

Validation

Evaluation of purge-and-trap-high-resolution gas chromatography-mass spectrometry for the determination of 27 volatile organic compounds in marine water at the ng l^{-1} concentration level 893(2000)367

Development and validation of a capillary zone electrophoretic method for the determination of bisphosphonate and phosphonate impurities in clodronate 893(2000)411

Vincamine alkaloids

Separation of the four pairs of enantiomers of vincamine alkaloids by enantioselective high-performance liquid chromatography 893(2000)47

Viscosity

Effects of DNA topology, temperature and solvent viscosity on DNA retardation in slalom chromatography 893(2000)115

Volatile organic compounds

Evaluation of purge-and-trap-high-resolution gas chromatography-mass spectrometry for the determination of 27 volatile organic compounds in marine water at the ng l^{-1} concentration level 893(2000)367

VX

Methanol chemical ionization quadrupole ion trap mass spectrometry of *O*-ethyl *S*-[2-(diisopropylamino)ethyl] methylphosphonothiolate (VX) and its degradation products 893(2000)393

Warfare agents

Methanol chemical ionization quadrupole ion trap mass spectrometry of *O*-ethyl *S*-[2-(diisopropylamino)ethyl] methylphosphonothiolate (VX) and its degradation products 893(2000)393

Water analysis

Determination of fungicides in natural waters using solid-phase microextraction and gas chromatography coupled with electron-capture and mass spectrometric detection 893(2000)143

On-line monitoring trihalomethanes in chlorinated water by membrane introduction-fast gas chromatography mass-spectrometry 893(2000)169

High-performance liquid chromatography–diode array detection of trichloroethene and aromatic and aliphatic anionic surfactants used for surfactant-enhanced aquifer remediation 893(2000)253

Solid-phase microextraction for the determination of systemic and non-volatile pesticides in river water using gas chromatography with nitrogen–phosphorous and electron-capture detection 893(2000)347

Evaluation of purge-and-trap–high-resolution gas chromatography–mass spectrometry for the determination of 27 volatile organic compounds in marine water at the ng l^{-1} concentration level 893(2000)367

Xylenes

High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol–gel technology 893(2000)157