



ELSEVIER

Journal of Chromatography A, 897 (2000) 415–417

JOURNAL OF  
CHROMATOGRAPHY A[www.elsevier.com/locate/chroma](http://www.elsevier.com/locate/chroma)

## Author Index Vol. 897

- Achard, M.F., see Gritti, F. 897(2000)131
- Andersen, R. and Sorensen, A.  
Separation and determination of alditols and sugars by high-pH anion-exchange chromatography with pulsed amperometric detection 897(2000)195
- Armstrong, D.W., see Berthod, A. 897(2000)113
- Armstrong, D.W., see Karlsson, C. 897(2000)349
- Battista, H.-J., see Wilhelm, M. 897(2000)215
- Bauer, C., see Popp, P. 897(2000)153
- Bayoudh, S., see Ellwanger, A. 897(2000)317
- Beecher, G.R., see Merken, H.M. 897(2000)177
- Berthod, A., Yu, T., Kullman, J.P., Armstrong, D.W., Gasparrini, F., D'Acquarica, I., Misiti, D. and Carotti, A.  
Evaluation of the macrocyclic glycopeptide A-40,926 as a high-performance liquid chromatographic chiral selector and comparison with teicoplanin chiral stationary phase 897(2000)113
- Biedermann, M., see Grob, K. 897(2000)237
- Biedermann, M., see Grob, K. 897(2000)247
- Blanc, T., see Dolan, J.W. 897(2000)37
- Blanc, T., see Dolan, J.W. 897(2000)51
- Borosy, A.P., see Detroyer, A. 897(2000)23
- Cancho, B., Ventura, F. and Galceran, M.  
Simultaneous determination of cyanogen chloride and cyanogen bromide in treated water at sub- $\mu$ g/L levels by a new solid-phase microextraction–gas chromatographic–electron-capture detection method 897(2000)307
- Carotti, A., see Berthod, A. 897(2000)113
- Carta, G., see Hunter, A.K. 897(2000)65
- Carta, G., see Hunter, A.K. 897(2000)81
- Chen, H.-W., see Kuo, C.-T. 897(2000)393
- Choi, M.H., Kim, K.-R. and Chung, B.C.  
Determination of hair polyamines as *N*-ethoxycarbonyl-*N*-pentafluoropropionyl derivatives by gas chromatography–mass spectrometry 897(2000)295
- Chung, B.C., see Choi, M.H. 897(2000)295
- Claessens, H.A., see Vervoort, R.J.M. 897(2000)1
- Cormack, P., see Ellwanger, A. 897(2000)317
- Cramers, C.A., see Vervoort, R.J.M. 897(2000)1
- Crespiñ, M.A., Gallego, M. and Valcárcel, M.  
Continuous microwave-assisted extraction, solvent changeover and preconcentration of monophenols in agricultural soils 897(2000)279
- D'Acquarica, I., see Berthod, A. 897(2000)113
- Debets, A.J.J., see Vervoort, R.J.M. 897(2000)1
- De Jong, G.J., see Vervoort, R.J.M. 897(2000)1
- Detroyer, A., Schoonjans, V., Questier, F., Vander Heyden, Y., Borosy, A.P., Guo, Q. and Massart, D.L.  
Exploratory chemometric analysis of the classification of pharmaceutical substances based on chromatographic data 897(2000)23
- Ding, X. and Mou, S.  
Ion chromatographic analysis of tetracyclines using polymeric column and acidic eluent 897(2000)205
- Dolan, J.W., Snyder, L.R., Blanc, T. and Van Heukelom, L.  
Selectivity differences for C<sub>18</sub> and C<sub>8</sub> reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution 897(2000)37
- Dolan, J.W., Snyder, L.R. and Blanc, T.  
Selectivity differences for C<sub>18</sub> and C<sub>8</sub> reversed-phase columns as a function of temperature and gradient steepness. II. Minimizing column reproducibility problems 897(2000)51
- Dreux, M., see Grard, S. 897(2000)185
- Elfakir, C., see Grard, S. 897(2000)185
- Ellwanger, A., Owens, P.K., Karlsson, L., Bayoudh, S., Cormack, P., Sherrington, D. and Sellergren, B.  
Application of molecularly imprinted polymers in supercritical fluid chromatography 897(2000)317
- Escarpa, A. and González, M.C.  
Optimization strategy and validation of one chromatographic method as approach to determine the phenolic compounds from different sources 897(2000)161
- Evans, C.S., Startin, J.R., Goodall, D.M. and Keely, B.J.  
Improved sensitivity in detection of chlormequat by liquid chromatography–mass spectrometry 897(2000)399
- Fabre, H. and Mesplet, N.  
Robustness testing for a capillary electrophoresis method using the “short-end injection” technique 897(2000)329
- Fatemi, M.H., see Jalali-Heravi, M. 897(2000)227
- Félix, G., see Gritti, F. 897(2000)131
- Fernández Laespada, M., see Seronero, L.C. 897(2000)171
- Fondekar, K.P., see Schlauch, M. 897(2000)145
- Frahm, A.W., see Schlauch, M. 897(2000)145
- Gabel-Jensen, C., see Pedersen-Bjergaard, S. 897(2000)375
- Galceran, M., see Cancho, B. 897(2000)307
- Gallego, M., see Crespiñ, M.A. 897(2000)279
- Gasparrini, F., see Berthod, A. 897(2000)113

- Gomez, F.A., see Zhang, Y. 897(2000)339  
 González, M.C., see Escarpa, A. 897(2000)161  
 Goodall, D.M., see Evans, C.S. 897(2000)399  
 Grard, S., Elfakir, C. and Dreux, M.  
     Characterization of sulfobutyl ether- $\beta$ -cyclodextrins mixtures by anion-exchange chromatography using evaporative light scattering detection 897(2000)185  
 Gritti, F., Félix, G., Achard, M.F. and Hardouin, F.  
     Laterally attached liquid crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. II. Optimization of the molecular parameter of the polymer 897(2000)131  
 Grob, K. and Biedermann, M.  
     Video-taped sample evaporation in hot chambers simulating gas chromatography split/splitless injectors. I. Thermospray injection 897(2000)237  
 Grob, K. and Biedermann, M.  
     Video-taped sample evaporation in hot chambers simulating gas chromatography split and splitless injectors. II. Injection with band formation 897(2000)247  
 Guo, Q., see Detroyer, A. 897(2000)23  
 Hardouin, F., see Gritti, F. 897(2000)131  
 Hasselmann, C., see Horvatovich, P. 897(2000)259  
 Ho, Y.-W., see Liu, C.-Y. 897(2000)383  
 Honoré Hansen, S., see Pedersen-Bjergaard, S. 897(2000)375  
 Horvatovich, P., Miesch, M., Hasselmann, C. and Marchioni, E.  
     Supercritical fluid extraction of hydrocarbons and 2-alkylcyclobutanones for the detection of irradiated foodstuffs 897(2000)259  
 Hunter, A.K. and Carta, G.  
     Protein adsorption on novel acrylamido-based polymeric ion-exchangers. I. Morphology and equilibrium adsorption 897(2000)65  
 Hunter, A.K. and Carta, G.  
     Protein adsorption on novel acrylamido-based polymeric ion exchangers. II. Adsorption rates and column behavior 897(2000)81  
 Jalali-Heravi, M. and Fatemi, M.H.  
     Prediction of thermal conductivity detection response factors using an artificial neural network 897(2000)227  
 Jensen, I.H., see Staby, A. 897(2000)99  
 Karlsson, C., Wikström, H., Armstrong, D.W. and Owens, P.K.  
     Enantioselective reversed-phase and non-aqueous capillary electrochromatography using a teicoplanin chiral stationary phase 897(2000)349  
 Karlsson, L., see Ellwanger, A. 897(2000)317  
 Keely, B.J., see Evans, C.S. 897(2000)399  
 Kim, K.-R., see Choi, M.H. 897(2000)295  
 Krieger, M.S., Wynn, J.L. and Yoder, R.N.  
     Extraction of cloransulam-methyl from soil with subcritical water and supercritical CO<sub>2</sub> 897(2000)405  
 Kullman, J.P., see Berthod, A. 897(2000)113  
 Kuo, C.-T. and Chen, H.-W.  
     Determination of 1,3-, 1,6-, 1,8-dinitropyrene and 1-nitropyrene in airborne particulate by column liquid chromatography with electrochemical detection 897(2000)393  
 Lankmayr, E.P., see Wenzl, T. 897(2000)269  
 Leggott, N.L., see Sewram, V. 897(2000)365  
 Liu, C.-Y., Ho, Yu.-W. and Pai, Y.-F.  
     Preparation and evaluation of an imidazole-coated capillary column for the electrophoretic separation of aromatic acids 897(2000)383  
 Marchioni, E., see Horvatovich, P. 897(2000)259  
 Massart, D.L., see Detroyer, A. 897(2000)23  
 Merken, H.M. and Beecher, G.R.  
     Liquid chromatographic method for the separation and quantification of prominent flavonoid aglycones 897(2000)177  
 Mesplet, N., see Fabre, H. 897(2000)329  
 Miesch, M., see Horvatovich, P. 897(2000)259  
 Misiti, D., see Berthod, A. 897(2000)113  
 Möder, M., see Popp, P. 897(2000)153  
 Mollerup, I., see Staby, A. 897(2000)99  
 Moreno Cordero, B., see Seronero, L.C. 897(2000)171  
 Mou, S., see Ding, X. 897(2000)205  
 Nair, J.J., see Sewram, V. 897(2000)365  
 Nieuwoudt, T.W., see Sewram, V. 897(2000)365  
 Obendorf, D., see Wilhelm, M. 897(2000)215  
 Owens, P.K., see Ellwanger, A. 897(2000)317  
 Owens, P.K., see Karlsson, C. 897(2000)349  
 Pai, Y.-F., see Liu, C.-Y. 897(2000)383  
 Paschke, A., see Popp, P. 897(2000)153  
 Pedersen-Bjergaard, S., Gabel-Jensen, C. and Honoré Hansen, S.  
     Selectivity in microemulsion electrokinetic chromatography 897(2000)375  
 Pérez Pavón, J.L., see Seronero, L.C. 897(2000)171  
 Popp, P., Bauer, C., Möder, M. and Paschke, A.  
     Determination of polycyclic aromatic hydrocarbons in waste water by off-line coupling of solid-phase microextraction with column liquid chromatography 897(2000)153  
 Questier, F., see Detroyer, A. 897(2000)23  
 Schlauch, M., Volk, F.-J., Fondevila, K.P., Wede, J. and Frahm, A.W.  
     Enantiomeric and diastereomeric high-performance liquid chromatographic separation of cyclic  $\beta$ -substituted  $\alpha$ -amino acids on a copper(II)-D-penicillamine chiral stationary phase 897(2000)145  
 Schoonjans, V., see Detroyer, A. 897(2000)23  
 Sellergren, B., see Ellwanger, A. 897(2000)317  
 Seronero, L.C., Fernández Laespada, M., Pérez Pavón, J.L. and Moreno Cordero, B.  
     Cloud point preconcentration of rather polar compounds: application to the high-performance liquid chromatographic determination of priority pollutant chlorophenols 897(2000)171  
 Sewram, V., Nair, J.J., Nieuwoudt, T.W., Leggott, N.L. and Shephard, G.S.  
     Determination of patulin in apple juice by high-performance liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 897(2000)365  
 Shephard, G.S., see Sewram, V. 897(2000)365  
 Sherrington, D., see Ellwanger, A. 897(2000)317  
 Snyder, L.R., see Dolan, J.W. 897(2000)37  
 Snyder, L.R., see Dolan, J.W. 897(2000)51  
 Sørensen, A., see Andersen, R. 897(2000)195  
 Staby, A., Jensen, I.H. and Mollerup, I.  
     Comparison of chromatographic ion-exchange resins. I. Strong anion-exchange resins 897(2000)99

- Startin, J.R., see Evans, C.S. 897(2000)399
- Valcárcel, M., see Crespiñ, M.A. 897(2000)279
- Vander Heyden, Y., see Detroyer, A. 897(2000)23
- Van Heukelom, L., see Dolan, J.W. 897(2000)37
- Ventura, F., see Cancho, B. 897(2000)307
- Vervoort, R.J.M., Debets, A.J.J., Claessens, H.A., Cramers, C.A. and de Jong, G.J.  
Optimisation and characterisation of silica-based reversed-phase liquid chromatographic systems for the analysis of basic pharmaceuticals (Review) 897(2000)
- Volk, F.-J., see Schlauch, M. 897(2000)145
- Wede, J., see Schlauch, M. 897(2000)145
- Wenzl, T. and Lankmayr, E.P.  
Reduction of adsorption phenomena of volatile aldehydes and aromatic compounds for static headspace analysis of cellulose based packaging materials 897(2000)269
- Wikström, H., see Karlsson, C. 897(2000)349
- Wilhelm, M., Battista, H.-J. and Obendorf, D.  
Selective and sensitive assay for the determination of benzodiazepines by high-performance liquid chromatography with simultaneous ultraviolet and reductive electrochemical detection at the hanging mercury drop electrode 897(2000)215
- Wynn, J.L., see Krieger, M.S. 897(2000)405
- Yoder, R.N., see Krieger, M.S. 897(2000)405
- Yu, T., see Berthod, A. 897(2000)113
- Zhang, Y., and Gormez, F.A.  
Multiple-step ligand affinity capillary electrophoresis for determining binding constants of ligands to receptors 897(2000)339