



ELSEVIER

Journal of Chromatography A, 897 (2000) 419–425

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 897

Adsorption

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. I. Morphology and equilibrium adsorption 897(2000)65

Protein adsorption on novel acrylamido-based polymeric ion exchangers. II. Adsorption rates and column behavior 897(2000)81

Reduction of adsorption phenomena of volatile aldehydes and aromatic compounds for static headspace analysis of cellulose based packaging materials 897(2000)269

Airborne particulate

Determination of 1,3-, 1,6-, 1,8-dinitropyrene and 1-nitropyrene in airborne particulate by column liquid chromatography with electrochemical detection 897(2000)393

Aldehydes

Reduction of adsorption phenomena of volatile aldehydes and aromatic compounds for static headspace analysis of cellulose based packaging materials 897(2000)269

Alditols

Separation and determination of alditols and sugars by high-pH anion-exchange chromatography with pulsed amperometric detection 897(2000)195

2-Alkylcyclobutanones

Supercritical fluid extraction of hydrocarbons and 2-alkylcyclobutanones for the detection of irradiated foodstuffs 897(2000)259

Alkylphenols

Continuous microwave-assisted extraction, solvent changeover and preconcentration of monophenols in agricultural soils 897(2000)279

α -Amino acids

Enantiomeric and diastereomeric high-performance liquid chromatographic separation of cyclic β -substituted α -amino acids on a copper(II)-D-penicillamine chiral stationary phase 897(2000)145

Amino acids

Evaluation of the macrocyclic glycopeptide A-40,926 as a high-performance liquid chromatographic chiral selector and comparison with teicoplanin chiral stationary phase 897(2000)113

Anion-exchangers

Comparison of chromatographic ion-exchange resins. I. Strong anion-exchange resins 897(2000)99

Antibiotics

Evaluation of the macrocyclic glycopeptide A-40,926 as a high-performance liquid chromatographic chiral selector and comparison with teicoplanin chiral stationary phase 897(2000)113

Ion chromatographic analysis of tetracyclines using polymeric column and acidic eluent 897(2000)205

Apple juice

Determination of patulin in apple juice by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 897(2000)365

Aromatic acids

Preparation and evaluation of an imidazole-coated capillary column for the electrophoretic separation of aromatic acids 897(2000)383

A-40,926

Evaluation of the macrocyclic glycopeptide A-40,926 as a high-performance liquid chromatographic chiral selector and comparison with teicoplanin chiral stationary phase 897(2000)113

Band formation

Video-taped sample evaporation in hot chambers simulating gas chromatography split and splitless injectors. II. Injection with band formation 897(2000)247

Basic pharmaceuticals

Optimisation and characterisation of silica-based reversed-phase liquid chromatographic systems for the analysis of basic pharmaceuticals 897(2000)1

Benzene

Reduction of adsorption phenomena of volatile aldehydes and aromatic compounds for static headspace analysis of cellulose based packaging materials 897(2000)269

Benzodiazepines

Selective and sensitive assay for the determination of benzodiazepines by high-performance liquid chromatography with simultaneous ultraviolet and reductive electrochemical detection at the hanging mercury drop electrode 897(2000)215

Binding constants

Multiple-step ligand injection affinity capillary electrophoresis for determining binding constants of ligands to receptors 897(2000)339

Capillary electrophoresis

Robustness testing for a capillary electrophoresis method using the "short-end injection" technique 897(2000)329

Carbonic anhydrase

Multiple-step ligand injection affinity capillary electrophoresis for determining binding constants of ligands to receptors 897(2000)339

Cardboard

Reduction of adsorption phenomena of volatile aldehydes and aromatic compounds for static headspace analysis of cellulose based packaging materials 897(2000)269

Central composite design

Robustness testing for a capillary electrophoresis method using the "short-end injection" technique 897(2000)329

Chemometrics

Exploratory chemometric analysis of the classification of pharmaceutical substances based on chromatographic data 897(2000)23

Prediction of thermal conductivity detection response factors using an artificial neural network 897(2000)227

Chiral stationary phases

Enantiomeric and diastereomeric high-performance liquid chromatographic separation of cyclic β -substituted α -amino acids on a copper(II)-D-penicillamine chiral stationary phase 897(2000)145

Chiral stationary phases, CEC

Enantioselective reversed-phase and non-aqueous capillary electrochromatography using a teicoplanin chiral stationary phase 897(2000)349

Chiral stationary phases, LC

Evaluation of the macrocyclic glycopeptide A-40,926 as a high-performance liquid chromatographic chiral selector and comparison with teicoplanin chiral stationary phase 897(2000)113

Chiral stationary phases, SFC

Application of molecularly imprinted polymers in supercritical fluid chromatography 897(2000)317

Chlormequat

Improved sensitivity in detection of chlormequat by liquid chromatography–mass spectrometry 897(2000)399

Chlorophenols

Cloud point preconcentration of rather polar compounds: application to the high-performance liquid chromatographic determination of priority pollutant chlorophenols 897(2000)171

Continuous microwave-assisted extraction, solvent changeover and preconcentration of monophenols in agricultural soils 897(2000)279

Clays

Continuous microwave-assisted extraction, solvent changeover and preconcentration of monophenols in agricultural soils 897(2000)279

Cloransulam-methyl

Extraction of cloransulam-methyl from soil with subcritical water and supercritical CO₂ 897(2000)405

Cloud point preconcentration

Cloud point preconcentration of rather polar compounds: application to the high-performance liquid chromatographic determination of priority pollutant chlorophenols 897(2000)171

Clustering

Exploratory chemometric analysis of the classification of pharmaceutical substances based on chromatographic data 897(2000)23

Column reproducibility

Selectivity differences for C₁₈ and C₈ reversed-phase columns as a function of temperature and gradient steepness. II. Minimizing column reproducibility problems 897(2000)51

Copper(II)-D-penicillamine

Enantiomeric and diastereomeric high-performance liquid chromatographic separation of cyclic β -substituted α -amino acids on a copper(II)-D-penicillamine chiral stationary phase 897(2000)145

Cyanogen bromide

Simultaneous determination of cyanogen chloride and cyanogen bromide in treated water at sub- μ g/L levels by a new solid-phase microextraction–gas chromatographic–electron-capture detection method 897(2000)307

Cyanogen chloride

Simultaneous determination of cyanogen chloride and cyanogen bromide in treated water at sub- μ g/L levels by a new solid-phase microextraction–gas chromatographic–electron-capture detection method 897(2000)307

β -Cyclodextrin

Characterization of sulfobutyl ether- β -cyclodextrins mixtures by anion-exchange chromatography using evaporative light scattering detection 897(2000)185

Derivatisation, GC

Determination of hair polyamines as *N*-ethoxycarbonyl-*N*-pentafluoropropionyl derivatives by gas chromatography–mass spectrometry 897(2000)295

Detection, GC

Prediction of thermal conductivity detection response factors using an artificial neural network 897(2000)227

Diffusion

Protein adsorption on novel acrylamido-based polymeric ion exchangers. II. Adsorption rates and column behavior 897(2000)81

Disaccharides

Separation and determination of alditols and sugars by high-pH anion-exchange chromatography with pulsed amperometric detection 897(2000)195

Distribution equilibrium

Reduction of adsorption phenomena of volatile aldehydes and aromatic compounds for static headspace analysis of cellulose based packaging materials 897(2000)269

Dynamic capacity

Comparison of chromatographic ion-exchange resins. I. Strong anion-exchange resins 897(2000)99

Electrochromatography

Enantioselective reversed-phase and non-aqueous capillary electrochromatography using a teicoplanin chiral stationary phase 897(2000)349

Enantiomer separation

Evaluation of the macrocyclic glycopeptide A-40,926 as a high-performance liquid chromatographic chiral selector and comparison with teicoplanin chiral stationary phase 897(2000)113

Enantiomeric and diastereomeric high-performance liquid chromatographic separation of cyclic β -substituted α -amino acids on a copper(II)-*D*-penicillamine chiral stationary phase 897(2000)145

Enantioselective reversed-phase and non-aqueous capillary electrochromatography using a teicoplanin chiral stationary phase 897(2000)349

Environmental analysis

Continuous microwave-assisted extraction, solvent changeover and preconcentration of monophenols in agricultural soils 897(2000)279

Ethylbenzene

Reduction of adsorption phenomena of volatile aldehydes and aromatic compounds for static headspace analysis of cellulose based packaging materials 897(2000)269

Evaporative light scattering detection

Characterization of sulfobutyl ether- β -cyclodextrins mixtures by anion-exchange chromatography using evaporative light scattering detection 897(2000)185

Experimental design

Enantioselective reversed-phase and non-aqueous capillary electrochromatography using a teicoplanin chiral stationary phase 897(2000)349

Extraction methods

Reduction of adsorption phenomena of volatile aldehydes and aromatic compounds for static headspace analysis of cellulose based packaging materials 897(2000)269

Continuous microwave-assisted extraction, solvent changeover and preconcentration of monophenols in agricultural soils 897(2000)279

Flavonoid aglycones

Liquid chromatographic method for the separation and quantification of prominent flavonoid aglycones 897(2000)177

Food analysis

Separation and determination of alditols and sugars by high-pH anion-exchange chromatography with pulsed amperometric detection 897(2000)195

Gradient elution

Optimization strategy and validation of one chromatographic method as approach to determine the phenolic compounds from different sources 897(2000)161

Gradient time

Selectivity differences for C_{18} and C_8 reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution 897(2000)37

Selectivity differences for C_{18} and C_8 reversed-phase columns as a function of temperature and gradient steepness. II. Minimizing column reproducibility problems 897(2000)51

Hair

Determination of hair polyamines as *N*-ethoxycarbonyl-*N*-pentafluoropropionyl derivatives by gas chromatography–mass spectrometry 897(2000)295

Halides

Simultaneous determination of cyanogen chloride and cyanogen bromide in treated water at sub- $\mu\text{g/L}$ levels by a new solid-phase microextraction–gas chromatographic–electron-capture detection method 897(2000)307

Hanging mercury drop electrode

Selective and sensitive assay for the determination of benzodiazepines by high-performance liquid chromatography with simultaneous ultraviolet and reductive electrochemical detection at the hanging mercury drop electrode 897(2000)215

Headspace analysis

Reduction of adsorption phenomena of volatile aldehydes and aromatic compounds for static headspace analysis of cellulose based packaging materials 897(2000)269

Simultaneous determination of cyanogen chloride and cyanogen bromide in treated water at sub- $\mu\text{g/L}$ levels by a new solid-phase microextraction-gas chromatographic-electron-capture detection method 897(2000)307

Heat transfer

Prediction of thermal conductivity detection response factors using an artificial neural network 897(2000)227

Hydrocarbons

Supercritical fluid extraction of hydrocarbons and 2-alkylcyclobutanones for the detection of irradiated foodstuffs 897(2000)259

Imidazole-coating

Preparation and evaluation of an imidazole-coated capillary column for the electrophoretic separation of aromatic acids 897(2000)383

Injection methods

Video-taped sample evaporation in hot chambers simulating gas chromatography split/splitless injectors. I. Thermospray injection 897(2000)237

Video-taped sample evaporation in hot chambers simulating gas chromatography split and splitless injectors. II. Injection with band formation 897(2000)247

Robustness testing for a capillary electrophoresis method using the "short-end injection" technique 897(2000)329

Ion exchange resins

Comparison of chromatographic ion-exchange resins. I. Strong anion-exchange resins 897(2000)99

Ion exchangers

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. I. Morphology and equilibrium adsorption 897(2000)65

Protein adsorption on novel acrylamido-based polymeric ion exchangers. II. Adsorption rates and column behavior 897(2000)81

Enantiomeric and diastereomeric high-performance liquid chromatographic separation of cyclic β -substituted α -amino acids on a copper(II)-D-penicillamine chiral stationary phase 897(2000)145

Liner performance

Video-taped sample evaporation in hot chambers simulating gas chromatography split and splitless injectors. II. Injection with band formation 897(2000)247

Liquid chromatography-mass spectrometry

Determination of patulin in apple juice by high-performance liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 897(2000)365

Liquid crystalline polymers

Laterally attached liquid crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. II. Optimization of the molecular parameter of the polymer 897(2000)131

Method development

Selectivity differences for C_{18} and C_8 reversed-phase columns as a function of temperature and gradient steepness. II. Minimizing column reproducibility problems 897(2000)51

Microemulsion electrokinetic chromatography

Selectivity in microemulsion electrokinetic chromatography 897(2000)375

Microwave-assisted extraction

Continuous microwave-assisted extraction, solvent changeover and preconcentration of monophenols in agricultural soils 897(2000)279

Mobile phase composition

Optimisation and characterisation of silica-based reversed-phase liquid chromatographic systems for the analysis of basic pharmaceuticals 897(2000)1

Characterization of sulfobutyl ether- β -cyclodextrins mixtures by anion-exchange chromatography using evaporative light scattering detection 897(2000)185

Molecular shape recognition

Laterally attached liquid crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. II. Optimization of the molecular parameter of the polymer 897(2000)131

Molecularly imprinted polymers

Application of molecularly imprinted polymers in supercritical fluid chromatography 897(2000)317

Monosaccharides

Separation and determination of alditols and sugars by high-pH anion-exchange chromatography with pulsed amperometric detection 897(2000)195

Multiple headspace extraction

Reduction of adsorption phenomena of volatile aldehydes and aromatic compounds for static headspace analysis of cellulose based packaging materials 897(2000)269

Multiple-step ligand injection

Multiple-step ligand injection affinity capillary electrophoresis for determining binding constants of ligands to receptors 897(2000)339

Multivariate methods

Robustness testing for a capillary electrophoresis method using the "short-end injection" technique 897(2000)329

Mycotoxins

Determination of patulin in apple juice by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 897(2000)365

Neural networks

Prediction of thermal conductivity detection response factors using an artificial neural network 897(2000)227

Nitrated polynuclear aromatic hydrocarbons

Determination of 1,3-, 1,6-, 1,8-dinitropyrene and 1-nitropyrene in airborne particulate by column liquid chromatography with electrochemical detection 897(2000)393

Nitropyrenes

Determination of 1,3-, 1,6-, 1,8-dinitropyrene and 1-nitropyrene in airborne particulate by column liquid chromatography with electrochemical detection 897(2000)393

Optimization

Optimisation and characterisation of silica-based reversed-phase liquid chromatographic systems for the analysis of basic pharmaceuticals 897(2000)1

Selectivity differences for C₁₈ and C₈ reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution 897(2000)37

Optimization strategy and validation of one chromatographic method as approach to determine the phenolic compounds from different sources 897(2000)161

Patulin

Determination of patulin in apple juice by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 897(2000)365

Perylene

Video-taped sample evaporation in hot chambers simulating gas chromatography split/splitless injectors. I. Thermospray injection 897(2000)237

Video-taped sample evaporation in hot chambers simulating gas chromatography split and splitless injectors. II. Injection with band formation 897(2000)247

pH effects

Continuous microwave-assisted extraction, solvent changeover and preconcentration of monophenols in agricultural soils 897(2000)

Phenolic compounds

Optimization strategy and validation of one chromatographic method as approach to determine the phenolic compounds from different sources 897(2000)161

Phenols

Continuous microwave-assisted extraction, solvent changeover and preconcentration of monophenols in agricultural soils 897(2000)279

Phenylalanine anilide

Application of molecularly imprinted polymers in supercritical fluid chromatography 897(2000)317

Polyamines

Determination of hair polyamines as *N*-ethoxycarbonyl-*N*-pentafluoropropionyl derivatives by gas chromatography–mass spectrometry 897(2000)295
279

Polymeric gels

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. I. Morphology and equilibrium adsorption 897(2000)65

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. II. Adsorption rates and column behavior 897(2000)81

Polynuclear aromatic hydrocarbons

Laterally attached liquid crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. II. Optimization of the molecular parameter of the polymer 897(2000)131

Determination of polycyclic aromatic hydrocarbons in waste water by off-line coupling of solid-phase microextraction with column liquid chromatography 897(2000)153

Polyols

Separation and determination of alditols and sugars by high-pH anion-exchange chromatography with pulsed amperometric detection 897(2000)195

Preparative chromatography

Comparison of chromatographic ion-exchange resins. I. Strong anion-exchange resins 897(2000)99

Principal component analysis

Exploratory chemometric analysis of the classification of pharmaceutical substances based on chromatographic data 897(2000)23

Propranolol

Application of molecularly imprinted polymers in supercritical fluid chromatography 897(2000)317

Proteins

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. I. Morphology and equilibrium adsorption 897(2000)65

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. II. Adsorption rates and column behavior 897(2000)81

Comparison of chromatographic ion-exchange resins. I. Strong anion-exchange resins 897(2000)99

Multiple-step ligand injection affinity capillary electrophoresis for determining binding constants of ligands to receptors 897(2000)339

Pseudo-stationary phases

Selectivity in microemulsion electrokinetic chromatography 897(2000)375

Quantitative structure–activity relationship(s)

Exploratory chemometric analysis of the classification of pharmaceutical substances based on chromatographic data 897(2000)23

Prediction of thermal conductivity detection response factors using an artificial neural network 897(2000)227

Receptor–ligand interactions

Multiple-step ligand injection affinity capillary electrophoresis for determining binding constants of ligands to receptors 897(2000)339

Regression models

Prediction of thermal conductivity detection response factors using an artificial neural network 897(2000)227

Resolution

Robustness testing for a capillary electrophoresis method using the “short-end injection” technique 897(2000)329

Response factors

Prediction of thermal conductivity detection response factors using an artificial neural network 897(2000)227

Retention mechanism

Characterization of sulfobutyl ether- β -cyclodextrins mixtures by anion-exchange chromatography using evaporative light scattering detection 897(2000)185

Reviews

Optimisation and characterisation of silica-based reversed-phase liquid chromatographic systems for the analysis of basic pharmaceuticals (Review) 897(2000)1

Robustness test

Robustness testing for a capillary electrophoresis method using the “short-end injection” technique 897(2000)329

Sample evaporation

Video-taped sample evaporation in hot chambers simulating gas chromatography split/splitless injectors. I. Thermospray injection 897(2000)237

Video-taped sample evaporation in hot chambers simulating gas chromatography split and splitless injectors. II. Injection with band formation 897(2000)247

Selectivity

Selectivity differences for C_{18} and C_8 reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution 897(2000)37

Selectivity in microemulsion electrokinetic chromatography 897(2000)375

Selectivity differences for C_{18} and C_8 reversed-phase columns as a function of temperature and gradient steepness. II. Minimizing column reproducibility problems 897(2000)51

Sequential projection pursuit

Exploratory chemometric analysis of the classification of pharmaceutical substances based on chromatographic data 897(2000)23

Short-end injection

Robustness testing for a capillary electrophoresis method using the “short-end injection” technique 897(2000)329

Soil

Continuous microwave-assisted extraction, solvent changeover and preconcentration of monophenols in agricultural soils 897(2000)279

Extraction of cloransulam-methyl from soil with subcritical water and supercritical CO_2 897(2000)405

Solid-phase microextraction

Determination of polycyclic aromatic hydrocarbons in waste water by off-line coupling of solid-phase microextraction with column liquid chromatography 897(2000)153

Simultaneous determination of cyanogen chloride and cyanogen bromide in treated water at sub- $\mu\text{g/L}$ levels by a new solid-phase microextraction–gas chromatographic–electron-capture detection method 897(2000)307

Split/splitless injection

Video-taped sample evaporation in hot chambers simulating gas chromatography split/splitless injectors. I. Thermospray injection 897(2000)237

Video-taped sample evaporation in hot chambers simulating gas chromatography split and splitless injectors. II. Injection with band formation 897(2000)247

Stationary phases, LC

Optimisation and characterisation of silica-based reversed-phase liquid chromatographic systems for the analysis of basic pharmaceuticals 897(2000)1

Selectivity differences for C_{18} and C_8 reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution 897(2000)37

Selectivity differences for C₁₈ and C₈ reversed-phase columns as a function of temperature and gradient steepness. II. Minimizing column reproducibility problems 897(2000)51

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. I. Morphology and equilibrium adsorption 897(2000)65

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. II. Adsorption rates and column behavior 897(2000)81

Comparison of chromatographic ion-exchange resins. I. Strong anion-exchange resins 897(2000)99

Laterally attached liquid crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. II. Optimization of the molecular parameter of the polymer 897(2000)131

Subcritical water extraction

Extraction of cloransulam-methyl from soil with subcritical water and supercritical CO₂ 897(2000)405

Sugar alcohols

Separation and determination of alditols and sugars by high-pH anion-exchange chromatography with pulsed amperometric detection 897(2000)195

Sugars

Separation and determination of alditols and sugars by high-pH anion-exchange chromatography with pulsed amperometric detection 897(2000)195

Sulfobutyl ether

Characterization of sulfobutyl ether- β -cyclodextrins mixtures by anion-exchange chromatography using evaporative light scattering detection 897(2000)185

Supercritical fluid extraction

Supercritical fluid extraction of hydrocarbons and 2-alkylcyclobutanones for the detection of irradiated foodstuffs 897(2000)259

Extraction of cloransulam-methyl from soil with subcritical water and supercritical CO₂ 897(2000)405

Surfactants

Selectivity in microemulsion electrokinetic chromatography 897(2000)375

Teicoplanin

Evaluation of the macrocyclic glycopeptide A-40,926 as a high-performance liquid chromatographic chiral selector and comparison with teicoplanin chiral stationary phase 897(2000)113

Enantioselective reversed-phase and non-aqueous capillary electrochromatography using a teicoplanin chiral stationary phase 897(2000)349

Temperature

Selectivity differences for C₁₈ and C₈ reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution 897(2000)37

Selectivity differences for C₁₈ and C₈ reversed-phase columns as a function of temperature and gradient steepness. II. Minimizing column reproducibility problems 897(2000)51

Tetracyclines

Ion chromatographic analysis of tetracyclines using polymeric column and acidic eluent 897(2000)205

Thermal conductivity detection

Prediction of thermal conductivity detection response factors using an artificial neural network 897(2000)227

Thermospray injection

Video-taped sample evaporation in hot chambers simulating gas chromatography split/splitless injectors. I. Thermospray injection 897(2000)237

Toluene

Reduction of adsorption phenomena of volatile aldehydes and aromatic compounds for static headspace analysis of cellulose based packaging materials 897(2000)269

Validation

Optimization strategy and validation of one chromatographic method as approach to determine the phenolic compounds from different sources 897(2000)161

Vancomycin

Multiple-step ligand injection affinity capillary electrophoresis for determining binding constants of ligands to receptors 897(2000)339

Vaporising injection

Video-taped sample evaporation in hot chambers simulating gas chromatography split/splitless injectors. I. Thermospray injection 897(2000)237

Video-taped sample evaporation in hot chambers simulating gas chromatography split and splitless injectors. II. Injection with band formation 897(2000)247

Volatile anions

Characterization of sulfobutyl ether- β -cyclodextrins mixtures by anion-exchange chromatography using evaporative light scattering detection 897(2000)185

Water analysis

Simultaneous determination of cyanogen chloride and cyanogen bromide in treated water at sub- μ g/L levels by a new solid-phase microextraction-gas chromatographic-electron-capture detection method 897(2000)307

Xylenes

Reduction of adsorption phenomena of volatile aldehydes and aromatic compounds for static headspace analysis of cellulose based packaging materials 897(2000)269