

Journal of Chromatography A, 902 (2000) 441-445

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 902

Alkyl nitrate

Simple cryoconcentration technique for the determination of peroxyacyl- and alkyl nitrates in the atmosphere 902(2000)405

Amines

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis 902(2000)65

Amino acids

Separation of amino acids by ion mobility spectrometry 902(2000)433

Amphetamine

Solid-phase microextraction in biomedical analysis 902(2000)167

Amylose tris(3,5-dimethylphenylcarbamate)

Enantiomeric separation of some pharmaceutical intermediates and reversal of elution orders by high-performance liquid chromatography using cellulose and amylose tris(3,5dimethylphenylcarbamate) derivatives as stationary phases 902(2000)345

Anetholes

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

Anionic analysis

Sample stacking of cationic and anionic analytes in capillary electrophoresis 902(2000)119

Antidepressants

Solid-phase microextraction in biomedical analysis 902(2000)167

Antihistamines

Solid-phase microextraction in biomedical analysis 902(2000)167

Aromatic acids

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis 902(2000)65

Artifacts

Potential artifact formation of dioxins in ball clay during supercritical fluid extraction 902(2000)427

Ball clay

Potential artifact formation of dioxins in ball clay during supercritical fluid extraction 902(2000)427

Basic compounds

Effect of temperature and flow-rate on analysis of basic compounds in high-performance liquid chromatography using a reversed-phase column 898(2000)311

Benzodiazepines

Solid-phase microextraction in biomedical analysis 902(2000)167

B-blockers

Solid-phase microextraction in biomedical analysis 902(2000)167

Capillary electrophoresis

Liquid-liquid extraction procedures for sample enrichment in capillary zone electrophoresis 902(2000)91

Cationic analysis

Sample stacking of cationic and anionic analytes in capillary electrophoresis 902(2000)119

Cellulose

Enantiomeric separation of some pharmaceutical intermediates and reversal of elution orders by high-performance liquid chromatography using cellulose and amylose tris(3,5dimethylphenylcarbamate) derivatives as stationary phases 902(2000)345

Chiral stationary phases, LC

Enantiomeric separation of some pharmaceutical intermediates and reversal of elution orders by high-performance liquid chromatography using cellulose and amylose tris(3,5dimethylphenylcarbamate) derivatives as stationary phases 902(2000)345

0021-9673/00/\$ - see front matter © 2000 Elsevier Science B.V. All right reserved PII: S0021-9673(00)01022-0

Cloud point extraction

Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis 902(2000)251

Constitutional isomers

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

Countercurrent chromatography

Test to evaluate countercurrent chromatographs. Liquid stationary phase retention and chromatographic resolution 902(2000)323

Cryoconcentration

Simple cryoconcentration technique for the determination of peroxyacyl and alkyl nitrates in the atmosphere 902(2000)405

Cyclodextrins

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

Decalins

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

Derivatization, LC

Enantiomeric separation of some pharmaceutical intermediates and reversal of elution orders by high-performance liquid chromatography using cellulose and amylose tris(3,5-dimethylphenylcarbamate) derivatives as stationary phases 902(2000)345

Diastereomers

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

Dioxins

Potential artifact formation of dioxins in ball clay during supercritical fluid extraction 902(2000)427

Drugs

Microextraction of drugs 902(2000)17

Dves

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis 902(2000)65

Enantiomers

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

Enantiomer separation

Enantiomeric separation of some pharmaceutical intermediates and reversal of elution orders by high-performance liquid chromatography using cellulose and amylose tris(3,5-dimethylphenylcarbamate) derivatives as stationary phases 902(2000)345

Endocrine disruptors

Determination of floral fragrances of *Rosa hybrida* using solidphase trapping-solvent extraction and gas chromatography-mass spectrometry 902(2000)389

Environmental analysis

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis 902(2000)65

Explosives

Solvating gas chromatography with chemiluminescence detection of nitroglycerine and other explosives 902(2000)413

Extraction methods

Liquid—liquid extraction procedures for sample enrichment in capillary zone electrophoresis 902(2000)91

Solid-phase trapping of solutes for further chromatographic or electrophoretic analysis 902(2000)137

Membrane-based techniques for sample enrichment 902(2000)205

Analytical-scale microwave-assisted extraction 902(2000)227

Micelle formation for improvement of continuous subcritical water extraction of polycyclic aromatic hydrocarbons in soil prior to high-performance liquid chromatography–fluorescence detection 902(2000)357

Flavonoids

Negative atmospheric pressure chemical ionisation low-energy collision activation mass spectrometry for the characterisation of flavonoids in extracts of fresh herbs 902(2000)369

Flow-rate

Effect of temperature and flow-rate on analysis of basic compounds in high-performance liquid chromatography using a reversed-phase column 898(2000)311

Forensic analysis

Solid-phase microextraction in biomedical analysis 902(2000)167

Fragrance components

Determination of floral fragrances of *Rosa hybrida* using solidphase trapping-solvent extraction and gas chromatography-mass spectrometry 902(2000)389

Gas chromatography-mass spectrometry

Determination of floral fragrances of *Rosa hybrida* using solidphase trapping-solvent extraction and gas chromatography–mass spectrometry 902(2000)389

Headspace analysis

Headspace solid-phase microextraction procedures for gas chromatographic analysis of biological fluids and materials 902(2000)267

Herbicides

Preconcentration of contaminants in water analysis 902(2000)289

Hindered amine stabilizers

Hindered amine stabilizers investigated by the use of packed capillary temperature programmed liquid chromatography. II: Poly-(*N*-β-hydroxyethyl-2,2,6,6-tetramethyl-4-hydroxypiperidyl succinate) 902(2000)421

Ion chromatography

Ion chromatography detector based on solid-state ion-selective electrode array 902(2000)337

Ion mobility spectrometry

Separation of amino acids by ion mobility spectrometry 902(2000)433

Isosafroles

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

Liquid-liquid extraction

Liquid—liquid extraction procedures for sample enrichment in capillary zone electrophoresis 902(2000)91

Mass spectrometry

Negative atmospheric pressure chemical ionisation low-energy collision activation mass spectrometry for the characterisation of flavonoids in extracts of fresh herbs 902(2000)369

Membrane extraction

Membrane-based techniques for sample enrichment 902(2000)205

Metals

Analytical-scale microwave-assisted extraction 902(2000)227

Microwave-assisted extraction

Analytical-scale microwave-assisted extraction 902(2000)227

Nitroglycerine

Solvating gas chromatography with chemiluminescence detection of nitroglycerine and other explosives 902(2000)413

Organic compounds

Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis 902(2000)251

Packed capillary columns

Hindered amine stabilizers investigated by the use of packed capillary temperature programmed liquid chromatography. II: Poly-(*N*-β-hydroxyethyl-2,2,6,6-tetramethyl-4-hydroxypiperidyl succinate) 902(2000)421

Peak shape

Effect of temperature and flow-rate on analysis of basic compounds in high-performance liquid chromatography using a reversed-phase column 898(2000)311

Peroxyacyl nitrate

Simple cryoconcentration technique for the determination of peroxyacyl and alkyl nitrates in the atmosphere 902(2000)405

Pesticides

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis 902(2000)65

Solid-phase microextraction in biomedical analysis 902(2000)167

Analytical-scale microwave-assisted extraction 902(2000)227

Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis 902(2000)251

Preconcentration of contaminants in water analysis 902(2000)289

Pharmaceutical analysis

Solid-phase microextraction in biomedical analysis 902(2000)167

Analytical-scale microwave-assisted extraction 902(2000)227

Pharmaceutical intermediates

Enantiomeric separation of some pharmaceutical intermediates and reversal of elution orders by high-performance liquid chromatography using cellulose and amylose tris(3,5-dimethylphenylcarbamate) derivatives as stationary phases 902(2000)345

Phencyclidine

Solid-phase microextraction in biomedical analysis 902(2000)167

Phenols

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis 902(2000)65

Analytical-scale microwave-assisted extraction 902(2000)227

Preconcentration of contaminants in water analysis 902(2000)289

α-Pinene

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

Polychlorinated biphenyls

Solid-phase microextraction in biomedical analysis 902(2000)167

Analytical-scale microwave-assisted extraction 902(2000)227

Polychlorinated compounds

Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis 902(2000)251

Poly-(*N*-β-hydroxyethyl-2,2,6,6-tetramethyl-4-hydroxypiperidyl succinate)

Hindered amine stabilizers investigated by the use of packed capillary temperature programmed liquid chromatography. II: Poly-(*N*-β-hydroxyethyl-2,2,6,6-tetramethyl-4-hydroxypiperidyl succinate) 902(2000)421

Polymers

Analytical-scale microwave-assisted extraction 902(2000)227

Polynuclear aromatic hydrocarbons

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis 902(2000)65

Solid-phase microextraction in biomedical analysis 902(2000)167

Analytical-scale microwave-assisted extraction 902(2000)227

Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis 902(2000)251

Preconcentration of contaminants in water analysis 902(2000)289

Micelle formation for improvement of continuous subcritical water extraction of polycyclic aromatic hydrocarbons in soil prior to high-performance liquid chromatography–fluorescence detection 902(2000)357

Poly(styrene-divinylbenzene) resins

Chemically modified polymeric sorbents for sample preconcentration 902(2000)3

Preconcentration

Microextraction of drugs 902(2000)17

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis 902(2000)65

Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis 902(2000)251

Preconcentration of contaminants in water analysis 902(2000)289

Resolution

Test to evaluate countercurrent chromatographs. Liquid stationary phase retention and chromatographic resolution 902(2000)323

Retention

Test to evaluate countercurrent chromatographs. Liquid stationary phase retention and chromatographic resolution 902(2000)323

Reviews

Chemically modified polymeric sorbents for sample preconcentration (Review) 902(2000)3

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis (Review) 902(2000)65

Liquid-liquid extraction procedures for sample enrichment in capillary zone electrophoresis (Review) 902(2000)91

Stacking in capillary zone electrophoresis (Review) 902(2000)107

Sample stacking of cationic and anionic analytes in capillary electrophoresis (Review) 902(2000)119

Solid-phase trapping of solutes for further chromatographic or electrophoretic analysis (Review) 902(2000)137

Solid-phase microextraction in biomedical analysis (Review) 902(2000)167

Microextraction of drugs (Review) 902(2000)17

Membrane-based techniques for sample enrichment (Review) 902(2000)205

Analytical-scale microwave-assisted extraction (Review) 902(2000)227

Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis (Review) 902(2000)251

Headspace solid-phase microextraction procedures for gas chromatographic analysis of biological fluids and materials (Review) 902(2000)267

Preconcentration of contaminants in water analysis (Review) 902(2000)289

Rosa hybrida

Determination of floral fragrances of *Rosa hybrida* using solidphase trapping-solvent extraction and gas chromatography–mass spectrometry 902(2000)389

Sample handling

Stacking in capillary zone electrophoresis 902(2000)107

Sample preparation

Headspace solid-phase microextraction procedures for gas chromatographic analysis of biological fluids and materials 902(2000)267

Sample stacking

Sample stacking of cationic and anionic analytes in capillary electrophoresis 902(2000)119

Soil

Micelle formation for improvement of continuous subcritical water extraction of polycyclic aromatic hydrocarbons in soil prior to high-performance liquid chromatography—fluorescence detection 902(2000)357

Solid-phase extraction

Chemically modified polymeric sorbents for sample preconcentration 902(2000)3

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis 902(2000)65

Solid-phase trapping of solutes for further chromatographic or electrophoretic analysis 902(2000)137

Solid-phase trapping extraction

Determination of floral fragrances of *Rosa hybrida* using solidphase trapping-solvent extraction and gas chromatography-mass spectrometry 902(2000)389

Solid-phase microextraction

Solid-phase trapping of solutes for further chromatographic or electrophoretic analysis 902(2000)137

Solid-phase microextraction in biomedical analysis 902(2000)167

Headspace solid-phase microextraction procedures for gas chromatographic analysis of biological fluids and materials 902(2000)267

Solid-state cation-selective electrodes

Ion chromatography detector based on solid-state ion-selective electrode array 902(2000)337

Solvating gas chromatography

Solvating gas chromatography with chemiluminescence detection of nitroglycerine and other explosives 902(2000)413

Sorbents

Chemically modified polymeric sorbents for sample preconcentration 902(2000)3

Solid-phase trapping of solutes for further chromatographic or electrophoretic analysis 902(2000)137

Stability complexes

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

Stacking

Stacking in capillary zone electrophoresis 902(2000)107

Subcritical water extraction

Micelle formation for improvement of continuous subcritical water extraction of polycyclic aromatic hydrocarbons in soil prior to high-performance liquid chromatography—fluorescence detection 902(2000)357

Sulfonic acids

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis 902(2000)65

Supercritical fluid extraction

Potential artifact formation of dioxins in ball clay during supercritical fluid extraction 902(2000)427

Supported liquid membrane

Membrane-based techniques for sample enrichment 902(2000)205

Surfactants

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis 902(2000)65

Preconcentration of contaminants in water analysis 902(2000)289

Temperature effects

Effect of temperature and flow-rate on analysis of basic compounds in high-performance liquid chromatography using a reversed-phase column 898(2000)311

Temperature programming

Hindered amine stabilizers investigated by the use of packed capillary temperature programmed liquid chromatography. II: Poly-(*N*-β-hydroxyethyl-2,2,6,6-tetramethyl-4-hydroxypiperidyl succinate) 902(2000)421

Vitamins

Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis 902(2000)251

Volatile organic compounds

Solid-phase microextraction in biomedical analysis 902(2000)167

Water analysis

Preconcentration of contaminants in water analysis 902(2000)289