

Journal of Chromatography A, 903 (2000) 281-286

# JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

# Subject Index Vol. 903

#### Absorption

Influence of the modification conditions of alkyl bonded ligands on the characteristics of reversed-phase liquid chromatography 903(2000)1

## Alkaloids

Simultaneous analysis of clivorine and its four microsomal metabolites by high-performance liquid chromatography 903(2000)85

High-performance thin-layer chromatographic determination of potato glycoalkaloids 903(2000)219

Use of borate complexation for the separation of non-UVabsorbing calystegines by capillary electrophoresis 903(2000)237

#### Alkanes

Prediction of retention indices. V. Influence of electronic effects and column polarity on retention index 903(2000)117

## Artificial neural network

Development of comprehensive descriptors for multiple linear regression and artificial neural network modeling of retention behaviors of a variety of compounds on different stationary phases 903(2000)145

#### Ammonia

Ammonia as a carrier gas for acidic-basic chromatography 903(2000)173

#### Antibiotics

Separation of spiramycin components using high-speed countercurrent chromatography 903(2000)93

## Autoradiography

In vivo incorporation of radioactive <sup>36</sup>Cl, a method for monitoring chloro compounds in biological material 903(2000)267

# **Benzoic** acids

Separation and determination of haloperidol, parabens and some of their degradation products by micellar electrokinetic chromatography 903(2000)271

#### Betamethasone

Characterization of inclusion complexes of betamethasonerelated steroids with cyclodextrins using high-performance liquid chromatography 903(2000)49

# **Binding constants**

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

#### Brassica napus

In vivo incorporation of radioactive <sup>36</sup>Cl, a method for monitoring chloro compounds in biological material 903(2000)267

#### **Buffer composition**

Use of borate complexation for the separation of non-UVabsorbing calystegines by capillary electrophoresis 903(2000)237

#### Calystegines

Use of borate complexation for the separation of non-UVabsorbing calystegines by capillary electrophoresis 903(2000)237

#### Carbon coverage

Influence of surface carbon coverage of  $C_1$  (TMS) stationary phases on the separation of nonylphenol ethoxylate ethoxymers 903(2000)33

#### Carboxylic acids

Separation using planar chromatography with electroosmotic flow 903(2000)211

## Carrier gas

Ammonia as a carrier gas for acidic-basic chromatography 903(2000)173

#### Chaconine

High-performance thin-layer chromatographic determination of potato glycoalkaloids 903(2000)219

0021-9673/00/\$ – see front matter © 2000 Elsevier Science B.V. All right reserved PII: S0021-9673(00)01066-9

282

Subject Index Vol. 903

# Clivorine

Simultaneous analysis of clivorine and its four microsomal metabolites by high-performance liquid chromatography 903(2000)85

## Complexation

Use of borate complexation for the separation of non-UVabsorbing calystegines by capillary electrophoresis 903(2000)237

## **Computer simulation**

Training software for high-performance liquid chromatography 903(2000)41

# Counter-current chromatography

Separation of spiramycin components using high-speedcountercurrent chromatography 903(2000)93

## Cyclodextrins

Characterization of inclusion complexes of betamethasonerelated steroids with cyclodextrins using high-performance liquid chromatography 903(2000)49

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with  $\beta$ -cyclodextrin as mobile phase modifier 903(2000)67

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

#### **Degradation products**

Separation and determination of haloperidol, parabens and some of their degradation products by micellar electrokinetic chromatography 903(2000)271

## Dehydroretronecines

Simultaneous analysis of clivorine and its four microsomal metabolites by high-performance liquid chromatography 903(2000)85

#### Derivatization, electrophoresis

Use of borate complexation for the separation of non-UVabsorbing calystegines by capillary electrophoresis 903(2000)237

## **Detection**, TLC

High-performance thin-layer chromatographic determination of potato glycoalkaloids 903(2000)219

#### Dibenzothiophenes

Application of solid-phase extraction to the analysis of the isomers generated in biodesulfurization against methylated dibenzothiophenes 903(2000)193

#### Direct sample introduction device

SnifProbe: new method and device for vapor and gas sampling 903(2000)155

#### Dyes

Separation using planar chromatography with electroosmotic flow 903(2000)211

## Econazole

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

#### Electrochromatography

Separation using planar chromatography with electroosmotic flow 903(2000)211

#### **Enantiomer separation**

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

## **Environmental analysis**

Optimization of solid-phase microextraction for the gas chromatographic-mass spectrometric determination of synthetic musk fragrances in water samples 903(2000)203

#### Enzymes

On-line characterization of the activity and reaction kinetics of immobilized enzyme by high-performance frontal analysis 903(2000)77

#### Factor IX

Application of monoliths for downstream processing of clotting factor IX 903(2000)21

## **Field-flow fractionation**

Study of magnetic particles pulse-injected into an annular SPLITT-like channel inside a quadrupole magnetic field 903(2000)99

#### Fluorocarbons

Improvements in the detection and analysis of CF<sub>3</sub>-containing compounds in the background atmosphere by gas chromatography–high-resolution mass spectrometry 903(2000)261

## Frontal analysis

On-line characterization of the activity and reaction kinetics of immobilized enzyme by high-performance frontal analysis 903(2000)77

#### Gas sampling

SnifProbe: new method and device for vapor and gas sampling 903(2000)155

# Geraniol

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with  $\beta$ -cyclodextrin as mobile phase modifier 903(2000)67

## Glycidyl methacrylate-modified membrane

On-line characterization of the activity and reaction kinetics of immobilized enzyme by high-performance frontal analysis 903(2000)77

#### Glycoalkaloids

High-performance thin-layer chromatographic determination of potato glycoalkaloids 903(2000)219

#### Group retention factors

Prediction of retention indices. V. Influence of electronic effects and column polarity on retention index 903(2000)117

#### Halogenated compounds

In vivo incorporation of radioactive <sup>36</sup>Cl, a method for monitoring chloro compounds in biological material 903(2000)267

#### Haloperidol

Separation and determination of haloperidol, parabens and some of their degradation products by micellar electrokinetic chromatography 903(2000)271

#### Heat of absorption

Influence of the modification conditions of alkyl bonded ligands on the characteristics of reversed-phase liquid chromatography 903(2000)1

## Imidazoles

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

## Immobilized trypsin reactor

On-line characterization of the activity and reaction kinetics of immobilized enzyme by high-performance frontal analysis 903(2000)77

## **Inclusion complexation**

Characterization of inclusion complexes of betamethasonerelated steroids with cyclodextrins using high-performance liquid chromatography 903(2000)49

# **Inclusion complexes**

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with  $\beta$ -cyclodextrin as mobile phase modifier 903(2000)67

## Isoconazole

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

# Isotope ratio mass spectrometry

Determination of porphyrin carbon isotopic composition using gas chromatography-isotope ratio monitoring mass spectrometry 903(2000)183

#### Linalool

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with  $\beta$ -cyclodextrin as mobile phase modifier 903(2000)67

## **Macrolide antibiotics**

Separation of spiramycin components using high-speed countercurrent chromatography 903(2000)93

## Magnetic beads

Study of magnetic particles pulse-injected into an annular SPLIT-T-like channel inside a quadrupole magnetic field 903(2000)99

#### Magnetic separation

Study of magnetic particles pulse-injected into an annular SPLITT-like channel inside a quadrupole magnetic field 903(2000)99

#### Mass spectrometry

Determination of porphyrin carbon isotopic composition using gas chromatography-isotope ratio monitoring mass spectrometry 903(2000)183

## Mass transfer

Influence of the modification conditions of alkyl bonded ligands on the characteristics of reversed-phase liquid chromatography 903(2000)1

## Micellar electrokinetic chromatography

Micellar electrokinetic chromatography of polychlorinated biphenyl congeners using a polymeric surfactant as the pseudostationary phase 903(2000)227

Separation and determination of haloperidol, parabens and some of their degradation products by micellar electrokinetic chromatography 903(2000)271

#### Miconazole

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

## Migration velocity

Separation using planar chromatography with electroosmotic flow 903(2000)211

#### Mobile phase composition

Training software for high-performance liquid chromatography 903(2000)41

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with  $\beta$ -cyclodextrin as mobile phase modifier 903(2000)67

#### Monocrotophos

Determination of *cis* and *trans* isomers of monocrotophos in technical products by reversed-phase column liquid chromatography 903(2000)255

## Monodisperse microspheres

Study of magnetic particles pulse-injected into an annular SPLIT-T-like channel inside a quadrupole magnetic field 903(2000)99

## Monolithic columns

Application of monoliths for downstream processing of clotting factor IX 903(2000)21

#### Multiple linear regression

Development of comprehensive descriptors for multiple linear regression and artificial neural network modeling of retention behaviors of a variety of compounds on different stationary phases 903(2000)145

#### Musk compounds

Optimization of solid-phase microextraction for the gas chromatographic-mass spectrometric determination of synthetic musk fragrances in water samples 903(2000)203

#### Nonylphenol ethoxylates

Influence of surface carbon coverage of  $C_1$  (TMS) stationary phases on the separation of nonylphenol ethoxylate ethoxymers 903(2000)33

## Organophosphorus compounds

Determination of *cis* and *trans* isomers of monocrotophos in technical products by reversed-phase column liquid chromatography 903(2000)255

#### Parabens

Separation and determination of haloperidol, parabens and some of their degradation products by micellar electrokinetic chromatography 903(2000)271

## Pesticides

Determination of *cis* and *trans* isomers of monocrotophos in technical products by reversed-phase column liquid chromatography 903(2000)255

#### Pharmaceutical analysis

Application of monoliths for downstream processing of clotting factor IX 903(2000)21

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

#### Planar electrochromatography

Separation using planar chromatography with electroosmotic flow 903(2000)211

# **Plant materials**

Use of borate complexation for the separation of non-UVabsorbing calystegines by capillary electrophoresis 903(2000)237 In vivo incorporation of radioactive <sup>36</sup>Cl, a method for monitoring chloro compounds in biological material 903(2000)267

## **Polychlorinated biphenyls**

Micellar electrokinetic chromatography of polychlorinated biphenyl congeners using a polymeric surfactant as the pseudostationary phase 903(2000)227

#### Polyhydroxyalkaloids

Use of borate complexation for the separation of non-UVabsorbing calystegines by capillary electrophoresis 903(2000)237

## Polysodium undecyl sulfate

Micellar electrokinetic chromatography of polychlorinated biphenyl congeners using a polymeric surfactant as the pseudostationary phase 903(2000)227

#### Porous graphitic carbon

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with  $\beta$ -cyclodextrin as mobile phase modifier 903(2000)67

# Porphyrins

Determination of porphyrin carbon isotopic composition using gas chromatography-isotope ratio monitoring mass spectrometry 903(2000)183

## **Positional isomers**

Determination of *cis* and *trans* isomers of monocrotophos in technical products by reversed-phase column liquid chromatography 903(2000)255

#### Preparative chromatography

Application of monoliths for downstream processing of clotting factor IX 903(2000)21

#### Pseudo-stationary phases

Micellar electrokinetic chromatography of polychlorinated biphenyl congeners using a polymeric surfactant as the pseudostationary phase 903(2000)227

## **Pulse-injection**

Study of magnetic particles pulse-injected into an annular SPLITT-like channel inside a quadrupole magnetic field 903(2000)99

## Pyrrolizidine alkaloids

Simultaneous analysis of clivorine and its four microsomal metabolites by high-performance liquid chromatography 903(2000)85

#### Quadrupole field

Study of magnetic particles pulse-injected into an annular SPLIT-T-like channel inside a quadrupole magnetic field 903(2000)99

#### **Reaction kinetics**

On-line characterization of the activity and reaction kinetics of immobilized enzyme by high-performance frontal analysis 903(2000)77

#### **Regression analysis**

Prediction of retention indices. V. Influence of electronic effects and column polarity on retention index 903(2000)117

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

#### **Retention behavior**

Influence of the modification conditions of alkyl bonded ligands on the characteristics of reversed-phase liquid chromatography 903(2000)1

Development of comprehensive descriptors for multiple linear regression and artificial neural network modeling of retention behaviors of a variety of compounds on different stationary phases 903(2000)145

## **Retention indices**

Prediction of retention indices. V. Influence of electronic effects and column polarity on retention index 903(2000)117

#### **Retention models**

Prediction of retention indices. V. Influence of electronic effects and column polarity on retention index 903(2000)117

#### Sampling methods

SnifProbe: new method and device for vapor and gas sampling 903(2000)155

## SEC

Evaluation of the porous structures of new polymer packing materials by inverse size-exclusion chromatography 903(2000)13

## SnifProbe

SnifProbe: new method and device for vapor and gas sampling 903(2000)155

## Solanine

High-performance thin-layer chromatographic determination of potato glycoalkaloids 903(2000)219

#### Solid-phase microextraction

Optimization of solid-phase microextraction for the gas chromatographic-mass spectrometric determination of synthetic musk fragrances in water samples 903(2000)203

#### Spiramycins

Separation of spiramycin components using high-speed countercurrent chromatography 903(2000)93

#### Split-flow thin fractionation

Study of magnetic particles pulse-injected into an annular SPLITT-like channel inside a quadrupole magnetic field 903(2000)99

#### Stationary phase

Evaluation of the porous structures of new polymer packing materials by inverse size-exclusion chromatography 903(2000)13

#### Stationary phases, LC

Influence of the modification conditions of alkyl bonded ligands on the characteristics of reversed-phase liquid chromatography 903(2000)1

Application of monoliths for downstream processing of clotting factor IX 903(2000)21

Influence of surface carbon coverage of  $C_1$  (TMS) stationary phases on the separation of nonylphenol ethoxylate ethoxymers 903(2000)33

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with  $\beta$ -cyclodextrin as mobile phase modifier 903(2000)67

Development of comprehensive descriptors for multiple linear regression and artificial neural network modeling of retention behaviors of a variety of compounds on different stationary phases 903(2000)145

## Steroids

Characterization of inclusion complexes of betamethasonerelated steroids with cyclodextrins using high-performance liquid chromatography 903(2000)49

#### Styrene-divinylbenzene

Evaluation of the porous structures of new polymer packing materials by inverse size-exclusion chromatography 903(2000)13

#### Sulfur compounds

Application of solid-phase extraction to the analysis of the isomers generated in biodesulfurization against methylated dibenzothiophenes 903(2000)193

# Surface diffusion

Influence of the modification conditions of alkyl bonded ligands on the characteristics of reversed-phase liquid chromatography 903(2000)1

#### Surfactants

Micellar electrokinetic chromatography of polychlorinated biphenyl congeners using a polymeric surfactant as the pseudostationary phase 903(2000)227

# α-Terpineol

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with  $\beta$ -cyclodextrin as mobile phase modifier 903(2000)67

286

# Thermodynamic parameters

Influence of the modification conditions of alkyl bonded ligands on the characteristics of reversed-phase liquid chromatography 903(2000)1

# Thymol

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with  $\beta$ -cyclodextrin as mobile phase modifier 903(2000)67

# Training software, LC

Training software for high-performance liquid chromatography 903(2000)41

## Validation

Simultaneous analysis of clivorine and its four microsomal metabolites by high-performance liquid chromatography 903(2000)85

## Vapor sampling

SnifProbe: new method and device for vapor and gas sampling 903(2000)155

## Water analysis

Optimization of solid-phase microextraction for the gas chromatographic-mass spectrometric determination of synthetic musk fragrances in water samples 903(2000)203

# X-Ray photoelectron spectroscopy

Influence of surface carbon coverage of  $C_1$  (TMS) stationary phases on the separation of nonylphenol ethoxylate ethoxymers 903(2000)33