

Journal of Chromatography A, 904 (2000) 271-275

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 904

Affinity adsorbents

Chelated mercury as a ligand in immobilized metal ion affinity chromatography of proteins 904(2000)131

Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and (His)₆-tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145

Aflatoxins

Immunoaffinity column clean-up prior to thin-layer chromatography for the determination of aflatoxins in various food matrices 904(2000)251

Development of a simplified densitometer for the determination of aflatoxins by thin-layer chromatography 904(2000)263

Alcohols

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Aldehydes

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Alkaloids

Direct characterization of isoquinoline alkaloids in a crude plant extract by ion-pair liquid chromatography—electrospray ionization tandem mass spectrometry: example of *Eschscholtzia californica* 904(2000)35

Observation of exchangeable protons by high-performance liquid chromatography-nuclear magnetic resonance spectroscopy and high-performance liquid chromatography-electrospray ionization mass spectrometry: a useful tool for the hyphenated analysis of natural products 904(2000)243

Alkanes

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Alkanones

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Alkenes

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Alkylphenols

Development of an automated on-line solid-phase extraction-high-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171

Alkynes

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Amines

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Amino acids

High-performance liquid chromatographic separation of enantiomers of synthetic amino acids on a ristocetin A chiral stationary phase 904(2000)1

Anilines

Development of an automated on-line solid-phase extraction—high-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171

Aristolochic acids

Pressurized liquid extraction of berberine and aristolochic acids in medicinal plants 904(2000)57

0021-9673/00/\$ - see front matter © 2000 Elsevier Science B.V. All right reserved

PII: S0021-9673(00)01112-2

Artificial neural networks

Artificial neural networks in liquid chromatography: efficient and improved quantitative structure-retention relationship models 904(2000)119

Automation

Development of an automated on-line solid-phase extraction—high-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171

Basic compounds

Fast enantioseparations of basic analytes by high-performance liquid chromatography using cellulose *tris*(3,5-dimethylphenylcarbamate)-coated zirconia stationary phases 904(2000)17

Benzenes

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Berberine

Pressurized liquid extraction of berberine and aristolochic acids in medicinal plants 904(2000)57

B-Blockers

Fast enantioseparations of basic analytes by high-performance liquid chromatography using cellulose *tris*(3,5-dimethylphenylcarbamate)-coated zirconia stationary phases 904(2000)17

Capillary electrochromatography

Resolution of positional isomers by capillary electrochromatography 904(2000)99

Carbohydrates

Analysis of carbohydrates in drinks by high-performance liquid chromatography with a dynamically modified amino column and evaporative light scattering detection 904(2000)113

Cellulose *tris*(3,5-dimethylphenylcarbamate)

Fast enantioseparations of basic analytes by high-performance liquid chromatography using cellulose *tris*(3,5-dimethylphenylcarbamate)-coated zirconia stationary phases 904(2000)17

Chiral stationary phases, LC

High-performance liquid chromatographic separation of enantiomers of synthetic amino acids on a ristocetin A chiral stationary phase 904(2000)1

Fast enantioseparations of basic analytes by high-performance liquid chromatography using cellulose *tris*(3,5-dimethylphenylcarbamate)-coated zirconia stationary phases 904(2000)17

Chlorophenols

Development of an automated on-line solid-phase extraction-high-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171

Clomazone

Development and validation of a high-performance liquid chromatographic method for the determination of clomazone residues in surface water 904(2000)257

Cloud point extraction

Micelle-mediated extraction and preconcentration of ginsenosides from Chinese herbal medicine 904(2000)47

Counter-current chromatography

Separation of tanshinones from *Salvia miltiorrhiza* Bunge by high-speed counter-current chromatography using stepwise elution 904(2000)107

Densitometry

Development of a simplified densitometer for the determination of aflatoxins by thin-layer chromatography 904(2000)263

Detection, LC

High-performance liquid chromatographic determination of linoleic acid peroxide-derived radicals using electrochemical detection 904(2000)197

Dextran

Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and ${\rm (His)}_6$ -tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145

Electrochemical detection

High-performance liquid chromatographic determination of linoleic acid peroxide-derived radicals using electrochemical detection 904(2000)197

Electron spin resonance detection

High-performance liquid chromatographic determination of linoleic acid peroxide-derived radicals using electrochemical detection 904(2000)197

Enantiomer separation

High-performance liquid chromatographic separation of enantiomers of synthetic amino acids on a ristocetin A chiral stationary phase 904(2000)1

Fast enantioseparations of basic analytes by high-performance liquid chromatography using cellulose *tris*(3,5-dimethylphenylcarbamate)-coated zirconia stationary phases 904(2000)17

Environmental analysis

Development of an automated on-line solid-phase extraction-high-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171

Eschscholtzia californica

Direct characterization of isoquinoline alkaloids in a crude plant extract by ion-pair liquid chromatography–electrospray ionization tandem mass spectrometry: example of *Eschscholtzia californica* 904(2000)35

Ethers

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Ethylene glycol

Identification of impurities affecting commercial ethylene glycol UV transmittance 904(2000)87

Fatty acids

High-performance liquid chromatographic determination of linoleic acid peroxide-derived radicals using electrochemical detection 904(2000)197

Food analysis

Analysis of carbohydrates in drinks by high-performance liquid chromatography with a dynamically modified amino column and evaporative light scattering detection 904(2000)113

Immunoaffinity column clean-up prior to thin-layer chromatography for the determination of aflatoxins in various food matrices 904(2000)251

Fruit juices

Analysis of carbohydrates in drinks by high-performance liquid chromatography with a dynamically modified amino column and evaporative light scattering detection 904(2000)113

Gases

Gas chromatography for in situ analysis of a cometary nucleus. II. Analysis of permanent gases and light hydrocarbons with a carbon molecular sieve porous layer open tubular column 904(2000)73

Ginsenosides

Micelle-mediated extraction and preconcentration of ginsenosides from Chinese herbal medicine 904(2000)47

Hydrocarbons

Gas chromatography for in situ analysis of a cometary nucleus. II. Analysis of permanent gases and light hydrocarbons with a carbon molecular sieve porous layer open tubular column 904(2000)73

Hydroxystanozolol

Determination of 16β -hydroxystanozolol in urine and faeces by liquid chromatography–multiple mass spectrometry 904(2000)203

Hyphenated techniques

Observation of exchangeable protons by high-performance liquid chromatography-nuclear magnetic resonance spectroscopy and high-performance liquid chromatography-electrospray ionization mass spectrometry: a useful tool for the hyphenated analysis of natural products 904(2000)243

Immobilized metal affinity chromatography

Chelated mercury as a ligand in immobilized metal ion affinity chromatography of proteins 904(2000)131

Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and ${\rm (His)}_6$ -tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145

Immobilized metal affinity partitioning

Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and ${\rm (His)}_6$ -tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145

Isoquinoline alkaloids

Direct characterization of isoquinoline alkaloids in a crude plant extract by ion-pair liquid chromatography-electrospray ionization tandem mass spectrometry: example of *Eschscholtzia californica* 904(2000)35

Large-volume injection

Determination of nonylphenol ethoxylate oligomers by liquid chromatography-electrospray mass spectrometry in river water and non-ionic surfactants 904(2000)65

Linoleic acid peroxide

High-performance liquid chromatographic determination of linoleic acid peroxide-derived radicals using electrochemical detection 904(2000)197

Membrane extraction

On-line membrane extraction liquid chromatography for monitoring semi-volatile organics in aqueous matrices 904(2000)189

Mercury

Chelated mercury as a ligand in immobilized metal ion affinity chromatography of proteins 904(2000)131

Metal chelates

Chelated mercury as a ligand in immobilized metal ion affinity chromatography of proteins 904(2000)131

Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and ${\rm (His)}_6$ -tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145

Micelle-mediated extraction

Micelle-mediated extraction and preconcentration of ginsenosides from Chinese herbal medicine 904(2000)47

Mobile-phase composition

Fast enantioseparations of basic analytes by high-performance liquid chromatography using cellulose *tris*(3,5-dimethylphenylcarbamate)-coated zirconia stationary phases 904(2000)17

Molecular sieves

Gas chromatography for in situ analysis of a cometary nucleus. II. Analysis of permanent gases and light hydrocarbons with a carbon molecular sieve porous layer open tubular column 904(2000)73

Mycotoxins

Immunoaffinity column clean-up prior to thin-layer chromatography for the determination of aflatoxins in various food matrices 904(2000)251

Nitrophenols

Development of an automated on-line solid-phase extraction—high-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171

Nonylphenol ethoxylate oligomers

Determination of nonylphenol ethoxylate oligomers by liquid chromatography-electrospray mass spectrometry in river water and non-ionic surfactants 904(2000)65

Nuclear magnetic resonance spectrometry

Observation of exchangeable protons by high-performance liquid chromatography-nuclear magnetic resonance spectroscopy and high-performance liquid chromatography-electrospray ionization mass spectrometry: a useful tool for the hyphenated analysis of natural products 904(2000)243

Partition coefficients

Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and ${\rm (His)}_6$ -tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145

Pesticides

Development and validation of a high-performance liquid chromatographic method for the determination of clomazone residues in surface water 904(2000)257

Phenols

Development of an automated on-line solid-phase extraction-high-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171

Plant materials

Separation of tanshinones from *Salvia miltiorrhiza* Bunge by high-speed counter-current chromatography using stepwise elution 904(2000)107

Poly(ethylene glycol)

Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and ${\rm (His)}_6$ -tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145

Positional isomers

Resolution of positional isomers by capillary electrochromatography 904(2000)99

Preparative chromatography

Separation of tanshinones from *Salvia miltiorrhiza* Bunge by high-speed counter-current chromatography using stepwise elution 904(2000)107

Pressurized liquid extraction

Pressurized liquid extraction of berberine and aristolochic acids in medicinal plants 904(2000)57

Proteins

Chelated mercury as a ligand in immobilized metal ion affinity chromatography of proteins 904(2000)131

Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and ${\rm (His)}_6$ -tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145

Proton exchange

Observation of exchangeable protons by high-performance liquid chromatography-nuclear magnetic resonance spectroscopy and high-performance liquid chromatography-electrospray ionization mass spectrometry: a useful tool for the hyphenated analysis of natural products 904(2000)243

Pyridines

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Quantitative structure-retention relationships

Artificial neural networks in liquid chromatography: efficient and improved quantitative structure-retention relationship models 904(2000)119

Retention indices

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Ristocetin A

High-performance liquid chromatographic separation of enantiomers of synthetic amino acids on a ristocetin A chiral stationary phase 904(2000)1

Salvia miltiorrhiza

Separation of tanshinones from Salvia miltiorrhiza Bunge by high-speed counter-current chromatography using stepwise elution 904(2000)107

Semi-volatile organics

On-line membrane extraction liquid chromatography for monitoring semi-volatile organics in aqueous matrices 904(2000)189

Solid-phase extraction

Development of an automated on-line solid-phase extraction—high-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171

Spin trapping

High-performance liquid chromatographic determination of linoleic acid peroxide-derived radicals using electrochemical detection 904(2000)197

Stanozolol

Determination of 16β -hydroxystanozolol in urine and faeces by liquid chromatography–multiple mass spectrometry 904(2000)203

Stationary phases, GC

Gas chromatography for in situ analysis of a cometary nucleus. II. Analysis of permanent gases and light hydrocarbons with a carbon molecular sieve porous layer open tubular column 904(2000)73

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Steroids

Determination of 16β -hydroxystanozolol in urine and faeces by liquid chromatography–multiple mass spectrometry 904(2000)203

Tanshinones

Separation of tanshinones from *Salvia miltiorrhiza* Bunge by high-speed counter-current chromatography using stepwise elution 904(2000)107

Thermodynamic parameters

Gas chromatography for in situ analysis of a cometary nucleus. II. Analysis of permanent gases and light hydrocarbons with a carbon molecular sieve porous layer open tubular column 904(2000)73

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Thiols

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Water analysis

Determination of nonylphenol ethoxylate oligomers by liquid chromatography-electrospray mass spectrometry in river water and non-ionic surfactants 904(2000)65

Development of an automated on-line solid-phase extraction-high-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171

On-line membrane extraction liquid chromatography for monitoring semi-volatile organics in aqueous matrices 904(2000)189

Development and validation of a high-performance liquid chromatographic method for the determination of clomazone residues in surface water 904(2000)257

Wine

Analysis of carbohydrates in drinks by high-performance liquid chromatography with a dynamically modified amino column and evaporative light scattering detection 904(2000)113