



ELSEVIER

Journal of Chromatography A, 901 (2001) 1–90

JOURNAL OF  
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

## CUMULATIVE AUTHOR INDEX

### J. CHROMATOGR. A VOLS. 852–900

# A

- Abad, E., Sauló, J., Caixach, J. and Rivera, J.  
Evaluation of a new automated cleanup system for the analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans in environmental samples 893(2000)383
- Ábalos, M., Bayona, J.M. and Pawliszyn, J.  
Development of a headspace solid-phase microextraction procedure for the determination of free volatile fatty acids in waste waters 873(2000)107
- Ábalos, M. and Bayona, J.M.  
Application of gas chromatography coupled to chemical ionisation mass spectrometry following headspace solid-phase microextraction for the determination of free volatile fatty acids in aqueous samples 891(2000)287
- Abarnou, A., see Jaouen-Madoulet, A. 886(2000)153
- Abe, T., Baba, H., Soloshonok, I. and Tanaka, K.  
Novel way of separating polyfluorocarboxylic acids by ion-exclusion chromatography 884(2000)93
- Abidi, S.L.  
Chromatographic analysis of tocol-derived lipid antioxidants (Review) 881(2000)197
- Aboul-Enein, H.Y., see Baeyens, W.R.G. 871(2000)153
- Abraham, M.H., Ballantine, D.S. and Callihan, B.K.  
Revised linear solvation energy relationship coefficients for the 77-phase McReynolds data set based on an updated set of solute descriptors 878(2000)115
- Abraham, M.H., see Green, C.E. 885(2000)41
- Abuín, M., Carro, A.M. and Lorenzo, R.A.  
Experimental design of a microwave-assisted extraction-derivatization method for the analysis of methylmercury 889(2000)185
- Abu-Lafi, S., see Magora, A. 866(2000)183
- Abu-Lafi, S. and Turujman, S.A.  
Reproducibility of the separation of astaxanthin stereoisomers on Pirkle covalent L-leucine and D-phenylglycine columns 855(1999)157
- Acar, J., see Gökmen, V. 881(2000)309
- Accinni, R., Bartesaghi, S., De Leo, G., Cursano, C.F., Achilli, G., Loaldi, A., Cellerino, C. and Parodi, O.  
Screening of homocysteine from newborn blood spots by high-performance liquid chromatography with coulometric array detection 896(2000)183
- Achard, M.-F., see Gritti, F. 893(2000)359
- Achard, M.F., see Gritti, F. 897(2000)131
- Achatz, S., see Vogt, G. 855(1999)563
- Achilli, G., see Accinni, R. 896(2000)183
- Ackley, K.L., Day, J.A. and Caruso, J.A.  
Separation of metalloporphyrins by capillary electrophoresis with UV detection and inductively coupled plasma mass spectrometric detection 888(2000)293
- Ackman, R.G., see Indrasena, W.M. 855(1999)657
- Adachi, J., Asano, M. and Ueno, Y.  
Tetrahydro- $\beta$ -carboline-3-carboxylic acids and contaminants of L-tryptophan 881(2000)501
- Adahchour, M., Vreuls, R.J.J., van der Heijden, A. and Brinkman, U.A.Th.  
Erratum to: "Trace-level determination of polar flavour compounds in butter by solid-phase extraction and gas chromatography-mass spectrometry" [J. Chromatogr. A, 844 (1999) 295–305] 873(2000)299
- Adahchour, M. and Vreuls, R.J.J.  
Erratum to: "Trace-level determination of polar flavour compounds in butter by solid-phase extraction and gas chromatography-mass spectrometry" [J. Chromatogr. A, 844 (1999) 295–305] 873(2000)299
- Adam, O., see Lamb, D.H. 894(2000)311
- Adam, O., see Lamb, D.H. 894(2000)311

- Adam, T. and Unger, K.K.  
Comparative study of capillary electroendosmotic chromatography and electrically assisted gradient nano-liquid chromatography for the separation of peptides 894(2000)241
- Adam, T., Unger, K.K., Dittmann, M.M. and Rozing, G.P.  
Towards the column bed stabilization of columns in capillary electroendosmotic chromatography. Immobilization of microparticulate silica columns to a continuous bed 887(2000)327
- Adam, Th., see Luedtke, S. 887(2000)339
- Adam, Th., see Unger, K.K. 892(2000)47
- Affonso, R., see de Oliveira, J.E. 852(1999)441
- Afonso, A.M., see Pino, V. 869(2000)515
- Agrofoglio, L., see Cahours, X. 895(2000)101
- Agüera, A., Piedra, L., Hernando, M.D. and Fernández-Alba, A.R.  
Multiresidue method for the analysis of five antifouling agents in marine and coastal waters by gas chromatography–mass spectrometry with large-volume injection 889(2000)261
- Aguilar, C., Janssen, H.-G. and Cramers, C.A.  
On-line coupling of equilibrium-sorptive enrichment to gas chromatography to determine low-molecular-mass pollutants in environmental water samples 867(2000)207
- Aguilar, C., see Pocerull, E. 854(1999)187
- Aguilar, M.I., see Purcell, A.W. 852(1999)43
- Aguzzi, A., see Ruggeri, S. 855(1999)237
- Ahmadzadeh, H., see Richards, D.P. 853(1999)21
- Ahr, G., see Soetebeer, U.B. 895(2000)147
- Ahrer, W. and Buchberger, W.  
Analysis of low-molecular-mass inorganic and organic anions by ion chromatography–atmospheric pressure ionization mass spectrometry 854(1999)275
- Ahrer, W., see Seubert, A. 884(2000)191
- Aichholz, R. and Lorbeer, E.  
Investigation of combwax of honeybees with high-temperature gas chromatography and high-temperature gas chromatography–chemical ionization mass spectrometry I. High-temperature gas chromatography 855(1999)601
- Aichholz, R. and Lorbeer, E.  
Investigation of combwax of honeybees with high-temperature gas chromatography and high-temperature gas chromatography–chemical ionization mass spectrometry. II: High-temperature gas chromatography–chemical ionization mass spectrometry 883(2000)75
- Akasaka, K. and Ohnui, H.  
Development of phosphine reagents for the high-performance liquid chromatographic–fluorometric determination of lipid hydroperoxides 881(2000)159
- Akazawa, T., Kobayashi, M., Yoshida, M., Matsushima, K., Minoshima, H., Sugimura, H., Kanno, T. and Horiuchi, J.  
Improved liquid chromatographic separation of different proteins by designing functional surfaces of cattle bone-originated apatite 862(1999)217
- Akiba, M., see Ozawa, I. 888(2000)43
- Akiyama, T., Yamada, T. and Maitani, T.  
Analysis of enzymatically glucosylated flavonoids by capillary electrophoresis 895(2000)279
- Akseli, A., see Sungur, Ş.K. 874(2000)311
- Alary, J., see Peyrin, E. 886(2000)1
- Albanis, T.A., see Lambropoulou, D.A. 893(2000)143
- Albert, A., see Toussaint, B. 890(2000)239
- Albert, K.  
Liquid chromatography–nuclear magnetic resonance spectroscopy (Review) 856(1999)199
- Albert, K., see Ellwanger, A. 858(1999)133
- Albert, K., see Lacker, T. 854(1999)37
- Albert, K., see Wegmann, J. 883(2000)27
- Albert, M., see Vandennebeele-Trambouze, O. 894(2000)259
- Albrecht, J.A., see Osseyi, E.S. 867(2000)289
- Aldana, R., see Rochat, D. 885(2000)433
- Alden, B.A., see O'Gara, J.E. 893(2000)245
- Alegría, A., see Ferrer, E. 881(2000)599
- Alessandrini, J.L., see Gonzalez, F.R. 852(1999)583
- Allain, E.J., see Michels, J.J. 898(2000)153
- Alli, I., see Alomirah, H.F. 893(2000)1
- Allington, R.W., see Xie, S. 865(1999)169
- Allué, J.A., see Celma, C. 870(2000)13
- Allué, J.A., see Celma, C. 870(2000)77
- Almela, L., Fernández-López, J.A. and Roca, M.J.  
High-performance liquid chromatographic screening of chlorophyll derivatives produced during fruit storage 870(2000)483
- Almirall, J.R., see Furton, K.G. 885(2000)419
- Alomirah, H.F., Alli, I. and Konishi, Y.  
Applications of mass spectrometry to food proteins and peptides (Review) 893(2000)1
- Alonso, M.C. and Barceló, D.  
Stability of sulfonated derivatives of benzene and naphthalene on disposable solid-phase extraction precolumns and in an aqueous matrix 889(2000)231
- Alonso, M.C., see Loos, R. 890(2000)225
- Alonso, M.C., see Pocerull, E. 854(1999)187
- Alonso, R., see Tolrà, R.P. 889(2000)75
- Alonso, R.M., see López, J.A. 870(2000)105
- Alonso, R.M., see Nunes, G.S. 888(2000)113
- Alpendurada, M.de.Fátima and Barceló, D.  
Foreword 889(2000)1
- Alpendurada, M.de.Fátima  
Solid-phase microextraction: a promising technique for sample preparation in environmental analysis (Review) 889(2000)3
- Althoff, J., see Zamfir, A. 895(2000)291
- Altria, K.D.  
Overview of capillary electrophoresis and capillary electrochromatography (Review) 856(1999)443
- Altria, K.D.  
Background theory and applications of microemulsion electrokinetic chromatography (Review) 892(2000)171
- Alves, A., see Brás, I. 891(2000)305
- Alves, A., see Correia, M. 889(2000)59
- Alvi, S.N., see Husain, S. 862(1999)17
- Amakura, Y., Okada, M., Tsuji, S. and Tonogai, Y.  
Determination of phenolic acids in fruit juices by isocratic column liquid chromatography 891(2000)183
- Amakura, Y., Okada, M., Tsuji, S. and Tonogai, Y.  
High-performance liquid chromatographic determination with photodiode array detection of ellagic acid in fresh and processed fruits 896(2000)87

- Amati, A., see Castellari, M. 888(2000)129
- Ames, J.M., see Frazier, R.A. 876(2000)213
- Amini, A., Dormady, S.J., Riggs, L. and Regnier, F.E.  
The impact of buffers and surfactants from micellar electrokinetic chromatography on matrix-assisted laser desorption ionization (MALDI) mass spectrometry of peptides. Effect of buffer type and concentration on mass determination by MALDI-time-of-flight mass spectrometry 894(2000)345
- An, M., see Wu, H. 864(1999)315
- Anastasio, C., see Matthew, B.M. 866(2000)65
- Andersen, R. and Sorensen, A.  
Separation and determination of alditols and sugars by high-pH anion-exchange chromatography with pulsed amperometric detection 897(2000)195
- Andersen, T., see Trones, R. 874(2000)65
- Andersson, J.T., see Sielex, K. 866(2000)105
- Andersson, M., see Jönsson, J.Å. 870(2000)151
- Andersson, T., Hyötyläinen, T. and Riekkola, M.-L.  
Analysis of phenols in pyrolysis oils by gel permeation chromatography and multidimensional liquid chromatography 896(2000)343
- Andrasko, J., see Lagesson, V. (2000)187
- André, F., see Marchand, P. 867(2000)219
- Andrenšek, S., see Simonovska, B. 862(1999)209
- Andresen, P., see Soetebeer, U.B. 895(2000)147
- Andrés-Lacueva, C., see Mattivi, F. 888(2000)121
- Andrews, C.L., Vouros, P. and Harsch, A.  
Analysis of DNA adducts using high-performance separation techniques coupled to electrospray ionization mass spectrometry 856(1999)515
- Andrien, J., see Mengerink, Y. 876(2000)37
- Andrien, J., see Mengerink, Y. 878(2000)45
- Andrisano, V., Bertucci, C., Cavrini, V., Recanatini, M., Cavalli, A., Varoli, L., Felix, G. and Wainer, I.W.  
Stereoselective binding of 2,3-substituted 3-hydroxypropionic acids on an immobilised human serum albumin chiral stationary phase: stereochemical characterisation and quantitative structure-retention relationship study 876(2000)75
- Andrisano, V., see Gotti, R. 875(2000)411
- Andrzejewski, D. and Weisz, A.  
Rapid quantification of hexachlorobenzene in the color additives D&C Red Nos. 27 and 28 (phloxine B) using solid-phase microextraction and gas chromatography-mass spectrometry 863(1999)37
- Anes, J.M., see Beck, R.A. 881(2000)345
- Anex, D.S., see Garguilo, M.G. 883(2000)231
- Anex, D.S., see Lurie, I.S. 870(2000)53
- Ang, C.Y.W., see Liu, F.F. 888(2000)85
- Angelotti, M., see Cataldi, T.R.I. 855(1999)539
- Angold, S., see Liao, W. 853(1999)541
- Angus, P.D.A., Demarest, C.W., Catalano, T. and Stobaugh, J.F.  
Aspects of column fabrication for packed capillary electrochromatography 887(2000)347
- Anspach, F.B., Curbelo, D., Hartmann, R., Garke, G. and Deckwer, W.-D.  
Expanded-bed chromatography in primary protein purification (Review) 865(1999)129
- Anspach, F.B., see Garke, G. 857(1999)137
- Antolovich, M., see Ryan, D. 855(1999)529
- Antos, D., see Kaczmariski, K. 862(1999)1
- Antos, D., Piątkowski, W. and Kaczmariski, K.  
Determination of mobile phase effect on single-component adsorption isotherm by use of numerical estimation 874(2000)1
- Aparicio, A., see Verma, S.P. 884(2000)317
- Aparicio, R. and Aparicio-Ruiz, R.  
Authentication of vegetable oils by chromatographic techniques (Review) 881(2000)93
- Aparicio-Ruiz, R., see Aparicio, R. 881(2000)93
- Apffel, A., see Choudhary, G. 887(2000)85
- Apostolides, Z., see Aucamp, J.P. 876(2000)235
- Aragon-Ortiz, F., see Leonardi, A. 852(1999)237
- Arai, A., see Hashimoto, M. 867(2000)271
- Arai, T., see Horimai, T. 875(2000)295
- Araki, T., see Iwata, T. 859(1999)13
- Aranda, R., Kruus, P. and Burk, R.C.  
Assessment of polycrystalline graphites as sorbents for solid-phase microextraction of nonionic surfactants 888(2000)35
- Arata, Y., see Hirabayashi, J. 890(2000)261
- Arce, L., see Hinsmann, P. 866(2000)137
- Arellano, M., see Mallet, S. 853(1999)181
- Arkaten, R.R., see de Oliveira, J.E. 852(1999)441
- Arlt, W., see Beste, Y.A. 868(2000)169
- Armstrong, D.W., see Berthod, A. 897(2000)113
- Armstrong, D.W., see Karlsson, C. 897(2000)349
- Armstrong, D.W., see Péter, A. 871(2000)105
- Armstrong, R.W., see Halstead, J.A. 857(1999)337
- Arnault, I., Mondy, N., Cadoux, F. and Auger, J.  
Possible interest of various sample transfer techniques for fast gas chromatography-mass spectrometric analysis of true onion volatiles 896(2000)117
- Arnedo, A., Campanero, M.A., Espuelas, S., Renedo, M.J. and Irache, J.M.  
Determination of oligonucleotide ISIS 2922 in nanoparticulate delivery systems by capillary zone electrophoresis 871(2000)311
- Arnold, M.A., see Foster, M.D. 869(2000)231
- Arnold, M.A., see Wolcott, R.G. 869(2000)211
- Arranz, A., Echevarría, C., Moreda, J.M., Cid, A. and Arranz, J.F.  
Capillary zone electrophoretic separation and determination of imidazolic antifungal drugs 871(2000)399
- Arranz, J.F., see Arranz, A. 871(2000)399
- Arrebola, F.J., see Martínez Vidal, J.L. 867(2000)235
- Asakawa, N., see Katayama, H. 875(2000)315
- Asano, M., see Adachi, J. 881(2000)501
- Asaro, M.R., see Izzo, V. 890(2000)371
- Asaro, M.R., Izzo, V. and Barbieri, R.  
Modified apparatus for voltage gradient gel electrophoresis 855(1999)723
- Ashley, D.L., see Stanfill, S.B. 858(1999)79
- Ashraf-Khorassani, M., see Zhou, L.Y. 858(1999)209
- Ashwell, C.M., see Richards, M.P. 853(1999)321
- Asiaie, R., see Wen, E. 855(1999)349
- Askal, H.F., see Mohamed, N.A.L. 875(2000)447
- Aspegren, A., see Karlsson, A. 866(2000)15
- Assaf, P., see Haj-Yehia, A.I. 870(2000)381

- Assaf, P., Katzhendler, J. and Haj-Yehia, A.I.  
2-(4-Carboxyphenyl)-6-*N,N*-diethylaminobenzofuran: a useful reagent for the sensitive determination of alcohols by high-performance liquid chromatography with fluorimetric detection 869(2000)243
- Asthana, A., Bose, D., Durgbanshi, A., Sanghi, S.K. and Kok, W.Th.  
Determination of aromatic amines in water samples by capillary electrophoresis with electrochemical and fluorescence detection 895(2000)197
- Asztemborska, M., Bielejewska, A., Duszczak, K. and Sybilska, D.  
Comparative study on camphor enantiomers behavior under the conditions of gas–liquid chromatography and reversed-phase high-performance liquid chromatography systems modified with  $\alpha$ - and  $\beta$ -cyclodextrins 874(2000)73
- Atsumi, R., see Kanazawa, H. 870(2000)87
- Aucamp, J.P., Hara, Y. and Apostolides, Z.  
Simultaneous analysis of tea catechins, caffeine, gallic acid, theanine and ascorbic acid by micellar electrokinetic capillary chromatography 876(2000)235
- Aue, W.A., see Lin, Z.-P. 855(1999)583
- Aue, W.A., see Thurbide, K.B. 858(1999)245
- Auger, J., see Arnault, I. 896(2000)117
- Auger, J., Boulay, R., Jaillais, B. and Delion-Vancassel, S.  
Analysis of biogenic amines by solid-phase microextraction and high-performance liquid chromatography with electrochemical detection 870(2000)395
- Augsburger, M., see Dienes-Nagy, A. 854(1999)109
- Augusto, F., Valente, A.L.P., dos Santos Tada, E. and Rivellino, S.R.  
Screening of Brazilian fruit aromas using solid-phase microextraction–gas chromatography–mass spectrometry 873(2000)117
- Avdalovic, N., see Breadmore, M.C. 892(2000)303
- Avoce, D.S., see Berezkin, V.G. 872(2000)111
- Avramides, E.J., see Lentza-Rizos, Ch. 858(1999)123
- Ayala, J.H., see Pino, V. 869(2000)515
- Ayers, J.S., see Elgar, D.F. 878(2000)183
- Azaïs-Braesco, V., see Cia, D. 864(1999)257
- Azevedo, D.C.S., Pais, L.S. and Rodrigues, A.E.  
Enantiomers separation by simulated moving bed chromatography. Non-instantaneous equilibrium at the solid–fluid interface 865(1999)187
- Azim, E.-M., see Cia, D. 864(1999)257
- Baczek, T., see Dolan, J.W. 857(1999)41
- Badger, S.E., see Levison, P.R. 890(2000)45
- Baeyens, W.R.G., Van der Weken, G., Haustraete, J., Aboul-Enen, H.Y., Corveleyn, S., Remon, J.P., García-Campaña, A.M. and Deprez, P.  
Application of the restricted-access precolumn packing material alkyl-diol silica in a column-switching system for the determination of ketoprofen enantiomers in horse plasma 871(2000)153
- Baggiani, C., Giraudi, G., Giovannoli, C., Trotta, F. and Vanni, A.  
Chromatographic characterization of molecularly imprinted polymers binding the herbicide 2,4,5-trichlorophenoxyacetic acid 883(2000)119
- Bagheri, H., Saraji, M., Chitsazan, M., Mousavi, S.R. and Naderi, M.  
Mixed-level orthogonal array design for the optimization of solid-phase extraction of some pesticides from surface water 888(2000)197
- Baglio, D., Kotzias, D. and Larsen, B.R.  
Atmospheric pressure ionisation multiple mass spectrometric analysis of pesticides 854(1999)207
- Bagócsi, B., see Otta, K.H. 882(2000)11
- Bagur, M.G., see Romero, R. 871(2000)75
- Bahar, T., see Unsal, E. 898(2000)167
- Baiguera, A., see Dusi, G. 882(2000)79
- Bailey, C.G., see Lurie, I.S. 870(2000)53
- Bailey, D.J. and Dorsey, J.G.  
pH effects on micelle–water partitioning determined by micellar electrokinetic chromatography 852(1999)559
- Baillet, A., see Gaudin, K. 883(2000)211
- Baillet, A., see Zhou, J.Y. 859(1999)99
- Bakalyar, S.R., see Foster, M.D. 869(2000)231
- Bakalyar, S.R., see Wolcott, R.G. 869(2000)211
- Baker, A.G., see Que, A.H. 887(2000)379
- Bakiamoh, S.B., Maimait, R. and McGowin, A.E.  
Supercritical fluid extraction of chlorpyrifos and 3,5,6-trichloro-2-pyridinol from garden compost 862(1999)105
- Bala, S., Uniyal, G.C., Chattopadhyay, S.K., Tripathi, V., Sashidhara, K.V., Kulshrestha, M., Sharma, R.P., Jain, S.P., Kukreja, A.K. and Kumar, S.  
Analysis of taxol and major taxoids in Himalayan yew, *Taxus wallichiana* 858(1999)239
- Balafas, D., see Varelis, P. 883(2000)163
- Balant, L., see Ortelli, D. 871(2000)163
- Balduzzi, F., see Zerbinati, O. 881(2000)645
- Ballantine, D.S., see Abraham, M.H. 878(2000)115
- Ballantine, D.S., see Callihan, B.K. 893(2000)339
- Ballesteros, E., Gallego, M. and Valcárcel, M.  
Analytical potential of fullerene as adsorbent for organic and organometallic compounds from aqueous solutions 869(2000)101
- Ballschmiter, K., see Schneider, M. 852(1999)525
- Balogh Nemes, K., see Tolokán, A. 896(2000)279
- Baltussen, E., David, F., Sandra, P. and Cramers, C.  
On the performance and inertness of different materials used for the enrichment of sulfur compounds from air and gaseous samples 864(1999)345
- Baba, H., see Abe, T. 884(2000)93
- Bachmann, S., see Wegmann, J. 883(2000)27
- Baco, F., see Lagesson, V. (2000)187

## B

- Ban, E., Choi, S., Lee, J.A., Lho, D.-S. and Yoo, Y.S.  
Cyclodextrin-mediated micellar electrokinetic chromatography and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry for the enantiomer separation of racemorphan in human urine 853(1999)439
- Banat, I., see Smyth, W.F. 854(1999)259
- Bancon-Montigny, Ch., Lespes, G. and Potin-Gautier, M.  
Improved routine speciation of organotin compounds in environmental samples by pulsed flame photometric detection 896(2000)149
- Bang, H., see Kiessig, S. 853(1999)469
- Banholczer, A. and Pyell, U.  
Some considerations concerning the composition of the mobile phase in capillary electrochromatography 869(2000)363
- Baratova, L., see Ivanov, A.R. 895(2000)157
- Baratova, L.A., see Ivanov, A.R. 870(2000)433
- Baratova, L.A., see Ivanov, A.R. 895(2000)167
- Barba, A., see Navarro, S. 882(2000)221
- Barba, A., see Oliva, J. 882(2000)213
- Barbanoj, J.M., see Yritia, M. 870(2000)115
- Barbas, C., see Galli, V. 894(2000)135
- Barbas, C., García, A., Saavedra, L. and Castro, M.  
Optimization and validation of a method for the determination of caffeine, 8-chlorotheophylline and diphenhydramine by isocratic high-performance liquid chromatography. Stress test for stability evaluation 870(2000)97
- Barbas, C., see García, A. 871(2000)341
- Barbas, C., see Saavedra, L. 881(2000)395
- Barbier, A., see Schlenck, A. 853(1999)237
- Barbieri, R., see Asaro, M.R. 855(1999)723
- Barbieri, R., see Izzo, V. 890(2000)371
- Barbosa, C.M., see Bica, A. 889(2000)135
- Barbosa, J., see Barrón, D. 871(2000)367
- Barbosa, J., see Barrón, D. 871(2000)381
- Barbosa, J., see Bergés, R. 869(2000)27
- Barbosa, J., see Sanz-Nebot, V. 870(2000)315
- Barbosa, J., see Sanz-Nebot, V. 870(2000)335
- Barbosa, J., see Sanz-Nebot, V. 889(2000)119
- Barbosa, J., see Toro, I. 893(2000)95
- Barceló, D., see de Almeida Azevedo, D. 879(2000)13
- Barceló, D., see Alonso, M.C. 889(2000)231
- Barceló, D., see Alpendurada, M.de.F. 889(2000)1
- Barceló, D., see Castillo, M. 889(2000)195
- Barceló, D., see Ferrer, I. 854(1999)197
- Barceló, D., see Lacorte, S. 857(1999)97
- Barceló, D., see Loos, R. 890(2000)225
- Barceló, D., see López de Alda, M.J. 892(2000)391
- Barceló, D., see Martínez, K. 879(2000)27
- Barceló, D., see Nunes, G.S. 888(2000)113
- Barceló, D., see Pocurull, E. 854(1999)187
- Barceló, D., see Riu, J. 889(2000)221
- Barceló, D., see Santos, T.C.R. 879(2000)3
- Barceló, D., see Tolrà, R.P. 889(2000)75
- Barceló, J., see Tolrà, R.P. 889(2000)75
- Barcina, Y., see Izco, J.M. 881(2000)69
- Barker, S.A.  
Applications of matrix solid-phase dispersion in food analysis (Review) 880(2000)63
- Barker, S.A.  
Matrix solid-phase dispersion (Review) 885(2000)115
- Barlet, O., see Tamisier-Karolak, S.L. 852(1999)487
- Baron, G.V., see Desmet, G. 855(1999)57
- Baron, G.V., see Desmet, G. 867(2000)23
- Barrio, R.J., see Sampedro, M.C. 893(2000)347
- Barrón, D., Irlés, A. and Barbosa, J.  
Prediction of electrophoretic mobilities in non-aqueous capillary electrophoresis. Optimal separation of quinolones in acetonitrile–water media 871(2000)367
- Barrón, D., Jiménez-Lozano, E., Irlés, A. and Barbosa, J.  
Influence of pH and  $pK_a$  values on electrophoretic behaviour of quinolones in aqueous and hydro-organic media 871(2000)381
- Barros, N., see Borrego, C. 889(2000)271
- Barták, P., Bednář, P., Stránský, Z., Boček, P. and Vespalec, R.  
Determination of dissociation constants of cytokinins by capillary zone electrophoresis 878(2000)249
- Barták, P., Frnková, P. and Čáp, L.  
Determination of phenols using simultaneous steam distillation–extraction 867(2000)281
- Bartesaghi, S., see Accinni, R. 896(2000)183
- Bartha, R., see Vetter, W. 886(2000)123
- Bartle, K.D., Carney, R.A., Cavazza, A., Cikalo, M.G., Myers, P., Robson, M.M., Roulin, S.C.P. and Sealey, K.  
Capillary electrochromatography on silica columns: factors influencing performance (Review) 892(2000)279
- Bartle, K.D., see Roulin, S. 887(2000)307
- Bartolini, P., see de Oliveira, J.E. 852(1999)441
- Bartolucci, G., see Peruzzi, M. 867(2000)169
- Bashe, W.J., see Urbansky, E.T. 867(2000)143
- Bashir, W., see Paull, B. 877(2000)123
- Basileo, G., see Breda, M. 854(1999)81
- Batas, B. and Chaudhuri, J.B.  
Considerations of sample application and elution during size-exclusion chromatography-based protein refolding 864(1999)229
- Bates, R.C., see Kang, X. 890(2000)37
- Bates, R.C., Kang, X. and Frey, D.D.  
High-performance chromatofocusing using linear and concave pH gradients formed with simple buffer mixtures. I. Effect of buffer composition on the gradient shape 890(2000)25
- Batistoni, D.A., see Gettar, R.T. 855(1999)111
- Batistoni, D.A., see Gettar, R.T. 884(2000)211
- Battle, R., see Salafranca, J. 864(1999)137
- Battaglia, C., see Pietta, P.G. 853(1999)355
- Battista, H.-J., see Wilhelm, M. 897(2000)215
- Bauer, C., see Popp, P. 897(2000)153
- Baughman, G.L., see Poiger, T. 886(2000)259
- Baughman, G.L., see Poiger, T. 886(2000)271
- Baumann, R.A., see Hogendoorn, E.A. 858(1999)45
- Baumann, R.A., see Molins, C. 869(2000)487
- Baumann, R.A., see van der Heeft, E. 879(2000)39
- Baur, L., see Kaupp, S. 894(2000)73
- Bauw, G., see Davey, M.W. 853(1999)381
- Bayer, E., see Rapp, E. 887(2000)367

- Baygents, J.C., see Sounart, T.L. 890(2000)321
- Bayle, C., see Caussé, E. 895(2000)173
- Bayle, C., see Vandenebeele-Trambouze, O. 894(2000)259
- Bayle, J.P., see Judeinstein, P. 859(1999)59
- Bayona, J.M., see Ábalos, M. 873(2000)107
- Bayona, J.M., see Ábalos, M. 891(2000)287
- Bayoudh, S., see Berggren, C. 889(2000)105
- Bayoudh, S., see Ellwanger, A. 897(2000)317
- Bazoobandi, M., Yaduraju, N.T. and Kulshrestha, G.  
Analysis of flufenacet in soil, wheat grain and straw by gas chromatography 886(2000)319
- Beals, B.J., see Ci, S.X. 864(1999)199
- Bean, S.R. and Lookhart, G.L.  
Electrophoresis of cereal storage proteins (Review) 881(2000)23
- Beck, R.A., Anes, J.M., Savini, L.M. and Mateer, R.A.  
Picomolar quantitation of free sulfite in foods by means of [<sup>57</sup>Co]hydroxocobalamin and radiometric chromatography of [<sup>57</sup>Co]sulfitecobalamin. Method, applications and significance of coexisting sulfides 881(2000)345
- Becker, C., see Nöll, G.N. 881(2000)183
- Beckwith, J.D., see Clarke, W. 888(2000)13
- Bednář, P., see Barták, P. 878(2000)249
- Beecher, G.R., see Merken, H.M. 897(2000)177
- Beens, J., see Phillips, J.B. 856(1999)331
- Beens, J., see Van Deursen, M.M. 878(2000)205
- Beger, R.D., see Liu, F.F. 888(2000)85
- Beigi, F. and Lundahl, P.  
Immobilized biomembrane chromatography of highly lipophilic drugs 852(1999)313
- Belder, D., Elke, K. and Husmann, H.  
Influence of pH\*-value of methanolic electrolytes on electroosmotic flow in hydrophilic coated capillaries 868(2000)63
- Belenkii, B.G., Kassalainen, G.E. and Nasledov, D.G.  
Modified capillary electrophoresis system for peptide, protein and double-stranded DNA analysis 879(2000)189
- Bell, D., see Needham, S.R. 869(2000)159
- Bellina, C.R., see Raffaelli, A. 854(1999)57
- Bellini, M.H., see de Oliveira, J.E. 852(1999)441
- Beltran, J., López, F.J. and Hernández, F.  
Solid-phase microextraction in pesticide residue analysis (Review) 885(2000)389
- Beltrán, J.L., see Gimeno, R.A. 890(2000)289
- Beltrán, J.L., see Pérez-Urquiza, M. 871(2000)227
- Beltrán, J.L., see Pérez-Urquiza, M. 883(2000)277
- Beltrán, J.L., see Pérez-Urquiza, M. 898(2000)271
- Benavente, F., see Sanz-Nebot, V. 870(2000)315
- Benavente, F., see Sanz-Nebot, V. 889(2000)119
- Benfenati, E., see Galassi, S. 889(2000)149
- Benfenati, E., see Natangelo, M. 859(1999)193
- Benko, B., see Gebauer, B. 852(1999)83
- Benko, B., see Trešćec, A. 852(1999)87
- Bequette, B.W., see Natarajan, V. 876(2000)51
- Berdagué, P., see Judeinstein, P. 859(1999)59
- Berdeaux, O., Marquez-Ruiz, G. and Dobarganes, C.  
Selection of methylation procedures for quantitation of short-chain glycerol-bound compounds formed during thermoxidation 863(1999)171
- Berente, B., De la Calle García, D., Reichenbacher, M. and Danzer, K.  
Method development for the determination of anthocyanins in red wines by high-performance liquid chromatography and classification of German red wines by means of multivariate statistical methods 871(2000)95
- Bereuter, T.L., see Zenker, A. 852(1999)337
- Berezkin, V.G., Malyukova, I.V. and Avoce, D.S.  
Use of equations for the description of experimental dependence of the height equivalent to a theoretical plate on carrier gas velocity in capillary gas-liquid chromatography 872(2000)111
- Bergander, K., see Chankvetadze, B. 875(2000)455
- Bergander, K., see Chankvetadze, B. 875(2000)471
- Bergenthal, D., see Chankvetadze, B. 875(2000)455
- Bergenthal, D., see Chankvetadze, B. 875(2000)471
- Bergés, R., Sanz-Nebot, V. and Barbosa, J.  
Modelling retention in liquid chromatography as a function of solvent composition and pH of the mobile phase 869(2000)27
- Berggren, C., Bayoudh, S., Sherrington, D. and Ensing, K.  
Use of molecularly imprinted solid-phase extraction for the selective clean-up of clenbuterol from calf urine 889(2000)105
- Bergholdt, A.B., Jørgensen, K.W., Wendel, L. and Lehmann, S.V.  
Fast chiral separations using sulfated  $\beta$ -cyclodextrin and short-end injection in capillary electrophoresis 875(2000)403
- Bernabei, M., Bocchinfuso, G., Carozzo, P. and De Angelis, C.  
Determination of phenolic antioxidants in aviation jet fuel 871(2000)235
- Bernal, J.L., see del Nozal, M<sup>a</sup>.J. 881(2000)629
- Bernal, J.L., see Jiménez, J.J. 871(2000)67
- Bernal, J.L., Jiménez, J.J., del Nozal, M<sup>a</sup>.J., Higes, M. and Llorente, J.  
Gas chromatographic determination of acrinathrine and 3-phenoxybenzaldehyde residues in honey 882(2000)239
- Bernal, J.L., see Nozal, M.J. 870(2000)69
- Bernal, J.L., Toribio, L., del Nozal, M.J., Nieto, E.M. and Jiménez, J.J.  
Chiral separation of four 1,3-dioxolane derivatives by supercritical fluid chromatography on an amylose-based column 871(2000)127
- Bernardi, L.R., see Pietta, P.G. 853(1999)355
- Bernardy, J.A., see Meinertz, J.R. 855(1999)255
- Berrada, H., Font, G. and Moltó, J.C.  
Indirect analysis of urea herbicides from environmental water using solid-phase microextraction 890(2000)303
- Berset, J.D. and Holzer, R.  
Quantitative determination of polycyclic aromatic hydrocarbons, polychlorinated biphenyls and organochlorine pesticides in sewage sludges using supercritical fluid extraction and mass spectrometric detection 852(1999)545
- Berthod, A., Yu, T., Kullman, J.P., Armstrong, D.W., Gasparrini, F., D'Acquarica, I., Misiti, D. and Carotti, A.  
Evaluation of the macrocyclic glycopeptide A-40,926 as a high-performance liquid chromatographic chiral selector and comparison with teicoplanin chiral stationary phase 897(2000)113
- Bertucci, C., see Andrisano, V. 876(2000)75

- Berzas Nevado, J.J., Castañeda Peñalvo, G. and Guzmán Bernardo, F.J.  
Simultaneous determination of sulfaquinoxaline, sulfamethazine and pyrimethamine by liquid chromatography 870(2000)169
- Beste, Y.A., Lisso, M., Wozny, G. and Arlt, W.  
Optimization of simulated moving bed plants with low efficient stationary phases: separation of fructose and glucose 868(2000)169
- Bethea, M.J., see Lurie, I.S. 870(2000)53
- Betz, L., see Geiser, F. 865(1999)227
- Bi, M., see Furton, K.G. 885(2000)419
- Bianchi, R., see Raffaelli, A. 854(1999)57
- Bica, A., Farinha, A., Blume, H. and Barbosa, C.M.  
Determination of clonixin in plasma and urine by reversed-phase high-performance liquid chromatography 889(2000)135
- Bicchi, C., Drigo, S. and Rubiolo, P.  
Influence of fibre coating in headspace solid-phase microextraction–gas chromatographic analysis of aromatic and medicinal plants 892(2000)469
- Bicker, G., see Wang, F. 872(2000)279
- Biedermann, M., see Grob, K. 897(2000)237
- Biedermann, M., see Grob, K. 897(2000)247
- Biedermann, M., see Pocurull, E. 876(2000)135
- Bielejewska, A., see Asztemborska, M. 874(2000)73
- Bieniek, G.  
Simultaneous determination of ethylbenzene, indan, indene and acenaphthene in air by capillary gas chromatography 891(2000)361
- Biesalski, H.K., see Strobel, M. 898(2000)179
- Bílková, Z., Mazurová, J., Churáček, J., Horák, D. and Turková, J.  
Oriented immobilization of chymotrypsin by use of suitable antibodies coupled to a nonporous solid support 852(1999)141
- Billiet, H.A.H., see Jensen, T.B. 873(2000)149
- Billiot, E., see Yarabe, H.H. 875(2000)179
- Billiot, E.J., see Haddadian, F. 858(1999)219
- Bimazubute, M.A., see Chiap, P. 870(2000)121
- Biondi, P.A., see Colombo, M.M. 880(2000)303
- Biressi, G., Ludemann-Hombourger, O., Mazzotti, M., Nicoud, R.-M. and Morbidelli, M.  
Design and optimisation of a simulated moving bed unit: role of deviations from equilibrium theory 876(2000)3
- Biressi, G., see Quattrini, F. 865(1999)201
- Birnbaum, S., see Karlsson, G. 855(1999)147
- Bischoff, R., see Wagner, K. 893(2000)293
- Björklund, E., see Järemo, M. 877(2000)167
- Björklund, E., see Nilsson, T. 891(2000)195
- Bjornson, T., see Sassi, A.P. 894(2000)203
- Black, R.M., see Read, R.W. 862(1999)169
- Black, S.B. and Schulz, R.S.  
Ion chromatographic determination of cyanate in saline gold processing samples 855(1999)267
- Blackwell, J.A., Stringham, R.W., Xiang, D. and Waltermire, R.E.  
Empirical relationship between chiral selectivity and mobile phase modifier properties 852(1999)383
- Blake, C.J., see Tagliaferri, E.G. 879(2000)129
- Blanc, T., see Dolan, J.W. 897(2000)37
- Blanc, T., see Dolan, J.W. 897(2000)51
- Blanchet, M., Bru, G., Guerret, M., Bromet-Petit, M. and Bromet, N.  
Routine determination of morphine, morphine 3- $\beta$ -D-glucuronide and morphine 6- $\beta$ -D-glucuronide in human serum by liquid chromatography coupled to electrospray mass spectrometry 854(1999)93
- Blanco López, S.L., Moal, J. and San Juan Serrano, F.  
Development of a method for the analysis of nucleotides from the mantle tissue of the mussel *Mytilus galloprovincialis* 891(2000)99
- Blaschke, G. and Chankvetadze, B.  
Enantiomer separation of drugs by capillary electromigration techniques (Review) 875(2000)3
- Blaschke, G., see Chankvetadze, B. 875(2000)455
- Blaschke, G., see Chankvetadze, B. 875(2000)471
- Blaschke, G., see Girod, M. 887(2000)439
- Blaschke, G., see Meyring, M. 876(2000)157
- Blaschke, G., see Saraç, S. 875(2000)379
- Blaschke, G., see Soetebeer, U.B. 895(2000)147
- Blaschke, G., see Strickmann, D.B. 887(2000)393
- Blasco Gómez, F., see Campíns Falcó, P. 852(1999)361
- Block, E., see Kotrebai, M. 866(2000)51
- Blomberg, J., see Schoenmakers, P.J. 892(2000)29
- Blomberg, L.G., see Wan, H. 875(2000)43
- Blume, H., see Bica, A. 889(2000)135
- Blümel, C., Hugo, P. and Seidel-Morgenstern, A.  
Quantification of single solute and competitive adsorption isotherms using a closed-loop perturbation method 865(1999)51
- Boatella, J., see Parcerisa, J. 881(2000)149
- Bocchinfuso, G., see Bernabei, M. 871(2000)235
- Boček, P., see Barták, P. 878(2000)249
- Boček, P., see Gebauer, P. 894(2000)89
- Boček, P., see Malá, Z. 853(1999)371
- Boček, P., see Vespalec, R. 875(2000)431
- Bochkariov, D.E., see Chaga, G. 864(1999)247
- Boden, J., see Haumann, I. 895(2000)269
- Bodzek, D., see Tyrpień, K. 870(2000)29
- Böhm, J., see Razzazi-Fazeli, E. 854(1999)45
- Böhme, M., see Tsikas, D. 885(2000)351
- Bohrisch, J., see Grosche, O. 894(2000)105
- Boldt, K., see Fernández-Lahore, H.M. 873(2000)195
- Boleda, R., see Castillo, M. 889(2000)195
- Bondre, S.S., see Gangal, N.D. 884(2000)243
- Bonetti, G., see Tagliaferri, E.G. 879(2000)129
- Bonhomme, B., see Cia, D. 864(1999)257
- Bonn, G.K., see Huck, C.W. 870(2000)453
- Bonn, G.K., see Huck, C.W. 885(2000)51
- Boos, K.S., see Račaitytė, K. 890(2000)135
- Borchardt, S.A., see Michels, J.J. 898(2000)153
- Borchers, C., Parker, C.E., Deterding, L.J. and Tomer, K.B.  
Preliminary comparison of precursor scans and liquid chromatography–tandem mass spectrometry on a hybrid quadrupole time-of-flight mass spectrometer 854(1999)119
- Börjesson, E. and Torstensson, L.  
New methods for determination of glyphosate and (aminomethyl)phosphonic acid in water and soil 886(2000)207

- Borosy, A.P., see Detroyer, A. 897(2000)23
- Borrego, C., Gomes, P., Barros, N. and Miranda, A.I.  
Importance of handling organic atmospheric pollutants for assessing air quality 889(2000)271
- Borrull, F., see Gimeno, R.A. 890(2000)289
- Borrull, F., see Marcé, R.M. 885(2000)273
- Borrull, F., see Peñalver, A. 872(2000)191
- Borrull, F., see Pocurull, E. 854(1999)187
- Borrull, F., see Pocurull, E. 885(2000)361
- Bosáková, Z., see Novotná, P. 863(1999)235
- Bosáková, Z., see Tesařová, E. 879(2000)147
- Bosc, N., see Fabre, H. 853(1999)421
- Bosch, E., see Rosés, M. 867(2000)45
- Bosch, E., see Torres-Lapasió, J.R. 886(2000)31
- Bosch Reig, F., see Campíns Falcó, P. 852(1999)361
- Bose, D., see Asthana, A. 895(2000)197
- Bossi, A., Olivieri, E., Castelletti, L., Gelfi, C., Hamdan, M. and Righetti, P.G.  
General experimental aspects of the use of isoelectric buffers in capillary electrophoresis (Review) 853(1999)71
- Bossi, A., Piletsky, S.A., Righetti, P.G. and Turner, A.P.F.  
Capillary electrophoresis coupled to biosensor detection (Review) 892(2000)143
- Bossi, R., Vejrup, K. and Jacobsen, C.S.  
Determination of sulfonyleurea degradation products in soil by liquid chromatography–ultraviolet detection followed by confirmatory liquid chromatography–tandem mass spectrometry 855(1999)575
- Botana, A.M., see González, J.C. 876(2000)117
- Botana, L.M., see González, J.C. 876(2000)117
- Bottani, S., see Djouadi, Z. 894(2000)231
- Bouabdallah, S., see Trabelsi, H. 871(2000)189
- Boughtflower, R.J., Paterson, C.J. and Knox, J.H.  
Control of dispersion in capillary electrochromatography coupled to UV and mass spectrometric detection 887(2000)409
- Bouhallab, S., see Léonil, J. 881(2000)1
- Boulay, R., see Auger, J. 870(2000)395
- Boulet, C.A., see Lam, M.T. 853(1999)545
- Boulet, J.C., see Mallet, S. 853(1999)181
- Boulieu, R., see Voisin, S. 863(1999)243
- Bouvier, E.S.P., see Gilar, M. 890(2000)167
- Bouzige, M., see Miège, C. 859(1999)29
- Bouzouita, K., see Trabelsi, H. 871(2000)189
- Bovanová, L. and Brandšterová, E.  
Direct analysis of food samples by high-performance liquid chromatography (Review) 880(2000)149
- Bøwad, S., see Nilsson, T. 891(2000)195
- Bowers, J.L., see Kennedy, J.H. 872(2000)75
- Boyce, M., see Breadmore, M.C. 892(2000)303
- Božek, P., see Romanová, D. 870(2000)463
- Bradshaw, J.S., see Shen, Y. 866(2000)1
- Bragato, G., see De Nobili, M. 863(1999)195
- Brancaleoni, E., see Possanzini, M. 883(2000)171
- Brandšterová, E., see Bovanová, L. 880(2000)149
- Branović, K., Forčič, D., Kosutic-Gulija, T., Šantak, M., Zgorelec, R. and Mažuran, R.  
Introduction of the gene amplification technique to decrease the risk of hepatitis C virus transmission by plasma products 852(1999)305
- Branović, K., see Gebauer, B. 852(1999)83
- Branović, K., see Treščec, A. 852(1999)87
- Brás, I., Santos, L. and Alves, A.  
Monitoring organochlorine pesticides from landfill leachates by gas chromatography–electron-capture detection after solid-phase microextraction 891(2000)305
- Braud, C., see Stefani, M. 864(1999)335
- Breadmore, M.C., Boyce, M., Macka, M., Avdalovic, N. and Haddad, P.R.  
Peak shapes in open tubular ion-exchange capillary electrochromatography of inorganic anions 892(2000)303
- Breda, M., Basileo, G., Fonte, G., Long, J. and James, C.A.  
Determination of 4-demethoxy-3'-deamino-3'-aziridinyl-4'-methylsulphonyldaunorubicin and its 13-hydroxy metabolite by direct injection of human plasma into a column-switching liquid chromatography system with mass spectrometric detection 854(1999)81
- Breitkreuz, J., see Chankvetadze, B. 875(2000)455
- Breitkreuz, J., see Chankvetadze, B. 875(2000)471
- Briand, X., see Mayer, S. 875(2000)331
- Brickhouse, M.D., Creasy, W.R., Williams, B.R., Morrissey, K.M., O'Connor, R.J. and Dupont Durst, H.  
Multiple-technique analytical characterization of a mixture containing chemical-weapons simulant from a munition 883(2000)185
- Brickman-Stone, C., see Shepard, S.R. 891(2000)93
- Brindle, R., see Ellwanger, A. 858(1999)133
- Brinkman, U.A.Th.  
Preface 856(1999)1
- Brinkman, U.A.Th., see Adahchour, M. 873(2000)299
- Brinkman, U.A.Th., see Catalina, M.I. 877(2000)153
- Brinkman, U.A.Th., see Geerdink, R.B. 863(1999)147
- Brinkman, U.A.Th., see Hogenboom, A.C. 885(2000)377
- Brinkman, U.A.Th., see Hogenboom, A.C. 892(2000)379
- Brinkman, U.A.Th., see Ramos, L. 891(2000)275
- Brinkman, U.A.Th., see Somsen, G.W. 856(1999)213
- Brinkman, U.A.Th., see Steen, R.J.C.A. 857(1999)157
- Brinkman, U.A.Th., see Stolker, A.A.M. 893(2000)55
- Brinkman, U.A.Th., see Veraart, J.R. 856(1999)483
- Brinkman, U.A.Th., see Vreuls, J.J. 856(1999)279
- Britz-Mckibbin, P., Wong, J. and Chen, D.D.Y.  
Analysis of epinephrine from fifteen different dental anesthetic formulations by capillary electrophoresis 853(1999)535
- Brødsgaard, S., see Effkemann, S. 855(1999)551
- Bromet, N., see Blanchet, M. 854(1999)93
- Bromet-Petit, M., see Blanchet, M. 854(1999)93
- Bronze, R., see Csiktusnádi Kiss, G.A. 889(2000)51
- Brossa, L., see Pocurull, E. 885(2000)361
- Brown, D.A., see Sharma-Singh, G. 888(2000)219
- Brown, P.R., see Needham, S.R. 869(2000)159
- Brown, P.R., see Treubig, J.M. 873(2000)257
- Brown, R.J., see Walsh, M.K. 891(2000)355
- Brown Thomas, J., see Sharpless, K.E. 881(2000)171
- Broxterman, Q.B., see Péter, A. 871(2000)105
- Broyles, B.S., Shalliker, R.A. and Guiochon, G.  
Visualization of sample introduction in liquid chromatography columns. The effect of the frit diameter 855(1999)367
- Broyles, B.S., see Shalliker, R.A. 865(1999)73



- Broyles, B.S., see Shalliker, R.A. 865(1999)83  
 Broyles, B.S., Shalliker, R.A. and Guiochon, G.  
 Visualization of solute migration in chromatographic columns. Quantitation of the concentration in a migrating zone 867(2000)71
- Broyles, B.S., see Shalliker, R.A. 878(2000)153  
 Broyles, B.S., see Shalliker, R.A. 888(2000)1
- Bru, G., see Blanchet, M. 854(1999)93
- Bruce, I.J., see Taylor, J.I. 890(2000)159
- Bruch, R.C., see Soper, S.A. 853(1999)107
- Brückner, H., see Erbe, T. 881(2000)81
- Brückner, H., see Jaworski, A. 862(1999)179
- Brückner, H., see Kirschbaum, J. 881(2000)517
- Brüggemann, O., Haupt, K., Ye, L., Yilmaz, E. and Mosbach, K.  
 New configurations and applications of molecularly imprinted polymers (Review) 889(2000)15
- Bruheim, I., Skuland, I.L., Lundanes, E. and Greibrokk, T.  
 Purity testing of organometallic catalysts by packed capillary supercritical fluid chromatography 868(2000)261
- Bruins, C.H.P., Jeronimus-Stratingh, C.M., Ensing, K., van Dongen, W.D. and de Jong, G.J.  
 On-line coupling of solid-phase extraction with mass spectrometry for the analysis of biological samples. I. Determination of clenbuterol in urine 863(1999)115
- Brunner, G., see Depta, A. 865(1999)175
- Bruno, P., Caselli, M., de Gennaro, G., Ielpo, P. and Traini, A.  
 Analysis of heavy metals in atmospheric particulate by ion chromatography 888(2000)145
- Bruzzoniti, M.C., see Sarzanini, C. 867(2000)131
- Bruzzoniti, M.C., see Sarzanini, C. 884(2000)251
- Bryant, D.W., see Marvin, C.H. 863(1999)13
- Bubert, H., see Kaupp, S. 894(2000)73
- Buchberger, W., see Ahrer, W. 854(1999)275
- Buchberger, W., see Katzmeyer, M.U. 868(2000)321
- Buchberger, W., see Klampfl, C.W. 881(2000)357
- Buchberger, W., see Seubert, A. 884(2000)191
- Buchberger, W.W.  
 Detection techniques in ion analysis: what are our choices? (Review) 884(2000)3
- Büchel, G., see Unger, K.K. 892(2000)47
- Bucheli, F., see Wyss, R. 870(2000)189
- Bucková, M., see Zdráhal, Z. 893(2000)201
- Buettner, J., see Kaufman, D.B. 874(2000)21
- Bufo, S.A., see Cataldi, T.R.I. 855(1999)539
- Buldini, P.L., Mevoli, A. and Quirini, A.  
 On-line microdialysis–ion chromatographic determination of inorganic anions in olive-oil mill wastewater 882(2000)321
- Bulgin, M.S., see Scherrer, M.J. 853(1999)207
- Bunčėková, S., see Jandera, P. 871(2000)139
- Bünger, H., Kaufner, L. and Pison, U.  
 Quantitative analysis of hydrophobic pulmonary surfactant proteins by high-performance liquid chromatography with light-scattering detection 870(2000)363
- Bunke, A., Schmid, H., Burmeister, G., Merkle, H.P. and Gander, B.  
 Validation of a capillary electrophoresis method for determination of 5-aminolevulinic acid and degradation products 883(2000)285
- Burjanadze, N., see Chankvetadze, B. 875(2000)455
- Burjanadze, N., see Chankvetadze, B. 875(2000)471
- Burk, R.C., see Aranda, R. 888(2000)35
- Burleson, J., see Wang, I.H. 864(1999)271
- Burmeister, G., see Bunke, A. 883(2000)285
- Bushway, R.J., see Eash, D.T. 880(2000)281
- Bustamante-Rangel, M., see Sánchez-Pérez, A. 881(2000)229
- Busto, O., see Jornet, D. 882(2000)29
- Busto, O., see Mestres, M. 881(2000)569
- Busto, O., see Mestres, M. 881(2000)583
- Busto, O., see Sala, C. 880(2000)93
- But, P.P.-H., see Song, J.-Z. 857(1999)303
- Buzanowski, W.C., see Wang, F.C.-Y. 891(2000)313
- Byelik, M., see Jiskra, J. 862(1999)121
- Byrdwell, W.C. and Neff, W.E.  
 Non-volatile products of triolein produced at frying temperatures characterized using liquid chromatography with online mass spectrometric detection 852(1999)417

## C

- Caccamese, S. and Principato, G.  
 Separation of the four pairs of enantiomers of vincamine alkaloids by enantioselective high-performance liquid chromatography 893(2000)47
- Cacho, J., see Ferreira, V. 864(1999)77
- Cadahía, O., see Gigoso, P.G. 871(2000)31
- Cadieu, N., see Verdon, E. 882(2000)135
- Cadoux, F., see Arnault, I. 896(2000)117
- Cahill, L.M., Kruger, S.C., McAlice, B.T., Ramsey, C.S., Prioli, R. and Kohn, B.  
 Quantification of deoxynivalenol in wheat using an immunoaffinity column and liquid chromatography 859(1999)23
- Cahours, X., Dessans, H., Morin, Ph., Dreux, M. and Agrofoglio, L.  
 Determination at ppb level of an anti-human immunodeficiency virus nucleoside drug by capillary electrophoresis–electrospray ionization tandem mass spectrometry 895(2000)101
- Cai, F., see Cui, H. 884(2000)89
- Cai, Y., Monsalud, S., Jaffé, R. and Jones, R.D.  
 Gas chromatographic determination of organomercury following aqueous derivatization with sodium tetraethylborate and sodium tetraphenylborate. Comparative study of gas chromatography coupled with atomic fluorescence spectrometry, atomic emission spectrometry and mass spectrometry 876(2000)147
- Caixach, J., see Abad, E. 893(2000)383
- Calero, E., see Gimeno, E. 881(2000)255

- Caliamanis, A., McCormick, M.J. and Carpenter, P.D.  
Enhanced conductometric detection of cyanide in suppressed ion chromatography 884(2000)75
- Callihan, B.K., see Abraham, M.H. 878(2000)115
- Callihan, B.K. and Ballantine, D.S.  
Calculation of Abraham solute descriptors from McReynolds gas chromatographic retention data 893(2000)339
- Cámara, C., see Turiel, E. 872(2000)299
- Camargo, I.M.C., see de Oliveira, J.E. 852(1999)441
- Čambáliková, J., see Soják, L. 878(2000)235
- Cammarata, P., see Draisci, R. 870(2000)511
- Campa, C., see Cataldi, T.R.I. 855(1999)539
- Campanero, M.A., see Arnedo, A. 871(2000)311
- Campanero, M.A., see de Jalón, E.G<sup>a</sup>. 870(2000)143
- Campanero, M.A., see Merodio, M. 870(2000)159
- Campíns Falcó, P., Bosch Reig, F., Blasco Gómez, F., Herráez Hernández, R. and Molins Legua, C.  
Generalised *H*-point standard addition method for the isolation of the analyte signal from the sample signal when coelution of unknown compounds occurs in liquid chromatography 852(1999)361
- Campíns-Falcó, P., see Herráez-Hernández, R. 893(2000)69
- Can, Y.-Z., see Pang, G.-F. 882(2000)231
- Canal, P., see Siméon, N. 853(1999)449
- Cancho, B., Ventura, F. and Galceran, M.  
Simultaneous determination of cyanogen chloride and cyanogen bromide in treated water at sub- $\mu\text{g/L}$  levels by a new solid-phase microextraction–gas chromatographic–electron-capture detection method 897(2000)307
- Candeias, M., see Csiktusnádi Kiss, G.A. 889(2000)51
- Candela, M., Ruiz, A. and Feo, F.J.  
Validation of an analysis method for 4-amino-3-hydroxybutyric acid by reversed-phase liquid chromatography 890(2000)273
- Canela, R., see Velázquez, C. 870(2000)469
- Cannavan, A., see Kennedy, D.G. 882(2000)37
- Canova-Davis, E., see Felten, C. 853(1999)295
- Cao, C.-X., Zheng, Q.-S., Chen, W.-K. and Zhu, J.-H.  
The invalidity of Kohlrausch' regulating function for Svensson's isoelectric focusing and stationary electrolysis at steady state 863(1999)219
- Cao, C.-X., Zhou, S.-L., He, Y.-Z., Zheng, X.-Y., Chen, W.-K. and Qian, Y.-T.  
Experimental study on moving neutralization reaction boundary created with the strong reactive electrolytes of HCl and NaOH in agarose gel 891(2000)337
- Cao, H., see Yang, F. 858(1999)103
- Cao, P. and Stults, J.T.  
Phosphopeptide analysis by on-line immobilized metal-ion affinity chromatography–capillary electrophoresis–electrospray ionization mass spectrometry 853(1999)225
- Cao, X., Tian, Yu., Zhang, T., Li, X. and Ito, Y.  
Separation and purification of isoflavones from *Pueraria lobata* by high-speed counter-current chromatography 855(1999)709
- Cao, X.-L., Tian, Y., Zhang, T.-Y. and Ito, Y.  
Supercritical fluid extraction of catechins from *Cratogeomys prunifolium* Dyer and subsequent purification by high-speed counter-current chromatography 898(2000)75
- Cao, Y.-Z., see Pang, G.-F. 882(2000)85
- Čáp, L., see Barták, P. 867(2000)281
- Capodiferro, V., see Natalini, B. 873(2000)283
- Cappiello, A., Famiglini, G., Mangani, F., Careri, M., Lombardi, P. and Mucchino, C.  
Liquid chromatographic–mass spectrometric determination of phenolic compounds using a capillary-scale particle beam interface 855(1999)515
- Carabias-Martínez, R., Rodríguez-Gonzalo, E., Paniagua-Marcos, P.H. and Hernández-Méndez, J.  
Analysis of pesticide residues in matrices with high lipid contents by membrane separation coupled on-line to a high-performance liquid chromatography system 869(2000)427
- Carabias-Martínez, R., Rodríguez-Gonzalo, E., Domínguez-Álvarez, J. and Hernández-Méndez, J.  
Determination of triazine herbicides in natural waters by solid-phase extraction and non-aqueous capillary zone electrophoresis 869(2000)451
- Carabias-Martínez, R., Rodríguez-Gonzalo, E., Fernández-Laesada, M.E. and Sánchez San Román, F.J.  
Evaluation of surface- and ground-water pollution due to herbicides in agricultural areas of Zamora and Salamanca (Spain) 869(2000)471
- Carbonell, R.G., see Kaufman, D.B. 874(2000)21
- Carda-Broch, S., Torres-Lapasó, J.R., Esteve-Romero, J.S. and García-Alvarez-Coque, M.C.  
Use of a three-factor interpretive optimisation strategy in the development of an isocratic chromatographic procedure for the screening of diuretics in urine samples using micellar mobile phases 893(2000)321
- Cárdenas, S., see Columé, A. 882(2000)193
- Carducci, C.N., see Lucangioli, S.E. 871(2000)207
- Careri, M., see Cappiello, A. 855(1999)515
- Careri, M., Elviri, L. and Mangia, A.  
Liquid chromatography–electrospray mass spectrometry of  $\beta$ -carotene and xanthophylls. Validation of the analytical method 854(1999)233
- Careri, M., Elviri, L., Mangia, A. and Musci, M.  
Spectrophotometric and coulometric detection in the high-performance liquid chromatography of flavonoids and optimization of sample treatment for the determination of quercetin in orange juice 881(2000)449
- Carney, R., see Roulin, S. 887(2000)307
- Carney, R.A., see Bartle, K.D. 892(2000)279
- Carnovale, E., see Ruggieri, S. 855(1999)237
- Caro de la Torre, M.A., see Gómez-Ariza, J.L. 889(2000)33
- Carotti, A., see Berthod, A. 897(2000)113
- Carotti, A., see D'Acquarica, I. 857(1999)145
- Carpenter, E.J., see Hu, S. 894(2000)291
- Carpenter, P.D., see Caliamanis, A. 884(2000)75
- Carr, P.W., see Li, L. 868(2000)153
- Carr, P.W., see Reta, M. 855(1999)121
- Carr, P.W., see Subramanian, A. 890(2000)15
- Carreras, D., see Imaz, C. 870(2000)23
- Carretero, E., see Palomino, O. 870(2000)449
- Carrier, A., Parent, J. and Dupuis, S.  
Quantitation and characterization of phospholipids in pharmaceutical formulations by liquid chromatography–mass spectrometry 876(2000)97

- Carro, A.M., see Abuín, M. 889(2000)185
- Carro, A.M. and Mejuto, M.C.  
Application of chromatographic and electrophoretic methodology to the speciation of organomercury compounds in food analysis 882(2000)283
- Carrozzo, P., see Bernabei, M. 871(2000)235
- Carson, M.C.  
Ion-pair solid-phase extraction (Review) 885(2000)343
- Carta, G., see Hunter, A.K. 897(2000)65
- Carta, G., see Hunter, A.K. 897(2000)81
- Carta, G., see Lewus, R.K. 865(1999)155
- Carter, S.J., see Li, X.-F. 895(2000)81
- Carter-Finch, A.S., see Smith, N.W. 892(2000)219
- Caruso, J.A., see Ackley, K.L. 888(2000)293
- Caruso, J.A., see Sutton, K.L. 856(1999)243
- Carvalho, F.P., see Tolosa, I. 864(1999)121
- Casais, C., see Pensado, L. 869(2000)505
- Casais, M.C., see González-Barreiro, C. 896(2000)373
- Casal, S., Oliveira, M.B. and Ferreira, M.A.  
Gas chromatographic quantification of amino acid enantiomers in food matrices by their *N*(*O*,*S*)-ethoxycarbonyl heptafluorobutyl ester derivatives 866(2000)221
- Casale, J.F., see Lurie, I.S. 870(2000)53
- Casals, I., see Parcerisa, J. 881(2000)149
- Casals, I., see Trujillo, A.-J. 870(2000)371
- Casella, I.G., Gatta, M. and Cataldi, T.R.I.  
Amperometric determination of underivatized amino acids at a nickel-modified gold electrode by anion-exchange chromatography 878(2000)57
- Caselli, M., see Bruno, P. 888(2000)145
- Casimir, R., see Péter, A. 871(2000)105
- Caslavska, J., see Wey, A.B. 895(2000)133
- Castañeda Peñalvo, G., see Berzas Nevado, J.J. 870(2000)169
- Castellanos Gil, E., Van Schepdael, A., Roets, E. and Hoogmartens, J.  
Analysis of doxycycline by capillary electrophoresis. Method development and validation 895(2000)43
- Castellari, M., Fabbri, S., Fabiani, A., Amati, A. and Galassi, S.  
Comparison of different immunoaffinity clean-up procedures for high-performance liquid chromatographic analysis of ochratoxin A in wines 888(2000)129
- Castelletti, L., see Bossi, A. 853(1999)71
- Castelletti, L., Verzola, B., Gelfi, C., Stoyanov, A. and Righetti, P.G.  
Quantitative studies on the adsorption of proteins to the bare silica wall in capillary electrophoresis. III: Effects of adsorbed surfactants on quenching the interaction 894(2000)281
- Castellote, A.I., see Gimeno, E. 881(2000)251
- Castellote, A.I., see Gimeno, E. 881(2000)255
- Castellote-Bargalló, A.I., see Vendrell-Pascuas, S. 881(2000)591
- Castells, R.C., Romero, L.M. and Nardillo, A.M.  
Gas chromatographic study of the hydrogen bonding of aliphatic alcohols to tri-*n*-octylphosphine oxide 898(2000)103
- Castillo, A., see Sanz-Nebot, V. 889(2000)119
- Castillo, M., Riu, J., Ventura, F., Boleda, R., Scheduling, R., Schröder, H.F., Nistor, C., Émneus, J., Eichhorn, P., Knepper, Th.P., Jonkers, C.C.A., de Voogt, P., González-Mazo, E., León, V.M. and Barceló, D.  
Inter-laboratory comparison of liquid chromatographic techniques and enzyme-linked immunosorbent assay for the determination of surfactants in wastewaters 889(2000)195
- Castro, M., see Barbas, C. 870(2000)97
- Castro, R., Moyano, E. and Galceran, M.T.  
On-line ion-pair solid-phase extraction–liquid chromatography–mass spectrometry for the analysis of quaternary ammonium herbicides 869(2000)441
- Catabay, A.P., see Jinno, K. 887(2000)479
- Catalano, T., see Angus, P.D.A. 887(2000)347
- Cataldi, T.R.I., Campa, C., Angelotti, M. and Bufo, S.A.  
Isocratic separations of closely-related mono- and disaccharides by high-performance anion-exchange chromatography with pulsed amperometric detection using dilute alkaline spiked with barium acetate 855(1999)539
- Cataldi, T.R.I., see Casella, I.G. 878(2000)57
- Catalina, M.I., Dallüge, J., Vreuls, R.J.J. and Brinkman, U.A.Th.  
Determination of chlorophenoxy acid herbicides in water by in situ esterification followed by in-vial liquid–liquid extraction combined with large-volume on-column injection and gas chromatography–mass spectrometry 877(2000)153
- Catimel, B., Weinstock, J., Nerrie, M., Domagala, T. and Nice, E.C.  
Micropreparative ligand fishing with a cuvette-based optical mirror resonance biosensor 869(2000)261
- Catz, P., see Hettiarachchi, K. 895(2000)87
- Caude, M., see Chaudot, X. 866(2000)231
- Caude, M., see Chaudot, X. 888(2000)327
- Caussé, E., Issac, C., Malatray, P., Bayle, C., Valdiguié, P., Salvayre, R. and Couderc, F.  
Assays for total homocysteine and other thiols by capillary electrophoresis–laser-induced fluorescence detection. I. Preanalytical condition studies 895(2000)173
- Cavalli, A., see Andrisano, V. 876(2000)75
- Cavalli, S., see Valsecchi, S. 864(1999)263
- Cavazza, A., see Bartle, K.D. 892(2000)279
- Cavazzini, A., see Quiñones, I. 877(2000)1
- Cavero, S., see Señoráns, F.J. 870(2000)491
- Cavrini, V., see Andrisano, V. 876(2000)75
- Cavrini, V., see Gotti, R. 875(2000)411
- Chaga, G., Bochkariov, D.E., Jokhadze, G.G., Hopp, J. and Nelson, P.  
Natural poly-histidine affinity tag for purification of recombinant proteins on cobalt(II)-carboxymethylaspartate crosslinked agarose 864(1999)247
- Ceccato, A., see Toussaint, B. 896(2000)191
- Ceccato, A., see Toussaint, B. 896(2000)201
- Cela, R., see Fernández García-Borregón, P. 870(2000)39
- Cela, R., see González-Barreiro, C. 896(2000)373
- Cela, R., see Morales, S. 896(2000)95
- Cela, R., see Pensado, L. 869(2000)505
- Cela, R., see Rodríguez, I. 885(2000)291
- Cellamare, S., see D'Acquarica, I. 857(1999)145
- Cellerino, C., see Accinni, R. 896(2000)183

- Celma, C., Allué, J.A., Pruñonosa, J., Peraire, C. and Obach, R.  
Determination of *N*-acetylcysteine in human plasma by liquid chromatography coupled to tandem mass spectrometry 870(2000)13
- Celma, C., Allué, J.A., Pruñonosa, J., Peraire, C. and Obach, R.  
Simultaneous determination of paracetamol and chlorpheniramine in human plasma by liquid chromatography–tandem mass spectrometry 870(2000)77
- Centonze, G., see Visconti, A. 864(1999)89
- Centonze, G., see Visconti, A. 888(2000)321
- Cepeda, A., see Gigosos, P.G. 871(2000)31
- Cepeda, A., see Jaimez, J. 882(2000)1
- Cert, A., Moreda, W. and Pérez-Camino, M.C.  
Chromatographic analysis of minor constituents in vegetable oils (Review) 881(2000)131
- Chaimbault, P., Petritis, K., Elfakir, C. and Dreux, M.  
Determination of 20 underivatized proteinic amino acids by ion-pairing chromatography and pneumatically assisted electrospray mass spectrometry 855(1999)191
- Chaimbault, P., Petritis, K., Elfakir, C. and Dreux, M.  
Ion-pair chromatography on a porous graphitic carbon stationary phase for the analysis of twenty underivatized protein amino acids 870(2000)245
- Chaimbault, P., see Petritis, K. 896(2000)253
- Chaminade, P., see Gaudin, K. 883(2000)211
- Chaminade, P., see Zhou, J.Y. 859(1999)99
- Champion Jr., W., see Geiser, F. 865(1999)227
- Chan, S.-w., see Li, S.-l. 859(1999)183
- Chan, S.-W., see Li, S.-L. 873(2000)221
- Chan, W.T., see Chan, Y.Y. 853(1999)141
- Chan, W.-T., see Deng, B. 891(2000)139
- Chan, Y.Y. and Chan, W.T.  
Interface for capillary electrophoresis coupled with inductively coupled plasma atomic emission spectrometry 853(1999)141
- Chang, C.C. and Her, G.R.  
On-line monitoring trihalomethanes in chlorinated water by membrane introduction–fast gas chromatography mass–spectrometry 893(2000)169
- Chang, H.-T., see Chen, H.-S. 853(1999)337
- Chang, H.-T., see Chen, M.-J. 853(1999)171
- Chang, H.-T., see Hsieh, M.-M. 898(2000)133
- Chang, H.-T., see Tseng, W.-L. 894(2000)219
- Chang, S.-m., see Doong, R.-a. 879(2000)177
- Chang, S.Y., see Chiang, M.-T. 877(2000)233
- Chang, W.-B., see Zhang, X.-X. 895(2000)1
- Chankvetadze, B., see Blaschke, G. 875(2000)3
- Chankvetadze, B., Burjanadze, N., Pintore, G., Bergenthal, D., Bergander, K., Mühlenbrock, C., Breitkreuz, J. and Blaschke, G.  
Separation of brompheniramine enantiomers by capillary electrophoresis and study of chiral recognition mechanisms of cyclodextrins using NMR-spectroscopy, UV spectrometry, electrospray ionization mass spectrometry and X-ray crystallography 875(2000)471
- Chankvetadze, B., see Girod, M. 887(2000)439
- Chankvetadze, B., see Meyring, M. 876(2000)157
- Chankvetadze, B., Pintore, G., Burjanadze, N., Bergenthal, D., Bergander, K., Breitkreuz, J., Mühlenbrock, C. and Blaschke, G.  
Mechanistic study of opposite migration order of dimethindene enantiomers in capillary electrophoresis in the presence of native  $\beta$ -cyclodextrin and heptakis(2,3,6-tri-*O*-methyl)- $\beta$ -cyclodextrin 875(2000)455
- Chankvetadze, B., see Saraç, S. 875(2000)379
- Chankvetadze, B., see Strickmann, D.B. 887(2000)393
- Chaouk, H. and Hearn, M.T.W.  
New ligand, *N*-(2-pyridylmethyl)aminoacetate, for use in the immobilised metal ion affinity chromatographic separation of proteins 852(1999)105
- Charmas, B. and Lebeda, R.  
Effect of surface heterogeneity on adsorption on solid surfaces. Application of inverse gas chromatography in the studies of energetic heterogeneity of adsorbents 886(2000)133
- Charpentier, M., see Desportes, C. 893(2000)281
- Chase, H.A., see Clemmitt, R.H. 874(2000)27
- Chatelut, E., see Siméon, N. 853(1999)449
- Chattopadhyay, S.K., see Bala, S. 858(1999)239
- Chaudhuri, J.B., see Batas, B. 864(1999)229
- Chaudot, X., Tambuté, A. and Caude, M.  
Selective extraction of hydrocarbons, phosphonates and phosphonic acids from soils by successive supercritical fluid and pressurized liquid extractions 866(2000)231
- Chaudot, X., Tambuté, A. and Caude, M.  
Simultaneous extraction and derivatization of 2-chlorovinylarsonous acid from soils using supercritical and pressurized fluids 888(2000)327
- Chayama, K., see Takeda, S. 895(2000)213
- Che, F.-Y., Song, J.-F., Zeng, R., Wang, K.-Y. and Xia, Q.-C.  
Analysis of 8-aminonaphthalene-1,3,6-trisulfonate-derivatized oligosaccharides by capillary electrophoresis–electrospray ionization quadrupole ion trap mass spectrometry 858(1999)229
- Chelyapov, N., Jacobs, S.A. and Magee, T.J.  
Determination of human immunodeficiency virus-1 protease inhibitors in patient serum using free solution capillary zone electrophoresis 853(1999)431
- Chen, A.B., see Felten, C. 853(1999)295
- Chen, C., Chen, J., Wang, X., Liu, S., Sheng, G. and Fu, J.  
Fullerenes-extracted soot: a new adsorbent for collecting volatile organic compounds in ambient air 886(2000)313
- Chen, C.F., see Tsai, T.H. 870(2000)221
- Chen, C.F., see Tsai, T.H. 870(2000)443
- Chen, C.-K., see Sun, S.-W. 891(2000)189
- Chen, C.-T., see Ding, W.-H. 857(1999)359
- Chen, C.-T., see Ding, W.-H. 862(1999)113
- Chen, D.D.Y., see Britz-Mckibbin, P. 853(1999)535
- Chen, F., Hu, S. and Yu, M.  
Adaptive numerical morphological filter for identifying chromatographic signals 855(1999)305
- Chen, F., see Li, H.-B. 874(2000)143
- Chen, F., see Li, H.-B. 891(2000)243
- Chen, F., see Wang, X.-Yu. 855(1999)341

- Chen, H.-M., Luo, S.-L., Chen, K.-T. and Lii, C.-K.  
Affinity purification of *Schistosoma japonicum* glutathione-S-transferase and its site-directed mutants with glutathione affinity chromatography and immobilized metal affinity chromatography 852(1999)151
- Chen, H.-S. and Chang, H.-T.  
Stepwise capillary electrophoretic separation of DNA fragments using poly(ethylene oxide) solutions in the presence of electroosmotic flow 853(1999)337
- Chen, H.-S., see Chen, M.-J. 853(1999)171
- Chen, H.-W., see Kuo, C.-T. 897(2000)393
- Chen, H.-W., see Lin, C.-E. 879(2000)197
- Chen, H.-Y., see Yang, W.-C. 867(2000)261
- Chen, J., see Chen, C. 886(2000)313
- Chen, J., Fausnaugh-Pollitt, J. and Gu, L.  
Development and validation of a capillary electrophoresis method for the characterization of protegrin IB-367 853(1999)197
- Chen, J., see Sun, D. 864(1999)293
- Chen, J.-L., see Liu, C.-Y. 862(1999)65
- Chen, J.-M., see Chen, S.-H. 891(2000)207
- Chen, J.M., see Lin, J.-T. 891(2000)349
- Chen, K.-T., see Chen, H.-M. 852(1999)151
- Chen, M.-J., Chen, H.-S., Lin, C.-Y. and Chang, H.-T.  
Indirect detection of organic acids in non-aqueous capillary electrophoresis 853(1999)171
- Chen, Q., see Wang, F. 883(2000)113
- Chen, Q., see Zhao, L. 857(1999)295
- Chen, S., Ruedel, U. and Meyerhoff, M.E.  
Shape-selective separation of polycyclic aromatic hydrocarbons on protoporphyrin-silica phases. Effect of surface porphyrin distribution on column efficiency 859(1999)121
- Chen, S.-F., Su, Y.-S. and Jen, J.-F.  
Determination of aqueous chlorothalonil with solid-phase microextraction and gas chromatography 896(2000)105
- Chen, S.-H., see Cheng, F.-C. 870(2000)389
- Chen, S.-H., Ho, C.-T., Hsiao, K.-Y. and Chen, J.-M.  
Pressure-induced retention of the lysozyme on reversed-phase liquid chromatography 891(2000)207
- Chen, S.-W., see Wang, J.-L. 863(1999)183
- Chen, S.Y., see Fuh, C.B. 857(1999)193
- Chen, W.-K., see Cao, C.-X. 863(1999)219
- Chen, W.-K., see Cao, C.-X. 891(2000)337
- Chen, W.-L., see Wang, J.-L. 896(2000)31
- Chen, W.-Y., see Lin, F.-Y. 872(2000)37
- Chen, X., see Wang, F. 883(2000)113
- Chen, X., see Zhao, L. 857(1999)295
- Chen, Y., Kele, M., Tuinman, A.A. and Guiochon, G.  
Comparison of the repeatability of quantitative data measured in high-performance liquid chromatography with UV and atmospheric pressure chemical ionization mass spectrometric detection 873(2000)163
- Chen, Y.F., see Tsai, T.H. 870(2000)221
- Chen, Y.F., see Tsai, T.H. 870(2000)443
- Chen, Y.R., Wen, K.C. and Her, G.R.  
Analysis of coptisine, berberine and palmatine in adulterated Chinese medicine by capillary electrophoresis–electrospray ion trap mass spectrometry 866(2000)273
- Chen, Yu.-T., see Lin, C.-E. 871(2000)357
- Chen, Y.W., see Wang, T. 855(1999)411
- Chen, Y.-Y., see Fang, P.-F. 867(2000)177
- Chen, Z., Tang, C. and Xu, J.  
Non-suppressed conductivity and indirect UV detection of carboxylic acids in environmental samples by ion-exclusion chromatography using 2,6-pyridinedicarboxylic acidic eluent 859(1999)173
- Cheng, C. and Wu, S.-C.  
Analysis of the enzymatic racemization of D-aspartic acid to L-aspartic acid by the on-line coupling of a solid-phase extraction column and a ligand-exchange high-performance liquid chromatography column 896(2000)299
- Cheng, F.-C., Kuo, J.-S., Huang, H.-M., Yang, D.-Y., Wu, T.-F. and Tsai, T.-H.  
Determination of catecholamines in pheochromocytoma cell (PC-12) culture medium by microdialysis–microbore liquid chromatography 870(2000)405
- Cheng, F.-C., see Shih, Y. 876(2000)243
- Cheng, F.-C., Yang, L.-L., Yang, D.-Y., Tsai, T.-H., Lee, C.-W. and Chen, S.-H.  
Monitoring of extracellular pyruvate, lactate, and ascorbic acid during cerebral ischemia: a microdialysis study in awake gerbils 870(2000)389
- Cheng, J., see Gong, Z. 855(1999)329
- Chentouf, A., see Farran, A. 869(2000)481
- Chepkwony, H.K., Vanderriest, I., Nguyo, J.M., Roets, E. and Hoogmartens, J.  
Separation of erythromycin and related substances on base-deactivated reversed-phase silica gel columns 870(2000)227
- Cherkaoui, S., see Geiser, L. 895(2000)111
- Cherkaoui, S., see Mateus, L. 868(2000)285
- Cherkaoui, S., see Rudaz, S. 868(2000)295
- Cherkaoui, S. and Veuthey, J.-L.  
Development and robustness testing of a nonaqueous capillary electrophoresis method for the analysis of nonsteroidal anti-inflammatory drugs 874(2000)121
- Cherrak, D.E., see Khattabi, S. 877(2000)95
- Cherrak, D.E., Khattabi, S. and Guiochon, G.  
Adsorption behavior and prediction of the band profiles of the enantiomers of 3-chloro-1-phenyl-1-propanol. Influence of the mass transfer kinetics 877(2000)109
- Cherrak, D.E., see Khattabi, S. 893(2000)307
- Cherrak, D.E., see Miyabe, K. 872(2000)1
- Cheung, A.P., Struble, E., Nguyen, N. and Liu, P.  
Stability-indicating high-performance liquid chromatographic assay and analysis of decomposition products of 2-[4-[(7-chloro-2-quinoxalinyloxy]phenoxy]-propanoic acid 870(2000)179
- Chevalier, M., see Tran, N.T. 866(2000)121
- Chevalley, A.-F., see Ortellì, D. 871(2000)163
- Chevallier, D., see Ravanel, P. 864(1999)145
- Chevolot, L., Foucault, A., Collic-Jouault, S., Ratisokol, J. and Sinquin, C.  
Improvement purification of sulfated oligofucan by ion-exchange displacement centrifugal partition chromatography 869(2000)353
- Chew, C., see Wang, J.-L. 863(1999)183

- Chiang, M.-T., Chang, S.Y. and Whang, C.-W.  
Analysis of baclofen by capillary electrophoresis with laser-induced fluorescence detection 877(2000)233
- Chiap, P., Evrard, B., Bimazubute, M.A., de Tullio, Ph., Hubert, Ph., Delattre, L. and Crommen, J.  
Determination of albendazole and its main metabolites in ovine plasma by liquid chromatography with dialysis as an integrated sample preparation technique 870(2000)121
- Chiap, P., see Fotsing, L. 853(1999)391
- Chiari, M., Cretich, M., Crini, G., Janus, L. and Morcellet, M.  
Allylamine- $\beta$ -cyclodextrin copolymer. A novel chiral selector for capillary electrophoresis 894(2000)95
- Chienthavorn, O., see Smith, R.M. 886(2000)289
- Chin, Y.-W., see Choi, Y.H. 863(1999)47
- Ching, C.B., Fu, P., Ng, S.C. and Xu, Y.K.  
Effect of mobile phase composition on the separation of propranolol enantiomers using a perphenylcarbamate  $\beta$ -cyclodextrin bonded chiral stationary phase 898(2000)53
- Chiron, S., Roy, S., Cottier, R. and Jeannot, R.  
Speciation of butyl- and phenyltin compounds in sediments using pressurized liquid extraction and liquid chromatography-inductively coupled plasma mass spectrometry 879(2000)137
- Chitsazan, M., see Bagheri, H. 888(2000)197
- Chiu, F.C.-k., see Li, S.-I. 859(1999)183
- Chmelík, J., see Plocková, J. 868(2000)217
- Cho, K.H., see Shin, Y.G. 857(1999)331
- Choi, M.H., Kim, K.-R. and Chung, B.C.  
Determination of hair polyamines as *N*-ethoxycarbonyl-*N*-pentafluoropropionyl derivatives by gas chromatography-mass spectrometry 897(2000)295
- Choi, S., see Ban, E. 853(1999)439
- Choi, S., Lee, Y.S., Na, D.S. and Yoo, Y.S.  
Determination of enzymatic activity and properties of secretory phospholipase A<sub>2</sub> by capillary electrophoresis 853(1999)285
- Choi, Y.H., Chin, Y.-W., Kim, J., Jeon, S.H. and Yoo, K.-P.  
Strategies for supercritical fluid extraction of hyoscyamine and scopolamine salts using basified modifiers 863(1999)47
- Chou, C.-C., see Lee, M.-R. 896(2000)265
- Chou, C.J., see Tsai, T.H. 870(2000)221
- Choudhary, G., Apffel, A., Yin, H. and Hancock, W.  
Use of on-line mass spectrometric detection in capillary electrochromatography (Review) 887(2000)85
- Choudhary, G., Hancock, W., Witt, K., Rozing, G., Torres-Duarte, A. and Wainer, I.  
Integrated approach to the multidimensional analysis of complex biological samples by microseparation techniques. Analysis of glycoprotein factor associated with cancer cachexia 857(1999)183
- Chowdhury, M.A.J., Ihara, H., Sagawa, T. and Hirayama, C.  
Retention versatility of silica-supported comb-shaped crystalline and non-crystalline phases in high-performance liquid chromatography 877(2000)71
- Christen, P., see Mateus, L. 868(2000)285
- Christians, T., Diewald, D., Wessler, C., Otte, Y., Lehmann, J. and Holzgrabe, U.  
Resolution of newly synthesized racemic dihydropyridines with different chiral selectors by means of capillary electrophoresis 853(1999)455
- Chu, Q., see Gu, X. 881(2000)471
- Chung, B.C., see Choi, M.H. 897(2000)295
- Chung, D.S., see Kang, S.H. 866(2000)253
- Churáček, J., see Bílková, Z. 852(1999)141
- Ci, S.X., Huynh, T.H., Louie, L.W., Yang, A., Beals, B.J., Ron, N., Tsang, W.-G., Soon-Shiong, P. and Desai, N.P.  
Molecular mass distribution of sodium alginate by high-performance size-exclusion chromatography 864(1999)199
- Cia, D., Bonhomme, B., Azim, E.-M., Wada, A., Doly, M. and Azais-Braesco, V.  
A reversed-phase high-performance liquid chromatographic method to analyze retinal isomers 864(1999)257
- Cicciooli, P., see Possanzini, M. 883(2000)171
- Cichna, M., see Spitzer, B. 880(2000)113
- Cid, A., see Arranz, A. 871(2000)399
- Ciesielski, W., see Kudzin, Z.H. 888(2000)335
- Cikalo, M.G., see Bartle, K.D. 892(2000)279
- Cimpan, G., Hadaruga, M. and Miclus, V.  
Lipophilicity characterization by reversed-phase liquid chromatography of some furan derivatives 869(2000)49
- Ciolino, L.A., Turner, J.A., McCauley, H.A., Smallwood, A.W. and Yi, T.Y.  
Optimization study for the reversed-phase ion-pair liquid chromatographic determination of nicotine in commercial tobacco products 852(1999)451
- Cioni, F., see Peruzzi, M. 867(2000)169
- Citterio, A., see Olivieri, E. 894(2000)273
- Citterio, A., see Sebastiano, R. 894(2000)53
- Claessens, H.A., see Jiskra, J. 862(1999)121
- Claessens, H.A., see Kaliszan, R. 855(1999)455
- Claessens, H.A., see Mengerink, Y. 871(2000)259
- Claessens, H.A., see Vervoort, R.J.M. 897(2000)1
- Claessens, H.A., see Vissers, J.P.C. 883(2000)11
- Clapes, P., see Piera, E. 852(1999)499
- Clark, B.J., see Jouyban-Gharamaleki, A. 868(2000)277
- Clarke, W., Beckwith, J.D., Jackson, A., Reynolds, B., Karle, E.M. and Hage, D.S.  
Antibody immobilization to high-performance liquid chromatography supports. Characterization of maximum loading capacity for intact immunoglobulin G and Fab fragments 888(2000)13
- Clauwaert, K.M., see Dams, R. 896(2000)311
- Cleary, M., see Lin, L.-Z. 876(2000)87
- Clemmitt, R.H. and Chase, H.A.  
Immobilised metal affinity chromatography of  $\beta$ -galactosidase from unclarified *Escherichia coli* homogenates using expanded bed adsorption 874(2000)27
- Clonis, Y.D., Labrou, N.E., Kotsira, V.P., Mazitsos, C., Melissis, S. and Gogolas, G.  
Biomimetic dyes as affinity chromatography tools in enzyme purification (Review) 891(2000)33
- Coddeville, B., see Froidevaux, R. 873(2000)185
- Codony, R., see Parcerisa, J. 881(2000)149
- Coenegracht, P.M.J., see van Zomeren, P.V. 867(2000)247
- Cofino, W.P., see Steen, R.J.C.A. 857(1999)157

- Cole, D.L., see Deshmukh, R.R. 890(2000)179
- Coleman, D.E., see Vanatta, L.E. 884(2000)151
- Colliec-Jouault, S., see Chevolut, L. 869(2000)353
- Collins, C.H., see Melo, L.F.C. 869(2000)129
- Collins, C.H., see Silva, R.B. 869(2000)137
- Collins, K.E., see Melo, L.F.C. 869(2000)129
- Collins, K.E., see Silva, R.B. 869(2000)137
- Colmsjö, A., see Ericsson, M. 877(2000)141
- Colombo, F., see Colombo, M.M. 880(2000)303
- Colombo, M.M., Colombo, F., Biondi, P.A., Malandra, R. and Renon, P.  
Substitution of fish species detected by thin-layer isoelectric focusing and a computer-assisted method for the evaluation of gels 880(2000)303
- Colón, L.A., Maloney, T.D. and Fermier, A.M.  
Packing columns for capillary electrochromatography (Review) 887(2000)43
- Columé, A., Cárdenas, S., Gallego, M. and Valcárcel, M.  
Simplified method for the determination of chlorinated fungicides and insecticides in fruits by gas chromatography 882(2000)193
- Comber, M.H.I., see Fitzpatrick, L.J. 873(2000)287
- Comber, M.H.I., see Fitzpatrick, L.J. 874(2000)257
- Commeyras, A., see Vandenabeele-Trambouze, O. 894(2000)259
- Compañó, R., see González-Toledo, E. 878(2000)69
- Compernelle, F., see Van den Bergh, V. 896(2000)135
- Constantin, S. and Freitag, R.  
Preparation of stationary phases for open-tubular capillary electrochromatography using the sol-gel method 887(2000)253
- Contado, C., Reschiglian, P., Faccini, S., Zattoni, A. and Dondi, F.  
Continuous split-flow thin cell and gravitational field-flow fractionation of wheat starch particles 871(2000)449
- Conte, E.D., see Crick, E.W. 877(2000)87
- Conte, E.D., see Wilkes, J.G. 880(2000)3
- Conte, L.S., see Moret, S. 882(2000)245
- Cook, J., see Goss, C.A. 878(2000)35
- Cook, L.M., see Hu, S. 894(2000)291
- Cooke, M., see Niedziella, S. 885(2000)457
- Cooper, P.A., see Moffatt, F. 855(1999)215
- Corbella, R., see Rodríguez-DeIgado, M.A. 871(2000)427
- Cordell, G.A., see Lin, L.-Z. 876(2000)87
- Cormack, P., see Ellwanger, A. 897(2000)317
- Corradini, D., Huber, C.G., Timperio, A.M. and Zolla, L.  
Resolution and identification of the protein components of the photosystem II antenna system of higher plants by reversed-phase liquid chromatography with electrospray-mass spectrometric detection 886(2000)111
- Correia, M., Delerue-Matos, C. and Alves, A.  
Multi-residue methodology for pesticide screening in wines 889(2000)59
- Corveleyn, S., see Baeyens, W.R.G. 871(2000)153
- Coscia, D., see Szopa, C. 863(1999)157
- Costa-Moreira, J., see Sampedro, M.C. 893(2000)347
- Costantino, A., see Di Corcia, A. 852(1999)465
- Costopoulou, D., see Livaniou, E. 881(2000)331
- Cottier, R., see Chiron, S. 879(2000)137
- Cottin, H., see Szopa, C. 863(1999)157
- Couderc, F., see Caussé, E. 895(2000)173
- Couderc, F., see Mallet, S. 853(1999)181
- Couderc, F., see Siméon, N. 853(1999)449
- Couderc, F., see Vandenabeele-Trambouze, O. 894(2000)259
- Couëdor, P., see Verdon, E. 882(2000)135
- Coufal, P., see Pumera, M. 891(2000)201
- Courtin, C.M., Van den Broeck, H. and Delcour, J.A.  
Determination of reducing end sugar residues in oligo- and polysaccharides by gas-liquid chromatography 866(2000)97
- Courtois, G., see Ferrer, E. 881(2000)599
- Cozette, S., see Gaillon, L. 876(2000)169
- Cramer, S.M., see Natarajan, V. 876(2000)51
- Cramer, S.M., see Natarajan, V. 876(2000)63
- Cramers, C., see Baltussen, E. 864(1999)345
- Cramers, C.A., see Aguilar, C. 867(2000)207
- Cramers, C.A., Janssen, H.-G., Van Deursen, M.M. and Leclercq, P.A.  
High-speed gas chromatography: an overview of various concepts (Review) 856(1999)315
- Cramers, C.A., see Jiskra, J. 862(1999)121
- Cramers, C.A., see Kaliszán, R. 855(1999)455
- Cramers, C.A., see Mengerink, Y. 871(2000)259
- Cramers, C.A., see Van Deursen, M.M. 878(2000)205
- Cramers, C.A., see Vervoort, R.J.M. 897(2000)1
- Cramers, C.A., see Vissers, J.P.C. 883(2000)11
- Cranor, W.L., see Petty, J.D. 879(2000)83
- Creasy, W.R., see Brickhouse, M.D. 883(2000)185
- Crego, A.L., Martínez, J. and Marina, M.L.  
Influence of mobile phase composition on electroosmotic flow velocity, solute retention and column efficiency in open-tubular reversed-phase capillary electrochromatography 869(2000)329
- Cremers, S., see Sparidans, R.W. 868(2000)141
- Crescenzi, C., see Di Corcia, A. 852(1999)465
- Crespín, M.A., Gallego, M. and Valcárcel, M.  
Continuous microwave-assisted extraction, solvent changeover and preconcentration of monophenols in agricultural soils 897(2000)279
- Cretich, M., see Chiari, M. 894(2000)95
- Cretier, G., Podevin, C. and Rocca, J.-L.  
Analysis of aliphatic alcohol ethoxylates in terms of alkyl and ethylene oxide chain lengths by reversed-phase liquid chromatography with evaporative light scattering detection 874(2000)305
- Crick, E.W. and Conte, E.D.  
Alkyltrimethylammonium surfactant-mediated extractions: characterization of surfactant-rich and aqueous layers, and extraction performance 877(2000)87
- Crini, G., see Chiari, M. 894(2000)95
- Crommen, J., see Chiap, P. 870(2000)121
- Crommen, J., see Fillet, M. 875(2000)123
- Crommen, J., see Fotsing, L. 853(1999)391
- Crommen, J., see Piette, V. 875(2000)353
- Crommen, J., see Piette, V. 894(2000)63
- Crommen, J., see Toussaint, B. 871(2000)173
- Crommen, J., see Toussaint, B. 890(2000)239
- Crommen, J., see Toussaint, B. 896(2000)191
- Crommen, J., see Toussaint, B. 896(2000)201
- Crosser, O.K., see Liapis, A.I. 865(1999)13

- Crosser, O.K., see Liapis, A.I. 873(2000)301
- Crozier, P.W., see Plomley, J.B. 854(1999)245
- Cruzado, I.D., see Sassi, A.P. 894(2000)203
- Csapó, Z., see Guttman, A. 894(2000)329
- Csaszar, E., see Dürauer, A. 890(2000)145
- Cserhádi, T., see Csiktusnádi Kiss, G.A. 889(2000)41
- Cserhádi, T., see Csiktusnádi Kiss, G.A. 889(2000)51
- Cserhádi, T., see Csiktusnádi Kiss, G. 896(2000)61
- Cserhádi, T. and Forgács, E.  
Relationship between the retention characteristics on an alumina column and physico-chemical parameters of some environmental pollutants 869(2000)41
- Cserhádi, T., Forgács, E., Morais, M.H., Mota, T. and Ramos, A.  
Separation and quantitation of colour pigments of chili powder (*Capsicum frutescens*) by high-performance liquid chromatography–diode array detection 896(2000)69
- Csiktusnádi Kiss, G.A., Forgács, E., Cserhádi, T., Mota, T., Morais, H. and Ramos, A.  
Optimisation of the microwave-assisted extraction of pigments from paprika (*Capsicum annuum* L.) powders 889(2000)41
- Csiktusnádi Kiss, G.A., Forgács, E., Cserhádi, T., Candeias, M., Vilas-Boas, L., Bronze, R. and Spranger, I.  
Solid-phase extraction and high-performance liquid chromatographic separation of pigments of red wines 889(2000)51
- Csiktusnádi Kiss, G., Forgács, E., Cserhádi, T. and Vizcaino, J.A.  
Colour pigments of *Trichoderma harzianum*. Preliminary investigations with thin-layer chromatography–Fourier transform infrared spectroscopy and high-performance liquid chromatography with diode array and mass spectrometric detection 896(2000)61
- Cui, H., Cai, F. and Xu, Q.  
Determination of tripolyphosphate in frozen cod and scallop adductor by ion chromatography 884(2000)89
- Cui, H., He, C. and Zhao, G.  
Determination of polyphenols by high-performance liquid chromatography with inhibited chemiluminescence detection 855(1999)171
- Cui, H., see Liu, Y. 884(2000)105
- Curbelo, D., see Anspach, F.B. 865(1999)129
- Curini, R., Gentili, A., Marchese, S., Marino, A. and Perret, D.  
Solid-phase extraction followed by high-performance liquid chromatography–ionspray interface–mass spectrometry for monitoring of herbicides in environmental water 874(2000)187
- Cursano, C.F., see Accinni, R. 896(2000)183
- Cutlip, R.C., see Schmerr, M.J. 853(1999)207
- Czembor, W., see Zimmer, D. 854(1999)23
- Czok, M., see Tamisier-Karolak, S.L. 852(1999)487
- ## D
- Dabek-Zlotorzynska, E. and Lai, E.P.C.  
Separation of carbonyl 2,4-dinitrophenylhydrazones by capillary electrochromatography with diode array detection 853(1999)487
- Dąbrowska, A., see Nawrocki, J. 868(2000)1
- Da Costa, C.T., Horton, D. and Margolis, S.A.  
Analysis of anthocyanins in foods by liquid chromatography, liquid chromatography–mass spectrometry and capillary electrophoresis (Review) 881(2000)403
- Da Costa, C.T., Horton, D. and Margolis, S.A.  
Analysis of anthocyanins in foods by liquid chromatography, liquid chromatography–mass spectrometry and capillary electrophoresis 881(2000)403
- D'Acquarica, I., see Berthod, A. 897(2000)113
- D'Acquarica, I., Gasparrini, F., Misiiti, D., Villani, C., Carotti, A., Cellamare, S. and Muck, S.  
Direct chromatographic resolution of carnitine and *O*-acylcarnitine enantiomers on a teicoplanin-bonded chiral stationary phase 857(1999)145
- Dagan, S.  
Comparison of gas chromatography–pulsed flame photometric detection–mass spectrometry, automated mass spectral deconvolution and identification system and gas chromatography–tandem mass spectrometry as tools for trace level detection and identification 868(2000)229
- Dagle, J.M., see Stellwagen, N.C. 883(2000)267
- Da Graça Lourenço, M., Matos, A. and Oliveira, M.C.  
Gas-liquid chromatographic determination of major tobacco alkaloids 898(2000)235
- Dahlman, O., Jacobs, A., Liljenberg, A. and Olsson, A.I.  
Analysis of carbohydrates in wood and pulps employing enzymatic hydrolysis and subsequent capillary zone electrophoresis 891(2000)157
- Dai, Y.-Q., see Yang, W.-C. 867(2000)261
- Daishima, S., see Hada, M. 874(2000)81
- Daishima, S., see Takino, M. 862(1999)191
- Dal Bo, L., Mazzucchelli, P. and Marzo, A.  
Highly sensitive bioassay of lidocaine in human plasma by high-performance liquid chromatography–tandem mass spectrometry 854(1999)3
- Dallüge, J., see Catalina, M.I. 877(2000)153
- Dalluge, J.J. and Nelson, B.C.  
Determination of tea catechins (Review) 881(2000)411
- Damborský, J., see Glatz, Z. 895(2000)219
- Dams, R., Lambert, W.E., Clauwaert, K.M. and De Leenheer, A.P.  
Comparison of phenyl-type columns in the development of a fast liquid chromatographic system for eighteen opiates commonly found in forensic toxicology 896(2000)311



- Dan, N., Ganesan, R., Flood, K.G., Tsai, D. and Reif, V.D.  
Determination of enantiomers in a synthetic argininal peptide using capillary zone electrophoresis and high-performance liquid chromatography 891(2000)115
- Danzer, K., see Berente, B. 871(2000)95
- Darius, J., see Raith, K. 876(2000)229
- Darko, E., Schoefs, B. and Lemoine, Y.  
Improved liquid chromatographic method for the analysis of photosynthetic pigments of higher plants 876(2000)111
- Daus, B., see Hissner, F. 853(1999)497
- Davey, M.W., Persiau, G., Bauw, G. and Van Montagu, M.  
Direct measurement of ascorbic acid biosynthesis in *Arabidopsis* cell suspension culture using capillary electrophoresis 853(1999)381
- David, F., see Baltussen, E. 864(1999)345
- David, P., see Ventriglia, M. 857(1999)327
- Davies, M.J., see Taylor, J.I. 890(2000)159
- Davies, N.W., see Harakuwe, A.H. 863(1999)81
- Dávila-Jiménez, M.M., Elizalde-González, M.P., Gutiérrez-González, A. and Peláez-Cid, A.A.  
Electrochemical treatment of textile dyes and their analysis by high-performance liquid chromatography with diode array detection 889(2000)253
- Day, J.A., see Ackley, K.L. 888(2000)293
- Dayer, P., see Rudaz, S. 868(2000)295
- De Almeida Azevedo, D., Lacorte, S., Vinhas, T., Viana, P. and Barceló, D.  
Monitoring of priority pesticides and other organic pollutants in river water from Portugal by gas chromatography–mass spectrometry and liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 879(2000)13
- Dean, J.R., see Fitzpatrick, L.J. 873(2000)287
- Dean, J.R., see Fitzpatrick, L.J. 874(2000)257
- De Angelis, C., see Bernabei, M. 871(2000)235
- De Angelis, L., see Ventriglia, M. 857(1999)327
- De Armas, R., see Rodríguez, C.W. 881(2000)531
- De Bellis, G., see Pietta, P.G. 853(1999)355
- De Best, C.M., see Ingkaninan, K. 872(2000)61
- Debets, A.J.J., see Vervoort, R.J.M. 897(2000)1
- De Boer, R., see Van den Bergh, V. 896(2000)135
- De Braekeleer, K., see Garrido French, A. 855(1999)487
- Deckwer, W.-D., see Anspach, F.B. 865(1999)129
- De Coning, J.P., see Laurens, J.B. 873(2000)229
- De Gennaro, G., see Bruno, P. 888(2000)145
- Deglon, J.-J., see Ortellì, D. 871(2000)163
- De Graterol, L.S., see Morales, J.A. 884(2000)185
- De Jalón, E.G.<sup>2</sup>, Josa, M., Campanero, M.A., Santoyo, S. and Ygartua, P.  
Determination by high-performance liquid chromatography of ketoprofen in vitro in rat skin permeation samples 870(2000)143
- Dejnega, M., see Poskrobko, J. 883(2000)291
- De Jong, A.P.J.M., see van Bommel, M.R. 855(1999)383
- De Jong, A.P.J.M., see van Bommel, M.R. 855(1999)397
- De Jong, A.P.J.M., see van Bommel, M.R. 886(2000)19
- De Jong, G.J., see Bruins, C.H.P. 863(1999)115
- De Jong, G.J., see Hilhorst, M.J. 872(2000)315
- De Jong, G.J., see Koster, E.H.M. 878(2000)27
- De Jong, G.J., see Van Hout, M.W.J. 858(1999)117
- De Jong, G.J., see van Zomeren, P.V. 867(2000)247
- De Jong, G.J., see Vervoort, R.J.M. 897(2000)1
- Del Nozal, M.<sup>2</sup>, Bernal, J.L., Diego, J.C., Gómez, L.A., Ruiz, J.M. and Higes, M.  
Determination of oxalate, sulfate and nitrate in honey and honeydew by ion-chromatography 881(2000)629
- Del Nozal, M.<sup>2</sup>, see Jiménez, J.J. 871(2000)67
- Del Nozal, M.<sup>2</sup>, see Bernal, J.L. 871(2000)127
- Del Nozal, M.<sup>2</sup>, Bernal, J.L., Diego, J.C., Gómez, L.A., Ruiz, J.M. and Higes, M.  
Determination of oxalate, sulfate and nitrate in honey and honeydew by ion-chromatography 881(2000)629
- Del Nozal, M.<sup>2</sup>, see Bernal, J.L. 882(2000)239
- Del Río, J.C., Romero, J. and Gutiérrez, A.  
Analysis of pitch deposits produced in Kraft pulp mills using a totally chlorine free bleaching sequence 874(2000)235
- De la Calle García, D., see Berente, B. 871(2000)95
- De la Torre, M.C., see Gimeno, E. 881(2000)251
- De la Torre, M.C., see Gimeno, E. 881(2000)255
- Delattre, L., see Chiap, P. 870(2000)121
- Delcour, J.A., see Courtin, C.M. 866(2000)97
- De Leenheer, A.P., see Dams, R. 896(2000)311
- De Leenheer, A.P., see Fierens, C. 896(2000)275
- De Leo, G., see Accinni, R. 896(2000)183
- De Leon, P., see Deshmukh, R.R. 890(2000)179
- Delépine, B., see Hurtaud-Pessel, D. 882(2000)89
- Delerue-Matos, C., see Correia, M. 889(2000)59
- Delgado, W., see Stashenko, E.E. 886(2000)175
- Delgado-Zamarreño, M.M., Sánchez-Pérez, A., González Maza, I. and Hernández-Méndez, J.  
Micellar electrokinetic chromatography with bis(2-ethylhexyl)sodium sulfosuccinate vesicles. Determination of synthetic food antioxidants 871(2000)403
- Delgado-Zamarreño, M.M., see Sánchez-Pérez, A. 881(2000)229
- Delion-Vancassel, S., see Auger, J. 870(2000)395
- Dell’Oro, V., see Zerbinati, O. 881(2000)645
- De Luca, C., see Natalini, B. 873(2000)283
- Demaimay, M., see Le Guen, S. 896(2000)361
- Demarest, C.W., see Angus, P.D.A. 887(2000)347
- Dembitsky, V.M., Shkrob, I. and Dor, I.  
Separation and identification of hydrocarbons and other volatile compounds from cultured blue-green alga *Nostoc* sp. by gas chromatography–mass spectrometry using serially coupled capillary columns with consecutive nonpolar and semipolar stationary phases 862(1999)221
- De Meulenaer, B., Van Royen, G., Vanhoutte, B. and Huyghebaert, A.  
Combined liquid and gas chromatographic characterisation of polyglycerol fatty acid esters 896(2000)239
- Demir, N., see Gökmen, V. 881(2000)309
- Demmer, W. and Nussbaumer, D.  
Large-scale membrane adsorbers 852(1999)73
- De Montclos, M., see Voisin, S. 863(1999)243
- Dempsey, E., see Fogarty, B. 895(2000)237
- Den Boer, A.C., see Hogendoorn, E.A. 858(1999)45
- Den Hartigh, J., see Sparidans, R.W. 868(2000)141

- Deng, B. and Chan, W.-T.  
Simple interface for capillary electrophoresis–inductively coupled plasma atomic emission spectrometry 891(2000)139
- Denk, O.M., Watson, D.G. and Skellern, G.G.  
Micellar electrokinetic and high-performance liquid chromatographic determination of potential manufacturing impurities in pholcodine 895(2000)9
- De Nobili, M., Bragato, G. and Mori, A.  
Capillary electrophoretic behaviour of humic substances in physical gels 863(1999)195
- De Oliveira, J.E., Soares, C.R.J., Peroni, C.N., Gimbo, E., Camargo, I.M.C., Morganti, L., Bellini, M.H., Affonso, R., Arkaten, R.R., Bartolini, P. and Ribela, M.T.C.P.  
High-yield purification of biosynthetic human growth hormone secreted in *Escherichia coli* periplasmic space 852(1999)441
- DePhillips, P. and Lenhoff, A.M.  
Pore size distributions of cation-exchange adsorbents determined by inverse size-exclusion chromatography 883(2000)39
- Deprez, P., see Baeyens, W.R.G. 871(2000)153
- Depta, A., Giese, T., Johannsen, M. and Brunner, G.  
Separation of stereoisomers in a simulated moving bed-supercritical fluid chromatography plant 865(1999)175
- De Ridder, R., Prickaerts, R.M.H., Reijenga, J.C. and Verheggen, T.P.E.M.  
Determination of methacrylic acid in the drain of a biotrickling filter using isotachopheresis and capillary zone electrophoresis 862(1999)237
- Deruaz, D., see Voisin, S. 863(1999)243
- Deryugina, Ya.I., see Pirogov, A.V. 884(2000)31
- Desai, N.P., see Ci, S.X. 864(1999)199
- Desbène, A.M., see Morin, C.J. 872(2000)247
- Desbène, P.L., see Morin, C.J. 872(2000)247
- Desbène, P.L., see Portet, F.I. 878(2000)99
- Deshmukh, R.R., Warner, T.N., Hutchison, F., Murphy, M., Leitch II, W.E., De Leon, P., Srivatsa, G.S., Cole, D.L. and Sanghvi, Y.S.  
Large-scale purification of antisense oligonucleotides by high-performance membrane adsorber chromatography 890(2000)179
- Deshpande, A., see Fadnavis, N.W. 893(2000)189
- Desideri, I., see Raffaelli, A. 854(1999)57
- Desiderio, C. and Fanali, S.  
Capillary electrochromatography and capillary electrochromatography–electrospray mass spectrometry for the separation of non-steroidal anti-inflammatory drugs 895(2000)123
- Desiderio, C., Ossicini, L. and Fanali, S.  
Analysis of hydroquinone and some of its ethers by using capillary electrochromatography 887(2000)489
- Desiderio, C., see Strickmann, D.B. 887(2000)393
- De Smedt, I., see Tobback, K. 857(1999)313
- Desmet, G. and Baron, G.V.  
On the possibility of shear-driven chromatography. A theoretical performance analysis 855(1999)57
- Desmet, G. and Baron, G.V.  
Simultaneous optimization of the analysis time and the concentration detectability in open-tubular liquid chromatography 867(2000)23
- Despois, D., see Vandenaabeele-Trambouze, O. 894(2000)259
- Desportes, C., Charpentier, M., Duteurtre, B., Maujean, A. and Duchiron, F.  
Liquid chromatographic fractionation of small peptides from wine 893(2000)281
- Dessans, H., see Cahours, X. 895(2000)101
- Deterding, L.J., see Borchers, C. 854(1999)119
- Detroyer, A., Schoonjans, V., Questier, F., Vander Heyden, Y., Borosy, A.P., Guo, Q. and Massart, D.L.  
Exploratory chemometric analysis of the classification of pharmaceutical substances based on chromatographic data 897(2000)23
- Dettloff, M.L., see Wang, F.C.-Y. 886(2000)217
- De Tullio, Ph., see Chiap, P. 870(2000)121
- Deutsch, J.C.  
Dehydroascorbic acid (Review) 881(2000)299
- Deutsch, J.C., Santhosh-Kumar, C.R. and Kolhouse, J.F.  
Glutathione oxidation in real time by thermospray liquid chromatography–mass spectrometry 862(1999)161
- DeVita, W.M., see Gustavson, K.E. 883(2000)143
- De Voogt, P., see Castillo, M. 889(2000)195
- Devos, C., see Pham-Tuan, H. 868(2000)249
- Dewulf, J., see Huybrechts, T. 893(2000)367
- Dewulf, J., see Wittmann, G. 874(2000)225
- Deyl, Z., see Mikšík, I. 852(1999)245
- Deyl, Z., see Mikšík, I. 852(1999)325
- De Zeeuw, R.A., see Van Hout, M.W.J. 858(1999)117
- De La Cruz Garcia, C., Lopez Hernandez, J. and Simal Lozano, J.  
Gas chromatographic determination of the fatty-acid content of heat-treated green beans 891(2000)367
- Di Corcia, A., Costantino, A., Crescenzi, C. and Samperi, R.  
Quantification of phenylurea herbicides and their free and humic acid-associated metabolites in natural waters 852(1999)465
- Di Corcia, A., Nazzari, M., Rao, R., Samperi, R. and Sebastiani, E.  
Simultaneous determination of acidic and non-acidic pesticides in natural waters by liquid chromatography–mass spectrometry 878(2000)87
- Di Palo, V., see Possanzini, M. 883(2000)171
- Dias, N.C., see Poole, C.F. 892(2000)123
- Dias-Cabral, A.C., see Esquibel-King, M.A. 865(1999)111
- Dickson, L.C., see Headley, J.V. 859(1999)69
- Dickson, N., see Levison, P.R. 890(2000)45
- Diego, J.C., see del Nozal, M<sup>a</sup>.J. 881(2000)629
- Diehl, G. and Karst, U.  
Post-column oxidative derivatization for the liquid chromatographic determination of phenothiazines 890(2000)281
- Dienes-Nagy, A., Rivier, L., Giroud, C., Augsburg, M. and Mangin, P.  
Method for quantification of morphine and its 3- and 6-glucuronides, codeine, codeine glucuronide and 6-monoacetylmorphine in human blood by liquid chromatography–electrospray mass spectrometry for routine analysis in forensic toxicology 854(1999)109

- Dietrich, A., see Neumann, M. 871(2000)299
- Diewald, D., see Christians, T. 853(1999)455
- Dijkman, E., see Hogendoorn, E.A. 858(1999)45
- Dijkman, E., see Molins, C. 869(2000)487
- Dijkman, E., see van der Heeft, E. 879(2000)39
- Dikčius, A., see Padaruskas, A. 879(2000)235
- Dilks, C.H., see Kirkland, J.J. 890(2000)3
- Ding, F., see Liu, Z. 852(1999)319
- Ding, J. and Vouros, P.  
Capillary electrochromatography–mass spectrometry for the separation and identification of isomeric polyaromatic hydrocarbon DNA adducts derived from in vitro reactions (Review) 887(2000)103
- Ding, M., see Lv, K. 878(2000)147
- Ding, W., see Li, J. 879(2000)245
- Ding, W.-H. and Chen, C.-T.  
Analysis of linear alkylbenzenesulfonates in water samples by large-volume injection-port derivatization and gas chromatography–mass spectrometry 857(1999)359
- Ding, W.-H. and Chen, C.-T.  
Analysis of nonylphenol polyethoxycarboxylates and their related metabolites by on-line derivatization and ion-trap gas chromatography–mass spectrometry 862(1999)113
- Ding, W.-H. and Fann, J.C.H.  
Application of pressurized liquid extraction followed by gas chromatography–mass spectrometry to determine 4-nonylphenols in sediments 866(2000)79
- Ding, W.-H., Liu, C.-H. and Yeh, S.-P.  
Analysis of chlorophenoxy acid herbicides in water by large-volume on-line derivatization and gas chromatography–mass spectrometry 896(2000)111
- Ding, X. and Mou, S.  
Ion chromatographic analysis of tetracyclines using polymeric column and acidic eluent 897(2000)205
- Ding, X., Mou, S.-f., Liu, K. and Yan, Y.  
Improved scheme of chelation ion chromatography with a mixed eluent for the simultaneous analysis of transition metals at  $\mu\text{g l}^{-1}$  levels 883(2000)127
- Ding, X., see Tian, Q. 874(2000)13
- Ding, Y., see Zhu, X. 888(2000)241
- Dittmann, M.M., see Adam, T. 887(2000)327
- Dittmann, M.M., Masuch, K. and Rozing, G.P.  
Separation of basic solutes by reversed-phase capillary electrochromatography 887(2000)209
- Ditto, L., see Várady, L. 869(2000)171
- Divjak, B., Novič, M. and Goessler, W.  
Determination of bromide, bromate and other anions with ion chromatography and an inductively coupled plasma mass spectrometer as element-specific detector 862(1999)39
- Djordjevic, N.M., see Dolan, J.W. 857(1999)1
- Djordjevic, N.M., see Dolan, J.W. 857(1999)21
- Djordjevic, N.M., Fitzpatrick, F., Houdiere, F., Lerch, G. and Rozing, G.  
High temperature and temperature programming in capillary electrochromatography 887(2000)245
- Djouadi, Z., Bottani, S., Duval, M.-A., Siebert, R., Tricoire, H. and Valentin, L.  
Mobility and activation energy of single-stranded DNA in denaturing cross-linked polyacrylamide slab gels 894(2000)231
- Dmoch, R., see Roulin, S. 887(2000)307
- Dobarganes, C., see Berdeaux, O. 863(1999)171
- Doble, P., see Haddad, P.R. 856(1999)145
- Doble, P., see O'Reilly, J. 884(2000)61
- Doble, P., see Vachirapatama, N. 885(2000)369
- Dobosz, C., see Tyrpień, K. 870(2000)29
- Dobrijevic, M., see Vandenaabeele-Trambouze, O. 894(2000)259
- Dodge, J.A., see Kennedy, J.H. 872(2000)75
- Dodo, G.H. and Knight, M.M.  
Application of polydivinylbenzene liquid chromatography columns to remove lipid material from fish tissue extracts for the analysis of semivolatiles organics 859(1999)235
- Dolan, J.W., see Snyder, L.R. 892(2000)107
- Dolan, J.W., Snyder, L.R., Blanc, T. and Van Heukelem, L.  
Selectivity differences for  $\text{C}_{18}$  and  $\text{C}_8$  reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution 897(2000)37
- Dolan, J.W., Snyder, L.R. and Blanc, T.  
Selectivity differences for  $\text{C}_{18}$  and  $\text{C}_8$  reversed-phase columns as a function of temperature and gradient steepness. II. Minimizing column reproducibility problems 897(2000)51
- Dolan, J.W., Snyder, L.R., Djordjevic, N.M., Hill, D.W. and Waeghe, T.J.  
Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. I. Peak capacity limitations 857(1999)1
- Dolan, J.W., Snyder, L.R., Djordjevic, N.M., Hill, D.W. and Waeghe, T.J.  
Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. II. Two-run assay procedures 857(1999)21
- Dolan, J.W., Snyder, L.R., Wolcott, R.G., Haber, P., Baczek, T., Kalisz, R. and Sander, L.C.  
Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time. III. Improving the accuracy of computer simulation 857(1999)41
- Dolan, J.W., see Wolcott, R.G. 869(2000)3
- Dolan, J.W., see Wolcott, R.G. 869(2000)211
- Doly, M., see Cia, D. 864(1999)257
- Domagala, T., see Catimel, B. 869(2000)261
- Domínguez, C., see Píera, E. 852(1999)499
- Domínguez-Álvarez, J., see Carabias-Martínez, R. 869(2000)451
- Dondi, F., see Contado, C. 871(2000)449
- Dondi, M., Flieger, M., Olsovska, J., Polcaro, C.M. and Sinibaldi, M.  
High-performance liquid chromatography study of the enantiomer separation of chrysanthemic acid and its analogous compounds on a terguride-based stationary phase 859(1999)133
- Dong, H.-B., see Jin, Y.-R. 888(2000)137

- Dong, X.-Y., Yang, H. and Sun, Y.  
Lysozyme refolding with immobilized GroEL column chromatography 878(2000)197
- Dooly, G.L., see Forehand, J.B. 898(2000)111
- Doong, R.-a., Chang, S.-m. and Sun, Y.-c.  
Solid-phase microextraction for determining the distribution of sixteen US Environmental Protection Agency polycyclic aromatic hydrocarbons in water samples 879(2000)177
- Dor, I., see Dembitsky, V.M. 862(1999)221
- Dormady, S.J., see Amini, A. 894(2000)345
- Dormady, S.J., Lei, J. and Regnier, F.E.  
Eliminating disulfide exchange during glutamyl endopeptidase digestion of native protein 864(1999)237
- Dorsey, J.G., see Bailey, D.J. 852(1999)559
- Dorsey, J.G., see Doyle, C.A. 877(2000)25
- Dorsey, J.G., see Doyle, C.A. 877(2000)41
- Dorsey, J.G., see Rimmer, C.A. 887(2000)115
- Dorsey, J.G., see Rogers, S.D. 892(2000)57
- Dos Ramos, F.J.  
 $\beta_2$ -Agonist extraction procedures for chromatographic analysis (Review) 880(2000)69
- Dos Santos Tada, E., see Augusto, F. 873(2000)117
- Dossi, N., see Frazier, R.A. 876(2000)213
- Doulbeau, S., see Talamond, P. 871(2000)7
- Dourtoglou, V., see Petritis, K. 896(2000)335
- Douy, B., see Tolosa, I. 864(1999)121
- Dovich, N.J., see Hu, S. 894(2000)291
- Dovich, N.J., see Li, X.-F. 869(2000)375
- Dovich, N.J., see Li, X.-F. 895(2000)81
- Dovich, N.J., see Osthoff, H.D. 895(2000)285
- Dovich, N.J., see Qi, M. 853(1999)131
- Dovich, N.J., see Richards, D.P. 853(1999)21
- Dovich, N.J., see Tan, W.G. 853(1999)309
- Dovich, N.J., see Zhang, L. 894(2000)129
- Dowling, T., see Wang, F. 872(2000)279
- Doyle, C.A., Vickers, T.J., Mann, C.K. and Dorsey, J.G.  
Characterization of  $C_{18}$ -bonded liquid chromatographic stationary phases by Raman spectroscopy: the effect of mobile phase composition 877(2000)25
- Doyle, C.A., Vickers, T.J., Mann, C.K. and Dorsey, J.G.  
Characterization of  $C_{18}$ -bonded liquid chromatographic stationary phases by Raman spectroscopy: the effect of temperature 877(2000)41
- Draisci, R., Palleschi, L., Ferretti, E., Lucentini, L. and Cammarata, P.  
Quantitation of anabolic hormones and their metabolites in bovine serum and urine by liquid chromatography–tandem mass spectrometry 870(2000)511
- Draisci, R., Palleschi, L., Ferretti, E., Furey, A., James, K.J., Satake, M. and Yasumoto, T.  
Development of a method for the identification of azaspiracid in shellfish by liquid chromatography–tandem mass spectrometry 871(2000)13
- Dreux, M., see Cahours, X. 895(2000)101
- Dreux, M., see Chaimbault, P. 855(1999)191
- Dreux, M., see Chaimbault, P. 870(2000)245
- Dreux, M., see Gard, S. 897(2000)185
- Dreux, M., see Petritis, K. 896(2000)253
- Dreux, M., see Petritis, K. 896(2000)335
- Dreux, M., see Salvador, A. 855(1999)645
- Drigo, S., see Bicchi, C. 892(2000)469
- Drouin, N., see Pichette, A. 890(2000)127
- Duchateau, A.L.L., see Toussaint, B. 890(2000)239
- Duchiron, F., see Desportes, C. 893(2000)281
- Duff, K., see Needham, S.R. 869(2000)159
- Dugay, J., see Miège, C. 859(1999)29
- Duke, G.J., see O'Keefe, D.O. 891(2000)85
- Dupont Durst, H., see Brickhouse, M.D. 883(2000)185
- Dupuis, S., see Carrier, A. 876(2000)97
- Dürauer, A., Csaszar, E., Mechtler, K., Jungbauer, A. and Schmid, E.  
Characterisation of the rubber elongation factor from ammoniated latex by electrophoresis and mass spectrometry 890(2000)145
- Durgbanshi, A., see Asthana, A. 895(2000)197
- Dusi, G., Faggionato, E., Gamba, V. and Baiguera, A.  
Determination of nicarbazin and clopidol in poultry feeds by liquid chromatography 882(2000)79
- Duszczyk, K., see Asztemborska, M. 874(2000)73
- Duteurtre, B., see Desportes, C. 893(2000)281
- Duttweiler, C.M., see Hong, S. 857(1999)205
- Duval, G., see Lamb, D.H. 894(2000)311
- Duval, M.-A., see Djouadi, Z. 894(2000)231
- Dworschak, A. and Pyell, U.  
Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants II. Cationic additives and modifiers of the electroosmotic flow 855(1999)669
- Dyson, N.  
Towards a quantitative definition of perfection in chromatographic analyses 868(2000)305
- Dzido, T.H., see Hawryl, M.A. 886(2000)75
- Dzygiel, P., Rudzińska, E., Wiczorek, P. and Kafarski, P.  
Determination of optical purity of phosphonic acid analogues of aromatic amino acids by capillary electrophoresis with  $\alpha$ -cyclodextrin 895(2000)301
- Dzygiel, P. and Wiczorek, P.  
Extraction of glyphosate by a supported liquid membrane technique 889(2000)93

## E

- Eash, D.T. and Bushway, R.J.  
Herbicide and plant growth regulator analysis by capillary electrophoresis (Review) 880(2000)281
- Eaton, C.D., see Li, B. 873(2000)175
- Echevarría, C., see Arranz, A. 871(2000)399
- Echols, K.R., see Petty, J.D. 879(2000)83
- Edholm, L.-E., see Miliotis, T. 886(2000)99
- Edholm, L.E., see Wagner, K. 893(2000)293
- Edlund, P.O., see Karlsson, G. 855(1999)147

- Edwards, J., see Halstead, J.A. 857(1999)337
- Efer, J., see Engewald, W. 856(1999)259
- Efer, J., see Schreiber, A. 869(2000)411
- Effkemann, S., Brødsgaard, S., Mortensen, P., Linde, S.-A. and Karst, U.  
Determination of gas phase peroxyacetic acid using pre-column derivatization with organic sulfide reagents and liquid chromatography 855(1999)551
- Egea González, F.J., see Garrido Frenich, A. 869(2000)497
- Egoville, J.C., see Kumar, N. 859(1999)113
- Egresi, A., see Tolokán, A. 896(2000)279
- Eichhorn, P., see Castillo, M. 889(2000)195
- Eichhorn, P. and Knepper, T.P.  
Investigations on the metabolism of alkyl polyglucosides and their determination in waste water by means of liquid chromatography–electrospray mass spectrometry 854(1999)221
- Eichhorn, P., see Riu, J. 889(2000)221
- Einhorn, J., see Nélieu, S. 866(2000)195
- Eisert, R., see Gou, Y. 873(2000)137
- Eklund, U.-B., see Röllin, S. 884(2000)131
- El Gizawy, S., see Mohamed, N.A.L. 875(2000)447
- El Kommos, M.E., see Mohamed, N.A.L. 875(2000)447
- El Rassi, Z.  
Chiral glycosidic surfactants for enantiomeric separation in capillary electrophoresis (Review) 875(2000)207
- El Rassi, Z., see Zhang, M. 887(2000)287
- Elfakir, C., see Chaimbault, P. 855(1999)191
- Elfakir, C., see Chaimbault, P. 870(2000)245
- Elfakir, C., see Gard, S. 897(2000)185
- Elfakir, C., see Petritis, K. 896(2000)253
- Elfakir, C., see Petritis, K. 896(2000)335
- Elgar, D.F., Norris, C.S., Ayers, J.S., Pritchard, M., Otter, D.E. and Palmano, K.P.  
Simultaneous separation and quantitation of the major bovine whey proteins including proteose peptone and caseinomacropeptide by reversed-phase high-performance liquid chromatography on polystyrene–divinylbenzene 878(2000)183
- Elizalde-González, M.P., see Dávila-Jiménez, M.M. 889(2000)253
- Elke, K., see Belder, D. 868(2000)63
- Ellington, J.J. and Evans, J.J.  
Determination of perchlorate at parts-per-billion levels in plants by ion chromatography 898(2000)193
- Ellwanger, A., Brindle, R., Kaiser, M., Wielandt, W., Lindner, E. and Albert, K.  
*n*-Alkyl fluorenyl phases in chromatography. II. Dynamic behavior and high-performance liquid chromatography applications 858(1999)133
- Ellwanger, A., Owens, P.K., Karlsson, L., Bayouhd, S., Cormack, P., Sherrington, D. and Sellergren, B.  
Application of molecularly imprinted polymers in supercritical fluid chromatography 897(2000)317
- Elviri, L., see Careri, M. 854(1999)233
- Elviri, L., see Careri, M. 881(2000)449
- Émneus, J., see Castillo, M. 889(2000)195
- Engel, F., see Thomasberger, A. 854(1999)13
- Engel, G.S., see Kirkland, J.J. 890(2000)3
- Engelhardt, H.  
Preface 894(2000)1
- Engelhardt, H., see Fallner, T. 853(1999)83
- Engelhardt, H., see Grosche, O. 894(2000)105
- Engelhardt, H., see Shakulashvili, N. 895(2000)205
- Engewald, W., see Schreiber, A. 869(2000)411
- Engewald, W., Teske, J. and Efer, J.  
Programmed temperature vaporiser-based injection in capillary gas chromatography (Review) 856(1999)259
- Enlund, A.M. and Westerlund, D.  
Effects of aliphatic amines on capillary electrochromatographic performance of tricyclic antidepressants on octadecylsilica 895(2000)17
- Ensing, K., see Berggren, C. 889(2000)105
- Ensing, K., see Bruins, C.H.P. 863(1999)115
- Enzelberger, M.M., Minning, S. and Schmid, R.D.  
Designing new metal affinity peptides by random mutagenesis of a natural metal-binding site 898(2000)83
- Erbe, T. and Brückner, H.  
Chromatographic determination of amino acid enantiomers in beers and raw materials used for their manufacture 881(2000)81
- Ericsson, M. and Colmsjö, A.  
Dynamic microwave-assisted extraction 877(2000)141
- Erim, F.B., see Öztekin, N. 895(2000)263
- Erra, P., see Piera, E. 852(1999)499
- Escarpa, A. and González, M.C.  
Optimization strategy and validation of one chromatographic method as approach to determine the phenolic compounds from different sources 897(2000)161
- Escudero, A., see Ferreira, V. 864(1999)77
- Espinal, R., see Natalini, B. 873(2000)283
- Espuelas, S., see Arnedo, A. 871(2000)311
- Esquibel-King, M.A., Dias-Cabral, A.C., Queiroz, J.A. and Pinto, N.G.  
Study of hydrophobic interaction adsorption of bovine serum albumin under overloaded conditions using flow microcalorimetry 865(1999)111
- Esteve-Romero, J., see Gil-Agustí, M. 866(2000)35
- Esteve-Romero, J.S., see Carda-Broch, S. 893(2000)321
- Estrada, E. and Gutierrez, Y.  
Modeling chromatographic parameters by a novel graph theoretical sub-structural approach 858(1999)187
- Etzkorn, F.A., see Foulds, G.J. 862(1999)231
- Euerby, M.R., see Roulin, S. 887(2000)307
- Evangelatos, G.P., see Livaniou, E. 881(2000)331
- Evans, C.E., see Ringo, M.C. 863(1999)127
- Evans, C.S., Startin, J.R., Goodall, D.M. and Keely, B.J.  
Improved sensitivity in detection of chlormequat by liquid chromatography–mass spectrometry 897(2000)399
- Evans, J.F., see Li, L. 868(2000)153
- Evans, J.J., see Ellington, J.J. 898(2000)193
- Evans, K.P., see Fitzpatrick, L.J. 873(2000)287
- Evans, K.P., see Fitzpatrick, L.J. 874(2000)257
- Evers, E.A.I.M., see Hogendoorn, E.A. 858(1999)45
- Evrard, B., see Chiap, P. 870(2000)121

## F

- Fabbri, S., see Castellari, M. 888(2000)129
- Fabiani, A., see Castellari, M. 888(2000)129
- Fabre, H. and Mesplet, N.  
Robustness testing for a capillary electrophoresis method using the “short-end injection” technique 897(2000)329
- Fabre, H., Perrin, C. and Bosc, N.  
Determination of homotaurine as impurity in calcium acamprostate by capillary zone electrophoresis 853(1999)421
- Faccini, S., see Contado, C. 871(2000)449
- Fadnavis, N.W., Luke Babu, R., Sheelu, G. and Deshpande, A.  
Determination of enantiomeric excess of  $\alpha$ -hydroxy-3-phenoxybenzeneacetonitrile and its *n*-butyl ester by chiral high-performance liquid chromatography 893(2000)189
- Faes, M.L., see Vanhaelen-Fastré, R.J. 868(2000)269
- Faggionato, E., see Dusi, G. 882(2000)79
- Faller, T. and Engelhardt, H.  
How to achieve higher repeatability and reproducibility in capillary electrophoresis 853(1999)83
- Faller, T., see Shakulashvili, N. 895(2000)205
- Famigliini, G., see Cappiello, A. 855(1999)515
- Fan, C.-L., see Pang, G.-F. 882(2000)85
- Fan, C.-L., see Pang, G.-F. 882(2000)231
- Fan, J.-H., see Fang, P.-F. 867(2000)177
- Fan, Y., see Li, G. 863(1999)105
- Fanali, S.  
Enantioselective determination by capillary electrophoresis with cyclodextrins as chiral selectors (Review) 875(2000)89
- Fanali, S., see Desiderio, C. 887(2000)489
- Fanali, S., see Desiderio, C. 895(2000)123
- Fanali, S., see Rudaz, S. 868(2000)295
- Fanali, S., see Strickmann, D.B. 887(2000)393
- Fanelli, R., see Natangelo, M. 859(1999)193
- Fang, P.-F., Zeng, Z.-R., Fan, J.-H. and Chen, Y.-Y.  
Synthesis and characteristics of [60]fullerene polysiloxane stationary phase for capillary gas chromatography 867(2000)177
- Fann, J.C.H., see Ding, W.-H. 866(2000)79
- Farinha, A., see Bica, A. 889(2000)135
- Farnan, D., see Hallgren, E. 877(2000)13
- Farran, A. and Chentouf, A.  
Study of the behaviour of azinphos-methyl in a clay mineral by batch and column leaching 869(2000)481
- Farré, R., see Ferrer, E. 881(2000)599
- Fatemi, M.H., see Jalali-Heravi, M. 897(2000)227
- Faubel, W., see Malik, A.K. 857(1999)365
- Faurie, R., see Ulber, R. 882(2000)329
- Fausnaugh-Pollitt, J., see Chen, J. 853(1999)197
- Favier, A., see Peyrin, E. 886(2000)1
- Fazio, S.D., see Huang, W.X. 875(2000)361
- Feige, K., see Thomasberger, A. 854(1999)13
- Felicissimo, A.M.P., see Sotelo, A.F. 862(1999)29
- Felix, G., see Andrisano, V. 876(2000)75
- Félix, G., see Gritti, F. 893(2000)359
- Félix, G., see Gritti, F. 897(2000)131
- Felten, C., Quan, C.P., Chen, A.B., Canova-Davis, E., Mc Nerney, T., Goetzinger, W.K. and Karger, B.L.  
Use of acidic and basic pH and calcium ion addition in the capillary zone electrophoretic characterization of recombinant human deoxyribonuclease, a complex phosphoglycoprotein 853(1999)295
- Feng, D., see Yamamoto, S. 852(1999)37
- Feng, S., see Liu, Z. 852(1999)319
- Feng, W., Graumann, K., Hahn, R. and Jungbauer, A.  
Affinity chromatography of human estrogen receptor- $\alpha$  expressed in *Saccharomyces cerevisiae*. Combination of heparin- and 17 $\beta$ -estradiol-affinity chromatography 852(1999)161
- Fente, C.A., see Gigoso, P.G. 871(2000)31
- Fente, C.A., see Jaimez, J. 882(2000)1
- Feo, F.J., see Candela, M. 890(2000)273
- Fermier, A.M., see Colón, L.A. 887(2000)43
- Fernandes, J.O. and Ferreira, M.A.  
Combined ion-pair extraction and gas chromatography–mass spectrometry for the simultaneous determination of diamines, polyamines and aromatic amines in Port wine and grape juice 886(2000)183
- Fernández, M., Picó, Y. and Mañes, J.  
Determination of carbamate residues in fruits and vegetables by matrix solid-phase dispersion and liquid chromatography–mass spectrometry 871(2000)43
- Fernández, M.D., see Tadeo, J.L. 882(2000)175
- Fernández, M.P., see Gomis, D.B. 891(2000)109
- Fernández, P., see Turiel, E. 872(2000)299
- Fernández-Alba, A.R., see Agüera, A. 889(2000)261
- Fernández-Laespada, M<sup>a</sup>.E., see Carabias-Martínez, R. 869(2000)471
- Fernández-Lahore, H.M., Geilenkirchen, S., Boldt, K., Nagel, A., Kula, M.-R. and Thömmes, J.  
The influence of cell adsorbent interactions on protein adsorption in expanded beds 873(2000)195
- Fernández-López, J.A., see Almela, L. 870(2000)483
- Fernández García-Borregón, P., Lores, M. and Cela, R.  
Analysis of barbiturates by micro-high-performance liquid chromatography with post-column photochemical derivatization 870(2000)39
- Fernández Laespada, M<sup>a</sup>.E., Pérez Pavón, J.L. and Moreno Cordero, B.  
Automated on-line membrane extraction liquid chromatographic determination of phenols in crude oils, gasolines and diesel fuels 852(1999)395
- Fernández Laespada, M<sup>a</sup>.E., see Carabias Martínez, R. 869(2000)471
- Fernández Laespada, M<sup>a</sup>.E., see Seronero, L.C. 897(2000)171
- Ferreira, M.A., see Casal, S. 866(2000)221
- Ferreira, M.A., see Fernandes, J.O. 886(2000)183
- Ferreira, V., Hernández-Orte, P., Escudero, A., López, R. and Cacho, J.  
Semipreparative reversed-phase liquid chromatographic fractionation of aroma extracts from wine and other alcoholic beverages 864(1999)77

- Ferrer, E., Alegría, A., Courtois, G. and Farré, R.  
High-performance liquid chromatographic determination of Maillard compounds in store-brand and name-brand ultra-high-temperature-treated cows' milk 881(2000)599
- Ferrer, I. and Barceló, D.  
Simultaneous determination of antifouling herbicides in marina water samples by on-line solid-phase extraction followed by liquid chromatography–mass spectrometry 854(1999)197
- Ferrer, I., see Martínez, K. 879(2000)27
- Ferrer, R., see Pérez-Urquiza, M. 883(2000)277
- Ferretti, E., see Draisci, R. 870(2000)511
- Ferretti, E., see Draisci, R. 871(2000)13
- Ferrier, D., see Gaudin, K. 883(2000)211
- Ferrier, D., see Tran, N.T. 866(2000)121
- Ferrier, D., see Zhou, J.Y. 859(1999)99
- Field, J.A. and Sawyer, T.E.  
High-performance liquid chromatography–diode array detection of trichloroethene and aromatic and aliphatic anionic surfactants used for surfactant-enhanced aquifer remediation 893(2000)253
- Fields, G.B., see Lauer-Fields, J.L. 890(2000)117
- Fierens, C., Thienpont, L.M.R., Stöckl, D., Willekens, E. and De Leenheer, A.P.  
Quantitative analysis of urinary C-peptide by liquid chromatography–tandem mass spectrometry with a stable isotopically labelled internal standard 896(2000)275
- Fillet, M., see Fotsing, L. 853(1999)391
- Fillet, M., Hubert, Ph. and Crommen, J.  
Enantiomeric separations of drugs using mixtures of charged and neutral cyclodextrins (Review) 875(2000)123
- Fillet, M., see Piette, V. 875(2000)353
- Finglas, P., see Ruggeri, S. 855(1999)237
- Fischer, J., see Holčápek, M. 858(1999)13
- Fischer, J., see Khattabi, S. 877(2000)95
- Fischer, L., see Ulber, R. 882(2000)329
- Fitzgerald, G., James, K.J., MacNamara, K. and Stack, M.A.  
Characterisation of whiskeys using solid-phase microextraction with gas chromatography–mass spectrometry 896(2000)351
- Fitzpatrick, F., see Djordjevic, N.M. 887(2000)245
- Fitzpatrick, L.J., Dean, J.R., Comber, M.H.I., Harradine, K., Evans, K.P. and Pearson, S.  
Pressurised liquid extraction of pentachlorophenol from dyestuffs and cotton 873(2000)287
- Fitzpatrick, L.J., Dean, J.R., Comber, M.H.I., Harradine, K. and Evans, K.P.  
Extraction of DDT [1,1,1,-trichloro-2,2-bis(*p*-chlorophenyl)ethane] and its metabolites DDE [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethylene] and DDD [1,1-dichloro-2,2-bis(*p*-chlorophenyl)- ethane] from aged contaminated soil 874(2000)257
- Fladseth, G., see Molander, P. 892(2000)67
- Flanigan, V., see Gehrke, M. 877(2000)133
- Flieger, M., see Dondi, M. 859(1999)133
- Flood, K.G., see Dan, N. 891(2000)115
- Florea, M.  
Using a differential refractive index detector as a pressure transducer for online viscometry in exclusion chromatography 878(2000)1
- Flurer, R.A., see Mesmer, M.Z. 891(2000)249
- Fogarty, B., Regan, F. and Dempsey, E.  
Separation of two groups of oestrogen mimicking compounds using micellar electrokinetic chromatography 895(2000)237
- Fogelqvist, E., see Petersson, M.A. 854(1999)141
- Fondekar, K.P., see Schlauch, M. 897(2000)145
- Font, G., see Berrada, H. 890(2000)303
- Font, G., see Picó, Y. 882(2000)153
- Font, G., see Picó, Y. 885(2000)251
- Font, G., see Valenzuela, A.I. 871(2000)57
- Fonte, G., see Breda, M. 854(1999)81
- Foot, R.S., see Lazar, I.M. 892(2000)195
- Forčič, D., see Branović, K. 852(1999)305
- Ford, S.M., see Soper, S.A. 853(1999)107
- Forehand, J.B., Dooly, G.L. and Moldoveanu, S.C.  
Analysis of polycyclic aromatic hydrocarbons, phenols and aromatic amines in particulate phase cigarette smoke using simultaneous distillation and extraction as a sole sample clean-up step 898(2000)111
- Forgács, E., see Cserhádi, T. 869(2000)41
- Forgács, E., see Cserhádi, T. 896(2000)69
- Forgács, E., see Csiktusnádi Kiss, G.A. 889(2000)41
- Forgács, E., see Csiktusnádi Kiss, G.A. 889(2000)51
- Forgács, E., see Csiktusnádi Kiss, G. 896(2000)61
- Forgács, E., see Then, M. 889(2000)69
- Forngren, B.H., Samskog, J., Gustavsson, S.Å., Tyrefors, N., Markides, K.E. and Långström, B.  
Reversed-phase ion-pair chromatography coupled to electrospray ionisation mass spectrometry by on-line removal of the counter-ions 854(1999)155
- Forsling, W., see Horváth, E. 893(2000)37
- Forssmann, W.-G., see Mark, S. 852(1999)197
- Forssmann, W.-G., see Seiler, P. 852(1999)273
- Forssmann, W.-G., see Tammen, H. 852(1999)285
- Forte, G.I., see Izzo, V. 890(2000)371
- Foster, M.D., Arnold, M.A., Nichols, J.A. and Bakalyar, S.R.  
Performance of experimental sample injectors for high-performance liquid chromatography microcolumns 869(2000)231
- Fotsing, L., Fillet, M., Chiap, P., Hubert, Ph. and Crommen, J.  
Elimination of adsorption effects in the analysis of water-soluble vitamins in pharmaceutical formulations by capillary electrophoresis 853(1999)391
- Foucault, A., see Chevolut, L. 869(2000)353
- Foucault, A., see Marchal, L. 869(2000)339
- Foulds, G.J. and Eitzkorn, F.A.  
DNA-binding affinities of MyoD and E47 homo- and hetero-dimers by capillary electrophoresis mobility shift assay 862(1999)231
- Frahm, A.W., see Fulde, K. 858(1999)33
- Frahm, A.W., see Schlauch, M. 868(2000)197
- Frahm, A.W., see Schlauch, M. 897(2000)145
- Fraisse, D., see Lacorte, S. 857(1999)97
- Franco, C.M., see Gigosos, P.G. 871(2000)31
- Franco, C.M., see Jaimez, J. 882(2000)1
- Franco, P., Lämmerhofer, M., Klaus, P.M. and Lindner, W.  
Novel cinchona alkaloid carbamate C<sub>6</sub>-dimers as chiral anion-exchange type selectors for high-performance liquid chromatography 869(2000)111

- Francotte, E., see Mayer, S. 875(2000)331
- Frattoni, M., see Possanzini, M. 883(2000)171
- Frazier, R.A., Inns, E.L., Dossi, N., Ames, J.M. and Nursten, H.E.  
Development of a capillary electrophoresis method for the simultaneous analysis of artificial sweeteners, preservatives and colours in soft drinks 876(2000)213
- Fréchet, J.M.J., see Svec, F. 887(2000)3
- Fréchet, J.M.J., see Sýkora, D. 852(1999)297
- Fréchet, J.M.J., see Xie, S. 865(1999)169
- Freeman, J.P., see Liu, F.F. 888(2000)85
- Freitag, D., see Menzinger, F. 891(2000)45
- Freitag, R., see Constantin, S. 887(2000)253
- Freitag, R., see Schmidt, B. 865(1999)27
- Freitas dos Santos, L.M., see New, A.P. 889(2000)177
- Freney, J., see Voisin, S. 863(1999)243
- Frey, D.D., see Bates, R.C. 890(2000)269
- Frey, D.D., see Kang, X. 890(2000)37
- Frimmel, F.H., see Müller, M.B. 862(1999)137
- Fritz, J.S.  
Recent developments in the separation of inorganic and small organic ions by capillary electrophoresis (Review) 884(2000)261
- Fritz, J.S., see Li, J. 879(2000)245
- Fritz, J.S., see Tanaka, K. 884(2000)167
- Frnková, P., see Barták, P. 867(2000)281
- Froc, P., see Yorke, J.C. 882(2000)63
- Froidevaux, R., Lignot, B., Nedjar-Arroume, N., Guillochon, D., Coddeville, B. and Ricart, G.  
Kinetics of appearance of hemorphins from bovine hemoglobin peptic hydrolysates by a direct coupling of reversed-phase high-performance liquid chromatography and electrospray ionization mass spectrometry 873(2000)185
- Frölich, J.C., see Tsikas, D. 885(2000)351
- Fronek, R., see Miller, L. 865(1999)211
- Frost, R.L., see Horváth, E. 893(2000)37
- Fruend, S., see Wessel, T. 894(2000)157
- Fu, J., see Chen, C. 886(2000)313
- Fu, P., see Ching, C.B. 898(2000)53
- Fuchs, I., see Tsikas, D. 885(2000)351
- Fuganti, C., see Quattrini, F. 865(1999)201
- Fuh, C.B. and Chen, S.Y.  
Magnetic split-flow thin fractionation of magnetically susceptible particles 857(1999)193
- Fuh, C.B., Lin, L.Y. and Lai, M.H.  
Analytical magnetopheresis of magnetically susceptible particles 874(2000)131
- Fujimoto, C., Fujise, Y. and Kawaguchi, S.  
Macromolecular surfactant as a pseudo-stationary phase in micellar electrokinetic capillary chromatography 871(2000)415
- Fujinari, E., see Mohammad, A.A. 868(2000)121
- Fujinuma, K., see Takeba, K. 882(2000)99
- Fujise, Y., see Fujimoto, C. 871(2000)415
- Fujiwara, H., see Fukada, S. 898(2000)125
- Fujiwara, K., see Matsui, J. 889(2000)25
- Fukada, S. and Fujiwara, H.  
Comparison of chromatographic methods for hydrogen isotope separation by Pd beds 898(2000)125
- Fukusaki, E., see Shiraishi, T. 855(1999)337
- Fukushi, K., see Takeda, S. 895(2000)213
- Fukushi, K., see Timerbaev, A.R. 888(2000)309
- Fulde, K. and Frahm, A.W.  
Temperature-induced inversion of elution order in the enantioseparation of sotalol on a cellobiohydrolase I-based stationary phase 858(1999)33
- Fülöp, F., see Péter, M. 871(2000)115
- Funakubo, T., see Kakehi, K. 863(1999)205
- Funakubo, T., see Kinoshita, M. 866(2000)261
- Furey, A., see Draisci, R. 871(2000)13
- Furlanetto, S., see Gotti, R. 875(2000)411
- Furton, K.G., Almirall, J.R., Bi, M., Wang, J. and Wu, L.  
Application of solid-phase microextraction to the recovery of explosives and ignitable liquid residues from forensic specimens 885(2000)419
- Furton, K.G., Purnell, J.H. and Stedman, G.  
Gas chromatographic study of complexing in the system hydrazoic acid–tributyl phosphate–nitric acid–uranyl nitrate 859(1999)41
- Furukawa, M., see Ohta, K. 884(2000)123
- Furuno, M., see Sasano, R. 896(2000)41
- Furusawa, N.  
Simplified determining procedure for routine residue monitoring of sulphamethazine and sulphadimethoxine in milk 898(2000)185
- Furuta, N., see Zheng, J. 874(2000)55
- Fuselier, R., see Verdon, E. 882(2000)135
- Fuzzati, N., Gabetta, B., Jayakar, K., Pace, R. and Peterlongo, F.  
Liquid chromatography–electrospray mass spectrometric identification of ginsenosides in *Panax ginseng* roots 854(1999)69
- ## G
- Gäb, S., see Melchior, D. 894(2000)145
- Gabel-Jensen, C., see Pedersen-Bjerggaard, S. 897(2000)375
- Gaberc-Porekar, V., Menart, V., Jevševar, S., Vidensek, A. and Štalc, A.  
Histidines in affinity tags and surface clusters for immobilized metal-ion affinity chromatography of trimeric tumor necrosis factor  $\alpha$  852(1999)117
- Gabetta, B., see Fuzzati, N. 854(1999)69
- Gaboriaud, R., see Gaillon, L. 876(2000)169
- Gade, C., see Marchand, P. 867(2000)219
- Gäggeler, H.W., see Tenberken-Pöttsch, B. 871(2000)391
- Gagliardi, L.G., see González, F.R. 879(2000)157
- Gagnaire, V., see Léonil, J. 881(2000)1
- Gago Martínez, A., see Vetter, W. 886(2000)123
- Gago-Martinez, A., see James, K.J. 871(2000)1



- Gaillon, L., Cozette, S., Lelievre, J. and Gaboriaud, R.  
New pseudo-stationary phases for electrokinetic capillary chromatography. Complexes between bovine serum albumin and sodium dodecyl sulfate 876(2000)169
- Galanski, M., see Zenker, A. 852(1999)337
- Galassi, S. and Benfenati, E.  
Fractionation and toxicity evaluation of waste waters 889(2000)149
- Galassi, S., see Castellari, M. 888(2000)129
- Galceran, M., see Cancho, B. 897(2000)307
- Galceran, M.T., see Castro, R. 869(2000)441
- Galceran, M.T., see Jáuregui, O. 896(2000)125
- Galceran, M.T., see Ruiz-Calero, V. 873(2000)269
- Galceran, M.T., see Sarrion, M.N. 859(1999)159
- Galceran, M.T., see Sentellas, S. 888(2000)281
- Galceran, M.T., see Toribio, F. 869(2000)307
- Galceran, M.T., see Toribio, F. 880(2000)101
- Gale, R.W., see Petty, J.D. 879(2000)83
- Galensa, R., see Schultheiss, J. 880(2000)233
- Gallego, M., see Ballesteros, E. 869(2000)101
- Gallego, M., see Columé, A. 882(2000)193
- Gallego, M., see Crespín, M.A. 897(2000)279
- Galli, C.L., see Ventriglia, M. 857(1999)327
- Galli, V., Olmo, N. and Barbas, C.  
Development and validation of a capillary electrophoresis method for the measurement of short-chain organic acids in natural rubber latex 894(2000)135
- Galuszka, A., see Wilimowska-Pelc, A. 852(1999)227
- Gamba, V., see Dusi, G. 882(2000)79
- Gan, H.-Y., Shang, Z.-H. and Wang, J.-D.  
New affinity nylon membrane used for adsorption of  $\gamma$ -globulin 867(2000)161
- Gan, Y., see Li, B. 873(2000)175
- Gander, B., see Bunke, A. 883(2000)285
- Ganesan, R., see Dan, N. 891(2000)115
- Gangal, N.D., Bondre, S.S. and Ramanathan, P.S.  
Determination of some pesticides and intermediates by ion chromatography 884(2000)243
- Gao, J., see Zhang, X.-X. 895(2000)1
- Gao, S., see Wang, H.L. 870(2000)501
- Garavaglia, R.N., see Gettar, R.T. 884(2000)211
- García, A., see Barbas, C. 870(2000)97
- García, A., Heinänen, M., Jiménez, L.M. and Barbas, C.  
Direct measurement of homovanillic, vanillylmandelic and 5-hydroxyindoleacetic acids in urine by capillary electrophoresis 871(2000)341
- García, A., see Saavedra, L. 881(2000)395
- García, M.C., Marina, M.L. and Torre, M.  
Perfusion chromatography: an emergent technique for the analysis of food proteins (Review) 880(2000)169
- García, M.C., Marina, M.L. and Torre, M.  
Determination by perfusion reversed-phase high-performance liquid chromatography of the soybean protein content of commercial soybean products prepared directly from whole soybeans 881(2000)37
- García, M.C., Torre, M. and Marina, M.L.  
Characterization of commercial soybean products by conventional and perfusion reversed-phase high-performance liquid chromatography and multivariate analysis 881(2000)47
- García Montelongo, F.J., see Rodríguez-Delgado, M.A. 871(2000)427
- García, R., see Verma, S.P. 884(2000)317
- García-Alvarez-Coque, M.C., see Gil-Agustí, M. 866(2000)35
- García-Alvarez-Coque, M.C., see Vivó-Truyols, G. 876(2000)17
- García-Alvarez-Coque, M.C., see Torres-Lapasió, J.R. 886(2000)31
- García-Alvarez-Coque, M.C., see Carda-Broch, S. 893(2000)321
- García-Campaña, A.M., see Baeyens, W.R.G. 871(2000)153
- García-Carmona, F., see López-Nicolás, J.M. 859(1999)107
- García-Domínguez, J.A., see Quintanilla-López, J.E. 878(2000)125
- García-Ruiz, C., Torre, M. and Marina, M.L.  
Analysis of bovine whey proteins in soybean dairy-like products by capillary electrophoresis 859(1999)77
- Garguilo, M.G., Thomas, D.H., Anex, D.S. and Rakestraw, D.J.  
Laser-induced dispersed fluorescence detection of polycyclic aromatic compounds in soil extracts separated by capillary electrochromatography 883(2000)231
- Garke, G., see Anspach, F.B. 865(1999)129
- Garke, G., Radtschenko, I. and Anspach, F.B.  
Continuous-bed chromatography for the analysis and purification of recombinant human basic fibroblast growth factor 857(1999)137
- Garland, J.L., see Levine, L.H. 874(2000)207
- Garrel, C., see Peyrin, E. 886(2000)1
- Garrido Frenich, A., Egea González, F.J., Martínez Vidal, J.L., Parrilla Vázquez, P. and Mateu Sánchez, M.  
Determination of imidacloprid and its metabolite 6-chloronicotinic acid in greenhouse air by high-performance liquid chromatography with diode-array detection 869(2000)497
- Garrido Frenich, A., see Martínez Vidal, J.L. 867(2000)235
- Garrido Frenich, A., Torres-Lapasió, J.R., De Braekeleer, K., Massart, D.L., Martínez Vidal, J.L. and Martínez Galera, M.  
Application of several modified peak purity assays to real complex multicomponent mixtures by high-performance liquid chromatography with diode-array detection 855(1999)487
- Garrigós, M.C., see Reche, F. 896(2000)51
- Garrigós, M.C., Reche, F., Pernías, K. and Jiménez, A.  
Optimization of parameters for the analysis of aromatic amines in finger-paints 896(2000)291
- Garrison, A.W., see Wong, C.S. 866(2000)213
- Gas, B., see Maichel, B. 853(1999)121
- Gas, B., see Maichel, B. 894(2000)25
- Gasparrini, F., see Berthod, A. 897(2000)113
- Gasparrini, F., see D'Acquarica, I. 857(1999)145
- Gatta, M., see Casella, I.G. 878(2000)57
- Gaucheron, F. and Le Graet, Y.  
Determination of ammonium in milk and dairy products by ion chromatography 893(2000)133
- Gaudin, K., Lesellier, E., Chaminade, P., Ferrier, D., Baillet, A. and Tchaplá, A.  
Retention behaviour of ceramides in sub-critical fluid chromatography in comparison with non-aqueous reversed-phase liquid chromatography 883(2000)211

- Gaudin, K., see Zhou, J.Y. 859(1999)99
- Gautier, E.A., see Gettar, R.T. 855(1999)111
- Gautier, E.A., see Gettar, R.T. 884(2000)211
- Gavril, D., Katsanos, N.A. and Karaiskakis, G.  
Gas chromatographic kinetic study of carbon monoxide oxidation over platinum–rhodium alloy catalysts 852(1999)507
- Gawdzik, B. and Osypiuk, J.  
Reversed-phase high-performance liquid chromatography on porous copolymers of different chemical structure 898(2000)13
- Gázquez, D., see Romero, R. 871(2000)75
- Gebauer, B., Šimić, M., Branović, K., Treščec, A. and Benko, B.  
Ion-exchange chromatography separation of the detergent and the solvent from immunoglobulins after solvent–detergent treatment 852(1999)83
- Gebauer, B., see Treščec, A. 852(1999)87
- Gebauer, P., Pantůčková, P. and Boček, P.  
Capillary zone electrophoresis in phosphate buffer – known or unknown? 894(2000)89
- Gee, A.J., Groen, L.A. and Johnson, M.E.  
Erratum to: “Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection” [J. Chromatogr. 849 (1999) 541–552] 859(1999)119
- Geerdink, R.B., Kooistra-Sijpersma, A., Tiesnitsch, J., Kienhuis, P.G.M. and Brinkman, U.A.Th.  
Determination of polar pesticides with atmospheric pressure chemical ionisation mass spectrometry–mass spectrometry using methanol and/or acetonitrile for solid-phase desorption and gradient liquid chromatography 863(1999)147
- Gehring, A.P., see Yang, A. 878(2000)165
- Gehrke, M., Kapila, S. and Flanigan, V.  
Application of electron-attachment reactions to enhance selectivity of electron-capture detector for nitroaromatic explosives 877(2000)133
- Geiger, J., see Schrader, W. 864(1999)299
- Geilenkirchen, S., see Fernández-Lahore, H.M. 873(2000)195
- Geiser, F., Schultz, M., Betz, L., Shaimi, M., Lee, J. and Champion Jr., W.  
Direct, preparative enantioselective chromatography of propranolol hydrochloride and thioridazine hydrochloride using carbon dioxide-based mobile phases 865(1999)227
- Geiser, L., Cherkaoui, S. and Veuthey, J.-L.  
Simultaneous analysis of some amphetamine derivatives in urine by nonaqueous capillary electrophoresis coupled to electrospray ionization mass spectrometry 895(2000)111
- Gelfi, C., see Bossi, A. 853(1999)71
- Gelfi, C., see Castelletti, L. 894(2000)281
- Gelfi, C., see Herrero-Martínez, J.M. 878(2000)261
- Gelfi, C., see Magnusdóttir, S. 859(1999)87
- Gelfi, C., see Olivieri, E. 894(2000)273
- Gelfi, C., see Sebastiano, R. 894(2000)53
- Gelfi, C., see Stellwagen, N.C. 883(2000)267
- Gelfi, C., see Verzola, B. 868(2000)85
- Gelfi, C., see Verzola, B. 874(2000)293
- Gellerfors, P., see Karlsson, G. 855(1999)147
- Gelpi, E.  
Foreword 869(2000)1
- Gendreau, C.A., see O’Gara, J.E. 893(2000)245
- Geng, M., Ji, J. and Regnier, F.E.  
Signature-peptide approach to detecting proteins in complex mixtures 870(2000)295
- Genin, E., see Jeannot, R. 879(2000)51
- Gennaro, M.C., see Marengo, E. 863(1999)1
- Gentili, A., see Curini, R. 874(2000)187
- Genuit, W., see Schoenmakers, P.J. 892(2000)29
- Georgopoulos, D.E. and Leibowitz, M.J.  
Use of high-performance liquid chromatographic fractionation of large RNA molecules in the assay of group I intron ribozyme activity 868(2000)109
- Gerstner, Á., see Guttman, A. 894(2000)329
- Gettar, R.T., Garavaglia, R.N., Gautier, E.A. and Batistoni, D.A.  
Determination of inorganic and organic anionic arsenic species in water by ion chromatography coupled to hydride generation–inductively coupled plasma atomic emission spectrometry 884(2000)211
- Gettar, R.T., Gautier, E.A., Servant, R.E. and Batistoni, D.A.  
Eriochrome Black T as a post-column reagent for the ion chromatographic determination of rare earths 855(1999)111
- Giacobello, S., Storti, G. and Tola, G.  
Design of a simulated moving bed unit for sucrose–betaine separations 872(2000)23
- Giagnacovo, G., see Schaaf, O. 886(2000)89
- Gianotti, V., see Marengo, E. 863(1999)1
- Gibbins, B.M., see Goheen, S.C. 890(2000)73
- Giese, R.W.  
Electron–capture mass spectrometry: recent advances (Review) 892(2000)329
- Giese, T., see Depta, A. 865(1999)175
- Gigosos, P.G., Revesado, P.R., Cadahía, O., Fente, C.A., Vazquez, B.I., Franco, C.M. and Cepeda, A.  
Determination of quinolones in animal tissues and eggs by high-performance liquid chromatography with photodiode-array detection 871(2000)31
- Gil-Agustí, M., Torres-Lapasió, J.R., García-Alvarez-Coque, M.C. and Esteve-Romero, J.  
Comparison of the performance of butanol and pentanol as modifiers in the micellar chromatographic determination of some phenethylamines 866(2000)35
- Gilar, M. and Bouvier, E.S.P.  
Purification of crude DNA oligonucleotides by solid-phase extraction and reversed-phase high-performance liquid chromatography 890(2000)167
- Gilbert, A., see Rylatt, D.B. 865(1999)145
- Gill, T.A., see Indrasena, W.M. 855(1999)657
- Gillman, M., see James, K.J. 871(2000)1
- Gimbo, E., see de Oliveira, J.E. 852(1999)441
- Gimeno, E., Calero, E., Castellote, A.I., Lamuela-Raventós, R.M., De la Torre, M.C. and López-Sabater, M.C.  
Simultaneous determination of  $\alpha$ -tocopherol and  $\beta$ -carotene in olive oil by reversed-phase high-performance liquid chromatography 881(2000)255

- Gimeno, E., Castellote, A.I., Lamuela-Raventós, R.M., De la Torre, M.C. and López-Sabater, M.C.  
Rapid determination of vitamin E in vegetable oils by reversed-phase high-performance liquid chromatography 881(2000)251
- Gimeno, R.A., Beltrán, J.L., Marcé, R.M. and Borrull, F.  
Determination of naphthalenesulfonates in water by on-line ion-pair solid-phase extraction and ion-pair liquid chromatography with fast-scanning fluorescence detection 890(2000)289
- Giovannoli, C., see Baggiani, C. 883(2000)119
- Giovannoli, C., see Zerbini, O. 875(2000)423
- Giráldez, I., see Gómez-Ariza, J.L. 889(2000)33
- Girard, J.E., see Wei, Y. 864(1999)49
- Girard, M., see Pichette, A. 890(2000)127
- Giraudi, G., see Baggiani, C. 883(2000)119
- Girod, M., Chankvetadze, B. and Blaschke, G.  
Enantioseparations in non-aqueous capillary electrochromatography using polysaccharide type chiral stationary phases 887(2000)439
- Giroud, C., see Dienes-Nagy, A. 854(1999)109
- Giumanini, A.G., see Soják, L. 878(2000)235
- Glatz, Z., Marini, M.V., Wimmerová, M., Damborský, J. and Nagata, Y.  
Determination of haloalkane dehalogenase activity by capillary zone electrophoresis 895(2000)219
- Glatz, Z. and Mašláňová, H.  
Specific thiol determination by micellar electrokinetic chromatography and on-column detection reaction with 2,2'-dipyridyldisulfide 895(2000)179
- Gliszczynska-Świgło, A. and Koziołowa, A.  
Chromatographic determination of riboflavin and its derivatives in food 881(2000)285
- Goard, M.P., see Hadd, A.G. 894(2000)191
- Goesmann, F., see Szopa, C. 863(1999)157
- Goessler, W., see Divjak, B. 862(1999)39
- Goetzinger, W.K., see Felten, C. 853(1999)295
- Goga-Remont, S., Heinisch, S. and Rocca, J.L.  
Use of optimization software to determine rugged analysis conditions in high-performance liquid chromatography 868(2000)13
- Gogolas, G., see Clonis, Y.D. 891(2000)33
- Gogova, K., see Maichel, B. 894(2000)25
- Goheen, S.C. and Gibbins, B.M.  
Protein losses in ion-exchange and hydrophobic interaction high-performance liquid chromatography 890(2000)73
- Goheen, S.C., see Herbold, C.W. 863(1999)137
- Goicolea, M.A., see Sampedro, M.C. 893(2000)347
- Gokhale, S., see Jackson, P.E. 888(2000)151
- Gökmen, V., Kahraman, N., Demir, N. and Acar, J.  
Enzymatically validated liquid chromatographic method for the determination of ascorbic and dehydroascorbic acids in fruit and vegetables 881(2000)309
- Goldberg, D.M., see Soleas, G.J. 882(2000)205
- Gomes, P., see Borrego, C. 889(2000)271
- Gómez de Balugera, Z., see Sampedro, M.C. 893(2000)347
- Gomez, F.A., see Zhang, Y. 897(2000)339
- Gómez, L.A., see del Nozal, M<sup>a</sup>.J. 881(2000)629
- Gómez-Ariza, J.L., Sánchez-Rodas, D., Caro de la Torre, M.A., Giráldez, I. and Morales, E.  
Column-switching system for selenium speciation by coupling reversed-phase and ion-exchange high-performance liquid chromatography with microwave-assisted digestion–hydride generation–atomic fluorescence spectrometry 889(2000)33
- Gómez-Parra, A., see León, V.M. 889(2000)211
- Gómez-Parra, A., see Sáez, M. 889(2000)99
- Gómez-Serranillos, M.P., see Palomino, O. 870(2000)449
- Gomis, D.B., Fernández, M.P. and Gutiérrez Alvarez, M.  
Simultaneous determination of fat-soluble vitamins and provitamins in milk by microcolumn liquid chromatography 891(2000)109
- Gondkar, S., see Pai, A. 867(2000)113
- Gong, Z., Zhang, Y., Zhang, H. and Cheng, J.  
Capillary electrophoresis separation and permanganate chemiluminescence on-line detection of some alkaloids with  $\beta$ -cyclodextrin as an additive 855(1999)329
- González, A.M. and Uden, P.C.  
Optimization and evaluation of atomic emission gas chromatographic detection for nitrogen using the 388 nm molecular emission spectral band 898(2000)201
- González, F.R.  
Interpreting the gas chromatographic retention of *n*-alkanes 873(2000)209
- Gonzalez, F.R., Alessandrini, J.L. and Nardillo, A.M.  
Revision of a theoretical expression for gas–liquid chromatographic retention 852(1999)583
- González, F.R. and Gagliardi, L.G.  
Distribution coefficients of *n*-alkanes measured on wall-coated capillary columns 879(2000)157
- González, G., see Pazourek, J. 874(2000)111
- González, G., see Rodríguez-Delgado, M.A. 871(2000)427
- González, J.C., Leira, F., Vieytes, M.R., Vieites, J.M., Botana, A.M. and Botana, L.M.  
Development and validation of a high-performance liquid chromatographic method using fluorimetric detection for the determination of the diarrhetic shellfish poisoning toxin okadaic acid without chlorinated solvents 876(2000)117
- González Maza, I., see Delgado-Zamarreño, M.M. 871(2000)403
- González, M.C., see Escarpa, A. 897(2000)161
- González, V., see Pino, V. 869(2000)515
- González-Barreiro, C., Lores, M., Casais, M.C. and Cela, R.  
Optimisation of alachlor solid-phase microextraction from water samples using experimental design 896(2000)373
- González-Bravo, L., Marrero-Delange, D. and González-Guevara, J.L.  
Group method approach to the estimation of response factors of unavailable substances in quantitative gas chromatography 888(2000)159
- González-Guevara, J.L., see González-Bravo, L. 888(2000)159
- González-Mazo, E., see Castillo, M. 889(2000)195
- González-Mazo, E., see León, V.M. 889(2000)211
- González-Mazo, E., see Sáez, M. 889(2000)99

- González-Toledo, E., Compañó, R., Granados, M. and Prat, M.D.  
Determination of butyltin and phenyltin species by reversed-phase liquid chromatography and fluorimetric detection 878(2000)69
- Gonzalo, A., see Muraviev, D. 867(2000)57
- Gonzalo, A., see Muraviev, D. 868(2000)143
- Goodall, D.M., see Evans, C.S. 897(2000)399
- Goodell, H.P., see Trone, M.D. 888(2000)229
- Goodwin, K.R., see Schmerr, M.J. 853(1999)207
- Gooijer, C., see Somsen, G.W. 856(1999)213
- Gorbunov, A., see Trathnigg, B. 890(2000)195
- Górecki, T., see Segal, A. 873(2000)13
- Goretti, G., see Russo, M.V. 871(2000)279
- Görgen, S., see Kamal-Eldin, A. 881(2000)217
- Goss, C.A., Morgan, D.G., Harbol, K.L., Holmes, T.J. and Cook, J.  
Case of enantiomer impurity identification by normal-phase chiral high-performance liquid chromatography with optical rotation and mass spectrometric detection 878(2000)35
- Gotti, R., Furlanetto, S., Andrisano, V., Cavrini, V. and Pinzauti, S.  
Design of experiments for capillary electrophoretic enantioresolution of salbutamol using dermatan sulfate 875(2000)411
- Gou, Y., Eisert, R. and Pawliszyn, J.  
Automated in-tube solid-phase microextraction–high-performance liquid chromatography for carbamate pesticide analysis 873(2000)137
- Grabanski, C.B., see Hawthorne, S.B. 886(2000)237
- Grabanski, C.B., see Hawthorne, S.B. 892(2000)421
- Granados, M., see González-Toledo, E. 878(2000)69
- Grančai, D., see Romanová, D. 870(2000)463
- Grard, S., Elfakir, C. and Dreux, M.  
Characterization of sulfoethyl ether- $\beta$ -cyclodextrin mixtures by anion-exchange chromatography using evaporative light scattering detection 897(2000)185
- Grasserbauer, M., see Haberhauer-Troyer, C. 852(1999)589
- Grasserbauer, M., see Letzel, T. 855(1999)501
- Grasserbauer, M., see Wissiack, R. 896(2000)159
- Graumann, K., see Feng, W. 852(1999)161
- Greco, N., see Saenko, E. 852(1999)59
- Greco, N., see Saenko, E. 872(2000)323
- Green, C.E. and Abraham, M.H.  
Investigation into the effects of temperature and stirring rate on the solid-phase extraction of diuron from water using a C<sub>18</sub> extraction disk (Review) 885(2000)41
- Green, C.E., see Hettiarachchi, K. 895(2000)87
- Greenfield, H., see Hutabarat, L.S. 886(2000)55
- Grefslie Uglund, H., see Rasmussen, K.E. 873(2000)3
- Greibrokk, T., see Bruheim, I. 868(2000)261
- Greibrokk, T., see Halvorsen, B.L. 880(2000)121
- Greibrokk, T., see Molander, P. 864(1999)103
- Greibrokk, T., see Molander, P. 892(2000)67
- Greibrokk, T., see Roed, L. 890(2000)347
- Greibrokk, T., see Trones, R. 874(2000)65
- Gremaud, E., see Guy, P.A. 883(2000)89
- Grenier Loustalot, M.-F., see Vandenabeele-Trambouze, O. 894(2000)259
- Greschonig, H., see Raber, G. 890(2000)355
- Grether, M.T., see Pylypiw Jr., H.M. 883(2000)299
- Griffin, S., Wyllie, S.G. and Markham, J.  
Determination of octanol–water partition coefficient for terpenoids using reversed-phase high-performance liquid chromatography 864(1999)221
- Grill, C.M., see Quiñones, I. 867(2000)1
- Grimes, B.A., see Liapis, A.I. 877(2000)181
- Grimes, B.A., Meyers, J.J. and Liapis, A.I.  
Determination of the intraparticle electroosmotic volumetric flow-rate, velocity and Peclet number in capillary electrochromatography from pore network theory 890(2000)61
- Grimsrud, E.P., see Hughes, R.A. 852(1999)535
- Gritti, F., Félix, G., Achard, M.-F. and Hardouin, F.  
Investigation of the nematic–isotropic transition of a liquid crystalline polymer and determination of molecular diffusion coefficients using gas chromatography 893(2000)359
- Gritti, F., Félix, G., Achard, M.F. and Hardouin, F.  
Laterally attached liquid crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. II. Optimization of the molecular parameter of the polymer 897(2000)131
- Grob, K.  
Efficiency through combining high-performance liquid chromatography and high resolution gas chromatography: progress 1995–1999 (Review) 892(2000)407
- Grob, K. and Biedermann, M.  
Video-taped sample evaporation in hot chambers simulating gas chromatography split/splitless injectors. I. Thermospray injection 897(2000)237
- Grob, K. and Biedermann, M.  
Video-taped sample evaporation in hot chambers simulating gas chromatography split and splitless injectors. II. Injection with band formation 897(2000)247
- Grob, K., see Pocerull, E. 876(2000)135
- Groen, L.A., see Gee, A.J. 859(1999)119
- Grønhaug, T., see Rasmussen, K.E. 873(2000)3
- Grosche, O., Bohrisch, J., Wendler, U., Jaeger, W. and Engelhardt, H.  
Characterization of synthetic polyelectrolytes by capillary electrophoresis 894(2000)105
- Grosset, C., see Peyrin, E. 886(2000)1
- Grün, M., see Unger, K.K. 892(2000)47
- Grünefeld, G., see Soetebeer, U.B. 895(2000)147
- Gu, L., see Chen, J. 853(1999)197
- Gu, X., Chu, Q., O'Dwyer, M. and Zeece, M.  
Analysis of resveratrol in wine by capillary electrophoresis 881(2000)471
- Guamis, B., see Trujillo, A.-J. 870(2000)371
- Guan, H.-S., see Liu, Y. 884(2000)105
- Guasch, J., see Jornet, D. 882(2000)29
- Guasch, J., see Mestres, M. 881(2000)569
- Guasch, J., see Mestres, M. 881(2000)583
- Guasch, J., see Sala, C. 880(2000)93
- Gubenšek, F., see Leonardi, A. 852(1999)237
- Gübitz, G., see Schmid, M.G. 875(2000)307
- Guček, M., see Novič, M. 868(2000)135
- Guermouche, M.H., see Judeinstein, P. 859(1999)59
- Guerrero, J.A., see Riu, J. 889(2000)221

- Guerrero, M.R., see Valenzuela, M.T. 871(2000)321
- Guerret, M., see Blanchet, M. 854(1999)93
- Guillaume, Y.C., see Peyrin, E. 886(2000)1
- Guillochon, D., see Froidevaux, R. 873(2000)185
- Guiochon, G.  
 On the need to retain unregulated choice of high-performance liquid chromatography columns 852(1999)603
- Guiochon G.  
 Foreword 865(1999)1
- Guiochon, G., see Broyles, B.S. 855(1999)367
- Guiochon, G., see Broyles, B.S. 867(2000)71
- Guiochon, G., see Chen, Y. 873(2000)163
- Guiochon, G., see Cherrak, D.E. 877(2000)109
- Guiochon, G., see Kele, M. 855(1999)423
- Guiochon, G., see Kele, M. 869(2000)181
- Guiochon, G., see Khattabi, S. 877(2000)95
- Guiochon, G., see Khattabi, S. 893(2000)307
- Guiochon, G., see Miyabe, K. 857(1999)69
- Guiochon, G., see Miyabe, K. 866(2000)147
- Guiochon, G., see Miyabe, K. 872(2000)1
- Guiochon, G., see Miyabe, K. 890(2000)211
- Guiochon, G., see Miyabe, K. 891(2000)217
- Guiochon, G., see Quiñones, I. 867(2000)1
- Guiochon, G., see Quiñones, I. 877(2000)1
- Guiochon, G., see Shalliker, R.A. 865(1999)73
- Guiochon, G., see Shalliker, R.A. 865(1999)83
- Guiochon, G., see Shalliker, R.A. 878(2000)153
- Guiochon, G., see Shalliker, R.A. 888(2000)1
- Gunatilleka, A.D., see Poole, C.F. 885(2000)17
- Guo, B., see Wang, H.L. 870(2000)501
- Guo, M., see Várady, L. 869(2000)171
- Guo, Q., see Detroyer, A. 897(2000)23
- Gurdale, K., Lesellier, E. and Tchaplá, A.  
 Study of dead volume measurement in packed subcritical fluid chromatography with ODS columns and carbon dioxide-modifier mobile phases 866(2000)241
- Gusev, I., Huang, X. and Horváth, Cs.  
 Capillary columns with in situ formed porous monolithic packing for micro high-performance liquid chromatography and capillary electrochromatography 855(1999)273
- Gustavson, K.E., DeVita, W.M., Revis, A. and Harkin, J.M.  
 Novel use of a dual-zone restricted access sorbent: normal-phase solid-phase extraction separation of methyl oleate from polynuclear aromatic hydrocarbons stemming from semi-permeable membrane devices 883(2000)143
- Gustavsson, P.-E., see Pålsson, E. 878(2000)17
- Gustavsson, S.Å., see Forngren, B.H. 854(1999)155
- Gutiérrez, A., see del Río, J.C. 874(2000)235
- Gutiérrez Alvarez, M., see Gomis, D.B. 891(2000)109
- Gutiérrez, Y., see Estrada, E. 858(1999)187
- Gutiérrez-González, A., see Dávila-Jiménez, M.M. 889(2000)253
- Guttman, A., see Lengyel, T. 853(1999)511
- Guttman, A., see Lengyel, T. 853(1999)519
- Guttman, A., Lengyel, T., Szoke, M. and Sasvari-Szekely, M.  
 Ultra-thin-layer agarose gel electrophoresis. II. Separation of DNA fragments on composite agarose-linear polymer matrices 871(2000)289
- Guttman, A., Rónai, Z., Csapó, Z., Gerstner, Á. and Sasvári-Szekely, M.  
 Rapid analysis of covalently and non-covalently fluorophore-labeled proteins using ultra-thin-layer sodium dodecylsulfate gel electrophoresis 894(2000)329
- Gutzki, F.-M., see Tsikas, D. 885(2000)351
- Guy, P.A., Gremaud, E., Richoz, J. and Turesky, R.J.  
 Quantitative analysis of mutagenic heterocyclic aromatic amines in cooked meat using liquid chromatography-atmospheric pressure chemical ionisation tandem mass spectrometry 883(2000)89
- Guyonnet, V., Tluscik, F., Long, P.L., Polanowski, A. and Travis, J.  
 Purification and partial characterization of the pancreatic proteolytic enzymes trypsin, chymotrypsin and elastase from the chicken 852(1999)217
- Guyot, J.-P., see Talamond, P. 871(2000)7
- Guzmán Bernardo, F.J., see Berzas Nevado, J.J. 870(2000)169
- Gyllenhaal, O., Karlsson, A. and Vessman, J.  
 Packed-column supercritical fluid chromatography for the purity analysis of clevidipine, a new dihydropyridine drug 862(1999)95
- ## H
- Ha, D., see Kim, K.-R. 874(2000)91
- Ha, D., see Kim, K.-R. 891(2000)257
- Haag, H., see Potterat, O. 872(2000)85
- Haber, P., see Dolan, J.W. 857(1999)41
- Haberhauer-Troyer, C., Rosenberg, E. and Grasserbauer, M.  
 Investigation of membrane dryers and evaluation of a new ozone scrubbing material for the sampling of organosulphur compounds in air 852(1999)589
- Hada, M., Takino, M., Yamagami, T., Daishima, S. and Yamaguchi, K.  
 Trace analysis of pesticide residues in water by high-speed narrow-bore capillary gas chromatography-mass spectrometry with programmable temperature vaporizer 874(2000)81
- Hadaruga, M., see Cimpan, G. 869(2000)49
- Hadd, A.G., Goard, M.P., Rank, D.R. and Jovanovich, S.B.  
 Sub-microliter DNA sequencing for capillary array electrophoresis 894(2000)191
- Haddad, P.R., see Breadmore, M.C. 892(2000)303
- Haddad, P.R., Doble, P. and Macka, M.  
 Developments in sample preparation and separation techniques for the determination of inorganic ions by ion chromatography and capillary electrophoresis (Review) 856(1999)145
- Haddad, P.R., see Harakuwe, A.H. 863(1999)81
- Haddad, P.R., see Hilder, E.F. 890(2000)337

- Haddad, P.R., see Hu, W. 884(2000)161
- Haddad, P.R., see Klampfl, C.W. 881(2000)357
- Haddad, P.R., see Klampfl, C.W. 884(2000)277
- Haddad, P.R., see Klampfl, C.W. 888(2000)267
- Haddad, P.R., see Macka, M. 884(2000)287
- Haddad, P.R., see O'Reilly, J. 884(2000)61
- Haddad, P.R., see Tanaka, K. 884(2000)167
- Haddad, P.R., see Vachirapatama, N. 885(2000)369
- Haddadian, F., Billiot, E.J., Shamsi, S.A. and Warner, I.M.  
Chiral separations using polymeric dipeptide surfactants:  
effect of number of chiral centers and steric factors  
858(1999)219
- Hage, D.S., see Clarke, W. 888(2000)13
- Haginaka, J.  
Enantiomer separation of drugs by capillary electrophoresis  
using proteins as chiral selectors (Review) 875(2000)235
- Haginaka, J., Kagawa, C. and Matsunaga, H.  
Separation of enantiomers on a chiral stationary phase  
based on ovoglycoprotein. VII. Comparison of chiral  
recognition ability of ovoglycoprotein from chicken and  
Japanese quail egg whites 858(1999)155
- Haginaka, J., Sanbe, H. and Takehira, H.  
Uniform-sized molecularly imprinted polymer for (*S*)-  
ibuprofen. Retention properties in aqueous mobile phases  
857(1999)117
- Haginaka, J., see Tsukamoto, T. 864(1999)163
- Haglund, P., see Lundstedt, S. 883(2000)151
- Hahn, R., see Feng, W. 852(1999)161
- Hahn, W., see Seiler, P. 852(1999)273
- Haig, T., see Wu, H. 864(1999)315
- Haji Sabli, N.B., see Jinno, K. 887(2000)479
- Hajós, P., see Sarzanini, C. 867(2000)131
- Haj-Yehia, A.I., see Assaf, P. 869(2000)243
- Haj-Yehia, A.I., Assaf, P., Nassar, T. and Katzhendler, J.  
Determination of lipoic acid and dihydrolipoic acid in  
human plasma and urine by high-performance liquid  
chromatography with fluorimetric detection 870(2000)381
- Haken, J.K.  
Size Exclusion Chromatography (by S. Mori and H.G.  
Barth) 877(2000)239
- Haken, J.K.  
Analytical Pyrolysis of Natural Organic Polymers (by S.C.  
Moldoreanu) 877(2000)241
- Hallgren, E.  
Prediction of protein retention at gradient elution conditions  
in ion-exchange chromatography 852(1999)351
- Hallgren, E., Kálmán, F., Farnan, D., Horváth, Cs. and  
Ståhlberg, J.  
Protein retention in ion-exchange chromatography: effect of  
net charge and charge distribution 877(2000)13
- Halstead, J.A., Edwards, J., Soracco, R.J. and Armstrong, R.W.  
Potential for chlorate interference in ion chromatographic  
determination of total nitrogen in natural waters following  
alkaline persulfate digestion 857(1999)337
- Halvorsen, B.L., Thomsen, C., Greibrokk, T. and Lundanes, E.  
Determination of fenpyroximate in apples by supercritical  
fluid extraction and packed capillary liquid chromatography  
with UV detection 880(2000)121
- Hamada, T., see Sasano, R. 896(2000)41
- Hamazono, T., see Yanagida, A. 890(2000)251
- Hamdan, M., see Bossi, A. 853(1999)71
- Hamdan, M., see Magnusdottir, S. 859(1999)87
- Hamir, A.N., see Schmerl, M.J. 853(1999)207
- Hammond, D.J., see Kaufman, D.B. 874(2000)21
- Han, H., see Wang, Z. 893(2000)157
- Han, S.C., see Hyun, M.H. 868(2000)31
- Han, S.-J., see Jin, Y.-R. 888(2000)137
- Hancock, W., see Choudhary, G. 857(1999)183
- Hancock, W., see Choudhary, G. 887(2000)85
- Händel, H., see Wegmann, J. 883(2000)27
- Handley, A., see Ludlow, M. 857(1999)89
- Hanna, M., Simpson, C. and Perrett, D.  
Novel three-dimensional capillary electrophoresis system  
for complex and trace analysis 894(2000)117
- Hansson, G.C., see Thomsson, K.A. 854(1999)131
- Hara, S., Katta, V. and Lu, H.S.  
Peptide map procedure using immobilized protease  
cartridges in tandem for disulfide linkage identification of  
*neu* differentiation factor epidermal growth factor domain  
867(2000)151
- Hara, Y., see Aucamp, J.P. 876(2000)235
- Harakuwe, A.H., Haddad, P.R. and Davies, N.W.  
Effect of drying on the degradation of cationic surfactants  
and separation performance in capillary zone  
electrophoresis of inorganic anions 863(1999)81
- Harbeck, C., see Ulber, R. 882(2000)329
- Harbol, K.L., see Goss, C.A. 878(2000)35
- Hardouin, F., see Gritti, F. 893(2000)359
- Hardouin, F., see Gritti, F. 897(2000)131
- Harkin, J.M., see Gustavson, K.E. 883(2000)143
- Harnois, J., see Ng, L.-K. 873(2000)29
- Harper, M.  
Sorbent trapping of volatile organic compounds from air  
(Review) 885(2000)129
- Harradine, K., see Fitzpatrick, L.J. 873(2000)287
- Harradine, K., see Fitzpatrick, L.J. 874(2000)257
- Harsch, A., see Andrews, C.L. 856(1999)515
- Hartig, C., Storm, T. and Jekel, M.  
Detection and identification of sulphonamide drugs in  
municipal waste water by liquid chromatography coupled  
with electrospray ionisation tandem mass spectrometry  
854(1999)163
- Hartmann, R., see Anspach, F.B. 865(1999)129
- Hartonen, K., see Suomi, J. 868(2000)73
- Hasebe, K., see Hu, W. 884(2000)161
- Hasebe, K., see Tanaka, K. 884(2000)167
- Hashimoto, M., Tsukagoshi, K., Nakajima, R. and Kondo, K.  
Chemiluminescence detection of heme proteins separated  
by capillary isoelectric focusing 852(1999)597
- Hashimoto, M., Tsukagoshi, K., Nakajima, R., Kondo, K. and  
Arai, A.  
Microchip capillary electrophoresis using on-line  
chemiluminescence detection 867(2000)271
- Hasselmann, C., see Horvatovich, P. 897(2000)259
- Hasselmann, C., see Ndiaye, B. 858(1999)109
- Hathi, P., see Levison, P.R. 865(1999)3
- Hathi, P., see Levison, P.R. 890(2000)45
- Hau, J., Riediker, S., Varga, N. and Stadler, R.H.  
Determination of the plant growth regulator chlormequat in  
food by liquid chromatography–electrospray ionisation  
tandem mass spectrometry 878(2000)77

- Haugland, K., see Molander, P. 864(1999)103  
Haugland, K., see Molander, P. 892(2000)67  
Haukioja, E., see Salminen, J.-P. 864(1999)283  
Haumann, I., Boden, J., Mainka, A. and Jegle, U.  
Simultaneous determination of inorganic anions and cations  
by capillary electrophoresis with indirect UV detection  
895(2000)269  
Haupt, K., see Brüggemann, O. 889(2000)15  
Haustein, M., see Hund, E. 874(2000)167  
Haustraete, J., see Baeyens, W.R.G. 871(2000)153  
Hautman, D.P., see Wagner, H.P. 882(2000)309  
Hautman, D.P., see Wagner, H.P. 884(2000)201  
Hautojärvi, A., see Hiissa, T. 853(1999)403  
Havel, J., see Pazourek, J. 874(2000)111  
Havel, J., see Pokorná, L. 895(2000)345  
Havel, K., Prittis, K. and Wielgos, T.  
Quantitation of oxidized and reduced glutathione in plasma  
by micellar electrokinetic capillary electrophoresis  
853(1999)215  
Hawari, J., see Rhofir, C. 873(2000)53  
Hawryl, M.A., Soczewinski, E. and Dzido, T.H.  
Separation of coumarins from *Archangelica officinalis* in  
high-performance liquid chromatography and thin-layer  
chromatography systems 886(2000)75  
Hawthorne, S.B., Grabanski, C.B., Martin, E. and Miller, D.J.  
Comparisons of Soxhlet extraction, pressurized liquid  
extraction, supercritical fluid extraction and subcritical  
water extraction for environmental solids: recovery,  
selectivity and effects on sample matrix 892(2000)421  
Hawthorne, S.B., Trembley, S., Moniot, C.L., Grabanski, C.B.  
and Miller, D.J.  
Static subcritical water extraction with simultaneous solid-  
phase extraction for determining polycyclic aromatic  
hydrocarbons on environmental solids 886(2000)237  
Hayakawa, T., see Kinoshita, M. 866(2000)261  
Hayashibara, H., see Otsuka, K. 853(1999)413  
Hayes, T., see Kaufman, D.B. 874(2000)21  
He, B., Ji, J. and Regnier, F.E.  
Capillary electrochromatography of peptides in a  
microfabricated system 853(1999)257  
He, C., see Cui, H. 855(1999)171  
He, P., see Li, B. 873(2000)175  
He, X.-G.  
On-line identification of phytochemical constituents in  
botanical extracts by combined high-performance liquid  
chromatographic–diode array detection–mass spectrometric  
techniques (Review) 880(2000)203  
He, X.-G., see Lin, L.-Z. 876(2000)87  
He, Y., Pang, H.-M. and Yeung, E.S.  
Integrated electroosmotically-driven on-line sample  
purification system for nanoliter DNA sequencing by  
capillary electrophoresis 894(2000)179  
He, Y., Wang, Y. and Lee, H.K.  
Trace analysis of ten chlorinated benzenes in water by  
headspace solid-phase microextraction 874(2000)149  
He, Y.-Z., see Cao, C.-X. 891(2000)337  
Headley, J.V., Peru, K.M. and Dickson, L.C.  
Gas chromatographic–mass spectrometric determination of  
sulfolane in wetland vegetation exposed to sour gas-  
contaminated groundwater 859(1999)69  
Hearn, M.T.W., see Chaouk, H. 852(1999)105  
Hearn, M.T.W., see Kronina, V.V. 852(1999)261  
Hearn, M.T.W., see Purcell, A.W. 852(1999)43  
Hearn, M.T.W., see Sitaram, B.R. 857(1999)263  
Hearn, M.T.W., see Walhagen, K. 853(1999)263  
Hearn, M.T.W., see Walhagen, K. 887(2000)165  
Hearn, M.T.W., see Walhagen, K. 893(2000)401  
Hearn, M.T.W., see Walhagen, K. 894(2000)35  
Hearn, M.T.W., see Zachariou, M. 890(2000)95  
Hedeland, M., Holmin, S., Nygård, M. and Pettersson, C.  
Chromatographic evaluation of structure selective and  
enantioselective retention of amines and acids on  
cellobiohydrolase I wild type and its mutant D214N  
864(1999)1  
Heegaard, N.H.H.  
Microscale characterization of the structure–activity  
relationship of a heparin-binding glycopeptide using affinity  
capillary electrophoresis and immobilized enzymes  
853(1999)189  
Heegaard, N.H.H., Sen, J.W. and Nissen, M.H.  
Congophilicity (Congo red affinity) of different  $\beta_2$ -  
microglobulin conformations characterized by dye affinity  
capillary electrophoresis 894(2000)319  
Heftmann, E.  
Foreword 880(2000)1  
Hegna, D.R., see Molander, P. 864(1999)103  
Hegna, D.R., see Trones, R. 874(2000)65  
Heinänen, M., see García, A. 871(2000)341  
Heinig, K., see Hissner, F. 853(1999)497  
Heinisch, S., see Goga-Remont, S. 868(2000)13  
Heinrich, F., see Strobel, M. 898(2000)179  
Heinze, T.M., see Liu, F.F. 888(2000)85  
Hellenbrand, J., see Mengerink, Y. 876(2000)37  
Hellenbrand, J., see Mengerink, Y. 878(2000)45  
Helsen, M., see Sas, B. 864(1999)179  
Hempel, G., see Wessel, T. 894(2000)157  
Hennion, M.-C.  
Solid-phase extraction: method development, sorbents, and  
coupling with liquid chromatography (Review) 856(1999)3  
Hennion, M.C., see Miège, C. 859(1999)29  
Hennion, M.-C.  
Graphitized carbons for solid-phase extraction (Review)  
885(2000)73  
Henriksson, H., Muñoz, I.G., Isaksson, R., Pettersson, G. and  
Johansson, G.  
Cellobiohydrolase 58 (P.c. Cel 7D) is complementary to  
the homologous CBH I (T.r. Cel 7A) in enantioseparations  
898(2000)63  
Henriksson, H., Pettersson, G. and Johansson, G.  
Discrimination between enantioselective and non-selective  
binding sites on cellobiohydrolase-based stationary phases  
by site specific competing ligands 857(1999)107  
Henry III, C.W., Shamsi, S.A. and Warner, I.M.  
Separation of natural pyrethrum extracts using micellar  
electrokinetic chromatography 863(1999)89  
Henry, M.P., see Ratnayake, C.K. 887(2000)277  
Her, G.R., see Chang, C.C. 893(2000)169  
Her, G.R., see Chen, Y.R. 866(2000)273

- Herbold, C.W., Miller, J.H. and Goheen, S.C.  
Cytochrome *c* unfolding on an anionic surface  
863(1999)137
- Herbreteau, B., see Salvador, A. 855(1999)645
- Herget, J., see Mikšik, I. 852(1999)245
- Herlt, T., see Ryan, D. 855(1999)529
- Hermida, L.G., see Lucangioli, S.E. 871(2000)207
- Hernández, F., see Beltran, J. 885(2000)389
- Hernández, F., see Serrano, R. 855(1999)633
- Hernández-Cassou, S., see Hernando, D. 859(1999)227
- Hernández-Cassou, S., see Latorre, R.M. 871(2000)331
- Hernández-Córdoba, M., see Viñas, P. 871(2000)85
- Hernández-Méndez, J., see Carabias-Martínez, R.  
869(2000)427
- Hernández-Méndez, J., see Carabias-Martínez, R.  
869(2000)451
- Hernández-Méndez, J., see Delgado-Zamarreño, M.M.  
871(2000)403
- Hernández-Méndez, J., see Sánchez-Pérez, A. 881(2000)229
- Hernández-Orte, P., see Ferreira, V. 864(1999)77
- Hernando, D., Saurina, J. and Hernández-Cassou, S.  
Liquid chromatographic determination of aniline in table-  
top sweeteners based on pre-column derivatization with  
1,2-naphthoquinone-4-sulfonate 859(1999)227
- Hernando, M.D., see Agüera, A. 889(2000)261
- Herráez Hernández, R., see Campíns Falcó, P. 852(1999)361
- Herráez-Hernández, R. and Campíns-Falcó, P.  
Derivatization of ephedrine with *o*-phthalaldehyde for  
liquid chromatography after treatment with sodium  
hypochlorite 893(2000)69
- Herraiz, T.  
Analysis of tetrahydro- $\beta$ -carboline-3-carboxylic acids in  
foods by solid-phase extraction and reversed-phase high-  
performance liquid chromatography combined with  
fluorescence detection 871(2000)23
- Herraiz, T.  
Analysis of the bioactive alkaloids tetrahydro- $\beta$ -carboline  
and  $\beta$ -carboline in food 881(2000)483
- Herrero-Martínez, J.M., Simó-Alfonso, E.F., Ramis-Ramos, G.,  
Gelfi, C. and Righetti, P.G.  
Determination of cow's milk in non-bovine and mixed  
cheeses by capillary electrophoresis of whey proteins in  
acidic isoelectric buffers 878(2000)261
- Herrero-Martínez, J.M., Simó-Alfonso, E.F., Mongay-Fernández,  
C. and Ramis-Ramos, G.  
Determination of cationic surfactants by capillary zone  
electrophoresis and micellar electrokinetic chromatography  
with deoxycholate micelles in the presence of large organic  
solvent concentrations 895(2000)227
- Herten, D.-P., see Neumann, M. 871(2000)299
- Hettiarachchi, K., Green, C.E., Ridge, S., Wu, B., Catz, P. and  
Salem, M.A.  
Analysis of 2 $\beta$ -carbomethoxy-3 $\beta$ -(4-fluorophenyl)-*N*-  
(3-iodo-*E*-allyl)nortropane in rat plasma. I. Method  
development and validation by capillary electrophoresis  
895(2000)87
- Heuer, C., see Küsters, E. 874(2000)155
- Heusinkveld, H.A.G., see Hogendoorn, E.A. 858(1999)45
- Heusinkveld, H.A.G., see Molins, C. 869(2000)487
- Hibara, A., see Tanaka, Y. 894(2000)45
- Higes, M., see Bernal, J.L. 882(2000)239
- Higes, M., see del Nozal, M.<sup>a</sup>.J. 881(2000)629
- Higes, M., see Jiménez, J.J. 871(2000)67
- Hiissa, T., Sirén, H., Kotiaho, T., Snellman, M. and Hautojärvi,  
A.  
Quantification of anions and cations in environmental water  
samples. Measurements with capillary electrophoresis and  
indirect-UV detection 853(1999)403
- Hiissa, T., see Sirén, H. 895(2000)189
- Hilder, E.F., see Klampfl, C.W. 888(2000)267
- Hilder, E.F., Klampfl, C.W. and Haddad, P.R.  
Pressurized-flow anion-exchange capillary  
electrochromatography using a polymeric ion-exchange  
stationary phase 890(2000)337
- Hilhorst, M.J., Somsen, G.W. and De Jong, G.J.  
Capillary electrochromatography of basic compounds using  
octadecyl-silica stationary phases with an amine-containing  
mobile phase 872(2000)315
- Hilhorst, M.J., see van Zomeren, P.V. 867(2000)247
- Hill, D.W., see Dolan, J.W. 857(1999)1
- Hill, D.W., see Dolan, J.W. 857(1999)21
- Hill, P.G. and Smith, R.M.  
Determination of sulphur compounds in beer using  
headspace solid-phase microextraction and gas  
chromatographic analysis with pulsed flame photometric  
detection 872(2000)203
- Hill, S.J., see Shaw, M.J. 876(2000)127
- Hillaert, S. and Van den Bossche, W.  
Optimization of capillary electrophoretic separation of  
several inhibitors of the angiotensin-converting enzyme  
895(2000)33
- Hillang, I., see Porsch, B. 872(2000)91
- Hilmi, A., see Luong, J.H.T. 864(1999)323
- Hinsmann, P., Arce, L., Ríos, A. and Valcárcel, M.  
Determination of pesticides in waters by automatic on-line  
solid-phase extraction–capillary electrophoresis  
866(2000)137
- Hirabayashi, J., Arata, Y. and Kasai, K.-i.  
Reinforcement of frontal affinity chromatography for  
effective analysis of lectin–oligosaccharide interactions  
890(2000)261
- Hirabayashi, J. and Kasai, K.-i.  
Effects of DNA topology, temperature and solvent viscosity  
on DNA retardation in slalom chromatography  
893(2000)115
- Hiraoka, A., Tominaga, I. and Hori, K.  
Sodium dodecylsulfate capillary gel electrophoretic  
measurement of the concentration ratios of albumin and  
 $\alpha_2$ -macroglobulin in cerebrospinal fluid and serum of  
patients with neurological disorders 895(2000)339
- Hiratani, K., see Shinbo, T. 877(2000)61
- Hirayama, C., see Chowdhury, M.A.J. 877(2000)71
- Hirokawa, T., see Ikuta, N. 894(2000)11
- Hirokawa, T., Ikuta, N. and Yoshiyama, T.  
Standardization of capillary zone electropherograms  
obtained by using field enhanced sample stacking  
894(2000)3



- Hiserodt, R.D., Swijter, D.F.H. and Mussinan, C.J.  
Identification of atranorin and related potential allergens in oakmoss absolute by high-performance liquid chromatography–tandem mass spectrometry using negative ion atmospheric pressure chemical ionization 888(2000)103
- Hissner, F., Daus, B., Mattusch, J. and Heinig, K.  
Determination of flotation reagents used in tin-mining by capillary electrophoresis 853(1999)497
- Hitzel, L., see Watt, A.P. 896(2000)217
- Hitzel, L., see Watt, A.P. 896(2000)229
- Ho, C.-T., see Chen, S.-H. 891(2000)207
- Ho, Y.-P., see Li, S.-L. 873(2000)221
- Ho, Y.-W., see Liu, C.-Y. 897(2000)383
- Hocart, C., see Liu, L. 893(2000)207
- Hodge, E.M., Martinez, P. and Sweetin, D.  
Determination of inorganic cations in brine solutions by ion chromatography 884(2000)223
- Hodges, R.S., see Husband, D.L. 893(2000)81
- Hodges, R.S., see Yu, Y.B. 890(2000)81
- Hoeben, M.A., see Vissers, J.P.C. 883(2000)11
- Hoffmann, P., see Wind, M. 895(2000)51
- Hoffmann, T., see Schrader, W. 864(1999)299
- Hofman, M.P., see Hogenboom, A.C. 885(2000)377
- Hofman, M.P., see Hogenboom, A.C. 892(2000)379
- Hofte, A.J.P., see Inghaninan, K. 872(2000)61
- Hogenboom, A.C., Hofman, M.P., Jolly, D.A., Niessen, W.M.A. and Brinkman, U.A.Th.  
On-line dual-precolumn-based trace enrichment for the determination of polar and acidic microcontaminants in river water by liquid chromatography with diode-array UV and tandem mass spectrometric detection 885(2000)377
- Hogenboom, A.C., Hofman, M.P., Kok, S.J., Niessen, W.M.A. and Brinkman, U.A.Th.  
Determination of pesticides in vegetables using large-volume injection column liquid chromatography–electrospray tandem mass spectrometry 892(2000)379
- Hogenboom, A.C., see Steen, R.J.C.A. 857(1999)157
- Hogendoorn, E. and Van Zoonen, P.  
Recent and future developments of liquid chromatography in pesticide trace analysis (Review) 892(2000)435
- Hogendoorn, E.A., see Molins, C. 869(2000)487
- Hogendoorn, E.A., see van der Heeft, E. 879(2000)39
- Hogendoorn, E.A., Westhuis, K., Dijkman, E., Heusinkveld, H.A.G., den Boer, A.C., Evers, E.A.I.M. and Baumann, R.A.  
Semi-permeable surface analytical reversed-phase column for the improved trace analysis of acidic pesticides in water with coupled-column reversed-phase liquid chromatography with UV detection. Determination of bromoxynil and bentazone in surface water 858(1999)45
- Holčápek, M., Jandera, P., Fischer, J. and Prokeš, B.  
Analytical monitoring of the production of biodiesel by high-performance liquid chromatography with various detection methods 858(1999)13
- Holčápek, M., see Jandera, P. 869(2000)65
- Holcomb, M., see Wilkes, J.G. 880(2000)3
- Holmes, T.J., see Goss, C.A. 878(2000)35
- Holmin, S., see Hedeland, M. 864(1999)1
- Holzappel, H., see Schmidt, B. 865(1999)27
- Holzer, R., see Berset, J.D. 852(1999)545
- Holzgrabe, U., see Christians, T. 853(1999)455
- Hom, K., see Soleas, G.J. 882(2000)205
- Honda, S., see Suzuki, S. 873(2000)247
- Honda, S., see Yanagida, A. 890(2000)251
- Hong, C.Y., see Lee, W. 879(2000)113
- Hong, J., see Lee, H.S. 868(2000)189
- Hong, S., Duttweiler, C.M. and Lemley, A.T.  
Analysis of methyl *tert*-butyl ether and its degradation products by direct aqueous injection onto gas chromatography with mass spectrometry or flame ionization detection systems 857(1999)205
- Honoré Hansen, S., see Pedersen-Bjergaard, S. 897(2000)375
- Hoogmartens, J., see Castellanos Gil, E. 895(2000)43
- Hoogmartens, J., see Chepkwony, H.K. 870(2000)227
- Hoogmartens, J., see Kaale, E. 895(2000)67
- Hoogmartens, J., see Kang, J.W. 879(2000)211
- Hoogmartens, J., see Orwa, J.A. 870(2000)237
- Hoogmartens, J., see Tobback, K. 857(1999)313
- Hooper, H.H., see Sassi, A.P. 894(2000)203
- Hopkins, A.K., see Levison, P.R. 865(1999)3
- Hopkins, A.K., see Levison, P.R. 890(2000)45
- Hopp, J., see Chaga, G. 864(1999)247
- Horák, D., see Bílková, Z. 852(1999)141
- Hori, K., see Hiraoka, A. 895(2000)339
- Horie, H. and Kohata, K.  
Analysis of tea components by high-performance liquid chromatography and high-performance capillary electrophoresis (Review) 881(2000)425
- Horie, M. and Nakazawa, H.  
Determination of trenbolone and zeranol in bovine muscle and liver by liquid chromatography–electrospray mass spectrometry 882(2000)53
- Horikoshi, S., see Yokoyama, Y. 886(2000)297
- Horimai, T., Arai, T. and Sato, Y.  
New amphiphilic aminosaccharide derivatives as chiral selectors in capillary electrophoresis 875(2000)295
- Horiuchi, J., see Akazawa, T. 862(1999)217
- Horiuchi, T., see Liu, Z. 891(2000)149
- Horský, J., see Pumera, M. 891(2000)201
- Horton, D., see Da Costa, C.T. 881(2000)403
- Horvai, G., see Tolokán, A. 896(2000)279
- Horváth, Cs., Foreword 887(2000)1
- Horváth, Cs.  
Professor Barry L. Karger's 60th birthday 852(1999)349
- Horváth, Cs., see Gusev, I. 855(1999)273
- Horváth, Cs., see Hallgren, E. 877(2000)13
- Horváth, Cs., see Huang, X. 858(1999)91
- Horváth, Cs., see Wen, E. 855(1999)349
- Horváth, Cs., see Zhang, S. 887(2000)465
- Horváth, E., Kristóf, J., Frost, R.L., Rintoul, L., Rédey, Á. and Forsling, W.  
Investigation of mandelic acid bonding on Pirkle type chromatographic stationary phases by Raman spectroscopy 893(2000)37
- Horváth, V., see Tolokán, A. 896(2000)279
- Horvatovich, P., Miesch, M., Hasselmann, C. and Marchioni, E.  
Supercritical fluid extraction of hydrocarbons and 2-alkylcyclobutanones for the detection of irradiated foodstuffs 897(2000)259

- Horvatovich, P., see Ndiaye, B. 858(1999)109  
Hoshino, H., see Krokhin, O.V. 890(2000)363  
Hoshino, H., see Krokhin, O.V. 895(2000)255  
Hosoya, K., Ohta, H., Yoshizako, K., Kimata, K., Ikegami, T. and Tanaka, N.  
Preparation of uniformly sized polymeric separation media potentially suitable for small-scale high-performance liquid chromatography and/or capillary electrochromatography 853(1999)11  
Hosoya, K., see Tanigawa, T. 887(2000)299  
Hou, Z.-Y., see Wang, X.-Yu. 855(1999)341  
Houdiere, F., see Djordjevic, N.M. 887(2000)245  
Howe, P., see Liu, L. 893(2000)207  
Hsiao, K.-Y., see Chen, S.-H. 891(2000)207  
Hsieh, M.-M., Kuo, Y.-C., Lyu, M.-j. and Chang, H.-T.  
Dynamic modification of the capillary wall for electrophoretic separations of small ions 898(2000)133  
Hsieh, M.-M., see Tseng, W.-L. 894(2000)219  
Hsueh, C.-C., see Lin, C.-E. 878(2000)137  
Hu, P., see Michels, J.J. 898(2000)153  
Hu, S., see Chen, F. 855(1999)305  
Hu, S. and Li, P.C.H.  
Micellar electrokinetic capillary chromatographic separation and fluorescent detection of amino acids derivatized with 4-fluoro-7-nitro-2,1,3-benzoxadiazole 876(2000)183  
Hu, S., see Zhang, L. 894(2000)129  
Hu, S., Zhang, Z., Cook, L.M., Carpenter, E.J. and Dovichi, N.J.  
Separation of proteins by sodium dodecylsulfate capillary electrophoresis in hydroxypropylcellulose sieving matrix with laser-induced fluorescence detection 894(2000)291  
Hu, W., see Tanaka, K. 884(2000)167  
Hu, W., Tanaka, K., Haddad, P.R. and Hasebe, K.  
Suppressed electrostatic ion chromatography with tetraborate as eluent and its application to the determination of inorganic anions in snow and rainwater 884(2000)161  
Hu, Z., see Li, G. 863(1999)105  
Hu, Z., see Zhao, L. 857(1999)295  
Huang, H.-C., see Lin, C.-E. 878(2000)137  
Huang, H.-C., see Lin, C.-E. 879(2000)197  
Huang, H.-M., see Cheng, F.-C. 870(2000)405  
Huang, H.-M., see Lin, F.-Y. 872(2000)37  
Huang, Q., see Ru, Q.-H. 894(2000)171  
Huang, R.-B., see Xie, S.-Y. 864(1999)173  
Huang, W.X., Xu, H., Fazio, S.D. and Vivilecchia, R.V.  
Enhancement of chiral recognition by formation of a sandwiched complex in capillary electrophoresis 875(2000)361  
Huang, X., see Gusev, I. 855(1999)273  
Huang, X., Zhang, J. and Horváth, Cs.  
Capillary electrochromatography of proteins and peptides with porous-layer open-tubular columns 858(1999)91  
Huang, X., see Zhang, S. 887(2000)465  
Huang, Y., Mou, S.-F., Liu, K.-N. and Riviello, J.M.  
Simplified column-switching technology for the determination of traces of anions in the presence of high concentrations of other anions 884(2000)53  
Huang, Y., Mou, S.-F. and Riviello, J.M.  
Determination of ammonium in seawater by column-switching ion chromatography 868(2000)209  
Huber, C.G., see Corradini, D. 886(2000)111  
Huber, C.G., see Huck, C.W. 870(2000)453  
Huber, C.G. and Krajete, A.  
Sheath liquid effects in capillary high-performance liquid chromatography–electrospray mass spectrometry of oligonucleotides 870(2000)413  
Huber, C.G., see Oberacher, H. 893(2000)23  
Hubert, Ph., see Chiap, P. 870(2000)121  
Hubert, Ph., see Fillet, M. 875(2000)123  
Hubert, Ph., see Fotsing, L. 853(1999)391  
Hubert, Ph., see Toussaint, B. 871(2000)173  
Hubert, Ph., see Toussaint, B. 890(2000)239  
Hubert, Ph., see Toussaint, B. 896(2000)191  
Hubert, Ph., see Toussaint, B. 896(2000)201  
Hubert, T.D., see Meinertz, J.R. 855(1999)255  
Huck, C.W. and Bonn, G.K.  
Recent developments in polymer-based sorbents for solid-phase extraction (Review) 885(2000)51  
Huck, C.W., Huber, C.G., Ongania, K.-H. and Bonn, G.K.  
Isolation and characterization of methoxylated flavones in the flowers of *Primula veris* by liquid chromatography and mass spectrometry 870(2000)453  
Huckins, J.N., see Petty, J.D. 879(2000)83  
Hudson, R.A., see Smith, A.R. 876(2000)193  
Hughes, R.A., Knighton, W.B. and Grimsrud, E.P.  
Enhancement of electron-capture detection of methyl bromide in air by iodination 852(1999)535  
Hugo, P., see Blümel, C. 865(1999)51  
Huie, C.W., see So, T.S.K. 872(2000)269  
Huikko, K. and Kostianen, R.  
Analysis of bisphosphonates by capillary electrophoresis–electrospray ionization mass spectrometry 872(2000)289  
Huikko, K. and Kostianen, R.  
Development and validation of a capillary zone electrophoretic method for the determination of bisphosphonate and phosphonate impurities in clodronate 893(2000)411  
Hulthe, G., see Petersson, M.A. 854(1999)141  
Hund, E., Vander Heyden, Y., Haustein, M., Massart, D.L. and Smeys-Verbeke, J.  
Robustness testing of a reversed-phase high-performance liquid chromatographic assay: comparison of fractional and asymmetrical factorial designs 874(2000)167  
Hunter, A.K. and Carta, G.  
Protein adsorption on novel acrylamido-based polymeric ion-exchangers. I. Morphology and equilibrium adsorption 897(2000)65  
Hunter, A.K. and Carta, G.  
Protein adsorption on novel acrylamido-based polymeric ion exchangers. II. Adsorption rates and column behavior 897(2000)81  
Hurst, C.D., see Taylor, J.I. 890(2000)159  
Hurtaud-Pessel, D., Delépine, B. and Laurentie, M.  
Determination of four nitroimidazole residues in poultry meat by liquid chromatography–mass spectrometry 882(2000)89  
Hurtaud-Pessel, D., see Verdon, E. 882(2000)135

- Husain, S., Alvi, S.N. and Rao, R.N.  
Gas chromatographic–mass spectrometric separation, identification and determination of C<sub>6</sub>–C<sub>12</sub> cyclic imides in thermally treated epoxy and alkyd resins to locate hot spots inside large electricity generators 862(1999)17
- Husain, S., Narsimha, R. and Rao, R.N.  
Separation, identification and determination of sanguinarine in argemone and other adulterated edible oils by reversed-phase high-performance liquid chromatography 863(1999)123
- Husband, D.L., Mant, C.T. and Hodges, R.S.  
Development of simultaneous purification methodology for multiple synthetic peptides by reversed-phase sample displacement chromatography 893(2000)81
- Husmann, H., see Belder, D. 868(2000)63
- Hutabarat, L.S., Greenfield, H. and Mulholland, M.  
Quantitative determination of isoflavones and coumestrol in soybean by column liquid chromatography 886(2000)55
- Hutchison, F., see Deshmukh, R.R. 890(2000)179
- Huybrechts, T., Dewulf, J., Moerman, O. and Van Langenhove, H.  
Evaluation of purge-and-trap–high-resolution gas chromatography–mass spectrometry for the determination of 27 volatile organic compounds in marine water at the ng l<sup>-1</sup> concentration level 893(2000)367
- Huyghebaert, A., see De Meulenaer, B. 896(2000)239
- Huynh, T.H., see Ci, S.X. 864(1999)199
- Hwang, B.-H., see Lee, M.-R. 896(2000)265
- Hwang, B.-H. and Lee, M.-R.  
Solid-phase microextraction for organochlorine pesticide residues analysis in Chinese herbal formulations 898(2000)245
- Hyötyläinen, T., see Andersson, T. 896(2000)343
- Hyun, M.H., Kang, M.H. and Han, S.C.  
Liquid chromatographic resolution of 2-hydroxycarboxylic acids on a new chiral stationary phase derived from (S)-leucine 868(2000)31
- Hyun, M.H. and Pirkle, W.H.  
Liquid chromatographic separation of the stereoisomers of thiazide diuretics 876(2000)221
- Hyun, M.H., Ryoo, J.-J. and Pirkle, W.H.  
Experimental support differentiating two proposed chiral recognition models for the resolution of *N*-(3,5-Dinitrobenzoyl)- $\alpha$ -arylalkylamines on high-performance liquid chromatography chiral stationary phases 886(2000)47
- Ibañez, E., see Señoráns, F.J. 870(2000)491
- Ibañez, F.C., see Irigoyen, A. 881(2000)59
- Ichihashi, K., see Shibusawa, Y. 886(2000)65
- Ide, H., see Suzuki, T. 877(2000)225
- Idei, N., see Yamato, S. 896(2000)171
- Ielpo, P., see Bruno, P. 888(2000)145
- Iglesias, E., see Yritia, M. 870(2000)115
- Ihara, H., see Chowdhury, M.A.J. 877(2000)71
- Iida, S., see Takeda, S. 895(2000)213
- Iida, T., see Sasaki, T. 888(2000)93
- Ikai, Y., see Ito, Y. 855(1999)247
- Ikai, Y., see Ito, Y. 880(2000)85
- Ikai, Y., see Ito, Y. 898(2000)95
- Ikegami, T., see Hosoya, K. 853(1999)111
- Ikuta, N., see Hirokawa, T. 894(2000)3
- Ikuta, N., Yamada, Y., Yoshiyama, T. and Hirokawa, T.  
New method for standardization of electropherograms obtained in capillary zone electrophoresis 894(2000)11
- Il'ina, I.Y., see Platonova, G.A. 852(1999)129
- Iljin, M.I., see Muraviev, D. 867(2000)57
- Illés, V., see Then, M. 889(2000)69
- Imaz, C., Navajas, R., Carreras, D., Rodríguez, C. and Rodríguez, A.F.  
Comparison of various reversed-phase columns for the simultaneous determination of ephedrine in urine by high-performance liquid chromatography 870(2000)23
- Indrasena, W.M., Ackman, R.G. and Gill, T.A.  
Separation of paralytic shellfish poisoning toxins on Chromarods-SIII by thin-layer chromatography with the Iatroscan (mark 5) and flame thermionic detection 855(1999)657
- Infante, M.<sup>a</sup>R., see Piera, E. 852(1999)499
- Ingkaninan, K., De Best, C.M., van der Heijden, R., Hofte, A.J.P., Karabatak, B., Irth, H., Tjaden, U.R., van der Greef, J. and Verpoorte, R.  
High-performance liquid chromatography with on-line coupled UV, mass spectrometry and biochemical detection for identification of acetylcholinesterase inhibitors from natural products 872(2000)61
- Inns, E.L., see Frazier, R.A. 876(2000)213
- Inomata, Y., Matsunaga, K., Murai, Y., Osada, K. and Iwasaka, Y.  
Simultaneous measurement of volatile sulfur compounds using ascorbic acid for oxidant removal and gas chromatography–flame photometric detection 864(1999)111
- Inoue, N., see Quirino, J.P. 892(2000)187
- Inoue, S., see Tanaka, T. 882(2000)23
- Inoue, Y., see Sekiguchi, Y. 881(2000)639
- Irache, J.M., see Arnedo, A. 871(2000)311
- Irache, J.M., see Merodio, M. 870(2000)159
- Iraneta, P.C., see O'Gara, J.E. 893(2000)245
- Ireland, I.D., see Li, X.-F. 869(2000)375
- Irigoyen, A., see Izco, J.M. 881(2000)69
- Irigoyen, A., Izco, J.M., Ibáñez, F.C. and Torre, P.  
Evaluation of the effect of rennet type on casein proteolysis in an ovine milk cheese by means of capillary electrophoresis 881(2000)59
- Irles, A., see Barrón, D. 871(2000)367
- Irles, A., see Barrón, D. 871(2000)381
- Irth, H., see Ingkaninan, K. 872(2000)61
- Irth, H., see van Bommel, M.R. 855(1999)383

- Irth, H., see van Bommel, M.R. 855(1999)397
- Irth, H., see van Bommel, M.R. 886(2000)19
- Irving, J., see Mann, B. 895(2000)329
- Isaksson, R., see Henriksson, H. 898(2000)63
- Isernia, A., see Valsecchi, S. 864(1999)263
- Ishihama, Y., see Katayama, H. 875(2000)315
- Ishihara, T., see Yamamoto, S. 852(1999)31
- Ishimitsu, S., see Yoshii, K. 896(2000)75
- Ishio, N., see Timerbaev, A.R. 888(2000)309
- Issac, C., see Caussé, E. 895(2000)173
- Itabashi, Y., Myher, J.J. and Kuksis, A.  
High-performance liquid chromatographic resolution of reverse isomers of 1,2-diacyl-*rac*-glycerols as 3,5-dinitrophenylurethanes 893(2000)261
- Ithakissios, D.S., see Livanou, E. 881(2000)331
- Ito, A., see Shibusawa, Y. 886(2000)65
- Ito, N., see Safni, 864(1999)25
- Ito, Y., see Cao, X. 855(1999)709
- Ito, Y., see Cao, X.-L. 898(2000)75
- Ito, Y., Ikai, Y., Oka, H., Kagami, T. and Takeba, K.  
Application of ion-exchange cartridge clean-up in food analysis II. Determination of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in meat using liquid chromatography with ultraviolet detection 855(1999)247
- Ito, Y., Ikai, Y., Oka, H., Matsumoto, H., Kagami, T. and Takeba, K.  
Application of ion-exchange cartridge clean-up in food analysis. III. Determination of benzylpenicillin, phenoxymethyl-penicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine liver and kidney by liquid chromatography with ultraviolet detection 880(2000)85
- Ito, Y., see Oka, H. 882(2000)109
- Ito, Y., Oka, H., Ikai, Y., Matsumoto, H., Miyazaki, Y. and Nagase, H.  
Application of ion-exchange cartridge clean-up in food analysis. V. Simultaneous determination of sulphonamide antibacterials in animal liver and kidney using high-performance liquid chromatography with ultraviolet and mass spectrometric detection 898(2000)95
- Ito, Y., see Okamoto, H. 888(2000)299
- Ito, Y., see Shibusawa, Y. 886(2000)65
- Ito, Y., see Tian, G. 886(2000)309
- Ito, Y., see Yang, F. 858(1999)103
- Ito, Y., see Yang, F. 883(2000)67
- Itoh, Y., see Takeba, K. 882(2000)99
- Itoh, Y., see Yamato, S. 896(2000)171
- Ivanov, A.R. and Nazimov, I.V.  
Identification of unusual (modified and non-encoded) amino acid residues in peptides by combinations of high-performance liquid chromatography and high-performance capillary electrophoresis with matrix-assisted laser desorption ionization time-of-flight mass spectrometry 870(2000)255
- Ivanov, A.R., Nazimov, I.V. and Baratova, L.A.  
Qualitative and quantitative determination of biologically active low-molecular-mass thiols in human blood by reversed-phase high-performance liquid chromatography with photometry and fluorescence detection 870(2000)433
- Ivanov, A.R., Nazimov, I.V. and Baratova, L.  
Determination of biologically active low-molecular-mass thiols in human blood. I. Fast qualitative and quantitative, gradient and isocratic reversed-phase high-performance liquid chromatography with photometric and fluorescence detection 895(2000)157
- Ivanov, A.R., Nazimov, I.V. and Baratova, L.A.  
Determination of biologically active low-molecular-mass thiols in human blood. II. High-performance capillary electrophoresis with photometric detection 895(2000)167
- Ivanov, A.R., Nazimov, I.V., Lobazov, A.P. and Popkovich, G.B.  
Direct determination of amino acids and carbohydrates by high-performance capillary electrophoresis with refractometric detection 894(2000)253
- Iwasaka, Y., see Inomata, Y. 864(1999)111
- Iwase, H.  
Determination of vitamin D<sub>2</sub> in emulsified nutritional supplements by solid-phase extraction and column-switching high-performance liquid chromatography with UV detection 881(2000)189
- Iwase, H.  
Determination of tocopherol acetate in emulsified nutritional supplements by solid-phase extraction and high-performance liquid chromatography with fluorescence detection 881(2000)243
- Iwase, H.  
Determination of vitamin K<sub>1</sub> in emulsified nutritional supplements by solid-phase extraction and high-performance liquid chromatography with postcolumn reduction on a platinum catalyst and fluorescence detection 881(2000)261
- Iwase, H.  
Use of an amino acid in the mobile phase for the determination of ascorbic acid in food by high-performance liquid chromatography with electrochemical detection 881(2000)317
- Iwase, H.  
Use of nucleic acids in the mobile phase for the determination of ascorbic acid in foods by high-performance liquid chromatography with electrochemical detection 881(2000)327
- Iwata, T., Koshoubu, J., Kurosu, Y. and Araki, T.  
Time-resolved high-performance liquid chromatography fluorescence detector using a nanosecond pulsed light source for detecting lanthanide-chelated compounds 859(1999)13
- Iwatsubo, T., see Shinbo, T. 877(2000)61
- Izco, J.M., see Irigoyen, A. 881(2000)59
- Izco, J.M., Irigoyen, A., Torre, P. and Barcina, Y.  
Effect of the activity levels of the added proteolytic enzyme mixture on free amino acids in ripening Ossau-Iraty cheese 881(2000)69
- Izzo, V., see Asaro, M.R. 855(1999)723
- Izzo, V., Asaro, M.R., Forte, G.I. and Barbieri, R.  
Use of voltage gradient gel electrophoresis in apoptotic DNA analysis 890(2000)371

## J

- Jackson, A., see Clarke, W. 888(2000)13
- Jackson, P.E., Gokhale, S., Streib, T., Rohrer, J.S. and Pohl, C.A.  
Improved method for the determination of trace perchlorate in ground and drinking waters by ion chromatography 888(2000)151
- Jackson, P.E., Weigert, C., Pohl, C.A. and Saini, C.  
Determination of inorganic anions in environmental waters with a hydroxide-selective column 884(2000)175
- Jacobs, A., see Dahlman, O. 891(2000)157
- Jacobs, S.A., see Chelyapov, N. 853(1999)431
- Jacobsen, C.S., see Bossi, R. 855(1999)575
- Jacobson, S.C., see Lazar, I.M. 892(2000)195
- Jäderlund, B., see Mohammad, J. 852(1999)255
- Jaeger, W., see Grosche, O. 894(2000)105
- Jaffé, R., see Cai, Y. 876(2000)147
- Jaillais, B., see Auger, J. 870(2000)395
- Jaimez, J., Fente, C.A., Vazquez, B.I., Franco, C.M., Cepeda, A., Mahuzier, G. and Prognon, P.  
Application of the assay of aflatoxins by liquid chromatography with fluorescence detection in food analysis (Review) 882(2000)1
- Jain, S.P., see Bala, S. 858(1999)239
- Jakob, A., see Koppenhoefer, B. 875(2000)135
- Jakob, A., see Zhu, X. 888(2000)241
- Jalali-Heravi, M. and Fatemi, M.H.  
Prediction of thermal conductivity detection response factors using an artificial neural network 897(2000)227
- James, C.A., see Breda, M. 854(1999)81
- James, K.J., see Draisci, R. 871(2000)13
- James, K.J., see Fitzgerald, G. 896(2000)351
- James, K.J., Gillman, M., Lehane, M. and Gago-Martinez, A.  
New fluorimetric method of liquid chromatography for the determination of the neurotoxin domoic acid in seafood and marine phytoplankton 871(2000)1
- Jandera, P., Bunčková, S. and Planeta, J.  
Separation of isomeric naphthalenesulphonic acids by micro high-performance liquid chromatography with mobile phases containing cyclodextrin 871(2000)139
- Jandera, P., see Holčápek, M. 858(1999)13
- Jandera, P., Holčápek, M. and Kolářová, L.  
Retention mechanism, isocratic and gradient-elution separation and characterization of (co)polymers in normal-phase and reversed-phase high-performance liquid chromatography 869(2000)65
- Jandera, P., see Khattabi, S. 877(2000)95
- Janich, M., see Mrestani, Y. 873(2000)237
- Jankowiak, R., see Roberts, K.P. 853(1999)159
- Janoš, P. and Škoda, J.  
Reversed-phase high-performance liquid chromatography of ionogenic compounds: comparison of retention models 859(1999)1
- Janoszka, B., see Tyrpień, K. 870(2000)29
- Janssen, H.-G., see Aguilar, C. 867(2000)207
- Janssen, H.-G., see Cramers, C.A. 856(1999)315
- Janssen, H.-G., see Van Deursen, M.M. 878(2000)205
- Janus, L., see Chiari, M. 894(2000)95
- Jaouen-Madoulet, A., Abarnou, A., Le Guellec, A.-M., Loizeau, V. and Leboulenger, F.  
Validation of an analytical procedure for polychlorinated biphenyls, coplanar polychlorinated biphenyls and polycyclic aromatic hydrocarbons in environmental samples 886(2000)153
- Jardim, I.C.S.F., see Melo, L.F.C. 869(2000)129
- Jardim, I.C.S.F., see Pinto, G.M.F. 869(2000)463
- Jardine, D., see Ryan, D. 855(1999)529
- Järemo, M., Björklund, E., Nilsson, N., Karlsson, L. and Mathiasson, L.  
Utilization of fat retainers in supercritical fluid extraction for the selective extraction of polychlorinated biphenyls from a model fat sample 877(2000)167
- Jarvis, A.P., see Schaaf, O. 886(2000)89
- Jastrzębska, A., see Namieśnik, J. 885(2000)405
- Jáuregui, O., Moyano, E. and Galceran, M.T.  
Capillary electrophoresis–electrospray ion-trap mass spectrometry for the separation of chlorophenols 896(2000)125
- Jaworska, M., Szulińska, G., Wilk, M. and Tautt, J.  
Capillary electrophoretic separation of *N*-acetylcysteine and its impurities as a method for quality control of pharmaceuticals 853(1999)479
- Jaworski, A. and Brückner, H.  
Detection of new sequences of peptaibol antibiotics trichotoxins A-40 by on-line liquid chromatography–electrospray ionization mass spectrometry 862(1999)179
- Jayakar, K., see Fuzzati, N. 854(1999)69
- Jeannot, R., see Chiron, S. 879(2000)137
- Jeannot, R., see Sabik, H. 879(2000)73
- Jeannot, R., see Sabik, H. 885(2000)217
- Jeannot, R., Sabik, H., Sauvard, E. and Genin, E.  
Application of liquid chromatography with mass spectrometry combined with photodiode array detection and tandem mass spectrometry for monitoring pesticides in surface waters 879(2000)51
- Jegle, U., see Haumann, I. 895(2000)269
- Jekel, M., see Hartig, C. 854(1999)163
- Jekel, M., see Storm, T. 854(1999)175
- Jelínek, I., see Pumera, M. 891(2000)201
- Jelínek, I., see Tůma, P. 883(2000)223
- Jen, J.-F., see Chen, S.-F. 896(2000)105
- Jenny, A.L., see Schmerr, M.J. 853(1999)207
- Jensen, D., see Schultheiss, J. 880(2000)233
- Jensen, I.H., see Staby, A. 897(2000)99
- Jensen, T.B., Reijns, T.G.P., Billiet, H.A.H. and van der Wielen, L.A.M.  
Novel simulated moving-bed method for reduced solvent consumption 873(2000)149
- Jeon, J., see Kim, K.-R. 874(2000)91
- Jeon, S.H., see Choi, Y.H. 863(1999)47
- Jeronimus-Stratingh, C.M., see Bruins, C.H.P. 863(1999)115
- Jessop, K.M., see Moffatt, F. 855(1999)215
- Jevševar, S., see Gaberc-Porekar, V. 852(1999)117

- Ji, J., see Geng, M. 870(2000)295
- Ji, J., see He, B. 853(1999)257
- Jiang, G.-b. and Zhou, Q.-f.  
Direct Grignard pentylation of organotin-contaminated lard samples followed by capillary gas chromatography with flame photometric detection 886(2000)197
- Jiang, X., Zhang, X. and Liu, M.  
Ultra-short columns for low-pressure ion chromatography 857(1999)175
- Jiang, X.-L., see Liu, Y. 884(2000)105
- Jiang, Y., see Li, H.-B. 891(2000)243
- Jiku, F., see Li, H.-Q. 889(2000)155
- Jiménez, A., see Garrigós, M.C. 896(2000)291
- Jiménez, A., see Reche, F. 896(2000)51
- Jiménez, J.J., Bernal, J.L., del Nozal, M<sup>a</sup>.J., Novo, M., Higes, M. and Llorente, J.  
Determination of rotenone residues in raw honey by solid-phase extraction and high-performance liquid chromatography 871(2000)67
- Jiménez, J.J., see Bernal, J.L. 871(2000)127
- Jiménez, J.J., see Bernal, J.L. 882(2000)239
- Jiménez, J.J., see Nozal, M.J. 870(2000)69
- Jiménez, L.M., see García, A. 871(2000)341
- Jiménez, M., Mateo, J.J. and Mateo, R.  
Determination of type A trichothecenes by high-performance liquid chromatography with coumarin-3-carbonyl chloride derivatisation and fluorescence detection 870(2000)473
- Jiménez, M., see Mateo, J.J. 881(2000)557
- Jiménez, R.M., see López, J.A. 870(2000)105
- Jiménez-Carmona, M.M., Ubera, J.L. and Luque de Castro, M.D.  
Comparison of continuous subcritical water extraction and hydrodistillation of marjoram essential oil 855(1999)625
- Jiménez-Lozano, E., see Barrón, D. 871(2000)381
- Jin, W. and Zhang, J.  
Determination of diclofenac sodium by capillary zone electrophoresis with electrochemical detection 868(2000)101
- Jin, Y.-R., Zhang, L.-Z., Han, S.-J., Zhang, L.-X., Zhang, J.-M., Zhou, G.-Q. and Dong, H.-B.  
Behavior of lanthanides in countercurrent chromatography using dihexyl-*N,N*-diethylcarbamoyl methylene phosphonate as stationary phase 888(2000)137
- Jinadu, L.A., see Phinney, K.W. 857(1999)285
- Jindřich, J., see Pumera, M. 891(2000)201
- Jing, H.-e., see Ru, Q.-H. 894(2000)171
- Jinno, K., see Ohta, H. 883(2000)55
- Jinno, K., Sawada, H., Catabay, A.P., Watanabe, H., Haji Sabli, N.B., Pesek, J.J. and Matyska, M.T.  
Comparison of separation behavior of benzodiazepines in packed capillary electrochromatography and open-tubular capillary electrochromatography 887(2000)479
- Jira, T., see Karbaum, A. 874(2000)285
- Jira, T., see Sokoliev, T. 898(2000)35
- Jisaki, F., see Okada, T.K. 869(2000)91
- Jiskra, J., Cramers, C.A., Byelik, M. and Claessens, H.A.  
Chromatographic properties of reversed-phase stationary phases under pressure- and electro-driven conditions 862(1999)121
- Jodlbauer, J., see Zöllner, P. 858(1999)167
- Johannsen, M., see Depta, A. 865(1999)175
- Johansson, G., see Henriksson, H. 857(1999)107
- Johansson, G., see Henriksson, H. 898(2000)63
- Johansson, H.-O., see Persson, J. 864(1999)31
- Johansson, T., see Schweitz, L. 892(2000)203
- Johns, M.M., see Wartelle, L.H. 879(2000)169
- Johnson, B.D., see Zhou, L. 866(2000)281
- Johnson, B.D., see Zhou, L. 875(2000)389
- Johnson, C., see Roulin, S. 887(2000)307
- Johnson, M.E., see Gee, A.J. 859(1999)119
- Jokhadze, G.G., see Chaga, G. 864(1999)247
- Jolly, D.A., see Hogenboom, A.C. 885(2000)377
- Jones, A.D., see Li, B. 873(2000)175
- Jones, G.P., see Pollnitz, A.P. 857(1999)239
- Jones, G.R., see Martin, P. 889(2000)143
- Jones, P., see Shaw, M.J. 876(2000)127
- Jones, R.D., see Cai, Y. 876(2000)147
- Jonkers, C.C.A., see Castillo, M. 889(2000)195
- Jönsson, J.Å., see Norberg, J. 869(2000)523
- Jönsson, J.Å., Andersson, M., Melander, C., Norberg, J., Thordarson, E. and Mathiasson, L.  
Automated liquid membrane extraction for high-performance liquid chromatography of Ropivacaine metabolites in urine 870(2000)151
- Jönsson, J.Å., see Sandahl, M. 893(2000)123
- Jørgensen, K.W., see Bergholdt, A.B. 875(2000)403
- Jornet, D., Busto, O. and Guasch, J.  
Solid-phase extraction applied to the determination of ochratoxin A in wines by reversed-phase high-performance liquid chromatography 882(2000)29
- Josa, M., see de Jalón, E.G<sup>a</sup>. 870(2000)143
- Josic, D., see Pock, K. 852(1999)175
- Josic, D., see Saenko, E. 852(1999)59
- Josic, D., see Saenko, E. 872(2000)323
- Jouyban-Gharamaleki, A., Khaledi, M.G. and Clark, B.J.  
Calculation of electrophoretic mobilities in water–organic modifier mixtures in capillary electrophoresis 868(2000)277
- Jovanovich, S.B., see Hadd, A.G. 894(2000)191
- Jóžová, B., see Romanová, D. 870(2000)463
- Judeinstein, P., Berdagué, P., Bayle, J.P., Rogalska, E., Rogalski, M., Petit-Jean, D. and Guermouche, M.H.  
Synthesis and properties of two new liquid crystals: an analytical and thermodynamic study 859(1999)59
- Judkins, J.E., see Levine, L.H. 874(2000)207
- Jung, H., see Kang, S.H. 866(2000)253
- Jungbauer, A., see Dürauer, A. 890(2000)145
- Jungbauer, A., see Feng, W. 852(1999)161
- Jungbauer, A., see Uretschlagger, A. 890(2000)53
- Jussila, M., see Riekkola, M.-L. 892(2000)155
- Juza, M.  
Development of an high-performance liquid chromatographic simulated moving bed separation from an industrial perspective 865(1999)35
- Juza, M., see Quattrini, F. 865(1999)201

## K

- Kaale, E., Leonard, S., Van Schepdael, A., Roets, E. and Hoogmartens, J.  
Capillary Electrophoresis analysis of gentamicin sulphate with UV detection after pre-capillary derivatization with 1,2-phthalic dicarboxaldehyde and mercaptoacetic acid 895(2000)67
- Kaczmarek, K. and Antos, D.  
Calculation of chromatographic band profiles with an implicit isotherm 862(1999)1
- Kaczmarek, K., see Antos, D. 874(2000)1
- Kaczmarek, K., Prus, W. and Kowalska, T.  
Adsorption/partition model of liquid chromatography for chemically bonded stationary phases of the aliphatic cyano, reversed-phase C<sub>8</sub> and reversed-phase C<sub>18</sub> types 869(2000)57
- Kafarski, P., see Dzygiel, P. 895(2000)301
- Kagami, T., see Ito, Y. 855(1999)247
- Kagami, T., see Ito, Y. 880(2000)85
- Kagawa, C., see Haginaka, J. 858(1999)155
- Kagawa, M., Machida, Y. and Nishi, H.  
Enantiomeric purity determination of acetyl-L-carnitine by reversed-phase high-performance liquid chromatography using chiral derivatization 857(1999)127
- Kahraman, N., see Gökmen, V. 881(2000)309
- Kaihara, A., see Yoshii, K. 896(2000)75
- Kaiser, E. and Rohrer, J.  
Determination of trace anions in organic solvents 858(1999)55
- Kaiser, M., see Ellwanger, A. 858(1999)133
- Kaiser, T., Lupp, P. and Voelter, W.  
Solid-phase synthesis, isolation and analysis of a mouse protein, the macrophage migration inhibitory factor 852(1999)189
- Kajiyama, S., see Shiraiishi, T. 855(1999)337
- Takehi, K., Funakubo, T., Suzuki, S., Oda, Y. and Kitada, Y.  
3-Aminobenzamide and 3-aminobenzoic acid, tags for capillary electrophoresis of complex carbohydrates with laser-induced fluorescent detection 863(1999)205
- Takehi, K., see Kinoshita, M. 866(2000)261
- Kakul, T., see Rochat, D. 885(2000)433
- Kalishan, R., see Dolan, J.W. 857(1999)41
- Kalishan, R., van Straten, M.A., Markuszewski, M., Cramers, C.A. and Claessens, H.A.  
Molecular mechanism of retention in reversed-phase high-performance liquid chromatography and classification of modern stationary phases by using quantitative structure–retention relationships 855(1999)455
- Kálmán, F., see Hallgren, E. 877(2000)13
- Kalman, J., see Ragonese, R. 870(2000)45
- Kaltenbrunner, O., see Yamamoto, S. 852(1999)37
- Kamal-Eldin, A., Görgen, S., Pettersson, J. and Lampi, A.-M.  
Normal-phase high-performance liquid chromatography of tocopherols and tocotrienols. Comparison of different chromatographic columns 881(2000)217
- Kamimura, A., see Yanagida, A. 890(2000)251
- Kamiyusuki, T., Monde, T., Nemoto, F., Konakahara, T. and Takahashi, Y.  
Separation and characterization of octylphenol ethoxylate surfactants used by reversed-phase high-performance liquid chromatography on branched fluorinated silica gel columns 852(1999)475
- Kampioti, A.A. and Stephanou, E.G.  
Simultaneous determination of halogenated neutral and acidic disinfection by-products in drinking water by closed-loop stripping extraction and capillary gas chromatography 857(1999)217
- Kanamori, T., see Shinbo, T. 877(2000)61
- Kanaori, K., see Suzuki, T. 877(2000)225
- Kanazawa, H., Atsumi, R., Matsushima, Y. and Kizu, J.  
Determination of theophylline and its metabolites in biological samples by liquid chromatography–mass spectrometry 870(2000)87
- Kanazawa, H., Kunito, Y., Matsushima, Y., Okubo, S. and Mashige, F.  
Stereospecific analysis of lorazepam in plasma by chiral column chromatography with a circular dichroism-based detector 871(2000)181
- Kanda, T., see Yanagida, A. 855(1999)181
- Kanda, T., see Yanagida, A. 890(2000)251
- Kang, J.W., Van Schepdael, A., Orwa, J.A., Roets, E. and Hoogmartens, J.  
Analysis of polymyxin B sulfate by capillary zone electrophoresis with cyclodextrin as additive. Method development and validation 879(2000)211
- Kang, M.H., see Hyun, M.H. 868(2000)31
- Kang, S.H., Jung, H., Kim, N., Shin, D.-H. and Chung, D.S.  
Micellar electrokinetic chromatography for the analysis of D-amygdalin and its epimer in apricot kernel 866(2000)253
- Kang, X., see Bates, R.C. 890(2000)25
- Kang, X., Bates, R.C. and Frey, D.D.  
High-performance chromatofocusing using linear and concave pH gradients formed with simple buffer mixtures. II. Separation of proteins 890(2000)37
- Kangas, J., see Mämmelä, P. 891(2000)75
- Kanno, T., see Akazawa, T. 862(1999)217
- Kapila, S., see Gehrke, M. 877(2000)133
- Kaptein, B., see Péter, A. 871(2000)105
- Karabatak, B., see Ingkaninan, K. 872(2000)61
- Karaiskakis, G., see Gavril, D. 852(1999)507
- Karásek, P., see Zdráhal, Z. 893(2000)201
- Karbaum, A. and Jira, T.  
Chiral separation of unmodified amino acids with non-aqueous capillary electrophoresis based on the ligand-exchange principle 874(2000)285
- Karger, B.L., see Felten, C. 853(1999)295
- Karjalainen, U., see Sirén, H. 853(1999)527
- Karlberg, B., see Kuban, P. 857(1999)321
- Karle, E.M., see Clarke, W. 888(2000)13

- Karlsson, A. and Aspegren, A.  
Enantiomeric separation of amino alcohols on protein phases using statistical experimental design. A comparative study 866(2000)15
- Karlsson, A., see Gyllenhaal, O. 862(1999)95
- Karlsson, A., see Porsch, B. 872(2000)91
- Karlsson, C., Wikström, H., Armstrong, D.W. and Owens, P.K.  
Enantioselective reversed-phase and non-aqueous capillary electrochromatography using a teicoplanin chiral stationary phase 897(2000)349
- Karlsson, G., Gellerfors, P., Persson, A., Norén, B., Edlund, P.O., Sandberg, C. and Birnbaum, S.  
Separation of oxidized and deamidated human growth hormone variants by isocratic reversed-phase high-performance liquid chromatography 855(1999)147
- Karlsson, K. and Nyberg, F.  
Purification of Substance P endopeptidase activity in the rat ventral tegemental area with the Äkta-Purifier chromatographic system 893(2000)107
- Karlsson, L., see Ellwanger, A. 897(2000)317
- Karlsson, L., see Järemo, M. 877(2000)167
- Karlsson, N.G., see Thomsson, K.A. 854(1999)131
- Karns, J., see Mata-Sandoval, J.C. 864(1999)211
- Karovičová, J. and Šimko, P.  
Determination of synthetic phenolic antioxidants in food by high-performance liquid chromatography (Review) 882(2000)271
- Karst, U., see Diehl, G. 890(2000)281
- Karst, U., see Effkemann, S. 855(1999)551
- Karst, U., see Vogel, M. 886(2000)303
- Karst, U., see Zurek, G. 864(1999)191
- Karst, U., see Zurek, G. 869(2000)251
- Kasai, K.-i., see Hirabayashi, J. 890(2000)261
- Kasai, K.-i., see Hirabayashi, J. 893(2000)115
- Kassalainen, G.E., see Belenkii, B.G. 879(2000)189
- Kataoka, H., Lord, H.L. and Pawliszyn, J.  
Applications of solid-phase microextraction in food analysis (Review) 880(2000)35
- Kataoka, M., Tsuge, K. and Seto, Y.  
Efficiency of pretreatment of aqueous samples using a macroporous strong anion-exchange resin on the determination of nerve gas hydrolysis products by gas chromatography–mass spectrometry after *tert*-butyldimethylsilylation 891(2000)295
- Katayama, H., Ishihama, Y. and Asakawa, N.  
Enantiomeric separation by capillary electrophoresis with an electroosmotic flow-controlled capillary 875(2000)315
- Kato, S. and Miura, T.  
Sandwich-type immunoassay with an affinity column coupled to anti-peptide antibodies 852(1999)97
- Katsanos, N.A., see Gavril, D. 852(1999)507
- Katta, V., see Hara, S. 867(2000)151
- Katzhendler, J., see Assaf, P. 869(2000)243
- Katzhendler, J., see Haj-Yehia, A.I. 870(2000)381
- Katzmayer, M.U., Klampfl, C.W. and Buchberger, W.  
Erratum to: “Lattice–fluid model for gas–liquid chromatography”. [J. Chromatogr. A, 862 (1999) 49–64] 868(2000)321
- Kaufman, D.B., Hayes, T., Buettner, J., Hammond, D.J. and Carbonell, R.G.  
Chromatographic resolution of tryptophan enantiomers with L-Leu–L-Leu–L-Leu peptide. Effects of mobile phase composition and chromatographic support 874(2000)21
- Kaufner, L., see Bünger, H. 870(2000)363
- Kaupp, S., Bubert, H., Baur, L., Nelson, G. and Wätzig, H.  
Unexpected surface chemistry in capillaries for electrophoresis 894(2000)73
- Kawaguchi, S., see Fujimoto, C. 871(2000)415
- Kawakami, D., see Kinoshita, M. 866(2000)261
- Kawakami, N., see Yamato, S. 896(2000)171
- Kawaoui, A., see Miura, Y. 884(2000)81
- Kawasaki, N., see Kinoshita, M. 866(2000)261
- Kazakevich, Y.V. and McNair, H.M.  
Low-energy interactions in high-performance liquid chromatography 872(2000)49
- Kažoka, H.  
Separation of purines and pyrimidines by normal-phase high-performance liquid chromatography using dimethyl sulfoxide in binary and ternary eluents 874(2000)45
- Keah, H.H., see Sitaram, B.R. 857(1999)263
- Keegan, J., see Mulholland, M. 870(2000)135
- Keely, B.J., see Evans, C.S. 897(2000)399
- Kele, M., see Chen, Y. 873(2000)163
- Kele, M. and Guiochon, G.  
Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns III. Results obtained with Kromasil C<sub>18</sub> columns 855(1999)423
- Kele, M. and Guiochon, G.  
Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns. IV. Results obtained with Luna C<sub>18</sub> (2) columns 869(2000)181
- Kelly, C.  
Analysis of steroids in environmental water samples using solid-phase extraction and ion-trap gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry 872(2000)309
- Kelty, C.A., see Magnuson, M.L. 868(2000)115
- Kenndler, E., see Maichel, B. 853(1999)121
- Kenndler, E., see Maichel, B. 894(2000)25
- Kenndler, E., see Pucci, V. 853(1999)461
- Kennedy, D.G., Cannavan, A. and McCracken, R.J.  
Regulatory problems caused by contamination, a frequently overlooked cause of veterinary drug residues (Review) 882(2000)37
- Kennedy, J.A. and Waterhouse, A.L.  
Analysis of pigmented high-molecular-mass grape phenolics using ion-pair, normal-phase high-performance liquid chromatography 866(2000)25
- Kennedy, J.H., Bowers, J.L., Dodge, J.A., Lugar, C.W., Shepherd, T.A. and Sharp, V.S.  
Development of analytical and preparative chromatographic separations of novel growth hormone secretagogue compounds 872(2000)75
- Keppler, B.K., see Zenker, A. 852(1999)337
- Kerkhoff, M., see Mengerink, Y. 876(2000)37
- Kerkhoff, M., see Mengerink, Y. 878(2000)45



- Kettrup, A., see Menzinger, F. 891(2000)45  
Kettrup, A., see Vogt, G. 855(1999)563  
Kettrup, A., see Wilhelm, M. 878(2000)171  
Khaled, A. and Pawliszyn, J.  
Time-weighted average sampling of volatile and semi-volatile airborne organic compounds by the solid-phase microextraction device 892(2000)455  
Khaledi, M.G., see Jouyban-Gharamaleki, A. 868(2000)277  
Khaledi, M.G., see Miller, J.L. 888(2000)251  
Khaledi, M.G., see Trone, M.D. 886(2000)245  
Khaledi, M.G., see Trone, M.D. 888(2000)229  
Khaledi, M.G., see Wang, F. 875(2000)277  
Khaledi, M.G., see Ward, V.L. 859(1999)203  
Khasanov, U., see Rasulev, U.Kh. 896(2000)3  
Khattabi, S., Cherrak, D.E., Fischer, J., Jandera, P. and Guiochon, G.  
Study of the adsorption behavior of the enantiomers of 1-phenyl-1-propanol on a cellulose-based chiral stationary phase 877(2000)95  
Khattabi, S., see Cherrak, D.E. 877(2000)109  
Khattabi, S., Cherrak, D.E., Mählbacher, K. and Guiochon, G.  
Enantioseparation of 1-phenyl-1-propanol by simulated moving bed under linear and nonlinear conditions 893(2000)307  
Khattabi, S., see Miyabe, K. 872(2000)1  
Kiba, N., Yagi, R., Sun, L., Tachibana, M., Tani, K., Koizumi, H. and Suzuki, T.  
Poly(allylamine) beads as selective sorbent for preconcentration of formaldehyde and acetaldehyde in high-performance liquid chromatographic analysis 886(2000)83  
Kiedik, M., see Poskrobko, J. 883(2000)291  
Kienhuis, P.G.M., see Geerdink, R.B. 863(1999)147  
Kiessig, S., Bang, H. and Thuncke, F.  
Interaction of cyclophilin and cyclosporins monitored by affinity capillary electrophoresis 853(1999)469  
Kim, H., see Kim, K.-R. 866(2000)87  
Kim, H.-J., see Kim, I.-J. 877(2000)217  
Kim, I.-J., Park, S.-J. and Kim, H.-J.  
Chiral separation of homocysteine by derivatization with 4-aminosulfonyl-7-fluoro-2,1,3-benzoxadiazole followed by capillary electrophoresis using  $\gamma$ -cyclodextrin 877(2000)217  
Kim, J., see Choi, Y.H. 863(1999)47  
Kim, J.H., see Kim, K.-R. 874(2000)91  
Kim, J.H., see Kim, K.-R. 891(2000)257  
Kim, J.-I., see Woo, K.-L. 862(1999)199  
Kim, J.M., see Shin, Y.G. 857(1999)331  
Kim, K.-R., see Choi, M.H. 897(2000)295  
Kim, K.-R. and Kim, H.  
Gas chromatographic profiling and screening for phenols as isobutoxycarbonyl derivatives in aqueous samples 866(2000)87  
Kim, K.-R., Lee, J., Ha, D., Jeon, J., Park, H.-G. and Kim, J.H.  
Enantiomeric separation and discrimination of 2-hydroxy acids as *O*-trifluoroacetylated (*S*)-(+)-3-methyl-2-butyl esters by achiral dual-capillary column gas chromatography 874(2000)91  
Kim, K.-R., Lee, J., Ha, D. and Kim, J.H.  
Configurational analysis of chiral acids as *O*-trifluoroacetylated (–)-menthyl esters by achiral dual-capillary column gas chromatography 891(2000)257  
Kim, N., see Kang, S.H. 866(2000)253  
Kim, Y., see Wilkes, J.G. 880(2000)3  
Kimata, K., see Hosoya, K. 853(1999)11  
Kimata, K., see Tanigawa, T. 887(2000)299  
Kinderlerer, J.L., see Liu, Q.-T. 855(1999)617  
Kinghorn, R.M., see Marriott, P.J. 866(2000)203  
Kinghorn, R.M., see Marriott, P.J. 892(2000)15  
Kinoshita, M., Murakami, E., Oda, Y., Funakubo, T., Kawakami, D., Kakehi, K., Kawasaki, N., Morimoto, K. and Hayakawa, T.  
Comparative studies on the analysis of glycosylation heterogeneity of sialic acid-containing glycoproteins using capillary electrophoresis 866(2000)261  
Kirchhoff, J.R., see Smith, A.R. 876(2000)193  
Kiridena, W., see Poole, C.F. 898(2000)211  
Kirkland, J.J., Truszkowski, F.A., Dilks, C.H. and Engel, G.S.  
Superficially porous silica microspheres for fast high-performance liquid chromatography of macromolecules 890(2000)3  
Kirschbaum, J., Rebscher, K. and Brückner, H.  
Liquid chromatographic determination of biogenic amines in fermented foods after derivatization with 3,5-dinitrobenzoyl chloride 881(2000)517  
Kiseleva, M.G. and Nesterenko, P.N.  
Phenylaminopropyl silica – a new specific stationary phase for high-performance liquid chromatography of phenols 898(2000)23  
Kitada, Y., see Kakehi, K. 863(1999)205  
Kitamori, T., see Tanaka, Y. 894(2000)45  
Kitamori, T., see Tokeshi, M. 894(2000)19  
Kizu, J., see Kanazawa, H. 870(2000)87  
Kjellström, S., see Miliotis, T. 886(2000)99  
Klampf, C.W., Buchberger, W. and Haddad, P.R.  
Determination of organic acids in food samples by capillary zone electrophoresis 881(2000)357  
Klampf, C.W. and Haddad, P.R.  
Behavior of basic compounds in ion-exchange capillary electrochromatography with low-pH carrier electrolytes 884(2000)277  
Klampf, C.W., Hilder, E.F. and Haddad, P.R.  
Investigations on the behaviour of acidic, basic and neutral compounds in capillary electrochromatography on a mixed-mode stationary phase 888(2000)267  
Klampf, C.W., see Hilder, E.F. 890(2000)337  
Klampf, C.W., see Katzmayer, M.U. 868(2000)321  
Klaus, P.M., see Franco, P. 869(2000)111  
Klawun, C., see Rangunathan, N. 856(1999)349  
Klebovich, I., see Tolokán, A. 896(2000)279  
Klein, K.-F., see Spangenberg, B. 898(2000)265  
Kleineisen, S., see Razzazi-Fazeli, E. 896(2000)321  
Klepárník, K., see Malá, Z. 853(1999)371  
Klockow, D., see Schrader, W. 864(1999)299  
Knepper, Th.P., see Castillo, M. 889(2000)195  
Knepper, Th.P., see Riu, J. 889(2000)221  
Knepper, T.P., see Eichhorn, P. 854(1999)221

- Knepper, T.P., Müller, J., Wulff, T. and Maes, A.  
Unknown bisethylisooctanolactone isomers in industrial waste water. Isolation, identification and occurrence in surface water 889(2000)245
- Knight, M.M., see Dodo, G.H. 859(1999)235
- Knighton, W.B., see Hughes, R.A. 852(1999)535
- Knopp, D., see Spitzer, B. 880(2000)113
- Knox, J.H., see Boughtflower, R.J. 887(2000)409
- Knuutila, K.-G., see Ljunglöf, A. 893(2000)235
- Ko, J., see Wang, I.H. 864(1999)271
- Kobayashi, A., see Shiraiishi, T. 855(1999)337
- Kobayashi, M., see Akazawa, T. 862(1999)217
- Koch, G., see Shepard, S.R. 891(2000)93
- Kodama, S., Yamamoto, A., Matsunaga, A., Soga, T. and Minoura, K.  
Direct chiral resolution of lactic acid in food products by capillary electrophoresis 875(2000)371
- Kohata, K., see Horie, H. 881(2000)425
- Kohn, B., see Cahill, L.M. 859(1999)23
- Koide, T. and Ueno, K.  
Enantiomeric separations of cationic and neutral compounds by capillary electrochromatography with monolithic chiral stationary phases of  $\beta$ -cyclodextrin-bonded negatively charged polyacrylamide gels 893(2000)177
- Koizumi, H., see Kiba, N. 886(2000)83
- Koizumi, K., Sanbe, H., Kubota, Y., Terada, Y. and Takaha, T.  
Isolation and characterization of cyclic  $\alpha$ -(1 $\rightarrow$ 4)-glucans having degrees of polymerization 9–31 and their quantitative analysis by high-performance anion-exchange chromatography with pulsed amperometric detection 852(1999)407
- Kok, S.J., see Hogenboom, A.C. 892(2000)379
- Kok, W.Th., see Asthana, A. 895(2000)197
- Kok, W.Th., see Stol, R. 853(1999)45
- Kok, W.Th., see Stol, R. 887(2000)199
- Kokkonen, R., see Sirén, H. 895(2000)189
- Kolářová, L., see Jandera, P. 869(2000)65
- Kolhouse, J.F., see Deutsch, J.C. 862(1999)161
- Konakahara, T., see Kamiyuki, T. 852(1999)475
- Kondo, K., see Hashimoto, M. 852(1999)597
- Kondo, K., see Hashimoto, M. 867(2000)271
- Kong, L., see Wang, H.L. 870(2000)501
- König, S. and Welsch, T.  
Moderation of the electroosmotic flow in capillary electrophoresis by chemical modification of the capillary surface with tentacle-like oligourethanes 894(2000)79
- König, S., see Zamfir, A. 895(2000)291
- Konishi, Y., see Alomirah, H.F. 893(2000)1
- Konrad, S. and Volz-Thomas, A.  
Characterization of a commercial gas chromatography–flame ionization detection system for the in situ determination of C<sub>5</sub>–C<sub>10</sub> hydrocarbons in ambient air 878(2000)215
- Konstantinou, I.K., see Lambropoulou, D.A. 893(2000)143
- Kooistra-Sijpersma, A., see Geerdink, R.B. 863(1999)147
- Koppenhoefer, B., Zhu, X., Jakob, A., Wuerthner, S. and Lin, B.  
Separation of drug enantiomers by capillary electrophoresis in the presence of neutral cyclodextrins 875(2000)135
- Koppenhoefer, B., see Zhu, X. 888(2000)241
- Korte, E.-H., see Schrader, W. 864(1999)299
- Koshoubu, J., see Iwata, T. 859(1999)13
- Kosmus, W., see Zheng, J. 874(2000)55
- Koster, E.H.M. and de Jong, G.J.  
Multiple solid-phase microextraction 878(2000)27
- Koster, S., see Van Asten, A. 888(2000)175
- Kostiainen, R., see Huikko, K. 872(2000)289
- Kostiainen, R., see Huikko, K. 893(2000)411
- Kosutic-Gulija, T., see Branović, K. 852(1999)305
- Kotiaho, T., see Hiissa, T. 853(1999)403
- Kotrebai, M., Tyson, J.F., Block, E. and Uden, P.C.  
High-performance liquid chromatography of selenium compounds utilizing perfluorinated carboxylic acid ion-pairing agents and inductively coupled plasma and electrospray ionization mass spectrometric detection 866(2000)51
- Kotsira, V.P., see Clonis, Y.D. 891(2000)33
- Kotyński, A., see Kudzin, Z.H. 888(2000)335
- Kotzias, D., see Baglio, D. 854(1999)207
- Kowalska, J., see Wilimowska-Pelc, A. 852(1999)227
- Kowalska, T., see Kaczmarski, K. 869(2000)57
- Koziel, J.A., see Semenov, S.N. 873(2000)39
- Koziołowa, A., see Głiszczyńska-Świągło, A. 881(2000)285
- Kozioł, W.W., see Poole, C.F. 898(2000)211
- Krähenbühl, S., see Vernez, L. 895(2000)309
- Krajete, A., see Huber, C.G. 870(2000)413
- Krajete, A., see Oberacher, H. 893(2000)23
- Krákorová, I., see Marklová, E. 870(2000)289
- Krance, J., see Stanley, B.J. 865(1999)97
- Krieger, M.S., Wynn, J.L. and Yoder, R.N.  
Extraction of cloransulam-methyl from soil with subcritical water and supercritical CO<sub>2</sub> 897(2000)405
- Kristóf, J., see Horváth, E. 893(2000)37
- Križaj, I., see Leonardi, A. 852(1999)237
- Krock, K.A., see Raganathan, N. 856(1999)349
- Krogh, M., see Rasmussen, K.E. 873(2000)3
- Krokhin, O.V., Hoshino, H., Shpigun, O.A. and Yotsuyanagi, T.  
Separation selectivity of anionic metal complexes of *N,N'*-bis(hydroxybenzyl)ethylenediamine-*N,N'*-diacetic acid in ion and ion electrokinetic chromatography 895(2000)255
- Krokhin, O.V., Kuzina, O.V., Hoshino, H., Shpigun, O.A. and Yotsuyanagi, T.  
Potential of ethylenediaminedi(*o*-hydroxyphenylacetic acid) and *N,N'*-bis(hydroxybenzyl)ethylenediamine-*N,N'*-diacetic acid for the determination of metal ions by capillary electrophoresis 890(2000)363
- Krokhin, O.V., see Pirogov, A.V. 884(2000)31
- Kronina, V.V., Wirth, H.-J. and Hearn, M.T.W.  
Characterisation by immobilised metal ion affinity chromatographic procedures of the binding behaviour of several synthetic peptides designed to have high affinity for Cu(II) ions 852(1999)261
- Kruger, S.C., see Cahill, L.M. 859(1999)23
- Krull, I.S., Sebag, A. and Stevenson, R.  
Specific applications of capillary electrochromatography to biopolymers, including proteins, nucleic acids, peptide mapping, antibodies, and so forth (Review) 887(2000)137
- Kruus, P., see Aranda, R. 888(2000)35
- Krylov, S.N., see Zhang, L. 894(2000)129

- Kuban, P., Oldhoff, O. and Karlberg, B.  
Direct determination of small cations in proteinaceous samples using a flow injection–capillary electrophoresis system 857(1999)321
- Kubec, R., Svobodová, M. and Velíšek, J.  
Gas chromatographic determination of *S*-alk(en)ylcysteine sulfoxides 862(1999)85
- Kubinec, R., see Pang, G.-F. 882(2000)231
- Kubinec, R., see Soják, L. 878(2000)235
- Kubota, Y., see Koizumi, K. 852(1999)407
- Kudzin, Z.H., Saganiak, M., Kotyński, A. and Ciesielski, W.  
Comparison of the thin-layer chromatographic properties of sulfur-containing amino acids and their aminophosphonic analogues 888(2000)335
- Kukreja, A.K., see Bala, S. 858(1999)239
- Kuksis, A., see Itabashi, Y. 893(2000)261
- Kula, M.-R., see Fernández-Lahore, H.M. 873(2000)195
- Kullman, J.P., see Berthod, A. 897(2000)113
- Kulshrestha, G., see Bazoobandi, M. 886(2000)319
- Kulshrestha, G., see Saikia, N. 864(1999)351
- Kulshrestha, M., see Bala, S. 858(1999)239
- Kumar, D., see Unger, K.K. 892(2000)47
- Kumar, N. and Egovalle, J.C.  
Headspace gas chromatography method for the analysis of volatile impurities in a hormone replacement transdermal patch 859(1999)113
- Kumar, S., see Bala, S. 858(1999)239
- Kunito, Y., see Kanazawa, H. 871(2000)181
- Kuo, C.-H., see Sun, S.-W. 891(2000)189
- Kuo, C.-T. and Chen, H.-W.  
Determination of 1,3-, 1,6-, 1,8-dinitropyrene and 1-nitropyrene in airborne particulate by column liquid chromatography with electrochemical detection 897(2000)393
- Kuo, J.-S., see Cheng, F.-C. 870(2000)405
- Kuo, Y.-C., see Hsieh, M.-M. 898(2000)133
- Kurano, M., see Sasano, R. 896(2000)41
- Kurita, R., see Liu, Z. 891(2000)149
- Kuroda, Y., see Mohamed, N.A.L. 875(2000)447
- Kuronen, P., Väänänen, T. and Pehu, E.  
Reversed-phase liquid chromatographic separation and simultaneous profiling of steroidal glycoalkaloids and their aglycones 863(1999)25
- Kuronen, P., see Väänänen, T. 869(2000)301
- Kurosu, Y., see Iwata, T. 859(1999)13
- Küstners, E., Heuer, C. and Wieckhusen, D.  
Purification of an ascomycin derivative with simulated moving bed chromatography. A case study 874(2000)155
- Küstners, E., see Wang-Fan, W. 864(1999)69
- Kutlán, D., see Vasánits, A. 870(2000)271
- Kuwahara, Y., see Suzuki, S. 873(2000)247
- Kuzina, O.V., see Krokhin, O.V. 890(2000)363
- Kvasnička, F. and Voldřich, M.  
Determination of fumaric acid in apple juice by on-line coupled capillary isotachopheresis–capillary zone electrophoresis with UV detection 891(2000)175
- L**
- Labrou, N.E., see Clonis, Y.D. 891(2000)33
- Lacker, T., Strohschein, S. and Albert, K.  
Separation and identification of various carotenoids by C<sub>30</sub> reversed-phase high-performance liquid chromatography coupled to UV and atmospheric pressure chemical ionization mass spectrometric detection 854(1999)37
- Lacorte, S., see de Almeida Azevedo, D. 879(2000)13
- Lacorte, S., Fraisse, D. and Barceló, D.  
Efficient solid-phase extraction procedures for trace enrichment of priority phenols from industrial effluents with high total organic carbon content 857(1999)97
- Lacroix, G., see Page, B.D. 873(2000)79
- Lafontaine, P., see Ng, L.-K. 873(2000)29
- Lagesson, V., Lagesson-Andrasko, L., Andrasko, J. and Baco, F.  
Identification of compounds and specific functional groups in the wavelength region 168–330 nm using gas chromatography with UV detection 867(2000)187
- Lagesson-Andrasko, L., see Lagesson, V. 867(2000)187
- Lai, E.P.C., see Dabek-Zlotorzynska, E. 853(1999)487
- Lai, M.H., see Fuh, C.B. 874(2000)131
- Laitinen, R., see Sirén, H. 895(2000)189
- Lali, A., see Pai, A. 867(2000)113
- Lam, M.T., Wan, Q.H., Boulet, C.A. and Le, X.C.  
Competitive immunoassay for staphylococcal enterotoxin A using capillary electrophoresis with laser-induced fluorescence detection 853(1999)545
- Lamb, D.H., Summa, L., Lei, Q.P., Duval, G. and Adam, O.  
Determination of free carrier protein in protein–polysaccharide conjugate vaccines by micellar electrokinetic chromatography 894(2000)311
- Lambert, W.E., see Dams, R. 896(2000)311
- Lambropoulou, D.A., Konstantinou, I.K. and Albanis, T.A.  
Determination of fungicides in natural waters using solid-phase microextraction and gas chromatography coupled with electron-capture and mass spectrometric detection 893(2000)143
- Lämmerhofer, M., see Franco, P. 869(2000)111
- Lämmerhofer, M., see Mandl, A. 858(1999)1
- Lämmerhofer, M., see Tobler, E. 875(2000)341
- Lämmerhofer, M., Tobler, E. and Lindner, W.  
Chiral anion exchangers applied to capillary electrochromatography enantioseparation of oppositely charged chiral analytes: investigation of stationary and mobile phase parameters 887(2000)421
- Lämmerhofer, M., Zarbl, E. and Lindner, W.  
*tert*-Butylcarbamoylquinine as chiral ion-pair agent in non-aqueous enantioselective capillary electrophoresis applying the partial filling technique 892(2000)509
- Lamparczyk, H., see Zarzycki, P.K. 857(1999)255
- Lampi, A.-M., see Kamal-Eldin, A. 881(2000)217
- Lamuela-Raventós, R.M., see Gimeno, E. 881(2000)251
- Lamuela-Raventós, R.M., see Gimeno, E. 881(2000)255

- Lankmayr, E.P., see Strassnig, S. 891(2000)267
- Lankmayr, E.P., see Wenzl, T. 897(2000)269
- Lanvers, C., see Wessel, T. 894(2000)157
- Larsen, B.R., see Baglio, D. 854(1999)207
- Larsson, M., see Ljunglöf, A. 893(2000)235
- Larsson, P.-O., see Pålsson, E. 878(2000)17
- Larue, J.-P., see Paugam, L. 864(1999)155
- Lassiter, S., see Soper, S.A. 853(1999)107
- Latorre, R.M., Saurina, J. and Hernández-Cassou, S.  
Determination of amino acids in overlapped capillary electrophoresis peaks by means of partial least-squares regression 871(2000)331
- Lau, O.-W. and Wong, S.-K.  
Contamination in food from packaging material 882(2000)255
- Lauer-Fields, J.L., Nagase, H. and Fields, G.B.  
Use of Edman degradation sequence analysis and matrix-assisted laser desorption/ionization mass spectrometry in designing substrates for matrix metalloproteinases 890(2000)117
- Laurell, T., see Miliotis, T. 886(2000)99
- Laurens, J.B., Swinley, J.M. and de Coning, J.P.  
Gas chromatographic analysis of trace impurities in chlorine trifluoride 873(2000)229
- Laurentie, M., see Hurtaud-Pessel, D. 882(2000)89
- Laurentie, M., see Verdon, E. 882(2000)135
- Laven, J., see Vissers, J.P.C. 883(2000)11
- Lay Jr., J.O., see Liu, F.F. 888(2000)85
- Lazar, I.M., Ramsey, R.S., Jacobson, S.C., Foote, R.S. and Ramsey, J.M.  
Novel microfabricated device for electrokinetically induced pressure flow and electrospray ionization mass spectrometry 892(2000)195
- Långström, B., see Forngren, B.H. 854(1999)155
- Le, X.C., see Lam, M.T. 853(1999)545
- Le, X.C., see Li, X.-F. 869(2000)375
- Le, X.C., see Wan, Q.-H. 853(1999)555
- Lebo, J.A., see Petty, J.D. 879(2000)83
- Le Bizec, B., see Marchand, P. 867(2000)219
- Leboda, R., see Charmas, B. 886(2000)133
- Leboulenger, F., see Jaouen-Madoulet, A. 886(2000)153
- Lebrón-Aguilar, R., see Quintanilla-López, J.E. 878(2000)125
- Lechner, M., Reiter, B. and Lorbeer, E.  
Determination of tocopherols and sterols in vegetable oils by solid-phase extraction and subsequent capillary gas chromatographic analysis 857(1999)231
- Leclercq, P.A., see Cramers, C.A. 856(1999)315
- Leclercq, P.A., see Van Deursen, M.M. 878(2000)205
- Lecnik, O., see Schmid, M.G. 875(2000)307
- Lee, B.-L. and Ong, C.-N.  
Comparative analysis of tea catechins and theaflavins by high-performance liquid chromatography and capillary electrophoresis 881(2000)439
- Lee, C.S., see Locascio, L.E. 857(1999)275
- Lee, C.-W., see Cheng, F.-C. 870(2000)389
- Lee, D., see Mann, B. 895(2000)329
- Lee, H.K., see He, Y. 874(2000)149
- Lee, H.S. and Hong, J.  
Chiral and electrokinetic separation of amino acids using polypyrrole-coated adsorbents 868(2000)189
- Lee, J., see Geiser, F. 865(1999)227
- Lee, J., see Kim, K.-R. 874(2000)91
- Lee, J., see Kim, K.-R. 891(2000)257
- Lee, J.A., see Ban, E. 853(1999)439
- Lee, M.L., see Shen, Y. 866(2000)1
- Lee, M.L., see Tang, Q. 887(2000)265
- Lee, M.L., see Wu, N. 892(2000)3
- Lee, M.-R., see Hwang, B.-H. 898(2000)245
- Lee, M.-R., Song, Y.-S., Hwang, B.-H. and Chou, C.-C.  
Determination of amphetamine and methamphetamine in serum via headspace derivatization solid-phase microextraction–gas chromatography–mass spectrometry 896(2000)265
- Lee, S.-S., see Sun, S.-W. 891(2000)189
- Lee, W. and Hong, C.Y.  
Direct liquid chromatographic enantiomer separation of new fluoroquinolones including gemifloxacin 879(2000)113
- Lee, Y.S., see Choi, S. 853(1999)285
- Legaz, M.-E., see Mateos, J.L. 870(2000)425
- Legaz, M.-E., see Rodríguez, C.W. 881(2000)531
- Leggott, N.L., see Sewram, V. 897(2000)365
- Leggott, N.L., see Shephard, G.S. 882(2000)17
- Legrand, J., see Marchal, L. 869(2000)339
- Le Graet, Y., see Gaucheron, F. 893(2000)133
- Le Guellec, A.-M., see Jaouen-Madoulet, A. 886(2000)153
- Le Guen, S., Prost, C. and Demaimay, M.  
Characterization of odorant compounds of mussels (*Mytilus edulis*) according to their origin using gas chromatography–olfactometry and gas chromatography–mass spectrometry 896(2000)361
- Lehane, M., see James, K.J. 871(2000)1
- Lehmann, J., see Christians, T. 853(1999)455
- Lehmann, S.V., see Bergholdt, A.B. 875(2000)403
- Lehmberg, E., see Mann, B. 895(2000)329
- Lehotay, S.J., see Schenck, F.J. 868(2000)51
- Lei, J., see Dormady, S.J. 864(1999)237
- Lei, Q.P., see Lamb, D.H. 894(2000)311
- Leibowitz, M.J., see Georgopoulos, D.E. 868(2000)109
- Leira, F., see González, J.C. 876(2000)117
- Leitch II, W.E., see Deshmukh, R.R. 890(2000)179
- Lelievre, J., see Gaillon, L. 876(2000)169
- Lemerle, D., see Wu, H. 864(1999)315
- Lemley, A.T., see Hong, S. 857(1999)205
- Lemoine, Y., see Darko, E. 876(2000)111
- Lemr, K., see Ševčík, J. 866(2000)293
- Lengyel, T. and Guttman, A.  
Effect of linear polymer additives on the electroosmotic characteristics of agarose gels in ultrathin-layer electrophoresis 853(1999)511
- Lengyel, T., see Guttman, A. 871(2000)289
- Lengyel, T., Sasvari-Szekely, M. and Guttman, A.  
High-throughput genotyping of factor V Leiden mutation by ultrathin-layer agarose gel electrophoresis 853(1999)519
- Lenhoff, A.M., see DePhillips, P. 883(2000)39
- Lentza-Rizos, Ch. and Avramides, E.J.  
Inclusion of the fungicide chlozolinate in a multiresidue method 858(1999)123
- León, V.M., see Castillo, M. 889(2000)195

- León, V.M., González-Mazo, E. and Gómez-Parra, A.  
Handling of marine and estuarine samples for the determination of linear alkylbenzene sulfonates and sulfophenylcarboxylic acids 889(2000)211
- León, V.M., see Sáez, M. 889(2000)99
- Leonard, S., see Kaale, E. 895(2000)67
- Leonardi, A., Aragon-Ortiz, F., Gubenšek, F. and Križaj, I.  
Partial primary structure of a fibrinogenase from the venom of the snake *Lachesis stenophrys* 852(1999)237
- Leonards, P.E.G., see Steen, R.J.C.A. 857(1999)157
- Leondiadis, L., see Livaniou, E. 881(2000)331
- Léonil, J., Gagnaire, V., Mollé, D., Pezennec, S. and Bouhallab, S.  
Application of chromatography and mass spectrometry to the characterization of food proteins and derived peptides (Review) 881(2000)1
- Le Potier, I., see Tamisier-Karolak, S.L. 852(1999)487
- Lerch, G., see Djordjevic, N.M. 887(2000)245
- Lercker, G. and Rodriguez-Estrada, M.T.  
Chromatographic analysis of unsaponifiable compounds of olive oils and fat-containing foods (Review) 881(2000)105
- Lesellier, E., see Gaudin, K. 883(2000)211
- Lesellier, E., see Gurdale, K. 866(2000)241
- Lespes, G., see Bancon-Montigny, Ch. 896(2000)149
- Letzel, T., Rosenberg, E., Wissiack, R., Grasserbauer, M. and Niessner, R.  
Separation and identification of polar degradation products of benzo[*a*]pyrene with ozone by atmospheric pressure chemical ionization–mass spectrometry after optimized column chromatographic clean-up 855(1999)501
- Levin, S., see Magora, A. 866(2000)183
- Levine, L.H., Judkins, J.E. and Garland, J.L.  
Determination of anionic surfactants during wastewater recycling process by ion pair chromatography with suppressed conductivity detection 874(2000)207
- Levison, P.R., Hopkins, A.K. and Hathi, P.  
Influence of column design on process-scale ion-exchange chromatography 865(1999)3
- Levison, P.R., Hopkins, A.K., Hathi, P., Badger, S.E., Mann, F., Dickson, N. and Purdom, G.  
Suspended bed chromatography, a new approach in downstream processing 890(2000)45
- Lew, K.M., see Lin, J.-T. 891(2000)349
- Lewus, R.K. and Carta, G.  
Protein diffusion in charged polyacrylamide gels. Visualization and analysis 865(1999)155
- Lho, D.-S., see Ban, E. 853(1999)439
- Li, B., Yang, Y., Gan, Y., Eaton, C.D., He, P. and Jones, A.D.  
On-line coupling of subcritical water extraction with high-performance liquid chromatography via solid-phase trapping 873(2000)175
- Li, G., Zhang, H., Fan, Y., Zhao, L. and Hu, Z.  
Migration behavior and separation of active components in *Glycyrrhiza uralensis* Fisch and its commercial extract by micellar electrokinetic capillary chromatography 863(1999)105
- Li, H., see Lv, K. 878(2000)147
- Li, H.-B. and Chen, F.  
Determination of silicate in water by ion exclusion chromatography with conductivity detection 874(2000)143
- Li, H.-B., Chen, F. and Jiang, Y.  
Determination of vitamin B<sub>12</sub> in multivitamin tablets and fermentation medium by high-performance liquid chromatography with fluorescence detection 891(2000)243
- Li, H.-P., see Pang, G.-F. 882(2000)231
- Li, H.-Q., Jiku, F. and Schröder, H.F.  
Assessment of the pollutant elimination efficiency by gas chromatography/mass spectrometry, liquid chromatography–mass spectrometry and –tandem mass spectrometry. Comparison of conventional and membrane-assisted biological wastewater treatment processes 889(2000)155
- Li, J., Ding, W. and Fritz, J.S.  
Separation of anions by ion chromatography–capillary electrophoresis 879(2000)245
- Li, J., see Zhang, X.-X. 895(2000)1
- Li, L., Carr, P.W. and Evans, J.F.  
Studies of retention and stability of a horizontally polymerized bonded phase for reversed-phase liquid chromatography 868(2000)153
- Li, P., see Li, S.-L. 859(1999)183
- Li, P., see Li, S.-L. 873(2000)221
- Li, P.C.H., see Hu, S. 876(2000)183
- Li, Q., see Poole, C.F. 898(2000)211
- Li, Q., see Zhao, L. 857(1999)295
- Li, S.-L., Chan, S.-w., Li, P., Lin, G., Zhou, G.-h., Ren, Y.-j. and Chiu, F.C.-k.  
Pre-column derivatization and gas chromatographic determination of alkaloids in bulbs of *Fritillaria* 859(1999)183
- Li, S.-L., Li, P., Lin, G., Chan, S.-W. and Ho, Y.-P.  
Simultaneous determination of seven major isosteroidal alkaloids in bulbs of *Fritillaria* by gas chromatography 873(2000)221
- Li, T., see Yang, A. 878(2000)165
- Li, X., see Cao, X. 855(1999)709
- Li, X.-F., Carter, S.J. and Dovichi, N.J.  
Non-aqueous capillary electrophoresis of tamoxifen and its acid hydrolysis products 895(2000)81
- Li, X.-F., see Qi, M. 853(1999)131
- Li, X.-F., Ren, H.J., Le, X.C., Qi, M., Ireland, I.D. and Dovichi, N.J.  
Migration time correction for the analysis of derivatized amino acids and oligosaccharides by micellar capillary electrochromatography 869(2000)375
- Li, X.-M., see Pang, G.-F. 882(2000)85
- Li, X.-M., see Pang, G.-F. 882(2000)231
- Li, Y.-M., see Tobback, K. 857(1999)313
- Li, Z., see Wang, F. 883(2000)113
- Li, Z., see Zhao, L. 857(1999)295
- Liao, J.-J., see Ru, Q.-H. 894(2000)165
- Liao, W., Paek, H., Mabuni, C., Angold, S. and Soliman, M.  
Use of capillary electrophoresis with UV detection as a screening method to determine histamine in fish samples 853(1999)541
- Liapis, A.I. and Grimes, B.A.  
Modeling the velocity field of the electroosmotic flow in charged capillaries and in capillary columns packed with charged particles: interstitial and intraparticle velocities in capillary electrochromatography systems 877(2000)181

- Liapis, A.I., see Grimes, B.A. 890(2000)61
- Liapis, A.I., see Meyers, J.J. 852(1999)3
- Liapis, A.I., Meyers, J.J. and Crosser, O.K.  
Modeling and simulation of the dynamic behavior of monoliths. Effects of pore structure from pore network model analysis and comparison with columns packed with porous spherical particles 865(1999)13
- Liapis, A.I., Meyers, J.J. and Crosser, O.K.  
Erratum to: "Modeling and simulation of the dynamic behavior of monoliths. Effect of pore structure from pore network model analysis and comparison with columns packed with porous spherical particles" [J. Chromatogr. A, 865 (1999) 13–25] 873(2000)301
- Liégeois, M.H., see Ravanel, P. 864(1999)145
- Lignot, B., see Froidevaux, R. 873(2000)185
- Lii, C.-K., see Chen, H.-M. 852(1999)151
- Liljenberg, A., see Dahlman, O. 891(2000)157
- Lim, S., see Rylatt, D.B. 865(1999)145
- Lin, B., see Koppenhoefer, B. 875(2000)135
- Lin, B., see Zhu, X. 888(2000)241
- Lin, C.-E., Chen, H.-W., Lin, E.C., Lin, K.-S. and Huang, H.-C.  
Optimization of separation and migration behavior of cephalosporins in capillary zone electrophoresis 879(2000)197
- Lin, C.-E. and Chen, Yu.-T.  
Migration behavior and separation of benzenediamines, aminophenols and benzenediols by capillary zone electrophoresis 871(2000)357
- Lin, C.-E. and Lin, K.-S.  
Determination of critical micelle concentration and interactions between cephalosporins and charged surfactants 868(2000)313
- Lin, C.-E., Wang, T.-Z., Huang, H.-C., Hsueh, C.-C. and Liu, Yu.-C.  
Capillary zone electrophoretic separation of neutral species of chloro-*s*-triazines in the presence of cationic surfactant monomers 878(2000)137
- Lin, C.-H., see Roberts, K.P. 853(1999)159
- Lin, C.-Y., see Chen, M.-J. 853(1999)171
- Lin, E.C., see Lin, C.-E. 879(2000)197
- Lin, F.-Y., Chen, W.-Y., Ruaan, R.-C. and Huang, H.-M.  
Microcalorimetric studies of interactions between proteins and hydrophobic ligands in hydrophobic interaction chromatography: effects of ligand chain length, density and the amount of bound protein 872(2000)37
- Lin, G., see Li, S.-L. 859(1999)183
- Lin, G., see Li, S.-L. 873(2000)221
- Lin, J.-T., Lew, K.M., Chen, J.M. and McKeon, T.A.  
Separation of the molecular species of intact phosphatidylethanolamines and their *N*-monomethyl and *N,N*-dimethyl derivatives by high-performance liquid chromatography on a C<sub>8</sub> column 891(2000)349
- Lin, K.-S., see Lin, C.-E. 868(2000)313
- Lin, K.-S., see Lin, C.-E. 879(2000)197
- Lin, L.Y., see Fuh, C.B. 874(2000)131
- Lin, L.-Z., He, X.-G., Lindenmaier, M., Nolan, G., Yang, J., Cleary, M., Qiu, S.-X. and Cordell, G.A.  
Liquid chromatography–electrospray ionization mass spectrometry study of the flavonoids of the roots of *Astragalus mongholicus* and *A. membranaceus* 876(2000)87
- Lin, Y.-H., see Wang, J.-L. 896(2000)31
- Lin, Z.-P. and Aue, W.A.  
Gas chromatographic determination of primary alcohols as their formylbenzoic esters by gas-phase luminescence detection 855(1999)583
- Lindblom, H., see Mohammad, J. 852(1999)255
- Linde, S.-A., see Effkemann, S. 855(1999)551
- Lindenmaier, M., see Lin, L.-Z. 876(2000)87
- Lindgren, J., see Ljunglöf, A. 893(2000)235
- Lindholm, C., see Pedersen, S.N. 864(1999)17
- Lindner, E., see Ellwanger, A. 858(1999)133
- Lindner, W., see Franco, P. 869(2000)111
- Lindner, W., see Lämmerhofer, M. 887(2000)421
- Lindner, W., see Lämmerhofer, M. 892(2000)509
- Lindner, W., see Mandl, A. 858(1999)1
- Lindner, W., see Piette, V. 875(2000)353
- Lindner, W., see Piette, V. 894(2000)63
- Lindner, W., see Tobler, E. 875(2000)341
- Lindner, W., see Zenker, A. 852(1999)337
- Lindner, W., see Zöllner, P. 858(1999)167
- Lindroos, L., see Mämmelä, P. 891(2000)75
- Lingeman, H., see Veraart, J.R. 856(1999)483
- Lips, J., see Segal, A. 873(2000)13
- Liška, I.  
Fifty years of solid-phase extraction in water analysis – historical development and overview (Review) 885(2000)3
- Liška, I., see Tölgyessy, P. 857(1999)247
- Lisso, M., see Beste, Y.A. 868(2000)169
- Liu, C.-H., see Ding, W.-H. 896(2000)111
- Liu, C.-L., Zhu, P.-L. and Liu, M.-C.  
Computer-aided development of a high-performance liquid chromatographic method for the determination of hydroxyanthraquinone derivatives in Chinese herb medicine rhubarb 857(1999)167
- Liu, C.-Y., Chen, J.-L., Shiue, C.-C. and Liu, K.-T.  
Synthesis and analytical properties of a novel columnar metallomesogenic polymer 862(1999)65
- Liu, C.-Y., Ho, Yu.-W. and Pai, Y.-F.  
Preparation and evaluation of an imidazole-coated capillary column for the electrophoretic separation of aromatic acids 897(2000)383
- Liu, F.F., Ang, C.Y.W., Heinze, T.M., Rankin, J.D., Beger, R.D., Freeman, J.P. and Lay Jr., J.O.  
Evaluation of major active components in St. John's Wort dietary supplements by high-performance liquid chromatography with photodiode array detection and electrospray mass spectrometric confirmation 888(2000)85
- Liu, H.-M., see Sun, H.-L. 857(1999)351
- Liu, H.X., see Zhang, S.S. 872(2000)259
- Liu, K., see Ding, X. 883(2000)127
- Liu, K.-N., see Huang, Y. 884(2000)53
- Liu, K.-T., see Liu, C.-Y. 862(1999)65

- Liu, L., Howe, P., Zhou, Y.-F., Xu, Z.-Q., Hocart, C. and Zhang, R.  
Fatty acids and  $\beta$ -carotene in Australian purslane (*Portulaca oleracea*) varieties 893(2000)207
- Liu, M., see Jiang, X. 857(1999)175
- Liu, M.-C., see Liu, C.-L. 857(1999)167
- Liu, P., see Cheung, A.P. 870(2000)179
- Liu, Q., see Yang, F. 858(1999)103
- Liu, Q., see Yang, F. 883(2000)67
- Liu, Q.-T. and Kinderlerer, J.L.  
Preparative thin-layer chromatographic separation and subsequent gas chromatographic–mass spectrometric analysis of monoacylglycerols derived from butter oil by fungal degradation 855(1999)617
- Liu, S., see Chen, C. 886(2000)313
- Liu, S.-M., see Pang, G.-F. 882(2000)231
- Liu, T., Shao, X.-X., Zeng, R. and Xia, Q.-C.  
Analysis of recombinant and modified proteins by capillary zone electrophoresis coupled with electrospray ionization tandem mass spectrometry 855(1999)695
- Liu, Y., Jiang, X.-L., Cui, H. and Guan, H.-S.  
Analysis of oligomannuronic acids and oligoguluronic acids by high-performance anion-exchange chromatography and electrospray ionization mass spectrometry 884(2000)105
- Liu, Y., see Minnoor, E. 884(2000)297
- Liu, Y., see Ru, Q.-H. 894(2000)165
- Liu, Yu.-C., see Lin, C.-E. 878(2000)137
- Liu, Z., Feng, S., Yin, J., Ding, F. and Yuan, N.  
Experimental studies on affinity chromatography in an electric field 852(1999)319
- Liu, Z., Niwa, O., Kurita, R. and Horiuchi, T.  
Miniaturized thin-layer radial flow cell with interdigitated ring-shaped microarray electrode used as amperometric detector for capillary electrophoresis 891(2000)149
- Liu, Z., see Ye, M. 855(1999)137
- Liu, Z., see Ye, M. 869(2000)385
- Liu, Z., see Ye, M. 887(2000)223
- Liu, Z., Zou, H., Ye, M., Ni, J. and Zhang, Y.  
Effects of organic modifiers on retention mechanism and selectivity in micellar electrokinetic capillary chromatography studied by linear solvation energy relationships 863(1999)69
- Livaniou, E., Costopoulou, D., Vassiliadou, I., Leondiadis, L., Nyalala, J.O., Ithakissios, D.S. and Evangelatos, G.P.  
Analytical techniques for determining biotin (Review) 881(2000)331
- Ljunglöf, A., Larsson, M., Knuutila, K.-G. and Lindgren, J.  
Measurement of ligand distribution in individual adsorbent particles using confocal scanning laser microscopy and confocal micro-Raman spectroscopy 893(2000)235
- Llompert, M.P., see Rodríguez, I. 885(2000)291
- Llorente, J., see Bernal, J.L. 882(2000)239
- Llorente, J., see Jiménez, J.J. 871(2000)67
- Llovera, M., see Velázquez, C. 870(2000)469
- Lo Biundo, G., see New, A.P. 889(2000)177
- Loaldi, A., see Accinni, R. 896(2000)183
- Lobazov, A.P., see Ivanov, A.R. 894(2000)253
- Locascio, L.E., Perso, C.E. and Lee, C.S.  
Measurement of electroosmotic flow in plastic imprinted microfluid devices and the effect of protein adsorption on flow rate 857(1999)275
- Locker, K.L., see Watt, A.P. 896(2000)217
- Locker, K.L., see Watt, A.P. 896(2000)229
- Lohse, O., see Wang-Fan, W. 864(1999)69
- Loizeau, V., see Jaouen-Madoulet, A. 886(2000)153
- Lojková, L., see Zdráhal, Z. 893(2000)201
- Lombardi, P., see Cappiello, A. 855(1999)515
- Long, J., see Breda, M. 854(1999)81
- Long, P.L., see Guyonnet, V. 852(1999)217
- Lookhart, G.L., see Bean, S.R. 881(2000)23
- Loos, R., Alonso, M.C. and Barceló, D.  
Solid-phase extraction of polar hydrophilic aromatic sulfonates followed by capillary zone electrophoresis–UV absorbance detection and ion-pair liquid chromatography–diode array UV detection and electrospray mass spectrometry 890(2000)225
- López de Alda, M.J. and Barceló, D.  
Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by liquid chromatography–diode array detection–mass spectrometry 892(2000)391
- López de Armentia, C., see Sampedro, M.C. 893(2000)347
- López, E.E., see Lucangioli, S.E. 871(2000)207
- López, F.J., see Beltran, J. 885(2000)389
- López, F.J., see Serrano, R. 855(1999)633
- Lopez Hernandez, J., see de La Cruz Garcia, C. 891(2000)367
- López, J.A., Martínez, V., Alonso, R.M. and Jiménez, R.M.  
High-performance liquid chromatography with amperometric detection applied to the screening of 1,4-dihydropyridines in human plasma 870(2000)105
- López, R., see Ferreira, V. 864(1999)77
- López-Erroz, C., see Viñas, P. 871(2000)85
- López-Nicolás, J.M., Pérez-Gilabert, M. and García-Carmona, F.  
Rapid reversed-phase high-performance liquid chromatographic determination of the regiospecificity of lipoxigenase products on linoleic acid 859(1999)107
- López-Ruiz, B.  
Advances in the determination of inorganic anions by ion chromatography (Review) 881(2000)607
- López-Sabater, M.C., see Gimeno, E. 881(2000)251
- López-Sabater, M.C., see Gimeno, E. 881(2000)255
- López-Sabater, M.C., see Vendrell-Pascuas, S. 881(2000)591
- Loponen, J., see Salminen, J.-P. 864(1999)283
- Lopuska, A., Polanowska, J., Wilusz, T. and Polanowski, A.  
Purification of two low-molecular-mass serine proteinase inhibitors from chicken liver 852(1999)207
- Lorbeer, E., see Aichholz, R. 855(1999)601
- Lorbeer, E., see Aichholz, R. 883(2000)75
- Lorbeer, E., see Lechner, M. 857(1999)231
- Lord, H. and Pawliszyn, J.  
Evolution of solid-phase microextraction technology (Review) 885(2000)153
- Lord, H.L., see Kataoka, H. 880(2000)35
- Lorenzo, R.A., see Abuín, M. 889(2000)185
- Lores, M., see Fernández García-Borregón, P. 870(2000)39
- Lores, M., see González-Barreiro, C. 896(2000)373
- Loster, K., see Saenko, E. 852(1999)59

- Loster, K., see Saenko, E. 872(2000)323
- Lou, X., van Dongen, J.L.J. and Meijer, E.W.  
Off-line size-exclusion chromatographic fractionation–  
matrix-assisted laser desorption ionization time-of-flight  
mass spectrometry for polymer characterization. Theoretical  
and experimental study 896(2000)19
- Louden, D., see Ludlow, M. 857(1999)89
- Loughlin, T., see Wang, F. 872(2000)279
- Louie, L.W., see Ci, S.X. 864(1999)199
- Louter, A.J.H., see Vreuls, J.J. 856(1999)279
- Lu, H., Mou, S. and Riviello, J.M.  
Use of ion chromatography for the determination of heavy  
and transition metals in biochemical samples  
857(1999)343
- Lu, H.S., see Hara, S. 867(2000)151
- Lu, S.X. and Yeung, E.S.  
Side-entry excitation and detection of square capillary array  
electrophoresis for DNA sequencing 853(1999)359
- Lu, W., see Sun, D. 864(1999)293
- Lu, W.-M., see Wang, X.-Yu. 855(1999)341
- Lubda, D., see Račaitytė, K. 890(2000)135
- Lucangioli, S.E., Hermida, L.G., Tripodi, V.P., Rodríguez, V.G.,  
López, E.E., Rouge, P.D. and Carducci, C.N.  
Analysis of *cis*–*trans* isomers and enantiomers of sertraline  
by cyclodextrin-modified micellar electrokinetic  
chromatography 871(2000)207
- Lucentini, L., see Draisci, R. 870(2000)511
- Luckas, B., see Vetter, W. 886(2000)123
- Lucy, C.A., see Melanson, J.E. 884(2000)311
- Ludemann-Hombourger, O., see Biressi, G. 876(2000)3
- Ludlow, M., Louden, D., Handley, A., Taylor, S., Wright, B.  
and Wilson, I.D.  
Size-exclusion chromatography with on-line ultraviolet,  
proton nuclear magnetic resonance and mass spectrometric  
detection and on-line collection for off-line Fourier  
transform infrared spectroscopy 857(1999)89
- Lüdtke, S., see Unger, K.K. 892(2000)47
- Luedtke, S., Adam, Th., von Doehren, N. and Unger, K.K.  
Towards the ultimate minimum particle diameter of silica  
packings in capillary electrochromatography 887(2000)339
- Luf, W., see Razzazi-Fazeli, E. 854(1999)45
- Luf, W., see Razzazi-Fazeli, E. 896(2000)321
- Lugar, C.W., see Kennedy, J.H. 872(2000)75
- Luke Babu, R., see Fadnavis, N.W. 893(2000)189
- Lund, W., see Tangen, A. 891(2000)129
- Lundahl, P., see Beigi, F. 852(1999)313
- Lundahl, P., see Lundqvist, A. 852(1999)93
- Lundanes, E., see Bruheim, I. 868(2000)261
- Lundanes, E., see Halvorsen, B.L. 880(2000)121
- Lundanes, E., see Molander, P. 864(1999)103
- Lundanes, E., see Molander, P. 892(2000)67
- Lundanes, E., see Roed, L. 890(2000)347
- Lundqvist, A. and Lundahl, P.  
Biomembrane-affinity centrifugal analyses of solute  
interactions with membrane proteins 852(1999)93
- Lundstedt, S., Van Bavel, B., Haglund, P., Tysklind, M. and  
Öberg, L.  
Pressurised liquid extraction of polycyclic aromatic  
hydrocarbons from contaminated soils 883(2000)151
- Luo, G.-A., see Ru, Q.-H. 894(2000)165
- Luo, G.-A., see Ru, Q.-H. 894(2000)171
- Luo, G.-A., see Ru, Q.-H. 894(2000)337
- Luo, G.-A., see Zhou, G.-H. 853(1999)277
- Luo, S.-L., see Chen, H.-M. 852(1999)151
- Luong, J.H.T., Hilmi, A. and Nguyen, A.-L.  
Nonaqueous capillary electrophoresis equipped with  
amperometric detection for analysis of chlorinated phenolic  
compounds 864(1999)323
- Luppa, P., see Kaiser, T. 852(1999)189
- Luque de Castro, M.D., see Jiménez-Carmona, M.M.  
855(1999)625
- Lurie, I.S., Bailey, C.G., Anex, D.S., Bethea, M.J., McKibben,  
T.D. and Casale, J.F.  
Profiling of impurities in illicit methamphetamine by high-  
performance liquid chromatography and capillary  
electrochromatography 870(2000)53
- Lutz, E.S.M., see Račaitytė, K. 890(2000)135
- Lv, K., Li, H. and Ding, M.  
Analysis of tetramethylpyrazine in *Ephedrae herba* by gas  
chromatography–mass spectrometry and high-performance  
liquid chromatography 878(2000)147
- Lynch, P.L.M. and Young, I.S.  
Determination of thiamine by high-performance liquid  
chromatography 881(2000)267
- Lyu, M.-j., see Hsieh, M.-M. 898(2000)133

## M

- Ma, Z., see Wu, D.-J. 855(1999)71
- Mabuni, C., see Liao, W. 853(1999)541
- Machida, Y., see Kagawa, M. 857(1999)127
- Mack, J.P., see Trone, M.D. 888(2000)229
- Macka, M., see Breadmore, M.C. 892(2000)303
- Macka, M., see Haddad, P.R. 856(1999)145
- Macka, M. and Haddad, P.R.  
Elution mechanism in electrostatic ion chromatography  
with histidine as an isoelectric ampholytic mobile phase  
884(2000)287
- MacNamara, K., see Fitzgerald, G. 896(2000)351
- Madabushi, J., see Wentworth, W.E. 872(2000)119
- Madsen, J.Ø., see Nielsen, K.F. 898(2000)227
- Maes, A., see Knepper, T.P. 889(2000)245
- Maftouh, M., see Perrin, C. 883(2000)249
- Maftouh, M., see Vargas, M.G. 855(1999)681
- Magee, T.J., see Chelyapov, N. 853(1999)431
- Magnan, M.M., see Soják, L. 878(2000)235
- Magnusdottir, S., Gelfi, C., Hamdan, M. and Righetti, P.G.  
Separation of double-stranded DNA in conventional and  
isoelectric buffers: studies on stability and separation  
performance 859(1999)87
- Magnusdottir, S., see Stellwagen, N.C. 883(2000)267



- Magnuson, M.L., Speth, T.F. and Kelty, C.A.  
Determination of interfering triazine degradation products by gas chromatography–ion trap mass spectrometry 868(2000)115
- Magora, A., Abu-Lafi, S. and Levin, S.  
Comparison of the enantioseparation of racemic uridine analogs on Whelk-O 1 and ChiralPak-AD columns 866(2000)183
- Mahuzier, G., see Jaimez, J. 882(2000)1
- Maichel, B., Gogova, K., Gas, B. and Kenndler, E.  
Comparison of separation selectivity in capillary electrokinetic chromatography using a cationic linear polymeric pseudo-stationary phase or monomeric additives of similar structure 894(2000)25
- Maichel, B., Potocek, B., Gas, B. and Kenndler, E.  
Capillary electrokinetic chromatography with polyethyleneimine as replaceable cationic pseudostationary phase. Influence of methanol and acetonitrile on separation selectivity 853(1999)121
- Maimait, R., see Bakiamoh, S.B. 862(1999)105
- Mainka, A., see Haumann, I. 895(2000)269
- Maitani, T., see Akiyama, T. 895(2000)279
- Mak, C.-P., see Wang-Fan, W. 864(1999)69
- Makino, K., see Suzuki, T. 877(2000)225
- Makiura, K., see Suzuki, S. 873(2000)247
- Makovičková, H., see Marklová, E. 870(2000)289
- Malá, Z., Klepárník, K. and Boček, P.  
Highly alkaline electrolyte for single-stranded DNA separations by electrophoresis in bare silica capillaries 853(1999)371
- Malandra, R., see Colombo, M.M. 880(2000)303
- Malatray, P., see Caussé, E. 895(2000)173
- Malik, A.K., Seidel, B.S. and Faubel, W.  
Capillary electrophoretic determination of ferric dimethyldithiocarbamate as iron(III) chelate of EDTA 857(1999)365
- Mallet, S., Arellano, M., Boulet, J.C. and Couderc, F.  
Determination of tartaric acid in solid wine residues by capillary electrophoresis and indirect UV detection 853(1999)181
- Maloney, T.D., see Colón, L.A. 887(2000)43
- Malosse, C., see Rochat, D. 885(2000)433
- Malyshev, O.R. and Vinogradov, M.G.  
Convenient synthesis of  $\pi$ -acceptor chiral stationary phases for high-performance liquid chromatography from halogen-substituted 3,5-dinitrobenzoylamides 859(1999)143
- Malyukova, I.V., see Berezkin, V.G. 872(2000)111
- Mämmelä, P., Savolainen, H., Lindroos, L., Kangas, J. and Vartiainen, T.  
Analysis of oak tannins by liquid chromatography–electrospray ionisation mass spectrometry 891(2000)75
- Mandl, A., Nicoletti, L., Lämmerhofer, M. and Lindner, W.  
Quinine versus carbamoylated quinine-based chiral anion exchangers. A comparison regarding enantioselectivity for N-protected amino acids and other chiral acids 858(1999)1
- Mañes, J., see Fernández, M. 871(2000)43
- Mañes, J., see Picó, Y. 882(2000)153
- Mañes, J., see Picó, Y. 885(2000)251
- Manganiello, L., Ríos, A. and Valcárcel, M.  
Automatic microgravimetric determination of fats in milk products by use of supercritical fluid extraction with on-line piezoelectric detection 874(2000)265
- Mangano, M.F., see Pietta, P.G. 853(1999)355
- Mangia, A., see Careri, M. 854(1999)233
- Mangia, A., see Careri, M. 881(2000)449
- Mangin, P., see Dienes-Nagy, A. 854(1999)109
- Mann, B., Traina, J.A., Soderblom, C., Murakami, P.K., Lehmberg, E., Lee, D., Irving, J., Nestaas, E. and Pungor Jr., E.  
Capillary zone electrophoresis of a recombinant adenovirus 895(2000)329
- Mann, C.K., see Doyle, C.A. 877(2000)25
- Mann, C.K., see Doyle, C.A. 877(2000)41
- Mann, F., see Levison, P.R. 890(2000)45
- Mant, C.T., see Husband, D.L. 893(2000)81
- Mant, C.T., see Yu, Y.B. 890(2000)81
- Marasat, W.F.O., see Sewram, V. 858(1999)175
- Marcato, B. and Vianello, M.  
Microwave-assisted extraction by fast sample preparation for the systematic analysis of additives in polyolefins by high-performance liquid chromatography 869(2000)285
- Marcé, R.M. and Borrull, F.  
Solid-phase extraction of polycyclic aromatic compounds (Review) 885(2000)273
- Marcé, R.M., see Gimeno, R.A. 890(2000)289
- Marcé, R.M., see Peñalver, A. 872(2000)191
- Marcé, R.M., see Pocurrull, E. 854(1999)187
- Marcé, R.M., see Pocurrull, E. 885(2000)361
- Marchal, L., Foucault, A., Patissier, G., Rosant, J.M. and Legrand, J.  
Influence of flow patterns on chromatographic efficiency in centrifugal partition chromatography 869(2000)339
- Marchand, P., le Bizec, B., Gade, C., Monteau, F. and André, F.  
Ultra trace detection of a wide range of anabolic steroids in meat by gas chromatography coupled to mass spectrometry 867(2000)219
- Marchese, S., see Curini, R. 874(2000)187
- Marchioni, E., see Horvatovich, P. 897(2000)259
- Marchioni, E., see Ndiaye, B. 858(1999)109
- Marecak, D., see Yeung, B. 852(1999)573
- Marengo, E., Gennaro, M.C., Gianotti, V. and Prenesti, E.  
Optimization of the separation of mono- and dichloroanilines in ion interaction high-performance liquid chromatography 863(1999)1
- Margolis, S., see Sharpless, K.E. 881(2000)171
- Margolis, S.A., see Da Costa, C.T. 881(2000)403
- Marina, M.L., see Crego, A.L. 869(2000)329
- Marina, M.L., see García, M.C. 880(2000)169
- Marina, M.L., see García, M.C. 881(2000)37
- Marina, M.L., see García, M.C. 881(2000)47
- Marina, M.L., see García-Ruiz, C. 859(1999)77
- Marín-Hernández, J.J., see Viñas, P. 871(2000)85
- Marini, M.V., see Glatz, Z. 895(2000)219
- Marino, A., see Curini, R. 874(2000)187
- Marino, M., see Wei, Y. 864(1999)49

- Mark, S., Forssmann, W.-G. and Ständker, L.  
Strategy for identifying circulating fragments of insulin-like growth factor binding proteins in a hemofiltrate peptide bank 852(1999)197
- Mark, S., see Seiler, P. 852(1999)273
- Markham, J., see Griffin, S. 864(1999)221
- Markides, K.E., see Forngren, B.H. 854(1999)155
- Markides, K.E., see Sjöberg, P.J.R. 855(1999)317
- Markl, P., see Spitzer, B. 880(2000)113
- Marklová, E., Makovičková, H. and Krákorová, I.  
Screening for defects in tryptophan metabolism 870(2000)289
- Marko-Varga, G., see Miliotis, T. 886(2000)99
- Marko-Varga, G., see Wagner, K. 893(2000)293
- Markuszewski, M., see Kaliszan, R. 855(1999)455
- Marmé, S., see Winkler, J. 888(2000)51
- Marquez-Ruiz, G., see Berdeaux, O. 863(1999)171
- Marrero-Delange, D., see González-Bravo, L. 888(2000)159
- Marriott, P.J. and Kinghorn, R.M.  
New operational modes for multidimensional and comprehensive gas chromatography by using cryogenic modulation 866(2000)203
- Marriott, P.J., Ong, R.C.Y., Kinghorn, R.M. and Morrison, P.D.  
Time-resolved cryogenic modulation for targeted multidimensional capillary gas chromatography analysis 892(2000)15
- Marshall, W.E., see Wartelle, L.H. 879(2000)169
- Martí, M.P., see Mestres, M. 881(2000)583
- Martí, M.P., see Sala, C. 880(2000)93
- Martin, E., see Hawthorne, S.B. 892(2000)421
- Martín, M.T., see Nozal, M.J. 870(2000)69
- Martín, O., see Sampedro, M.C. 893(2000)347
- Martin, P., Wilson, I.D. and Jones, G.R.  
Optimisation of procedures for the extraction of structural analogues of propranolol with molecular imprinted polymers for sample preparation 889(2000)143
- Martín-Biosca, Y., see Molero-Monfort, M. 870(2000)1
- Martínez Galera, M., see Garrido Frenich, A. 855(1999)487
- Martínez, J., see Crego, A.L. 869(2000)329
- Martínez, J.R., see Stashenko, E.E. 886(2000)175
- Martínez, K., Ferrer, I. and Barceló, D.  
Part-per-trillion level determination of antifouling pesticides and their byproducts in seawater samples by off-line solid-phase extraction followed by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 879(2000)27
- Martinez, P., see Hodge, E.M. 884(2000)223
- Martínez, V., see López, J.A. 870(2000)105
- Martínez Vidal, J.L., see Garrido Frenich, A. 855(1999)487
- Martínez Vidal, J.L., Pablos Espada, M.C., Garrido Frenich, A. and Arrebola, F.J.  
Pesticide trace analysis using solid-phase extraction and gas chromatography with electron-capture and tandem mass spectrometric detection in water samples 867(2000)235
- Martínez Vidal, J.L., see Garrido Frenich, A. 869(2000)497
- Marvin, C.H., Smith, R.W., Bryant, D.W. and McCarry, B.E.  
Analysis of high-molecular-mass polycyclic aromatic hydrocarbons in environmental samples using liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 863(1999)13
- Marzo, A., see Dal Bo, L. 854(1999)3
- Mashige, F., see Kanazawa, H. 871(2000)181
- Mašláňová, H., see Glatz, Z. 895(2000)179
- Massart, D.L., see Detroyer, A. 897(2000)23
- Massart, D.L., see Garrido Frenich, A. 855(1999)487
- Massart, D.L., see Hund, E. 874(2000)167
- Massart, D.L., see Perrin, C. 883(2000)249
- Massart, D.L., see Vargas, M.G. 855(1999)681
- Masson, P.  
Influence of organic solvents in the mobile phase on the determination of carboxylic acids and inorganic anions in grape juice by ion chromatography 881(2000)387
- Mastrogiacomo, A.R., see Pierini, E. 855(1999)593
- Masuch, K., see Dittmann, M.M. 887(2000)209
- Mata-Sandoval, J.C., Karns, J. and Torrents, A.  
High-performance liquid chromatography method for the characterization of rhamnolipid mixtures produced by *Pseudomonas aeruginosa* UG2 on corn oil 864(1999)211
- Mateer, R.A., see Beck, R.A. 881(2000)345
- Mateo, J.J., see Jiménez, M. 870(2000)473
- Mateo, J.J. and Jiménez, M.  
Monoterpenes in grape juice and wines (Review) 881(2000)557
- Mateo, R., see Jiménez, M. 870(2000)473
- Mateos, J.L., Reyes, A., Vicente, C. and Legaz, M.-E.  
Separation of polyamines, conjugated to DNA, by reversed-phase high-performance liquid chromatography 870(2000)425
- Mateu Sánchez, M., see Garrido Frenich, A. 869(2000)497
- Mateus, L., Cherkaoui, S., Christen, P. and Veuthey, J.-L.  
Enantioseparation of atropine by capillary electrophoresis using sulfated  $\beta$ -cyclodextrin: application to a plant extract 868(2000)285
- Mathiasson, L., see Järemo, M. 877(2000)167
- Mathiasson, L., see Jönsson, J.Å. 870(2000)151
- Mathiasson, L., see Norberg, J. 869(2000)523
- Mathiasson, L., see Sandahl, M. 893(2000)123
- Mathiasson, L., see Turner, C. 874(2000)275
- Matos, A., see Da Graça Lourenço, M. 898(2000)235
- Matsubara, C., see Saitoh, T. 879(2000)121
- Matsubara, C., see Saitoh, T. 891(2000)69
- Matsudo, T., see Saitoh, T. 879(2000)121
- Matsui, J., Fujiwara, K., Ugata, S. and Takeuchi, T.  
Solid-phase extraction with a dibutylmelamine-imprinted polymer as triazine herbicide-selective sorbent 889(2000)25
- Matsumoto, H., see Ito, Y. 880(2000)85
- Matsumoto, H., see Ito, Y. 898(2000)95
- Matsumoto, H., see Oka, H. 882(2000)109
- Matsunaga, A., see Kodama, S. 875(2000)371
- Matsunaga, A., see Sekiguchi, Y. 881(2000)639
- Matsunaga, H., see Haginaka, J. 858(1999)155
- Matsunaga, K., see Inomata, Y. 864(1999)111
- Matsushima, K., see Akazawa, T. 862(1999)217
- Matsushima, Y., see Kanazawa, H. 870(2000)87
- Matsushima, Y., see Kanazawa, H. 871(2000)181
- Mathew, B.M. and Anastasio, C.  
Determination of halogenated mono-alcohols and diols in water by gas chromatography with electron-capture detection 866(2000)65

- Mattivi, F., Monetti, A., Vrhovšek, U., Tonon, D. and Andrés-Lacueva, C.  
High-performance liquid chromatographic determination of the riboflavin concentration in white wines for predicting their resistance to light 888(2000)121
- Mattivi, F., Vrhovšek, U. and Versini, G.  
Determination of indole-3-acetic acid, tryptophan and other indoles in must and wine by high-performance liquid chromatography with fluorescence detection 855(1999)227
- Mattusch, J., see Hissner, F. 853(1999)497
- Mattusch, J., see Schmidt, A.-C. 889(2000)83
- Mattusch, J., see Vanifatova, N.G. 898(2000)257
- Matuschek, G., see Wilhelm, M. 878(2000)171
- Matysik, F.-M.  
Application of non-aqueous capillary electrophoresis with electrochemical detection to the determination of nicotine in tobacco 853(1999)27
- Matyska, M.T., see Jinno, K. 887(2000)479
- Matyska, M.T., see Ohta, H. 883(2000)55
- Matyska, M.T., see Pesek, J.J. 853(1999)151
- Matyska, M.T., see Pesek, J.J. 887(2000)31
- Matyska, M.T., Pesek, J.J. and Yang, L.  
Screening method for determining the presence of N-nitrosodiethanolamine in cosmetics by open-tubular capillary electrochromatography 887(2000)497
- Maujean, A., see Desportes, C. 893(2000)281
- Mayer, S., Briand, X. and Francotte, E.  
Separation of enantiomers by packed capillary electrochromatography on a cellulose-based stationary phase 875(2000)331
- Mazereeuw, M., Spikmans, V., Tjaden, U.R. and van der Greef, J.  
On-line isotachophoretic sample focusing for loadability enhancement in capillary electrochromatography–mass spectrometry 879(2000)219
- Mazereeuw, M., see Stol, R. 873(2000)293
- Mazitsos, C., see Clonis, Y.D. 891(2000)33
- Mažuran, R., see Branović, K. 852(1999)305
- Mazurová, J., see Bílková, Z. 852(1999)141
- Mazzotti, M., see Biresi, G. 876(2000)3
- Mazzotti, M., see Quattrini, F. 865(1999)201
- Mazzotti, M., see Zenoni, G. 888(2000)73
- Mazzucchelli, P., see Dal Bo, L. 854(1999)3
- McAlice, B.T., see Cahill, L.M. 859(1999)23
- McCarry, B.E., see Marvin, C.H. 863(1999)13
- McCauley, H.A., see Ciolino, L.A. 852(1999)451
- McClean, S., see Smyth, W.F. 854(1999)259
- McCormick, M.J., see Caliamanis, A. 884(2000)75
- McCoy, W.F., see Michels, J.J. 898(2000)153
- McCracken, R.J., see Kennedy, D.G. 882(2000)37
- McDaniel, L.H. and Taylor, L.T.  
Esterification of decanoic acid during supercritical fluid extraction employing either methanol-modified carbon dioxide or a methanol trap 858(1999)201
- McGowin, A.E., see Bakiamoh, S.B. 862(1999)105
- McKeon, T.A., see Lin, J.-T. 891(2000)349
- McKibben, T.D., see Lurie, I.S. 870(2000)53
- McMullan, G., see Smyth, W.F. 854(1999)259
- McMurtry, J.P., see Richards, M.P. 853(1999)321
- McNair, H.M., see Kazakevich, Y.V. 872(2000)49
- McNeff, C.V., see Subramanian, A. 890(2000)15
- McNerney, T., see Felten, C. 853(1999)295
- McWhorter, S., see Soper, S.A. 853(1999)107
- McWhorter, S. and Soper, S.A.  
Conductivity detection of polymerase chain reaction products separated by micro-reversed-phase liquid chromatography 883(2000)1
- Meadows, J.C., see Petty, J.D. 879(2000)83
- Mechtler, K., see Dürauer, A. 890(2000)145
- Medina, J.C., see Wu, N. 892(2000)3
- Medina-Hernández, M.J., see Molero-Monfort, M. 870(2000)1
- Meijer, E.W., see Lou, X. 896(2000)19
- Meinertz, J.R., Stehly, G.R., Hubert, T.D. and Bernardy, J.A.  
Liquid chromatographic determination of benzocaine and N-acetylbenzocaine in the edible fillet tissue from rainbow trout 855(1999)255
- Mejuto, C., see Pensado, L. 869(2000)505
- Mejuto, M.C., see Carro, A.M. 882(2000)283
- Melander, C., see Jönsson, J.Å. 870(2000)151
- Melanson, J.E. and Lucy, C.A.  
Ultra-rapid analysis of nitrate and nitrite by capillary electrophoresis 884(2000)311
- Melchert, H.-U. and Pabel, E.  
Quantitative determination of  $\alpha$ -,  $\beta$ -,  $\gamma$ - and  $\delta$ -tocopherols in human serum by high-performance liquid chromatography and gas chromatography–mass spectrometry as trimethylsilyl derivatives with a two-step sample preparation 896(2000)209
- Melchior, D. and Gäb, S.  
Simultaneous micellar electrokinetic chromatographic determination of isomeric fatty acid hydroperoxides and corresponding hydroxy fatty acids 894(2000)145
- Melendreras, F., see Oliva, J. 882(2000)213
- Melissis, S., see Clonis, Y.D. 891(2000)33
- Melo, L.F.C., Collins, C.H., Collins, K.E. and Jardim, I.C.S.F.  
Stability of high-performance liquid chromatography columns packed with poly(methyloctylsiloxane) sorbed and radiation-immobilized onto porous silica and zirconized silica 869(2000)129
- Ménard, R., see Paugam, L. 864(1999)155
- Menart, V., see Gaberc-Porekar, V. 852(1999)117
- Menezes, S., see Pesek, J.J. 853(1999)151
- Mengerink, Y., Peters, R., Kerkhoff, M., Hellenbrand, J., Omloo, H., Andrien, J., Vestjens, M. and van der Wal, S.J.  
Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. I. Injection procedure and column stability 876(2000)37
- Mengerink, Y., Peters, R., Kerkhoff, M., Hellenbrand, J., Omloo, H., Andrien, J., Vestjens, M. and van der Wal, S.J.  
Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. II. Methods of detection and quantification and overall long-term performance 878(2000)45
- Mengerink, Y., van der Wal, S., Claessens, H.A. and Cramers, C.A.  
Analysis of higher polyamide-6 oligomers on a silica-based reversed-phase column with a gradient of formic acid as compared with hexafluoroisopropanol 871(2000)259

- Mentasti, E., see Sarzanini, C. 884(2000)251
- Menyes, U., see Sokoließ, T. 898(2000)35
- Menzinger, F., Schmitt-Kopplin, P., Freitag, D. and Kettrup, A.  
Analysis of agrochemicals by capillary electrophoresis  
(Review) 891(2000)45
- Merken, H.M. and Beecher, G.R.  
Liquid chromatographic method for the separation and  
quantification of prominent flavonoid aglycones  
897(2000)177
- Merkle, H.P., see Bunke, A. 883(2000)285
- Merodio, M., Campanero, M.A., Mirshahi, T., Mirshahi, M. and  
Irahe, J.M.  
Development of a sensitive method for the determination  
of ganciclovir by reversed-phase high-performance liquid  
chromatography 870(2000)159
- Mesa, J., see Morales, J.A. 884(2000)185
- Mesmer, M.Z. and Flurer, R.A.  
Determination of chlorophacinone and diphacinone in  
commercial rodenticides by liquid chromatography–UV  
detection and liquid chromatography–electrospray  
ionization mass spectrometry 891(2000)249
- Mesplet, N., see Fabre, H. 897(2000)329
- Mestek, O., see Mikšík, I. 852(1999)245
- Mester, Z. and Pawliszyn, J.  
Speciation of dimethylarsinic acid and monomethylarsonic  
acid by solid-phase microextraction–gas chromatography–  
ion trap mass spectrometry 873(2000)129
- Mestres, M., Busto, O. and Guasch, J.  
Analysis of organic sulfur compounds in wine aroma  
(Review) 881(2000)569
- Mestres, M., Martí, M.P., Busto, O. and Guasch, J.  
Analysis of low-volatility organic sulphur compounds in  
wines by solid-phase microextraction and gas  
chromatography 881(2000)583
- Mestres, M., see Sala, C. 880(2000)93
- Meunier, D.M., see Wang, F.C.-Y. 888(2000)209
- Mevoli, A., see Buldini, P.L. 882(2000)321
- Meyer, M., see Seiler, P. 852(1999)273
- Meyerhoff, M.E., see Chen, S. 859(1999)121
- Meyers, J.J., see Grimes, B.A. 890(2000)61
- Meyers, J.J. and Liapis, A.I.  
Network modeling of the convective flow and diffusion of  
molecules adsorbing in monoliths and in porous particles  
packed in a chromatographic column 852(1999)3
- Meyers, J.J., see Liapis, A.I. 865(1999)13
- Meyers, J.J., see Liapis, A.I. 873(2000)301
- Meyring, M., Chankvetadze, B. and Blaschke, G.  
Simultaneous separation and enantioseparation of  
thalidomide and its hydroxylated metabolites using high-  
performance liquid chromatography in common-size  
columns, capillary liquid chromatography and nonaqueous  
capillary electrochromatography 876(2000)157
- Michailova, A., see Stoev, G. 871(2000)37
- Michels, J.J., Allain, E.J., Borchardt, S.A., Hu, P. and McCoy,  
W.F.  
Degradation pathway of homoserine lactone bacterial signal  
molecules by halogen antimicrobials identified by liquid  
chromatography with photodiode array and mass  
spectrometric detection 898(2000)153
- Miclaus, V., see Cimpan, G. 869(2000)49
- Miège, C., Bouzige, M., Nicol, S., Dugay, J., Pichon, V. and  
Hennion, M.C.  
Selective immunoclean-up followed by liquid or gas  
chromatography for the monitoring of polycyclic aromatic  
hydrocarbons in urban waste water and sewage sludges  
used for soil amendment 859(1999)29
- Miesch, M., see Horvatovich, P. 897(2000)259
- Miesch, M., see Ndiaye, B. 858(1999)109
- Mihailova, A., see Stoev, G. 869(2000)275
- Mihlbachler, K., see Khattabi, S. 893(2000)307
- Mikami, C., see Otsuka, K. 887(2000)457
- Mikšík, I., Deyl, Z., Hergel, J., Novotná, J. and Mestek, O.  
Binding of lead to collagen type I and V and  $\alpha_2(I)$  CNBr  
(3,5) fragment by a modified Hummel–Dreyer method  
852(1999)245
- Mikšík, I. and Deyl, Z.  
Separation of proteins and peptides by capillary  
electrophoresis in acid buffers containing high  
concentrations of surfactants 852(1999)325
- Miliotis, T., Kjellström, S., Önerfjord, P., Nilsson, J., Laurell,  
T., Edholm, L.-E. and Marko-Varga, G.  
Protein identification platform utilizing micro dispensing  
technology interfaced to matrix-assisted laser desorption  
ionization time-of-flight mass spectrometry 886(2000)99
- Miliotis, T., see Wagner, K. 893(2000)293
- Millán, E. and Pawliszyn, J.  
Determination of butyltin species in water and sediment by  
solid-phase microextraction–gas chromatography–flame  
ionization detection 873(2000)63
- Miller, C., see Zhou, L. 875(2000)389
- Miller, D.J., see Hawthorne, S.B. 886(2000)237
- Miller, D.J., see Hawthorne, S.B. 892(2000)421
- Miller, D.W., see Wilkes, J.G. 880(2000)3
- Miller, J.H., see Herbold, C.W. 863(1999)137
- Miller, J.L., Shea, D. and Khaledi, M.G.  
Separation of acidic solutes by nonaqueous capillary  
electrophoresis in acetonitrile-based media. Combined  
effects of deprotonation and heteroconjugation  
888(2000)251
- Miller, J.M., see Schmerr, M.J. 853(1999)207
- Miller, L., Orihuela, C., Fronek, R. and Murphy, J.  
Preparative chromatographic resolution of enantiomers  
using polar organic solvents with polysaccharide chiral  
stationary phases 865(1999)211
- Miller, L., see Quiñones, I. 867(2000)1
- Minagawa, T., see Tokeshi, M. 894(2000)19
- Minning, S., see Enzelberger, M.M. 898(2000)83
- Minnoor, E., Liu, Y. and Pietrzyk, D.J.  
Applications of a sulfonated-polymer wall-modified open-  
tubular fused-silica capillary in capillary zone  
electrophoretic separations 884(2000)297
- Mino, A., see Ortelli, D. 871(2000)163
- Minoshima, H., see Akazawa, T. 862(1999)217
- Minoura, K., see Kodama, S. 875(2000)371
- Minoura, N., see Rachkov, A. 889(2000)111
- Miranda, A.I., see Borrego, C. 889(2000)271
- Mirshahi, M., see Merodio, M. 870(2000)159
- Mirshahi, T., see Merodio, M. 870(2000)159
- Misiti, D., see Berthod, A. 897(2000)113
- Misiti, D., see D'Acquarica, I. 857(1999)145

- Miura, T., see Katoh, S. 852(1999)97
- Miura, Y. and Kawaoi, A.  
Determination of thiosulfate, thiocyanate and polythionates in a mixture by ion-pair chromatography with ultraviolet absorbance detection 884(2000)81
- Miwa, H.  
High-performance liquid chromatographic determination of mono-, poly- and hydroxycarboxylic acids in foods and beverages as their 2-nitrophenylhydrazides (Review) 881(2000)365
- Miwa, T., see Safni, 864(1999)25
- Miyabe, K. and Guiochon, G.  
Influence of column radial heterogeneity on peak fronting in linear chromatography 857(1999)69
- Miyabe, K. and Guiochon, G.  
Kinetic study of the mass transfer of bovine serum albumin in anion-exchange chromatography 866(2000)147
- Miyabe, K. and Guiochon, G.  
Determination of the lumped mass transfer rate coefficient by frontal analysis 890(2000)211
- Miyabe, K. and Guiochon, G.  
Influence of the column radial heterogeneity on the determination of single-component isotherms by the elution by characteristic point method 891(2000)217
- Miyabe, K., Khattabi, S., Cherrak, D.E. and Guiochon, G.  
Study on the accuracy of the elution by characteristic point method for the determination of single component isotherms 872(2000)1
- Miyado, T., see Timerbaev, A.R. 888(2000)309
- Miyagawa, E., see Yamamoto, S. 852(1999)25
- Miyanaga, A., see Tanaka, K. 884(2000)167
- Miyazaki, T., see Takeba, K. 882(2000)99
- Miyazaki, Y., see Ito, Y. 898(2000)95
- Moal, J., see Blanco López, S.L. 891(2000)99
- Möder, M., see Popp, P. 897(2000)153
- Moe, G.W., see Naik, G.O.A. 870(2000)349
- Moeder, M., Schrader, S., Winkler, M. and Popp, P.  
Solid-phase microextraction–gas chromatography–mass spectrometry of biologically active substances in water samples 873(2000)95
- Moerman, O., see Huybrechts, T. 893(2000)367
- Moestue, S., see Pedersen-Bjergaard, S. 876(2000)201
- Mofaddel, N.L., see Morin, C.J. 872(2000)247
- Moffatt, F., Cooper, P.A. and Jessop, K.M.  
Comparison of capillary electrochromatography with high-performance liquid chromatography for the analysis of pirimicarb and related compounds 855(1999)215
- Moffatt, F., Senkans, P. and Ricketts, D.  
Approaches towards the quantitative analysis of peptides and proteins by reversed-phase high-performance liquid chromatography in the absence of a pure reference sample 891(2000)235
- Mohamed, N.A.L., Kuroda, Y., Shibukawa, A., Nakagawa, T., El Gizawy, S., Askal, H.F. and El Kommos, M.E.  
Enantioselective binding analysis of verapamil to plasma lipoproteins by capillary electrophoresis–frontal analysis 875(2000)447
- Mohammad, A.A., Fujinari, E., Okorodudu, A.O. and Petersen, J.R.  
Apparatus and method for interfacing capillary electrophoresis and chemiluminescence nitrogen detection for the analysis of nitrogen-containing compounds 868(2000)121
- Mohammad, J., Jäderlund, B. and Lindblom, H.  
New polymer-based prepacked column for the reversed-phase liquid chromatographic separation of peptides over the pH range 2–12 852(1999)255
- Mohsin, S.B.  
Use of ion chromatography–electrospray mass spectrometry for the determination of ionic compounds in agricultural chemicals 884(2000)23
- Mol, H.G.J., Sunarto, S. and Steijger, O.M.  
Determination of endocrine disruptors in water after derivatization with *N*-methyl-*N*-(*tert*-butyldimethyltrifluoroacetamide) using gas chromatography with mass spectrometric detection 879(2000)97
- Molander, P., Haugland, K., Hegna, D.R., Ommundsen, E., Lundanes, E. and Greibrokk, T.  
Determination of low levels of an antioxidant in polyolefins by large-volume injection temperature-programmed packed capillary liquid chromatography 864(1999)103
- Molander, P., Haugland, K., Fladseth, G., Lundanes, E., Thorud, S., Thomassen, Y. and Greibrokk, T.  
Determination of 1-(2-methoxyphenyl)piperazine derivatives of isocyanates at low concentrations by temperature-programmed miniaturized liquid chromatography 892(2000)67
- Moldoveanu, S.C., see Forehand, J.B. 898(2000)111
- Molero-Monfort, M., Martín-Biosca, Y., Sagrado, S., Villanueva-Camañas, R.M. and Medina-Hernández, M.J.  
Micellar liquid chromatography for prediction of drug transport 870(2000)1
- Molins, C., Hogendoorn, E.A., Dijkman, E., Heusinkveld, H.A.G. and Baumann, R.A.  
Determination of linuron and related compounds in soil by microwave-assisted solvent extraction and reversed-phase liquid chromatography with UV detection 869(2000)487
- Molins Legua, C., see Campíns Falcó, P. 852(1999)361
- Mollé, D., see Léonil, J. 881(2000)1
- Möller, J.-G., see Soetebeer, U.B. 895(2000)147
- Mollerup, I., see Staby, A. 897(2000)99
- Molnár-Perl, I.  
Role of chromatography in the analysis of sugars, carboxylic acids and amino acids in food (Review) 891(2000)1
- Molnár-Perl, I., see Vasanits, A. 870(2000)271
- Moltó, J.C., see Berrada, H. 890(2000)303
- Moltó, J.C., see Picó, Y. 882(2000)153
- Moltó, J.C., see Picó, Y. 885(2000)251
- Monde, T., see Kamiusuki, T. 852(1999)475
- Mondy, N., see Arnault, I. 896(2000)117
- Moneti, G., see Sledge, M.F. 873(2000)73
- Monetti, A., see Mattivi, F. 888(2000)121
- Mongay-Fernández, C., see Herrero-Martínez, J.M. 895(2000)227
- Moniot, C.L., see Hawthorne, S.B. 886(2000)237

- Monsalud, S., see Cai, Y. 876(2000)147
- Monteau, F., see Marchand, P. 867(2000)219
- Moorman, R., see Wang, I.H. 864(1999)271
- Morais, H., see Csiktusnádi Kiss, G.A. 889(2000)41
- Morais, M.H., see Cserhádi, T. 896(2000)69
- Morales, E., see Gómez-Ariza, J.L. 889(2000)33
- Morales, J.A., de Graterol, L.S. and Mesa, J.  
Determination of chloride, sulfate and nitrate in  
groundwater samples by ion chromatography  
884(2000)185
- Morales, S. and Cela, R.  
Highly selective and efficient determination of US  
Environmental Protection Agency priority phenols  
employing solid-phase extraction and non-aqueous capillary  
electrophoresis 896(2000)95
- Morbidegli, M., see Biressi, G. 876(2000)3
- Morbidegli, M., see Quattrini, F. 865(1999)201
- Morbidegli, M., see Zenoni, G. 888(2000)73
- Morcellet, M., see Chiari, M. 894(2000)95
- Moreda, J.M., see Arranz, A. 871(2000)399
- Moreda, W., see Cert, A. 881(2000)131
- Moreno Cordero, B., see Fernández Laespada, M<sup>a</sup>.E.  
852(1999)395
- Moreno Cordero, B., see Seronero, L.C. 897(2000)171
- Moreno, P. and Salvadó, V.  
Determination of eight water- and fat-soluble vitamins in  
multi-vitamin pharmaceutical formulations by high-  
performance liquid chromatography 870(2000)207
- Moret, S. and Conte, L.S.  
Polycyclic aromatic hydrocarbons in edible fats and oils:  
occurrence and analytical methods (Review) 882(2000)245
- Morgan, D.G., see Goss, C.A. 878(2000)35
- Morganti, L., see de Oliveira, J.E. 852(1999)441
- Mori, A., see De Nobili, M. 863(1999)195
- Morii, T., see Suzuki, T. 877(2000)225
- Morikawa, H., see Ohta, K. 884(2000)123
- Morimoto, K., see Kinoshita, M. 866(2000)261
- Morin, C.J., Mofaddel, N.L., Desbène, A.M. and Desbène, P.L.  
Utilization of fluorescein sodium salt for the indirect  
fluorimetric detection in micellar electrokinetic  
chromatography 872(2000)247
- Morin, J.-P., see Roachat, D. 885(2000)433
- Morin, Ph., see Cahours, X. 895(2000)101
- Morrice, P., see Ventriglia, M. 857(1999)327
- Morrison, D., see Watt, A.P. 896(2000)217
- Morrison, D., see Watt, A.P. 896(2000)229
- Morrison, P.D., see Marriott, P.J. 892(2000)15
- Morrissey, K.M., see Brickhouse, M.D. 883(2000)185
- Mortensen, P., see Effkemann, S. 855(1999)551
- Mosbach, K., see Brüggemann, O. 889(2000)15
- Mosbach, K., see Yu, C. 888(2000)63
- Mota, T., see Cserhádi, T. 896(2000)69
- Mota, T., see Csiktusnádi Kiss, G.A. 889(2000)41
- Motomizu, S., see Takayanagi, T. 853(1999)55
- Motomizu, S. and Takayanagi, T.  
Electrophoretic mobility study on ion-ion interactions in an  
aqueous solution 853(1999)63
- Motomizu, S., see Timerbaev, A.R. 888(2000)309
- Mou, S., see Ding, X. 897(2000)205
- Mou, S., see Lu, H. 857(1999)343
- Mou, S.-f., see Ding, X. 883(2000)127
- Mou, S.-F., see Huang, Y. 868(2000)209
- Mou, S.-F., see Huang, Y. 884(2000)53
- Mousavi, S.R., see Bagheri, H. 888(2000)197
- Moyano, E., see Castro, R. 869(2000)441
- Moyano, E., see Jáuregui, O. 896(2000)125
- Moyano, E., see Sentellas, S. 888(2000)281
- Moyano, E., see Toribio, F. 869(2000)307
- Moyano, E., see Toribio, F. 880(2000)101
- Mrestani, Y., Janich, M., Rüttinger, H.H. and Neubert, R.H.H.  
Characterization of partition and thermodynamic properties  
of cephalosporins using micellar electrokinetic  
chromatography in glycodeoxycholic acid solution  
873(2000)237
- Mrestani, Y. and Neubert, R.H.H.  
Thiamine analysis in biological media by capillary zone  
electrophoresis with a high-sensitivity cell 871(2000)351
- Mrestani, Y. and Neubert, R.  
Characterization of cephalosporin transfer between aqueous  
and colloidal phases by micellar electrokinetic  
chromatography 871(2000)439
- Mrestani, Y., Neubert, R. and Rüttinger, H.H.  
Reply to 'Determination of critical micelle concentration  
and interactions between cephalosporins and charged  
surfactants' 868(2000)317
- Mu, J., see Pang, G.-F. 882(2000)231
- Mucchino, C., see Cappiello, A. 855(1999)515
- Muck, S., see D'Acquarica, I. 857(1999)145
- Mühlenbrock, C., see Chankvetadze, B. 875(2000)455
- Mühlenbrock, C., see Chankvetadze, B. 875(2000)471
- Mulholland, M., see Hutabarat, L.S. 886(2000)55
- Mulholland, M., see Ragonese, R. 870(2000)45
- Mulholland, M., Whelan, T.J., Rose, H. and Keegan, J.  
Direct identification and quantitation of prednisone in the  
presence of overlapping hydrocortisone by liquid  
chromatography with electrospray and atmospheric-pressure  
chemical-ionisation mass spectrometry 870(2000)135
- Müller, C. and Rinas, U.  
Renaturation of heterodimeric platelet-derived growth factor  
from inclusion bodies of recombinant *Escherichia coli*  
using size-exclusion chromatography 855(1999)203
- Müller, C., see Zimmer, D. 854(1999)23
- Müller, J., see Knepper, T.P. 889(2000)245
- Müller, M.B., Zwiener, C. and Frimmel, F.H.  
Sample cleanup and reversed-phase high-performance liquid  
chromatographic analysis of polar aromatic compounds in  
groundwater samples from a former gas plant  
862(1999)137
- Munch, D.J., see Wagner, H.P. 882(2000)309
- Munch, D.J., see Wagner, H.P. 884(2000)201
- Muñoz, I.G., see Henriksson, H. 898(2000)63
- Murai, Y., see Inomata, Y. 864(1999)111
- Murakami, E., see Kinoshita, M. 866(2000)261
- Murakami, P.K., see Mann, B. 895(2000)329

- Muraviev, D., Gonzalo, A., Tikhonov, N.A., Iljin, M.I. and Valiente, M.  
Ion exchange on resins with temperature-responsive selectivity. IV. Influence of solution and column parameters on efficiency of reagentless separation of copper and zinc using thermo-induced concentration waves technique 867(2000)57
- Muraviev, D., Gonzalo, A. and Valiente, M.  
Ion exchange on resins with temperature-responsive selectivity. III. Influence of complex formation stoichiometry on temperature dependence of resin selectivity 868(2000)143
- Murphy, J., see Miller, L. 865(1999)211
- Murphy, M., see Deshmukh, R.R. 890(2000)179
- Musci, M., see Careri, M. 881(2000)449
- Mussche, P., see Segal, A. 873(2000)13
- Mussinán, C.J., see Hiserodt, R.D. 888(2000)103
- Myers, P., see Bartle, K.D. 892(2000)279
- Myers, P., see Roulin, S. 887(2000)307
- Myher, J.J., see Itabashi, Y. 893(2000)261
- N**
- Na, D.S., see Choi, S. 853(1999)285
- Næss, Ø., see Pedersen-Bjergaard, S. 876(2000)201
- Naderi, M., see Bagheri, H. 888(2000)197
- Nagae, N., see Ohta, H. 883(2000)55
- Nagase, H., see Ito, Y. 898(2000)95
- Nagase, H., see Lauer-Fields, J.L. 890(2000)117
- Nagashima, H. and Okamoto, T.  
Determination of inorganic anions by ion chromatography using a graphitized carbon column dynamically coated with cetyltrimethylammonium ions 855(1999)261
- Nagata, T., see Yanagida, A. 855(1999)181
- Nagata, Y., see Glatz, Z. 895(2000)219
- Nagawa, Y., see Shinbo, T. 877(2000)61
- Nagayama, H., see Tanigawa, T. 887(2000)299
- Nagel, A., see Fernández-Lahore, H.M. 873(2000)195
- Nagy, M., see Sándi, Á. 893(2000)215
- Naik, G.O.A. and Moe, G.W.  
Simultaneous separation of angiotensin and endothelin peptide families by high-performance liquid chromatography: application to the specific radioimmunoassay measurement of angiotensin II or endothelin-1 from tissue 870(2000)349
- Nair, C.H., see Rylatt, D.B. 865(1999)145
- Nair, J.J., see Sewram, V. 897(2000)365
- Nakabayashi, Y., see Okada, T.K. 869(2000)91
- Nakagawa, T., see Mohamed, N.A.L. 875(2000)447
- Nakagawa, T., see Tanigawa, T. 887(2000)299
- Nakajima, R., see Hashimoto, M. 852(1999)597
- Nakajima, R., see Hashimoto, M. 867(2000)271
- Nakajima, T., see Okamoto, H. 888(2000)299
- Nakamura, S.  
Differential signal detection system for improved analysis of overlapping signals in liquid chromatography 859(1999)221
- Nakao, R., see Yoshida, H. 898(2000)1
- Nakazawa, H., see Horie, M. 882(2000)53
- Nakazawa, H., see Takeba, K. 882(2000)99
- Nambara, T., see Sasaki, T. 888(2000)93
- Namieśnik, J., Zygmunt, B. and Jastrzębska, A.  
Application of solid-phase microextraction for determination of organic vapours in gaseous matrices (Review) 885(2000)405
- Napoli, M., see Rylatt, D.B. 865(1999)145
- Nardillo, A.M., see Castells, R.C. 898(2000)103
- Nardillo, A.M., see Gonzalez, F.R. 852(1999)583
- Narsimha, R., see Husain, S. 863(1999)123
- Nasledov, D.G., see Belenkii, B.G. 879(2000)189
- Nassar, T., see Haj-Yehia, A.I. 870(2000)381
- Natalini, B., Capodiferro, V., De Luca, C. and Espinal, R.  
Isolation of pure (2*S*,1'*S*,2'*S*)-2-(2'-carboxycyclopropyl)-glycine from *Blighia sapida* (Akee) 873(2000)283
- Natangelo, M., Tavazzi, S., Fanelli, R. and Benfenati, E.  
Analysis of some pesticides in water samples using solid-phase microextraction–gas chromatography with different mass spectrometric techniques 859(1999)193
- Natarajan, V., Bequette, B.W. and Cramer, S.M.  
Optimization of ion-exchange displacement separations. I. Validation of an iterative scheme and its use as a methods development tool 876(2000)51
- Natarajan, V. and Cramer, S.M.  
Optimization of ion-exchange displacement separations. II. Comparison of displacement separations on various ion-exchange resins 876(2000)63
- Navajas, R., see Imaz, C. 870(2000)23
- Navarro, G., see Navarro, S. 882(2000)221
- Navarro, S., Barba, A., Navarro, G., Vela, N. and Oliva, J.  
Multiresidue method for the rapid determination – in grape, must and wine – of fungicides frequently used on vineyards 882(2000)221
- Navarro, S., see Oliva, J. 882(2000)213
- Nawrocki, J. and Dąbrowska, A.  
Low-carbon silica sorbents for solid-phase extraction 868(2000)1
- Nazimov, I.V., see Ivanov, A.R. 870(2000)255
- Nazimov, I.V., see Ivanov, A.R. 870(2000)433
- Nazimov, I.V., see Ivanov, A.R. 894(2000)253
- Nazimov, I.V., see Ivanov, A.R. 895(2000)157
- Nazimov, I.V., see Ivanov, A.R. 895(2000)167
- Nazzari, M., see Di Corcia, A. 878(2000)87
- Ndiaye, B., Horvatovich, P., Miesch, M., Hasselmann, C. and Marchioni, E.  
2-Alkylcyclobutanones as markers for irradiated foodstuffs. III. Improvement of the field of application on the EN 1785 method by using silver ion chromatography 858(1999)109
- Nedjar-Arroume, N., see Froidevaux, R. 873(2000)185

- Needham, S.R., Brown, P.R., Duff, K. and Bell, D.  
Optimized stationary phases for the high-performance liquid chromatography–electrospray ionization mass spectrometric analysis of basic pharmaceuticals 869(2000)159
- Neff, W.E., see Byrdwell, W.C. 852(1999)417
- Negrell, C., see Stefani, M. 864(1999)335
- Nélieu, S., Stobiecki, M. and Einhorn, J.  
Tandem solid-phase extraction of atrazine ozonation products in water 866(2000)195
- Nelson, B.C., see Dalluge, J.J. 881(2000)411
- Nelson, G., see Kaupp, S. 894(2000)73
- Nelson, P., see Chaga, G. 864(1999)247
- Nemoto, F., see Kamiyusuki, T. 852(1999)475
- Nerín, C., see Salafranca, J. 864(1999)137
- Nerrie, M., see Catimel, B. 869(2000)261
- Nertz, M., see Siméon, N. 853(1999)449
- Nestaas, E., see Mann, B. 895(2000)329
- Nesterenko, P.N., see Kiseleva, M.G. 898(2000)23
- Nesterenko, P.N., see Penner, N.A. 884(2000)41
- Nesterenko, P.N., see Shaw, M.J. 876(2000)127
- Neubert, R., see Mrestani, Y. 868(2000)317
- Neubert, R., see Mrestani, Y. 871(2000)439
- Neubert, R.H.H., see Mrestani, Y. 871(2000)351
- Neubert, R.H.H., see Mrestani, Y. 873(2000)237
- Neubert, R.H.H., see Raith, K. 876(2000)229
- Neumann, M., Herten, D.-P., Dietrich, A., Wolfrum, J. and Sauer, M.  
Capillary array scanner for time-resolved detection and identification of fluorescently labelled DNA fragments 871(2000)299
- New, A.P., Freitas dos Santos, L.M., Lo Biundo, G. and Spicq, A.  
Analytical techniques used for monitoring the biodegradation of fluorinated compounds in waste streams from pharmaceutical production 889(2000)177
- Ng, L.-K., Lafontaine, P. and Harnois, J.  
Gas chromatographic–mass spectrometric analysis of acids and phenols in distilled alcohol beverages. Application of anion-exchange disk extraction combined with in-vial elution and silylation 873(2000)29
- Ng, S.C., see Ching, C.B. 898(2000)53
- Nguyen, A.-L., see Luong, J.H.T. 864(1999)323
- Nguyen, N., see Cheung, A.P. 870(2000)179
- Nguyo, J.M., see Chepkwony, H.K. 870(2000)227
- Ni, J., see Liu, Z. 863(1999)69
- Ni, J., see Ye, M. 855(1999)137
- Ni, J., see Ye, M. 869(2000)385
- Ni, J., see Ye, M. 887(2000)223
- Ni, J., see Zhang, Q. 866(2000)173
- Ni, J.Y., see Wang, H.L. 870(2000)501
- Nice, E.C., see Catimel, B. 869(2000)261
- Nicewonger, R.B., see Várady, L. 869(2000)171
- Nichols, J.A., see Foster, M.D. 869(2000)231
- Nichols, J.A., see Wolcott, R.G. 869(2000)211
- Nicol, S., see Miège, C. 859(1999)29
- Nicoletti, L., see Mandl, A. 858(1999)1
- Nicoud, R.-M., see Biressi, G. 876(2000)3
- Niedziella, S., Rudkin, S. and Cooke, M.  
Evidence for selectivity of absorption of volatile organic compounds by a polydimethylsiloxane solid-phase microextraction fibre 885(2000)457
- Nielsen, K.F. and Madsen, J.Ø.  
Determination of ergosterol on mouldy building materials using isotope dilution and gas chromatography–tandem mass spectrometry 898(2000)227
- Niessen, W.M.A.  
State-of-the-art in liquid chromatography–mass spectrometry (Review) 856(1999)179
- Niessen, W.M.A., see Hogenboom, A.C. 885(2000)377
- Niessen, W.M.A., see Hogenboom, A.C. 892(2000)379
- Niessner, R., see Letzel, T. 855(1999)501
- Niessner, R., see Spitzer, B. 880(2000)113
- Nieto, E.M., see Bernal, J.L. 871(2000)127
- Nieuwoudt, T.W., see Sewram, V. 858(1999)175
- Nieuwoudt, T.W., see Sewram, V. 897(2000)365
- Nilsson, J., see Miliotis, T. 886(2000)99
- Nilsson, N., see Järemo, M. 877(2000)167
- Nilsson, S., see Schweitz, L. 892(2000)203
- Nilsson, T., Björklund, E. and Bøwadt, S.  
Comparison of two extraction methods independently developed on two conceptually different automated supercritical fluid extraction systems for the determination of polychlorinated biphenyls in sediments 891(2000)195
- Nilsson, U.J.  
Solid-phase extraction for combinatorial libraries (Review) 885(2000)305
- Nishi, H., see Kagawa, M. 857(1999)127
- Nishimura, Y., see Takeda, S. 853(1999)503
- Nissen, M.H., see Heegaard, N.H.H. 894(2000)319
- Nistor, C., see Castillo, M. 889(2000)195
- Niwa, O., see Liu, Z. 891(2000)149
- Nohta, H., see Yoshida, H. 898(2000)1
- Nojiri, S., Taguchi, N., Oishi, M. and Suzuki, S.  
Determination of sugar alcohols in confectioneries by high-performance liquid chromatography after nitrobenzoylation 893(2000)195
- Nolan, G., see Lin, L.-Z. 876(2000)87
- Nöll, G.N. and Becker, C.  
High-performance liquid chromatography of non-polar retinoid isomers 881(2000)183
- Norberg, J., see Jönsson, J.Å. 870(2000)151
- Norberg, J., Thordarson, E., Mathiasson, L. and Jönsson, J.Å.  
Microporous membrane liquid–liquid extraction coupled on-line with normal-phase liquid chromatography for the determination of cationic surfactants in river and waste water 869(2000)523
- Norén, B., see Karlsson, G. 855(1999)147
- Norris, C.S., see Elgar, D.F. 878(2000)183
- Novič, M., see Divjak, B. 862(1999)39
- Novič, M. and Guček, M.  
Ion exchange-based preconcentration for the determination of anions by capillary electrophoresis 868(2000)135
- Novo, M., see Jiménez, J.J. 871(2000)67
- Novotná, J., see Mikšík, I. 852(1999)245



- Novotná, P., Pacáková, V., Bosáková, Z. and Štulík, K.  
High-performance liquid chromatographic determination of some anthraquinone and naphthoquinone dyes occurring in historical textiles 863(1999)235
- Novotny, M.V., see Que, A.H. 887(2000)379
- Nowak, M. and Seubert, A.  
Application of experimental design for the characterisation of a novel elution system for high-capacity anion chromatography with suppressed conductivity detection 855(1999)91
- Nowak, M., see Seubert, A. 884(2000)191
- Nozal, M.J., Bernal, J.L., Toribio, L., Jiménez, J.J. and Martín, M.T.  
Validation of the removal of acetylsalicylic acid. Recovery and determination of residues on various surfaces by high performance liquid chromatographic 870(2000)69
- Null, M.J., see Wang, F.C.-Y. 886(2000)217
- Nunes, G.S., Alonso, R.M., Ribeiro, M.L. and Barceló, D.  
Determination of aldicarb, aldicarb sulfoxide and aldicarb sulfone in some fruits and vegetables using high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 888(2000)113
- Núñez, M.I., see Valenzuela, M.T. 871(2000)321
- Nursten, H.E., see Frazier, R.A. 876(2000)213
- Nussbaumer, D., see Demmer, W. 852(1999)73
- Nyalala, J.O., see Livaniou, E. 881(2000)331
- Nyberg, F., see Karlsson, K. 893(2000)107
- Nygård, M., see Hedeland, M. 864(1999)1
- O**
- Obach, R., see Celma, C. 870(2000)13
- Obach, R., see Celma, C. 870(2000)77
- Obendorf, D., see Wilhelm, M. 897(2000)215
- Oberacher, H., Krajete, A., Parson, W. and Huber, C.G.  
Preparation and evaluation of packed capillary columns for the separation of nucleic acids by ion-pair reversed-phase high-performance liquid chromatography 893(2000)23
- Öberg, L., see Lundstedt, S. 883(2000)151
- Obrezkov, O., see Sánchez, J.M. 871(2000)217
- O'Connor, R.J., see Brickhouse, M.D. 883(2000)185
- Oda, Y., see Kakehi, K. 863(1999)205
- Oda, Y., see Kinoshita, M. 866(2000)261
- O'Dwyer, M., see Gu, X. 881(2000)471
- O'Gara, J.E., Alden, B.A., Gendreau, C.A., Iraneta, P.C. and Walter, T.H.  
Dependence of cyano bonded phase hydrolytic stability on ligand structure and solution pH 893(2000)245
- Ogle, D., see Rylatt, D.B. 865(1999)145
- Oh, C.S., see Ratnayake, C.K. 887(2000)277
- Ohata, M., see Zheng, J. 874(2000)55
- Ohira, M., see Okusa, K. 869(2000)143
- Ohira, M., see Tanaka, H. 869(2000)151
- Ohnishi-Kameyama, M., see Yanagida, A. 855(1999)181
- Ohru, H., see Akasaka, K. 881(2000)159
- Ohta, H., see Hosoya, K. 853(1999)11
- Ohta, H., Saito, Y., Nagae, N., Pesek, J.J., Matyska, M.T. and Jinno, K.  
Fullerenes separation with monomeric type C<sub>30</sub> stationary phase in high-performance liquid chromatography 883(2000)55
- Ohta, K.  
Indirect ultraviolet spectrophotometric detection in the ion chromatography of common mono- and divalent cations on an aluminium adsorbing silica gel column with tyramine-containing crown ethers as eluent 884(2000)113
- Ohta, K., Morikawa, H., Tanaka, K., Uwamino, Y., Furukawa, M. and Sando, M.  
Ion-chromatographic behavior of alkali metal cations and ammonium ion on zirconium-adsorbing silica gel 884(2000)123
- Ohta, K., see Tanaka, K. 884(2000)167
- Oishi, M., see Nojiri, S. 893(2000)195
- Oka, H., see Ito, Y. 855(1999)247
- Oka, H., see Ito, Y. 880(2000)85
- Oka, H., see Ito, Y. 898(2000)95
- Oka, H., Ito, Y. and Matsumoto, H.  
Chromatographic analysis of tetracycline antibiotics in foods (Review) 882(2000)109
- Oka, H., see Takeba, K. 882(2000)99
- Okada, M., see Amakura, Y. 891(2000)183
- Okada, M., see Amakura, Y. 896(2000)87
- Okada, T.K., Nakabayashi, Y. and Jisaki, F.  
Coupling of chromatographic ion-exchange reaction with change-partner reaction. Presumed mechanism on the ion-ion interaction of inorganic ions in Sephadex G-15 columns 869(2000)91
- Okamoto, H., Uetake, A., Tamaya, R., Nakajima, T., Sagara, K. and Ito, Y.  
Simultaneous determination of eleven ingredients in ophthalmic solutions by cyclodextrin-modified micellar electrokinetic chromatography with tetrabutylammonium salt 888(2000)299
- Okamoto, T., see Nagashima, H. 855(1999)261
- O'Kane, E., see Smyth, W.F. 854(1999)259
- O'Keefe, D.O. and Duke, G.J.  
Fast quantitation of recombinant plasminogen activator inhibitor type 1 in bacterial lysates by micropellicular reversed-phase liquid chromatography 891(2000)85
- Okorodudu, A.O., see Mohammad, A.A. 868(2000)121
- Okubo, S., see Kanazawa, H. 871(2000)181
- Okusa, K., Tanaka, H. and Ohira, M.  
Development of a new cyano-bonded column for high-performance liquid chromatography 869(2000)143
- Olajos, E., see Péter, A. 871(2000)105
- Oldham, N.J., see Schaaf, O. 886(2000)89
- Oldhoff, O., see Kuban, P. 857(1999)321
- Olesik, J.W., see Stewart, I.I. 872(2000)227
- Olichwier, Z., see Wilimowska-Pelc, A. 852(1999)227

- Oliva, J., Barba, A., Vela, N., Melendreras, F. and Navarro, S.  
Multiresidue method for the rapid determination of organophosphorus insecticides in grapes, must and wine 882(2000)213
- Oliva, J., see Navarro, S. 882(2000)221
- Oliveira, M.B., see Casal, S. 866(2000)221
- Oliveira, M.C., see Da Graça Lourenço, M. 898(2000)235
- Oliver, J. and Palou, A.  
Chromatographic determination of carotenoids in foods (Review) 881(2000)543
- Olivieri, E., see Bossi, A. 853(1999)71
- Olivieri, E., Sebastiano, R., Citterio, A., Gelfi, C. and Righetti, P.G.  
Quantitation of protein binding to the capillary wall in acidic, isoelectric buffers and means for minimizing the phenomenon 894(2000)273
- Olmo, N., see Galli, V. 894(2000)135
- Olsovska, J., see Dondi, M. 859(1999)133
- Olsson, A.L., see Dahlman, O. 891(2000)157
- Olsson, A.M., see Walhagen, K. 853(1999)263
- Omlou, H., see Mengerink, Y. 876(2000)37
- Omlou, H., see Mengerink, Y. 878(2000)45
- Ommundsen, E., see Molander, P. 864(1999)103
- O'Neill, K., see Shen, Y. 866(2000)1
- Ong, C.-N., see Lee, B.-L. 881(2000)439
- Ong, R.C.Y., see Marriott, P.J. 892(2000)15
- Ongania, K.-H., see Huck, C.W. 870(2000)453
- Önnerfjord, P., see Miliotis, T. 886(2000)99
- Ono, M., see Yamato, S. 896(2000)171
- Oomen, J.L.M.M., see Schoenmakers, P.J. 892(2000)29
- Opekar, F., see Tůma, P. 883(2000)223
- Orazio, C.E., see Petty, J.D. 879(2000)83
- O'Reilly, J., Doble, P., Tanaka, K. and Haddad, P.R.  
Retention behaviour of strong acid anions in ion-exclusion chromatography on sulfonate and carboxylate stationary phases 884(2000)61
- Orihuela, C., see Miller, L. 865(1999)211
- Ortelli, D., Rudaz, S., Chevalley, A.-F., Mino, A., Deglon, J.-J., Balant, L. and Veuthey, J.-L.  
Enantioselective analysis of methadone in saliva by liquid chromatography–mass spectrometry 871(2000)163
- Ortner, E.K. and Rohwer, E.R.  
Trapping efficiency of aqueous pollutants in multichannel thick-film silicone-rubber traps for capillary gas chromatography 863(1999)57
- Orwa, J.A., see Kang, J.W. 879(2000)211
- Orwa, J.A., Van Gerven, A., Roets, E. and Hoogmartens, J.  
Liquid chromatography of polymyxin B sulphate 870(2000)237
- Osada, K., see Inomata, Y. 864(1999)111
- Osseyi, E.S., Wehling, R.L. and Albrecht, J.A.  
Erratum to: "Liquid chromatographic method for determining added folic acid in fortified cereal products" [J. Chromatogr. A, 826 (1998) 235–240] 867(2000)289
- Ossicini, L., see Desiderio, C. 887(2000)489
- Ossipov, V., see Salminen, J.-P. 864(1999)283
- Osthoff, H.D., Sujino, K., Palcic, M.M. and Dovichi, N.J.  
Effects of amine modifiers on the separation of tetramethylrhodamine-labeled mono- and oligosaccharides by capillary zone electrophoresis 895(2000)285
- Ostrand, G.K., see Zhang, M. 887(2000)287
- Osypiuk, J., see Gawdzik, B. 898(2000)13
- Otsuka, K., Hayashibara, H., Yamauchi, S., Quirino, J.P. and Terabe, S.  
Highly-sensitive micellar electrokinetic chromatographic analysis of dioxin-related compounds using on-line concentration 853(1999)413
- Otsuka, K., Mikami, C. and Terabe, S.  
Enantiomer separations by capillary electrochromatography using chiral stationary phases (Review) 887(2000)457
- Otsuka, K., see Tanaka, Y. 875(2000)323
- Otsuka, K. and Terabe, S.  
Enantiomer separation of drugs by micellar electrokinetic chromatography using chiral surfactants (Review) 875(2000)163
- Otta, K.H., Papp, E. and Bagócsi, B.  
Determination of aflatoxins in food by overpressured-layer chromatography 882(2000)11
- Otte, Y., see Christians, T. 853(1999)455
- Otter, D.E., see Elgar, D.F. 878(2000)183
- Owens, P.K., see Ellwanger, A. 897(2000)317
- Owens, P.K., see Karlsson, C. 897(2000)349
- Owens, P.K., see Wikström, H. 869(2000)395
- Ozawa, I., Saito, K., Sugita, K., Sato, K., Akiba, M. and Sugo, T.  
High-speed recovery of germanium in a convection-aided mode using functional porous hollow-fiber membranes 888(2000)43
- Öztekin, N. and Erim, F.B.  
Separation and direct UV detection of lanthanides complexed with cupferron by capillary electrophoresis 895(2000)263

## P

- Pabel, E., see Melchert, H.-U. 896(2000)209
- Pablos Espada, M.C., see Martínez Vidal, J.L. 867(2000)235
- Pacáková, V., see Novotná, P. 863(1999)235
- Pace, R., see Fuzzati, N. 854(1999)69
- Pacheco, M.L., see Pokorná, L. 895(2000)345
- Padarauskas, A., Paliulionyte, V., Ragauskas, R. and Dikčius, A.  
Capillary electrophoretic determination of thiosulfate and its oxidation products 879(2000)235
- Paek, H., see Liao, W. 853(1999)541
- Page, B.D. and Lacroix, G.  
Analysis of volatile contaminants in vegetable oils by headspace solid-phase microextraction with Carboxen-based fibres 873(2000)79
- Pai, A., Gondkar, S. and Lali, A.  
Enhanced performance of expanded bed chromatography on rigid superporous adsorbent matrix 867(2000)113

- Pai, Y.-F., see Liu, C.-Y. 897(2000)383
- Pais, L.S., see Azevedo, D.C.S. 865(1999)187
- Pajchel, G. and Tyski, S.  
Adaptation of capillary electrophoresis to the determination of selected cephalosporins for injection 895(2000)27
- Palcic, M.M., see Osthoff, H.D. 895(2000)285
- Palitcin, V.V., see Rasulev, U.Kh. 896(2000)3
- Paliulionyte, V., see Padarauskas, A. 879(2000)235
- Palleschi, L., see Draisci, R. 870(2000)511
- Palleschi, L., see Draisci, R. 871(2000)13
- Palm, A., see Que, A.H. 887(2000)379
- Palmano, K.P., see Elgar, D.F. 878(2000)183
- Palmisano, F., see Zambonin, C.G. 874(2000)247
- Palomino, O., Gómez-Serranillos, M.P., Slowing, K., Carretero, E. and Villar, A.  
Study of polyphenols in grape berries by reversed-phase high-performance liquid chromatography 870(2000)449
- Palou, A., see Oliver, J. 881(2000)543
- Pang, G.-F., Can, Y.-Z., Fan, C.-L., Zhang, J.-J., Li, X.-M., Mu, J., Wang, D.-N., Liu, S.-M., Song, W.-B., Li, H.-P., Wong, S.-S., Kubinec, R., Tekel, J. and Tahotna, S.  
Interlaboratory study of identification and quantitation of multiresidue pyrethroids in agricultural products by gas chromatography–mass spectrometry 882(2000)231
- Pang, G.-F., Cao, Y.-Z., Fan, C.-L., Zhang, J.-J., Li, X.-M. and Wang, C.  
Determination of clopidol residues in chicken tissues by high-performance liquid chromatography–mass spectrometry 882(2000)85
- Pang, H.-M., see He, Y. 894(2000)179
- Paniagua-Marcos, P.H., see Carabias-Martínez, R. 869(2000)427
- Pankova, G.A., see Platonova, G.A. 852(1999)129
- Pantůčková, P., see Gebauer, P. 894(2000)89
- Papp, E., see Otta, K.H. 882(2000)11
- Parcerisa, J., Casals, I., Boatella, J., Codony, R. and Rafecas, M.  
Analysis of olive and hazelnut oil mixtures by high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry of triacylglycerols and gas–liquid chromatography of non-saponifiable compounds (tocopherols and sterols) 881(2000)149
- Parcher, J.F., see Tao, Y. 862(1999)49
- Parcher, J.F., see Tao, Y. 868(2000)323
- Pardon, K.H., see Pollnitz, A.P. 874(2000)101
- Parent, J., see Carrier, A. 876(2000)97
- Park, H.-G., see Kim, K.-R. 874(2000)91
- Park, J.H., see Shin, Y.G. 857(1999)331
- Park, M.K., see Shin, Y.G. 857(1999)331
- Park, S.-J., see Kim, I.-J. 877(2000)217
- Parker, C.E., see Borchers, C. 854(1999)119
- Parodi, O., see Accinni, R. 896(2000)183
- Parra, P., see Yritia, M. 870(2000)115
- Parrilla Vázquez, P., see Garrido Frenich, A. 869(2000)497
- Parson, W., see Oberacher, H. 893(2000)23
- Pascale, M., see Visconti, A. 864(1999)89
- Pascale, M., see Visconti, A. 888(2000)321
- Paschke, A., see Popp, P. 897(2000)153
- Paterson, C.J., see Boughtflower, R.J. 887(2000)409
- Patisier, G., see Marchal, L. 869(2000)339
- Patterson, D., see Soper, S.A. 853(1999)107
- Paugam, L., Ménard, R., Larue, J.-P. and Thouvenot, D.  
Optimization of glucosinolate separation by micellar electrokinetic capillary chromatography using a Doehlert's experimental design 864(1999)155
- Paull, B., Twohill, E. and Bashir, W.  
Determination of trace cadmium in environmental water samples using ion-interaction reversed-phase liquid chromatography with fluorescence detection 877(2000)123
- Paulus, A., see Sassi, A.P. 894(2000)203
- Pawliszyn, J., see Ábalos, M. 873(2000)107
- Pawliszyn, J., see Gou, Y. 873(2000)137
- Pawliszyn, J., see Kataoka, H. 880(2000)35
- Pawliszyn, J., see Khaled, A. 892(2000)455
- Pawliszyn, J., see Lord, H. 885(2000)153
- Pawliszyn, J., see Mester, Z. 873(2000)129
- Pawliszyn, J., see Millán, E. 873(2000)63
- Pawliszyn, J., see Segal, A. 873(2000)13
- Pawliszyn, J., see Semenov, S.N. 873(2000)39
- Pazourek, J., González, G., Revilla, A.L. and Havel, J.  
Separation of polyphenols in Canary Islands wine by capillary zone electrophoresis without preconcentration 874(2000)111
- Pålsson, E., Gustavsson, P.-E. and Larsson, P.-O.  
Pellicular expanded bed matrix suitable for high flow rates 878(2000)17
- Pearson, S., see Fitzpatrick, L.J. 873(2000)287
- Pedefferri, M., see Zenoni, G. 888(2000)73
- Pedersen, S.N. and Lindholm, C.  
Quantification of the xenoestrogens 4-*tert*-octylphenol and bisphenol A in water and in fish tissue based on microwave assisted extraction, solid-phase extraction and liquid chromatography–mass spectrometry 864(1999)17
- Pedersen-Bjergaard, S., see Rasmussen, K.E. 873(2000)3
- Pedersen-Bjergaard, S., Næss, Ø., Moestue, S. and Rasmussen, K.E.  
Microemulsion electrokinetic chromatography in suppressed electroosmotic flow environment. Separation of fat-soluble vitamins 876(2000)201
- Pedersen-Bjergaard, S., Gabel-Jensen, C. and Honoré Hansen, S.  
Selectivity in microemulsion electrokinetic chromatography 897(2000)375
- Peerboom, R.A.L., see Steen, R.J.C.A. 857(1999)157
- Pehu, E., see Kuronen, P. 863(1999)25
- Pehu, E., see Väänänen, T. 869(2000)301
- Peláez-Cid, A.A., see Dávila-Jiménez, M.M. 889(2000)253
- Peñalver, A., Pocurull, E., Borrull, F. and Marcé, R.M.  
Determination of phthalate esters in water samples by solid-phase microextraction and gas chromatography with mass spectrometric detection 872(2000)191
- Penner, N.A. and Nesterenko, P.N.  
Application of neutral hydrophobic hypercrosslinked polystyrene to the separation of inorganic anions by ion chromatography 884(2000)41
- Pensado, L., Casais, C., Mejuto, C. and Cela, R.  
Optimization of the extraction of polycyclic aromatic hydrocarbons from wood samples by the use of microwave energy 869(2000)505
- Pepich, B.V., see Wagner, H.P. 882(2000)309
- Pepich, B.V., see Wagner, H.P. 884(2000)201

- Peraire, C., see Celma, C. 870(2000)13  
 Peraire, C., see Celma, C. 870(2000)77  
 Pérez, M.L., see Rodríguez-Delgado, M.A. 871(2000)427  
 Pérez Pavón, J.L., see Fernández Laespada, M<sup>a</sup>.E. 852(1999)395  
 Pérez Pavón, J.L., see Seronero, L.C. 897(2000)171  
 Pérez, R.A., see Tadeo, J.L. 882(2000)175  
 Pérez-Camino, M.C., see Cert, A. 881(2000)131  
 Pérez-Camino, M.C., see Ruiz-Gutiérrez, V. 885(2000)321  
 Pérez-Conde, C., see Turiel, E. 872(2000)299  
 Pérez-Gilabert, M., see López-Nicolás, J.M. 859(1999)107  
 Pérez-Urquiza, M. and Beltrán, J.L.  
 Determination of dyes in foodstuffs by capillary zone electrophoresis 898(2000)271  
 Pérez-Urquiza, M., Ferrer, R. and Beltrán, J.L.  
 Determination of sulfonated azo dyes in river water samples by capillary zone electrophoresis 883(2000)277  
 Pérez-Urquiza, M., Prat, M.D. and Beltrán, J.L.  
 Determination of sulphonated dyes in water by ion-interaction high-performance liquid chromatography 871(2000)227  
 Perjéssy, A., see Soják, L. 878(2000)235  
 Pernías, K., see Garrigós, M.C. 896(2000)291  
 Peroni, C.N., see de Oliveira, J.E. 852(1999)441  
 Perret, D., see Curini, R. 874(2000)187  
 Perrett, D., see Hanna, M. 894(2000)117  
 Perrin, C., see Fabre, H. 853(1999)421  
 Perrin, C., Vargas, M.G., Vander Heyden, Y., Maftouh, M. and Massart, D.L.  
 Fast development of separation methods for the chiral analysis of amino acid derivatives using capillary electrophoresis and experimental designs 883(2000)249  
 Perry, R.L., see Tindall, G.W. 868(2000)41  
 Persiau, G., see Davey, M.W. 853(1999)381  
 Perso, C.E., see Locascio, L.E. 857(1999)275  
 Persson, A., see Karlsson, G. 855(1999)147  
 Persson, J., Johansson, H.-O. and Tjerneld, F.  
 Purification of protein and recycling of polymers in a new aqueous two-phase system using two thermoseparating polymers 864(1999)31  
 Peru, K.M., see Headley, J.V. 859(1999)69  
 Peruzzi, M., Bartolucci, G. and Cioni, F.  
 Determination of phenoxyalkanoic acids and other herbicides at the ng/ml level in water by solid-phase extraction with poly(divinylbenzene-co-*N*-vinylpyrrolidone) sorbent and high-performance liquid chromatography–diode-array detection 867(2000)169  
 Pesek, J.J., see Jinno, K. 887(2000)479  
 Pesek, J.J., Matyska, M.T. and Menezes, S.  
 Chiral separations by open tubular capillary electrokinetic chromatography 853(1999)151  
 Pesek, J.J. and Matyska, M.T.  
 Open tubular capillary electrokinetic chromatography in etched fused-silica tubes (Review) 887(2000)31  
 Pesek, J.J., see Matyska, M.T. 887(2000)497  
 Pesek, J.J., see Ohta, H. 883(2000)55  
 Péter, A., Olajos, E., Casimir, R., Tourwé, D., Broxterman, Q.B., Kaptein, B. and Armstrong, D.W.  
 High-performance liquid chromatographic separation of the enantiomers of unusual  $\alpha$ -amino acid analogues 871(2000)105  
 Péter, A., see Péter, M. 871(2000)115  
 Péter, A., see Wölfling, J. 852(1999)433  
 Péter, M., Péter, A. and Fülöp, F.  
 Application of (1*S*,2*S*)- and (1*R*,2*R*)-1,3-diacetoxy-1-(4-nitrophenyl)-2-propylisothiocyanate to the indirect enantioseparation of racemic proteinogenic amino acids 871(2000)115  
 Peter-Katalinc, J., see Zamfir, A. 895(2000)291  
 Peterlongo, F., see Fuzzati, N. 854(1999)69  
 Peters, E.C., see Svec, F. 887(2000)3  
 Peters, R., see Mengerink, Y. 876(2000)37  
 Peters, R., see Mengerink, Y. 878(2000)45  
 Petersen, J.R., see Mohammad, A.A. 868(2000)121  
 Petersson, M., see Schweitz, L. 892(2000)203  
 Petersson, M.A., Hulthe, G. and Fogelqvist, E.  
 New sheathless interface for coupling capillary electrophoresis to electrospray mass spectrometry evaluated by the analysis of fatty acids and prostaglandins 854(1999)141  
 Petit-Jean, D., see Judeinstein, P. 859(1999)59  
 Petritis, K., see Chaimbault, P. 855(1999)191  
 Petritis, K., see Chaimbault, P. 870(2000)245  
 Petritis, K., Chaimbault, P., Elfakir, C. and Dreux, M.  
 Parameter optimization for the analysis of underivatized protein amino acids by liquid chromatography and ionspray tandem mass spectrometry 896(2000)253  
 Petritis, K., Dourtooglou, V., Elfakir, C. and Dreux, M.  
 Determination of 1-aminocyclopropane-1-carboxylic acid and its structural analogue by liquid chromatography and ion spray tandem mass spectrometry 896(2000)335  
 Pettersson, C., see Hedeland, M. 864(1999)1  
 Pettersson, G., see Henriksson, H. 857(1999)107  
 Pettersson, G., see Henriksson, H. 898(2000)63  
 Pettersson, J., see Kamal-Eldin, A. 881(2000)217  
 Petty, J.D., Orazio, C.E., Huckins, J.N., Gale, R.W., Lebo, J.A., Meadows, J.C., Echols, K.R. and Cranor, W.L.  
 Considerations involved with the use of semipermeable membrane devices for monitoring environmental contaminants 879(2000)83  
 Peyrin, E., Guillaume, Y.C., Grosset, C., Ravel, A., Villet, A., Garrel, C., Alary, J. and Favier, A.  
 Mobile-phase-viscosity dependence on DNA separation in slalom chromatography 886(2000)1  
 Peys, E., see Sas, B. 864(1999)179  
 Pezennec, S., see Léonil, J. 881(2000)1  
 Pham-Tuan, H., Vercammen, J., Devos, C. and Sandra, P.  
 Automated capillary gas chromatographic system to monitor ethylene emitted from biological materials 868(2000)249  
 Phan-Tan-Luu, R., see Siouffi, A.M. 892(2000)75  
 Philipp, W., see Wyss, R. 870(2000)189  
 Phillips, J.B. and Beens, J.  
 Comprehensive two-dimensional gas chromatography: a hyphenated method with strong coupling between the two dimensions (Review) 856(1999)331

- Phinney, K.W., Jinadu, L.A. and Sander, L.C.  
Chiral selectors from fruit: application of citrus pectins to enantiomer separations in capillary electrophoresis 857(1999)285
- Piątkowski, W., see Antos, D. 874(2000)1
- Pichette, A., Drouin, N. and Girard, M.  
Analysis of human parathyroid hormone (1–84) products. Separation of a major impurity in synthetic products by ion-pairing reversed-phase high-performance liquid chromatography 890(2000)127
- Pichon, V.  
Solid-phase extraction for multiresidue analysis of organic contaminants in water (Review) 885(2000)195
- Pichon, V., see Miège, C. 859(1999)29
- Pickard, V., see Zimmer, D. 854(1999)23
- Picó, Y., see Fernández, M. 871(2000)43
- Picó, Y., Font, G., Moltó, J.C. and Mañes, J.  
Pesticide residue determination in fruit and vegetables by liquid chromatography–mass spectrometry (Review) 882(2000)153
- Picó, Y., Font, G., Moltó, J.C. and Mañes, J.  
Solid-phase extraction of quaternary ammonium herbicides (Review) 885(2000)251
- Picó, Y., see Valenzuela, A.I. 871(2000)57
- Piedra, L., see Agüera, A. 889(2000)261
- Piera, E., Dominguez, C., Clapés, P. Erra, P. and Infante M<sup>a</sup>.R.  
Qualitative and quantitative analysis of new alkyl amide arginine surfactants by high-performance liquid chromatography and capillary electrophoresis 852(1999)499
- Pieraccini, G., see Sledge, M.F. 873(2000)73
- Pierini, E., Sampaolo, L. and Mastrogiacomo, A.R.  
Evaluation of a dual-sorbent trap for monitoring organic compounds in air 855(1999)593
- Pietrzyk, D.J., see Minnoor, E. 884(2000)297
- Pietta, P.G., Mangano, M.F., Battaglia, C., Salani, G., Bernardi, L.R. and De Bellis, G.  
Application of capillary electrophoresis at low pH to oligonucleotides quality control 853(1999)355
- Piette, V., Fillet, M., Lindner, W. and Crommen, J.  
Non-aqueous capillary electrophoretic enantioseparation of *N*-derivatized amino acids using cinchona alkaloids and derivatives as chiral counter-ions 875(2000)353
- Piette, V., Lindner, W. and Crommen, J.  
Enantioseparation of anionic analytes by non-aqueous capillary electrophoresis using quinine and quinidine derivatives as chiral counter-ions 894(2000)63
- Pihlaja, K., see Salminen, J.-P. 864(1999)283
- Piletsky, S.A., see Bossi, A. 892(2000)143
- Pilidis, G.A., see Stalikas, C.D. 872(2000)215
- Piñero Costas, N., see Vetter, W. 886(2000)123
- Pino, V., Ayala, J.H., Afonso, A.M. and González, V.  
Determination of polycyclic aromatic hydrocarbons in marine sediments by high-performance liquid chromatography after microwave-assisted extraction with micellar media 869(2000)515
- Pinto, G.M.F. and Jardim, I.C.S.F.  
Use of solid-phase extraction and high-performance liquid chromatography for the determination of triazine residues in water: validation of the method 869(2000)463
- Pinto, N.G., see Esquibel-King, M.A. 865(1999)111
- Pintore, G., see Chankvetadze, B. 875(2000)455
- Pintore, G., see Chankvetadze, B. 875(2000)471
- Pinzauti, S., see Gotti, R. 875(2000)411
- Piraino, S.M., see Rimmer, C.A. 887(2000)115
- Pirkle, W.H., see Hyun, M.H. 876(2000)221
- Pirkle, W.H., see Hyun, M.H. 886(2000)47
- Pirogov, A.V., Krokhin, O.V., Platonov, M.M., Deryugina, Ya.I. and Shpigun, O.A.  
Ion chromatographic selectivity of polyelectrolyte sorbents based on some aliphatic and aromatic ionenes 884(2000)31
- Pison, U., see Bünger, H. 870(2000)363
- Pitti, Ch., see Toussaint, B. 896(2000)191
- Pizarro, N.A., see Tobback, K. 857(1999)313
- Plana, J., see Velázquez, C. 870(2000)469
- Planeta, J., see Jandera, P. 871(2000)139
- Platonov, M.M., see Pirogov, A.V. 884(2000)31
- Platonova, G.A., Pankova, G.A., Il'ina, I.Y., Vlasov, G.P. and Tennikova, T.B.  
Quantitative fast fractionation of a pool of polyclonal antibodies by immunoaffinity membrane chromatography 852(1999)129
- Plocková, J. and Chmelík, J.  
Different elution modes and field programming in gravitational field-flow fractionation. 2. Experimental verification of the range of conditions for flow-rate and carrier liquid density programming 868(2000)217
- Plomley, J.B., Crozier, P.W. and Taguchi, V.Y.  
Characterization of nonyl phenol ethoxylates in sewage treatment plants by combined precursor ion scanning and multiple reaction monitoring 854(1999)245
- Pock, K., Rizzi, A. and Josic, D.  
Use of high-resolution techniques for the characterization of clotting factor VIII 852(1999)175
- Pocurull, E., Aguilar, C., Alonso, M.C., Barceló, D., Borrull, F. and Marcé, R.M.  
On-line solid-phase extraction–ion-pair liquid chromatography–electrospray mass spectrometry for the trace determination of naphthalene monosulphonates in water 854(1999)187
- Pocurull, E., Biedermann, M. and Grob, K.  
Introduction of large volumes of water-containing samples into a gas chromatograph. Improved retention of volatile solutes through the swing system 876(2000)135
- Pocurull, E., Brossa, L., Borrull, F. and Marcé, R.M.  
Trace determination of antifouling compounds by on-line solid-phase extraction–gas chromatography–mass spectrometry 885(2000)361
- Pocurull, E., see Peñalver, A. 872(2000)191
- Podevin, C., see Cretier, G. 874(2000)305
- Pohl, C.A., see Jackson, P.E. 884(2000)175
- Pohl, C.A., see Jackson, P.E. 888(2000)151
- Poiger, T., Richardson, S.D. and Baughman, G.L.  
Analysis of anionic metallized azo and formazan dyes by capillary electrophoresis–mass spectrometry 886(2000)259
- Poiger, T., Richardson, S.D. and Baughman, G.L.  
Identification of reactive dyes in spent dyebaths and wastewater by capillary electrophoresis–mass spectrometry 886(2000)271

- Pokorná, L., Pacheco, M.L. and Havel, J.  
Highly reproducible capillary zone electrophoresis of humic acids in cyclodextrin- or oligosaccharide-modified background electrolytes 895(2000)345
- Polakowski, R., see Richards, D.P. 853(1999)21
- Polanowska, J., see Lopuska, A. 852(1999)207
- Polanowski, A., see Guyonnet, V. 852(1999)217
- Polanowski, A., see Lopuska, A. 852(1999)207
- Polanowski, A., see Wilimowska-Pelc, A. 852(1999)227
- Polcaro, C.M., see Dondi, M. 859(1999)133
- Polesello, S., see Valsecchi, S. 864(1999)263
- Pollien, P. and Roberts, D.  
Use of solid-phase microextraction for measuring oil–water partition coefficients and correlation with high-performance liquid chromatographic methods for lipophilicity 864(1999)183
- Pollnitz, A.P., Jones, G.P. and Sefton, M.A.  
Determination of oak lactones in barrel-aged wines and in oak extracts by stable isotope dilution analysis 857(1999)239
- Pollnitz, A.P., Pardon, K.H. and Sefton, M.A.  
Quantitative analysis of 4-ethylphenol and 4-ethylguaiaicol in red wine 874(2000)101
- Polonský, J., see Sádecká, J. 880(2000)243
- Poole, C.F.  
Planar chromatography at the turn of the century (Review) 856(1999)399
- Poole, C.F.  
Foreword 892(2000)1
- Poole, C.F. and Dias, N.C.  
Practitioner's guide to method development in thin-layer chromatography (Review) 892(2000)123
- Poole, C.F., Gunatilleka, A.D. and Sethuraman, R.  
Contributions of theory to method development in solid-phase extraction (Review) 885(2000)17
- Poole, C.F., Li, Q., Kiridena, W. and Koziol, W.W.  
Selectivity equivalence of poly(ethylene glycol) stationary phases for gas chromatography 898(2000)211
- Popkovich, G.B., see Ivanov, A.R. 894(2000)253
- Popp, P., Bauer, C., Möder, M. and Paschke, A.  
Determination of polycyclic aromatic hydrocarbons in waste water by off-line coupling of solid-phase microextraction with column liquid chromatography 897(2000)153
- Popp, P., see Moeder, M. 873(2000)95
- Popp, P., see Schmidt, A.-C. 889(2000)83
- Poppe, H., see Stol, R. 853(1999)45
- Poppe, H., see Stol, R. 887(2000)199
- Porras, S.P., see Riekkola, M.-L. 892(2000)155
- Porsch, B., Hillang, I., Karlsson, A. and Sundelöf, L.-O.  
Ion-exclusion controlled size-exclusion chromatography of methacrylic acid–methyl methacrylate copolymers 872(2000)91
- Porter, S.R. and Taylor, L.T.  
Supercritical fluid extraction of nylon 6,6 oligomers and their characterization via liquid chromatography coupled with mass spectrometry 855(1999)715
- Portet, F.I., Treiner, C. and Desbène, P.L.  
Simultaneous quantitative trace analysis of anionic and nonionic surfactant mixtures by reversed-phase liquid chromatography 878(2000)99
- Poschenrieder, C., see Tolrà, R.P. 889(2000)75
- Poskrobko, J., Dejnega, M. and Kiedik, M.  
High-performance liquid chromatography with multi-wavelength detection of the bisphenol A impurities 883(2000)291
- Possanzini, M., Di Palo, V., Brancaleoni, E., Frattoni, M. and Ciccio, P.  
Dynamic system for the calibration of semi-volatile carbonyl compounds in air 883(2000)171
- Potin-Gautier, M., see Bancon-Montigny, Ch. 896(2000)149
- Potocek, B., see Maichel, B. 853(1999)121
- Pötter, W., see Vogel, M. 886(2000)303
- Potterat, O., Wagner, K. and Haag, H.  
Liquid chromatography–electrospray time-of-flight mass spectrometry for on-line accurate mass determination and identification of cyclodepsipeptides in a crude extract of the fungus *Metarrhizium anisopliae* 872(2000)85
- Prat, M.D., see González-Toledo, E. 878(2000)69
- Prat, M.D., see Pérez-Urquiza, M. 871(2000)227
- Pratley, J., see Wu, H. 864(1999)315
- Prenesti, E., see Marengo, E. 863(1999)1
- Prenzler, P., see Ryan, D. 855(1999)529
- Prickaerts, R.M.H., see de Ridder, R. 862(1999)237
- Principato, G., see Caccamese, S. 893(2000)47
- Prioli, R., see Cahill, L.M. 859(1999)23
- Pritchard, M., see Elgar, D.F. 878(2000)183
- Pritts, K., see Havel, K. 853(1999)215
- Prognon, P., see Jaimez, J. 882(2000)1
- Prognon, P., see Zhou, J.Y. 859(1999)99
- Prokeš, B., see Holčapek, M. 858(1999)13
- Prošek, M., see Simonovska, B. 862(1999)209
- Prost, C., see Le Guen, S. 896(2000)361
- Pruñonosa, J., see Celma, C. 870(2000)13
- Pruñonosa, J., see Celma, C. 870(2000)77
- Prus, W., see Kaczmarski, K. 869(2000)57
- Pucci, S., see Raffaelli, A. 854(1999)57
- Pucci, V., Raggi, M. and Kenndler, E.  
Separation of antipsychotic drugs (clozapine, loxapine) and their metabolites by capillary zone electrophoresis 853(1999)461
- Puertas, M.A., see Stashenko, E.E. 886(2000)175
- Puignou, L., see Ruiz-Calero, V. 873(2000)269
- Puignou, L., see Sentellas, S. 888(2000)281
- Puignou, L., see Toribio, F. 869(2000)307
- Puignou, L., see Toribio, F. 880(2000)101
- Pullen, F.S., see Sharma-Singh, G. 888(2000)219
- Pumera, M., Jelínek, I., Jindřich, J., Coufal, P. and Horský, J.  
Determination of cyclodextrin content using periodate oxidation by capillary electrophoresis 891(2000)201
- Pungor Jr., E., see Mann, B. 895(2000)329
- Purcell, A.W., Zhao, G.L., Aguilar, M.I. and Hearn, M.T.W.  
Comparison between the isocratic and gradient retention behaviour of polypeptides in reversed-phase liquid chromatographic environments 852(1999)43
- Purdom, G., see Levison, P.R. 890(2000)45
- Purnell, J.H., see Furton, K.G. 859(1999)41

- Pursch, M., see Sander, L.C. 880(2000)189  
 Pursch, M. and Sander, L.C.  
 Stationary phases for capillary electrochromatography  
 (Review) 887(2000)313
- Pyell, U.  
 Advances in column technology and instrumentation in  
 capillary electrochromatography (Review) 892(2000)257
- Pyell, U., see Banholczer, A. 869(2000)363
- Pyell, U., see Dworschak, A. 855(1999)669
- Pylypiw Jr., H.M. and Grether, M.T.  
 Rapid high-performance liquid chromatography method for  
 the analysis of sodium benzoate and potassium sorbate in  
 foods 883(2000)299

## Q

- Qi, M., see Li, X.-F. 869(2000)375
- Qi, M., Li, X.-F., Stathakis, C. and Dovichi, N.J.  
 Capillary electrochromatography with thermo-optical  
 absorbance detection for the analysis of  
 phenylthiohydantoin-amino acids 853(1999)131
- Qi, S., see Soper, S.A. 853(1999)107
- Qian, Y.-T., see Cao, C.-X. 891(2000)337
- Qin, X., see Wang, F. 883(2000)113
- Qiu, J.  
 Statistics aided optimization for high-performance liquid  
 chromatographic analysis of organic acids in tobacco  
 859(1999)153
- Qiu, S.-X., see Lin, L.-Z. 876(2000)87
- Quan, C.P., see Felten, C. 853(1999)295
- Quattrini, F., Biressi, G., Juza, M., Mazzotti, M., Fuganti, C.  
 and Morbidelli, M.  
 Enantiomer separation of  $\alpha$ -ionone using gas  
 chromatography with cyclodextrin derivatives as chiral  
 stationary phases 865(1999)201
- Que, A.H., Palm, A., Baker, A.G. and Novotny, M.V.  
 Steroid profiles determined by capillary  
 electrochromatography, laser-induced fluorescence detection  
 and electrospray–mass spectrometry 887(2000)379
- Queiroz, J.A., see Esquibel-King, M.A. 865(1999)111
- Queiroz, J.A., see Tomaz, C.T. 865(1999)123
- Questier, F., see Detroyer, A. 897(2000)23
- Quiñones, I., Cavazzini, A. and Guiochon, G.  
 Adsorption equilibria and overloaded band profiles of basic  
 drugs in a reversed-phase system 877(2000)1
- Quiñones, I., Grill, C.M., Miller, L. and Guiochon, G.  
 Modeling of separations by closed-loop steady-state  
 recycling chromatography of a racemic pharmaceutical  
 intermediate 867(2000)1

- Quintanilla-López, J.E., Lebrón-Aguilar, R. and García-  
 Domínguez, J.A.  
 Hold-up time in gas chromatography. V. Dependence of the  
 retention of *n*-alkanes on the chromatographic variables in  
 isothermal gas chromatography 878(2000)125
- Quirini, A., see Buldini, P.L. 882(2000)321
- Quirino, J.P., Inoue, N. and Terabe, S.  
 Reversed migration micellar electrokinetic chromatography  
 with off-line and on-line concentration analysis of  
 phenylurea herbicides 892(2000)187
- Quirino, J.P., see Otsuka, K. 853(1999)413
- Quirino, J.P. and Terabe, S.  
 Electrokinetic chromatography (Review) 856(1999)465

## R

- Raber, G. and Greschonig, H.  
 New preconditioning strategy for the determination of  
 inorganic anions with capillary zone electrophoresis using  
 indirect UV detection 890(2000)355
- Račaitytė, K., Lutz, E.S.M., Unger, K.K., Lubda, D. and Boos,  
 K.S.  
 Analysis of neuropeptide Y and its metabolites by high-  
 performance liquid chromatography–electrospray ionization  
 mass spectrometry and integrated sample clean-up with a  
 novel restricted-access sulphonic acid cation exchanger  
 890(2000)135
- Racaityte, K., see Wagner, K. 893(2000)293
- Rachkov, A. and Minoura, N.  
 Recognition of oxytocin and oxytocin-related peptides in  
 aqueous media using a molecularly imprinted polymer  
 synthesized by the epitope approach 889(2000)111
- Radschuweit, A., see Rüttinger, H.-H. 868(2000)127
- Radtschenko, I., see Garke, G. 857(1999)137
- Rafecas, M., see Parcerisa, J. 881(2000)149
- Raffaelli, A., Pucci, S., Desideri, I., Bellina, C.R., Bianchi, R.  
 and Salvadori, P.  
 Investigation on the iodination reaction of methylene blue  
 by liquid chromatography–mass spectrometry with ionspray  
 ionisation 854(1999)57
- Ragauskas, R., see Padaruskas, A. 879(2000)235
- Raggi, M., see Pucci, V. 853(1999)461
- Ragonese, R., Mulholland, M. and Kalman, J.  
 Full and fractionated experimental designs for robustness  
 testing in the high-performance liquid chromatographic  
 analysis of codeine phosphate, pseudoephedrine  
 hydrochloride and chlorpheniramine maleate in a  
 pharmaceutical preparation 870(2000)45

- Ragunathan, N., Krock, K.A., Klawun, C., Sasaki, T.A. and Wilkins, C.L.  
Gas chromatography with spectroscopic detectors (Review) 856(1999)349
- Raith, K., Darius, J. and Neubert, R.H.H.  
Ceramide analysis utilizing gas chromatography–mass spectrometry 876(2000)229
- Rajur, S.B., see Várady, L. 869(2000)171
- Rakestraw, D.J., see Garguilo, M.G. 883(2000)231
- Ramanan, S., Tang, J. and Velayudhan, A.  
Isolation and preparative purification of microcystin variants 883(2000)103
- Ramanathan, P.S., see Gangal, N.D. 884(2000)243
- Ramirez-Lucas, P., see Rochat, D. 885(2000)433
- Ramis-Ramos, G., see Herrero-Martínez, J.M. 878(2000)261
- Ramis-Ramos, G., see Herrero-Martínez, J.M. 895(2000)227
- Ramos, A., see Cserhádi, T. 896(2000)69
- Ramos, A., see Csiktusnádi Kiss, G.A. 889(2000)41
- Ramos, L., Vreuls, J.J. and Brinkman, U.A.Th.  
Miniaturised pressurised liquid extraction of polycyclic aromatic hydrocarbons from soil and sediment with subsequent large-volume injection–gas chromatography 891(2000)275
- Ramsey, C.S., see Cahill, L.M. 859(1999)23
- Ramsey, J.M., see Lazar, I.M. 892(2000)195
- Ramsey, R.S., see Lazar, I.M. 892(2000)195
- Rank, D.R., see Hadd, A.G. 894(2000)191
- Rankin, J.D., see Liu, F.F. 888(2000)85
- Rao, R., see Di Corcia, A. 878(2000)87
- Rao, R.N., see Husain, S. 862(1999)17
- Rao, R.N., see Husain, S. 863(1999)123
- Raouafi, F., see Trabelsi, H. 871(2000)189
- Rapp, E. and Bayer, E.  
Improved column preparation and performance in capillary electrochromatography 887(2000)367
- Rasmussen, K.E., Pedersen-Bjergaard, S., Krogh, M., Grefslie Ugland, H. and Grønhaug, T.  
Development of a simple in-vial liquid-phase microextraction device for drug analysis compatible with capillary gas chromatography, capillary electrophoresis and high-performance liquid chromatography 873(2000)3
- Rasmussen, K.E., see Pedersen-Bjergaard, S. 876(2000)201
- Rasulev, U.Kh., Khasanov, U. and Palitcin, VV.  
Surface-ionization methods and devices of indication and identification of nitrogen-containing base molecules 896(2000)3
- Ratiskol, J., see Chevolut, L. 869(2000)353
- Ratnayake, C.K., Oh, C.S. and Henry, M.P.  
Characteristics of particle-loaded monolithic sol–gel columns for capillary electrochromatography. I. Structural, electrical and band-broadening properties 887(2000)277
- Raulin, F., see Szopa, C. 863(1999)157
- Raushel, F.M., see Zhu, W. 895(2000)247
- Ravanel, P., Liégeois, M.H., Chevallier, D. and Tissut, M.  
Soil thin-layer chromatography and pesticide mobility through soil microstructures. New technical approach 864(1999)145
- Ravel, A., see Peyrin, E. 886(2000)1
- Razzazi-Fazeli, E., Böhm, J. and Luf, W.  
Determination of nivalenol and deoxynivalenol in wheat using liquid chromatography–mass spectrometry with negative ion atmospheric pressure chemical ionisation 854(1999)45
- Razzazi-Fazeli, E., Kleineisen, S. and Luf, W.  
Determination of cholesterol oxides in processed food using high-performance liquid chromatography–mass spectrometry with atmospheric pressure chemical ionisation 896(2000)321
- Read, R.W. and Black, R.M.  
Rapid screening procedures for the hydrolysis products of chemical warfare agents using positive and negative ion liquid chromatography–mass spectrometry with atmospheric pressure chemical ionisation 862(1999)169
- Rebscher, K., see Kirschbaum, J. 881(2000)517
- Recanatini, M., see Andrisano, V. 876(2000)75
- Reche, F., Garrigós, M.C., Sánchez, A. and Jiménez, A.  
Simultaneous supercritical fluid derivatization and extraction of formaldehyde by the Hantzsch reaction 896(2000)51
- Reche, F., see Garrigós, M.C. 896(2000)291
- Rédey, Á., see Horváth, E. 893(2000)37
- Redondo, M.J., see Valenzuela, A.I. 871(2000)57
- Reemtsma, T., see Storm, T. 854(1999)175
- Regan, F., see Fogarty, B. 895(2000)237
- Reglero, G., see Señoráns, F.J. 870(2000)491
- Regnier, F.E., see Amini, A. 894(2000)345
- Regnier, F.E., see Dormady, S.J. 864(1999)237
- Regnier, F.E., see Geng, M. 870(2000)295
- Regnier, F.E., see He, B. 853(1999)257
- Regnier, F.E., see Xu, W. 853(1999)243
- Regnier, F.E., see Zhang, X. 869(2000)319
- Reich, S., Trapp, O. and Schurig, V.  
Enantioselective stopped-flow multidimensional gas chromatography. Determination of the inversion barrier of 1-chloro-2,2-dimethylaziridine 892(2000)487
- Reichenbacher, M., see Berente, B. 871(2000)95
- Reif, V.D., see Dan, N. 891(2000)115
- Reijenga, J.C., see de Ridder, R. 862(1999)237
- Reijns, T.G.P., see Jensen, T.B. 873(2000)149
- Reinhard, H. and Zimmerli, B.  
Reversed-phase liquid chromatographic behavior of the mycotoxins citrinin and ochratoxin A 862(1999)147
- Reisser, W., see Schmidt, A.-C. 889(2000)83
- Reiter, B., see Lechner, M. 857(1999)231
- Remcho, V.T., see Vallano, P.T. 887(2000)125
- Remcho, V.T., see Vallano, P.T. 888(2000)23
- Remon, J.P., see Baeyens, W.R.G. 871(2000)153
- Ren, H.J., see Li, X.-F. 869(2000)375
- Ren, Y.-j., see Li, S.-l. 859(1999)183
- Renaud, F.N.R., see Voisin, S. 863(1999)243
- Renedo, M.J., see Arnedo, A. 871(2000)311
- Renker, S., see Unger, K.K. 892(2000)47
- Renon, P., see Colombo, M.M. 880(2000)303
- Reschiglian, P., see Contado, C. 871(2000)449
- Restani, P., see Ventriglia, M. 857(1999)327



- Reta, M. and Carr, P.W.  
Comparative study of divalent metals and amines as silanol-blocking agents in reversed-phase liquid chromatography 855(1999)121
- Revesado, P.R., see Gigosos, P.G. 871(2000)31
- Revilla, A.L., see Pazourek, J. 874(2000)111
- Revilla, E. and Ryan, J.-M.  
Analysis of several phenolic compounds with potential antioxidant properties in grape extracts and wines by high-performance liquid chromatography–photodiode array detection without sample preparation 881(2000)461
- Revis, A., see Gustavson, K.E. 883(2000)143
- Reyes, A., see Mateos, J.L. 870(2000)425
- Reynolds, B., see Clarke, W. 888(2000)13
- Rhofir, C. and Hawari, J.  
Application of solid-phase microextraction–gas chromatography–mass spectrometry to characterize intermediates in a joint solar–microbial process for total mineralization of Aroclor 1254 873(2000)53
- Rhyn, P., see Zoller, O. 872(2000)101
- Ribeiro, M.L., see Nunes, G.S. 888(2000)113
- Ribela, M.T.C.P., see de Oliveira, J.E. 852(1999)441
- Ricart, G., see Froidevaux, R. 873(2000)185
- Richards, D.P., Stathakis, C., Polakowski, R., Ahmadzadeh, H. and Dovichi, N.J.  
Labeling effects on the isoelectric point of green fluorescent protein 853(1999)21
- Richards, M.P., Ashwell, C.M. and McMurtry, J.P.  
Analysis of leptin gene expression in chickens using reverse transcription polymerase chain reaction and capillary electrophoresis with laser-induced fluorescence detection 853(1999)321
- Richardson, S.D., see Poiger, T. 886(2000)259
- Richardson, S.D., see Poiger, T. 886(2000)271
- Richoz, J., see Guy, P.A. 883(2000)89
- Richter, B.E.  
Extraction of hydrocarbon contamination from soils using accelerated solvent extraction 874(2000)217
- Richter, R., see Tammen, H. 852(1999)285
- Ricketts, D., see Moffatt, F. 891(2000)235
- Ridge, S., see Hettiarachchi, K. 895(2000)87
- Riediker, S., see Hau, J. 878(2000)77
- Riekkola, M.-L., see Andersson, T. 896(2000)343
- Riekkola, M.-L., Jussila, M., Porrás, S.P. and Valkó, I.E.  
Non-aqueous capillary electrophoresis (Review) 892(2000)155
- Riekkola, M.-L., see Suomi, J. 868(2000)73
- Riggs, L., see Amini, A. 894(2000)345
- Righetti, P.G., see Bossi, A. 853(1999)71
- Righetti, P.G., see Bossi, A. 892(2000)143
- Righetti, P.G., see Castelletti, L. 894(2000)281
- Righetti, P.G., see Herrero-Martínez, J.M. 878(2000)261
- Righetti, P.G., see Magnusdóttir, S. 859(1999)87
- Righetti, P.G., see Olivieri, E. 894(2000)273
- Righetti, P.G., see Sebastiano, R. 894(2000)53
- Righetti, P.G., see Stellwagen, N.C. 883(2000)267
- Righetti, P.G., see Stoyanov, A.V. 853(1999)35
- Righetti, P.G., see Verzola, B. 868(2000)85
- Righetti, P.G., see Verzola, B. 874(2000)293
- Rimmer, C.A., Piraino, S.M. and Dorsey, J.G.  
Gradient elution techniques for capillary electrochromatography (Review) 887(2000)115
- Rimpinen, O., see Sirén, H. 895(2000)189
- Rinas, U., see Müller, C. 855(1999)203
- Ringo, M.C. and Evans, C.E.  
Pressure-controlled high-performance liquid chromatographic study on the influence of rim chemistry on partial molar volume differences between free and complexed cyclodextrins 863(1999)127
- Rintoul, L., see Horváth, E. 893(2000)37
- Ríos, A., see Hinsmann, P. 866(2000)137
- Ríos, A., see Manganiello, L. 874(2000)265
- Rissler, K.  
Separation of polyesters by gradient reversed-phase high-performance liquid chromatography on a 1.5  $\mu\text{m}$  non-porous column 871(2000)243
- Ritieni, A., see Sewram, V. 858(1999)175
- Riu, J., see Castillo, M. 889(2000)195
- Riu, J., Eichhorn, P., Guerrero, J.A., Knepper, Th.P. and Barceló, D.  
Determination of linear alkylbenzenesulfonates in wastewater treatment plants and coastal waters by automated solid-phase extraction followed by capillary electrophoresis–UV detection and confirmation by capillary electrophoresis–mass spectrometry 889(2000)221
- Rived, F., see Rosés, M. 867(2000)45
- Rivellino, S.R., see Augusto, F. 873(2000)117
- Rivera, J., see Abad, E. 893(2000)383
- Riviello, J., see Vanatta, L.E. 884(2000)143
- Riviello, J.M., see Huang, Y. 868(2000)209
- Riviello, J.M., see Lu, H. 857(1999)343
- Riviello, J.M., see Huang, Y. 884(2000)53
- Rivier, L., see Dienes-Nagy, A. 854(1999)109
- Rizzi, A., see Pock, K. 852(1999)175
- Robards, K., see Ryan, D. 855(1999)529
- Roberts, D., see Pollien, P. 864(1999)183
- Roberts, K.P., Lin, C.-H., Jankowiak, R. and Small, G.J.  
On-line identification of diastereomeric dibenzo[*a,l*]pyrene diol epoxide-derived deoxyadenosine adducts by capillary electrophoresis–fluorescence line-narrowing and non-line narrowing spectroscopy 853(1999)159
- Robson, M.M., see Bartle, K.D. 892(2000)279
- Roca, M.J., see Almela, L. 870(2000)483
- Rocca, J.-L., see Cretier, G. 874(2000)305
- Rocca, J.L., see Goga-Remont, S. 868(2000)13
- Rocha, J.C., see Santos, T.C.R. 879(2000)3
- Rochat, D., Ramirez-Lucas, P., Malosse, C., Aldana, R., Kakul, T. and Morin, J.-P.  
Role of solid-phase microextraction in the identification of highly volatile pheromones of two Rhinoceros beetles *Scapanes australis* and *Strategus aloeus* (Coleoptera, Scarabaeidae, Dynastinae) 885(2000)433
- Rochette, I., see Talamond, P. 871(2000)7
- Rodrigues, A.E., see Azevedo, D.C.S. 865(1999)187
- Rodríguez, A.F., see Imaz, C. 870(2000)23
- Rodríguez, C., see Imaz, C. 870(2000)23

- Rodríguez, C.W., de Armas, R., Vicente, C. and Legaz, M.-E.  
Changes in free and conjugated polyamines during starvation of sugarcane juices as analyzed by high-performance liquid chromatography 881(2000)531
- Rodríguez, E., see Sampedro, M.C. 893(2000)347
- Rodríguez Gonzalo, E., see Carabias Martínez, R. 869(2000)471
- Rodríguez, I., Llompart, M.P. and Cela, R.  
Solid-phase extraction of phenols (Review) 885(2000)291
- Rodríguez, V.G., see Lucangioli, S.E. 871(2000)207
- Rodríguez-Delgado, M.A., Pérez, M.L., Corbella, R., González, G. and García Montelongo, F.J.  
Optimization of the separation of phenolic compounds by micellar electrokinetic capillary chromatography 871(2000)427
- Rodriguez-Estrada, M.T., see Lercker, G. 881(2000)105
- Rodríguez-Gonzalo, E., see Carabias-Martínez, R. 869(2000)427
- Rodríguez-Gonzalo, E., see Carabias-Martínez, R. 869(2000)451
- Rodríguez-Gonzalo, E., see Carabias-Martínez, R. 869(2000)471
- Roed, L., Lundanes, E. and Greibrokk, T.  
Nonaqueous electrochromatography on continuous bed columns of sol-gel bonded large-pore C<sub>18</sub> material: separation of retinyl esters 890(2000)347
- Roets, E., see Castellanos Gil, E. 895(2000)343
- Roets, E., see Chepkwony, H.K. 870(2000)227
- Roets, E., see Kaale, E. 895(2000)67
- Roets, E., see Kang, J.W. 879(2000)211
- Roets, E., see Orwa, J.A. 870(2000)237
- Roets, E., see Tobback, K. 857(1999)313
- Rogalska, E., see Judeinstein, P. 859(1999)59
- Rogalski, M., see Judeinstein, P. 859(1999)59
- Rogers, S.D. and Dorsey, J.G.  
Chromatographic silanol activity test procedures: the quest for a universal test (Review) 892(2000)57
- Rohrbaugh, D.K.  
Methanol chemical ionization quadrupole ion trap mass spectrometry of *O*-ethyl *S*-[2-(diisopropylamino)ethyl] methylphosphonothiolate (VX) and its degradation products 893(2000)393
- Rohrer, J., see Kaiser, E. 858(1999)55
- Rohrer, J.S., see Jackson, P.E. 888(2000)151
- Rohwer, E.R., see Ortner, E.K. 863(1999)57
- Rokushika, S., see Yamamoto, F.M. 898(2000)141
- Röllin, S. and Eklund, U.-B.  
Determination of U(IV) and U(VI) by ion chromatography-inductively coupled plasma mass spectrometry and its application to kinetic studies 884(2000)131
- Romanová, D., Grančai, D., Józová, B., Božek, P. and Vachálková, A.  
Determination of apigenin in rat plasma by high-performance liquid chromatography 870(2000)463
- Romero, J., see del Río, J.C. 874(2000)235
- Romero, L.M., see Castells, R.C. 898(2000)103
- Romero, R., Gázquez, D., Bagur, M.G. and Sánchez-Viñas, M.  
Optimization of chromatographic parameters for the determination of biogenic amines in wines by reversed-phase high-performance liquid chromatography 871(2000)75
- Ron, N., see Ci, S.X. 864(1999)199
- Rónai, Z., see Guttman, A. 894(2000)329
- Rondeau, B., see Sabik, H. 885(2000)217
- Rosant, J.M., see Marchal, L. 869(2000)339
- Rose, H., see Mulholland, M. 870(2000)135
- Rosenbauer, H., see Szopa, C. 863(1999)157
- Rosenberg, E., see Haberhauer-Troyer, C. 852(1999)589
- Rosenberg, E., see Letzel, T. 855(1999)501
- Rosenberg, E., see Wissiack, R. 896(2000)159
- Rosés, M., Rived, F. and Bosch, E.  
Dissociation constants of phenols in methanol-water mixtures 867(2000)45
- Rosés, M., see Torres-Lapasió, J.R. 886(2000)31
- Rossi, D.T. and Zhang, N.  
Automating solid-phase extraction: current aspects and future prospects (Review) 885(2000)97
- Roth, U., see Sokoließ, T. 898(2000)35
- Rouge, P.D., see Lucangioli, S.E. 871(2000)207
- Roulin, S., Dmoch, R., Carney, R., Bartle, K.D., Myers, P., Euerby, M.R. and Johnson, C.  
Comparison of different packing methods for capillary electrochromatography columns 887(2000)307
- Roulin, S.C.P., see Bartle, K.D. 892(2000)279
- Rowlen, K.L., see Westerbuhr, S.G. 886(2000)9
- Roy, A., see Stanley, B.J. 865(1999)97
- Roy, S., see Chiron, S. 879(2000)137
- Roziing, G., see Choudhary, G. 857(1999)183
- Roziing, G., see Djordjevic, N.M. 887(2000)245
- Roziing, G.P., see Adam, T. 887(2000)327
- Roziing, G.P., see Dittmann, M.M. 887(2000)209
- Ru, Q.-H., Jing, H.-e., Luo, G.-A. and Huang, Q.  
Single-strand conformation polymorphism analysis to detect the p53 mutation in colon tumor samples by capillary electrophoresis 894(2000)171
- Ru, Q.-H., Luo, G.-A., Liao, J.-J. and Liu, Y.  
Capillary electrophoretic determination of apoptosis of HeLa cells induced by trichosanthin 894(2000)165
- Ru, Q.-H., Yao, J., Luo, G.-A., Zhang, Y.-X. and Yan, C.  
Pressurized gradient capillary electrochromatographic separation of eighteen amino acid derivatives 894(2000)337
- Ruaan, R.-C., see Lin, F.-Y. 872(2000)37
- Rubiolo, P., see Bicchi, C. 892(2000)469
- Rudaz, S., Cherkaoui, S., Dayer, P., Fanali, S. and Veuthey, J.-L.  
Simultaneous stereoselective analysis of tramadol and its main phase I metabolites by on-line capillary zone electrophoresis-electrospray ionization mass spectrometry 868(2000)295
- Rudaz, S., see Ortelli, D. 871(2000)163
- Rudkin, S., see Niedziella, S. 885(2000)457
- Rudzińska, E., see Dzygiel, P. 895(2000)301
- Ruedel, U., see Chen, S. 859(1999)121

- Ruggeri, S., Vahteristo, L.T., Aguzzi, A., Finglas, P. and Carnovale, E.  
Determination of folate vitamers in food and in Italian reference diet by high-performance liquid chromatography 855(1999)237
- Ruiz, A., see Candela, M. 890(2000)273
- Ruiz de Almodóvar, J.M., see Valenzuela, M.T. 871(2000)321
- Ruiz, J.M., see del Nozal, M<sup>a</sup>.J. 881(2000)629
- Ruiz-Calero, V., Puignou, L. and Galceran, M.T.  
Analysis of glycosaminoglycan monosaccharides by capillary electrophoresis using indirect laser-induced fluorescence detection 873(2000)269
- Ruiz-Gutiérrez, V. and Pérez-Camino, M.C.  
Update on solid-phase extraction for the analysis of lipid classes and related compounds (Review) 885(2000)321
- Russo, M.V. and Goretta, G.  
Hydrophobic-phase-modified fused-silica columns for capillary electrophoresis 871(2000)279
- Ruther, J.  
Retention index database for identification of general green leaf volatiles in plants by coupled capillary gas chromatography–mass spectrometry 890(2000)313
- Rüttinger, H.H., see Mrestani, Y. 868(2000)317
- Rüttinger, H.H., see Mrestani, Y. 873(2000)237
- Rüttinger, H.-H. and Radschuweit, A.  
Determination of peroxides by capillary zone electrophoresis with amperometric detection 868(2000)127
- Ryan, D., Robards, K., Prenzler, P., Jardine, D., Herlt, T. and Antolovich, M.  
Liquid chromatography with electrospray ionisation mass spectrometric detection of phenolic compounds from *Olea europaea* 855(1999)529
- Ryan, J.-M., see Revilla, E. 881(2000)461
- Rylatt, D.B., Napoli, M., Ogle, D., Gilbert, A., Lim, S. and Nair, C.H.  
Electrophoretic transfer of proteins across polyacrylamide membranes 865(1999)145
- Ryoo, J.-J., see Hyun, M.H. 886(2000)47
- Sabbah, S. and Scriba, G.K.E.  
Influence of the structure of cyclodextrins and amino acid sequence of dipeptides and tripeptides on the pH-dependent reversal of the migration order in capillary electrophoresis 894(2000)267
- Sabbah, S., see Trabelsi, H. 871(2000)189
- Sabik, H., see Jeannot, R. 879(2000)51
- Sabik, H. and Jeannot, R.  
Stability of organophosphorus insecticides on graphitized carbon black extraction cartridges used for large volumes of surface water 879(2000)73
- Sabik, H., Jeannot, R. and Rondeau, B.  
Multiresidue methods using solid-phase extraction techniques for monitoring priority pesticides, including triazines and degradation products, in ground and surface waters (Review) 885(2000)217
- Sachsinger, N., see Taylor, J.I. 890(2000)159
- Sádecká, J. and Polonský, J.  
Electrophoretic methods in the analysis of beverages (Review) 880(2000)243
- Saenko, E., Sarafanov, A., Greco, N., Shima, M., Loster, K., Schwinn, H. and Josic, D.  
Use of surface plasmon resonance for studies of protein–protein and protein–phospholipid membrane interactions. Application to the binding of factor VIII to von Willebrand factor and to phosphatidylserine-containing membranes 852(1999)59
- Saenko, E., Sarafanov, A., Greco, N., Shima, M., Loster, K., Schwinn, H. and Josic, D.  
Erratum to: “Use of surface plasmon resonance for studies of protein–protein and protein–phospholipid membrane interactions. Application to the binding of factor VIII to von Willebrand factor and to phosphatidylserine-containing membranes”. [J. Chromatogr. A, 852 (1999) 59–71] 872(2000)323
- Sáez, M., León, V.M., Gómez-Parra, A. and González-Mazo, E.  
Extraction and isolation of linear alkylbenzene sulfonates and their intermediate metabolites from various marine organisms 889(2000)99
- Safni, Ito, N., Takeuchi, T. and Miwa, T.  
Separation of enantiomers on anion exchangers modified with heparin in liquid chromatography 864(1999)25
- Saganiak, M., see Kudzin, Z.H. 888(2000)335
- Sagara, K., see Okamoto, H. 888(2000)299
- Sagawa, T., see Chowdhury, M.A.J. 877(2000)71
- Sagrado, S., see Molero-Monfort, M. 870(2000)1
- Saha, S., see Smith, R.M. 886(2000)289
- Saikia, N. and Kulshrestha, G.  
New gas chromatographic method for residue determination of dithiopyr in soil, wheat grain and straw 864(1999)351
- Saini, C., see Jackson, P.E. 884(2000)175
- Saini, S., see Setford, S.J. 867(2000)93
- Saito, K., see Ozawa, I. 888(2000)43
- Saito, K., see Timerbaev, A.R. 888(2000)309
- Saito, Y., see Ohta, H. 883(2000)55
- Saitoh, T., Matsudo, T. and Matsubara, C.  
Micelle-mediated extraction for concentrating hydrophobic organic compounds 879(2000)121

# S

Saavedra, L., see Barbas, C. 870(2000)97

Saavedra, L., García, A. and Barbas, C.  
Development and validation of a capillary electrophoresis method for direct measurement of isocitric, citric, tartaric and malic acids as adulteration markers in orange juice 881(2000)395

- Saitoh, T., Yoshida, Y. and Matsubara, C.  
Concentration of nonylphenol and its polyethoxylated derivatives by polymer-mediated extraction 891(2000)69
- Sakamoto, M., see Takeba, K. 882(2000)99
- Sala, C., Mestres, M., Martí, M.P., Busto, O. and Guasch, J.  
Headspace solid-phase microextraction method for determining 3-alkyl-2-methoxypyrazines in musts by means of polydimethylsiloxane–divinylbenzene fibres 880(2000)93
- Salafranca, J., Batlle, R. and Nerín, C.  
Use of solid-phase microextraction for the analysis of bisphenol A and bisphenol A diglycidyl ether in food simulants 864(1999)137
- Salani, G., see Pietta, P.G. 853(1999)355
- Salem, M.A., see Hettiarachchi, K. 895(2000)87
- Salgar, W., see Stashenko, E.E. 886(2000)175
- Salmanowicz, B.P.  
Capillary electrophoresis of seed 2S albumins from *Lupinus* species 894(2000)297
- Salminen, J.-P., Ossipov, V., Loponen, J., Haukioja, E. and Pihlaja, K.  
Characterisation of hydrolysable tannins from leaves of *Betula pubescens* by high-performance liquid chromatography– mass spectrometry 864(1999)283
- Salvadó, V., see Moreno, P. 870(2000)207
- Salvadó, V., see Sánchez, J.M. 871(2000)217
- Salvador, A., Herbretau, B. and Dreux, M.  
Electrospray mass spectrometry and supercritical fluid chromatography of methylated  $\beta$ -cyclodextrins 855(1999)645
- Salvadori, P., see Raffaelli, A. 854(1999)57
- Salvayre, R., see Caussé, E. 895(2000)173
- Sampaolo, L., see Pierini, E. 855(1999)593
- Sampedro, M.C., Martín, O., López de Armentia, C., Goicolea, M.A., Rodríguez, E., Gómez de Balugera, Z., Costa-Moreira, J. and Barrio, R.J.  
Solid-phase microextraction for the determination of systemic and non-volatile pesticides in river water using gas chromatography with nitrogen–phosphorous and electron-capture detection 893(2000)347
- Samperi, R., see Di Corcia, A. 852(1999)465
- Samperi, R., see Di Corcia, A. 878(2000)87
- Samskog, J., see Forngren, B.H. 854(1999)155
- San Juan Serrano, F., see Blanco López, S.L. 891(2000)99
- Sanbe, H., see Haginaka, J. 857(1999)117
- Sanbe, H., see Koizumi, K. 852(1999)407
- Sánchez, A., see Reche, F. 896(2000)51
- Sánchez, J.M., Obrezkov, O. and Salvadó, V.  
Separation of some platinum group metal chelates with 8-hydroxyquinoline by various high-performance liquid chromatographic methods 871(2000)217
- Sánchez San Román, F.J., see Carabias Martínez, R. 869(2000)471
- Sánchez-Brunete, C., see Tadeo, J.L. 882(2000)175
- Sánchez-Pérez, A., see Delgado-Zamarreño, M.M. 871(2000)403
- Sánchez-Pérez, A., Delgado-Zamarreño, M.M., Bustamante-Rangel, M. and Hernández-Méndez, J.  
Automated analysis of vitamin E isomers in vegetable oils by continuous membrane extraction and liquid chromatography–electrochemical detection 881(2000)229
- Sánchez-Rodas, D., see Gómez-Ariza, J.L. 889(2000)33
- Sánchez-Viñas, M., see Romero, R. 871(2000)75
- Sandahl, M., Mathiasson, L. and Jönsson, J.Å.  
Determination of thiophanate-methyl and its metabolites at trace level in spiked natural water using the supported liquid membrane extraction and the microporous membrane liquid–liquid extraction techniques combined on-line with high-performance liquid chromatography 893(2000)123
- Sandberg, C., see Karlsson, G. 855(1999)147
- Sander, L.C., see Dolan, J.W. 857(1999)41
- Sander, L.C., see Phinney, K.W. 857(1999)285
- Sander, L.C., see Pursch, M. 887(2000)313
- Sander, L.C., Sharpless, K.E. and Pursch, M.  
 $C_{30}$  Stationary phases for the analysis of food by liquid chromatography 880(2000)189
- Sander, L.C., Sharpless, K.E. and Pursch, M.  
 $C_{30}$  Stationary phases for the analysis of food by liquid chromatography 880(2000)189
- Sandermann, H., see Vogg, G. 855(1999)563
- Sándi, Á., Nagy, M. and Szepezy, L.  
Characterization of reversed-phase columns using the linear free energy relationship. III. Effect of the organic modifier and the mobile phase composition 893(2000)215
- Sando, M., see Ohta, K. 884(2000)123
- Sandoval, J.E.  
Equation for calculating surface coverage from end-capping of chromatographic bonded phases 852(1999)375
- Sandra, P., see Baltussen, E. 864(1999)345
- Sandra, P., see Pham-Tuan, H. 868(2000)249
- Sanghi, S.K., see Asthana, A. 895(2000)197
- Sanghvi, Y.S., see Deshmukh, R.R. 890(2000)179
- Šantak, M., see Branović, K. 852(1999)305
- Santhosh-Kumar, C.R., see Deutsch, J.C. 862(1999)161
- Santiago-Silva, M., see Zamperlini, G.C.M. 889(2000)281
- Santos, F.J., see Sarrión, M.N. 859(1999)159
- Santos, L., see Brás, I. 891(2000)305
- Santos, T.C.R., Rocha, J.C. and Barceló, D.  
Determination of rice herbicides, their transformation products and clofibric acid using on-line solid-phase extraction followed by liquid chromatography with diode array and atmospheric pressure chemical ionization mass spectrometric detection 879(2000)3
- Santoyo, E., Santoyo-Gutiérrez, S. and Verma, S.P.  
Trace analysis of heavy metals in groundwater samples by ion chromatography with post-column reaction and ultraviolet–visible detection 884(2000)229
- Santoyo, E., see Verma, S.P. 884(2000)317
- Santoyo, S., see de Jalón, E.G.<sup>2</sup>. 870(2000)143
- Santoyo-Gutiérrez, S., see Santoyo, E. 884(2000)229
- Santschi, P.H., see Tang, D. 883(2000)305
- Sanz-Nebot, V., Benavente, F. and Barbosa, J.  
Separation and characterization of multicomponent peptide mixtures by liquid chromatography–electrospray ionization mass spectrometry. Application to crude products of the synthesis of leuprolide 870(2000)315

- Sanz-Nebot, V., Benavente, F., Castillo, A. and Barbosa, J.  
Liquid chromatography–electrospray mass spectrometry of multicomponent peptide mixtures. Characterization of a mixture from the synthesis of the hormone goserelin 889(2000)119
- Sanz-Nebot, V., see Bergés, R. 869(2000)27
- Sanz-Nebot, V., see Toro, I. 893(2000)95
- Sanz-Nebot, V., Toro, I. and Barbosa, J.  
Separation of potentially therapeutic peptide hormones by liquid chromatography. Optimisation of the composition and pH of the mobile phase 870(2000)335
- Saraç, S., Chankvetadze, B. and Blaschke, G.  
Enantioseparation of 3,4-dihydroxyphenylalanine and 2-hydrazino-2-methyl-3-(3,4-dihydroxyphenyl)propanoic acid by capillary electrophoresis using cyclodextrins 875(2000)379
- Sarafanov, A., see Saenko, E. 852(1999)59
- Sarafanov, A., see Saenko, E. 872(2000)323
- Saraji, M., see Bagheri, H. 888(2000)197
- Sárközi, Á., see Then, M. 889(2000)69
- Sárme, T., see Sirén, H. 895(2000)189
- Sarrión, M.N., Santos, F.J. and Galceran, M.T.  
Solid-phase microextraction coupled with gas chromatography–ion trap mass spectrometry for the analysis of haloacetic acids in water 859(1999)159
- Sarzanini, C., Bruzzoniti, M.C. and Hajós, P.  
Effect of stationary phase hydrophobicity and mobile phase composition on the separation of carboxylic acids in ion chromatography 867(2000)131
- Sarzanini, C., Bruzzoniti, M.C. and Mentasti, E.  
Determination of epichlorohydrin by ion chromatography 884(2000)251
- Sas, B., Peys, E. and Helsen, M.  
Efficient method for (lyso)phospholipid class separation by high-performance liquid chromatography using an evaporative light-scattering detector 864(1999)179
- Sasaki, T., Iida, T. and Nambara, T.  
High-performance ion-pair chromatographic behaviour of conjugated bile acids with di-*n*-butylamine acetate 888(2000)93
- Sasaki, T.A., see Ragunathan, N. 856(1999)349
- Sasano, R., Hamada, T., Kurano, M. and Furuno, M.  
On-line coupling of solid-phase extraction to gas chromatography with fast solvent vaporization and concentration in an open injector liner. Analysis of pesticides in aqueous samples 896(2000)41
- Sashidhara, K.V., see Bala, S. 858(1999)239
- Sass, P., see Vasánits, A. 870(2000)271
- Sassi, A.P., Paulus, A., Cruzado, I.D., Bjornson, T. and Hooper, H.H.  
Rapid, parallel separations of D1S80 alleles in a plastic microchannel chip 894(2000)203
- Sasvári-Székely, M., see Guttman, A. 894(2000)329
- Sasvari-Szekely, M., see Guttman, A. 871(2000)289
- Sasvari-Szekely, M., see Lengyel, T. 853(1999)519
- Satake, M., see Draisci, R. 871(2000)13
- Sato, H., see Yokoyama, Y. 886(2000)297
- Sato, K., see Ozawa, I. 888(2000)43
- Sato, Y., see Horimai, T. 875(2000)295
- Sauer, M., see Neumann, M. 871(2000)299
- Sauló, J., see Abad, E. 893(2000)383
- Saurina, J., see Hernando, D. 859(1999)227
- Saurina, J., see Latorre, R.M. 871(2000)331
- Sauvard, E., see Jeannot, R. 879(2000)51
- Savini, L.M., see Beck, R.A. 881(2000)345
- Savolainen, H., see Mämmelä, P. 891(2000)75
- Sawada, H., see Jinno, K. 887(2000)479
- Sawyer, T.E., see Field, J.A. 893(2000)253
- Scalia, S.  
Determination of sunscreen agents in cosmetic products by supercritical fluid extraction and high-performance liquid chromatography 870(2000)199
- Schaaf, O., Jarvis, A.P., van der Esch, S.A., Giagnacovo, G. and Oldham, N.J.  
Rapid and sensitive analysis of azadirachtin and related triterpenoids from Neem (*Azadirachta indica*) by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 886(2000)89
- Scheding, R., see Castillo, M. 889(2000)195
- Schenck, F.J. and Lehotay, S.J.  
Does further clean-up reduce the matrix enhancement effect in gas chromatographic analysis of pesticide residues in food? 868(2000)51
- Scheper, T., see Ulber, R. 882(2000)329
- Scherer, B., see Steiner, F. 887(2000)55
- Schiele, F., see Schlenck, A. 853(1999)237
- Schierenberg, M.-O., see Soetebeer, U.B. 895(2000)147
- Schlauch, M. and Frahm, A.W.  
Enantiomeric and diastereomeric high-performance liquid chromatographic separation of cyclic  $\beta$ -substituted  $\alpha$ -amino acids on a teicoplanin chiral stationary phase 868(2000)197
- Schlauch, M., Volk, F.-J., Fondekar, K.P., Wede, J. and Frahm, A.W.  
Enantiomeric and diastereomeric high-performance liquid chromatographic separation of cyclic  $\beta$ -substituted  $\alpha$ -amino acids on a copper(II)-D-penicillamine chiral stationary phase 897(2000)145
- Schlenck, A., Schiele, F., Barbier, A., Shuvaev, V.V., Visvikis, S. and Siest, G.  
Capillary electrophoretic analysis of recombinant human apolipoprotein E. Calibration mode of a protein reference material 853(1999)237
- Schmerr, M.J., Jenny, A.L., Bulgin, M.S., Miller, J.M., Hamir, A.N., Cutlip, R.C. and Goodwin, K.R.  
Use of capillary electrophoresis and fluorescent labeled peptides to detect the abnormal prion protein in the blood of animals that are infected with a transmissible spongiform encephalopathy 853(1999)207
- Schmid, E., see Dürauer, A. 890(2000)145
- Schmid, H., see Bunke, A. 883(2000)285
- Schmid, M.G., Lecnik, O., Sitte, U. and Gübitz, G.  
Application of ligand-exchange capillary electrophoresis to the chiral separation of  $\alpha$ -hydroxy acids and  $\beta$ -blockers 875(2000)307
- Schmid, R.D., see Enzelberger, M.M. 898(2000)83

- Schmidt, A.-C., Reisser, W., Mattusch, J., Popp, P. and Wennrich, R.  
Evaluation of extraction procedures for the ion chromatographic determination of arsenic species in plant materials 889(2000)83
- Schmidt, B., Wandrey, C., Vogt, S., Freitag, R. and Holzapfel, H.  
Polycations as displacer in high-performance bioseparation 865(1999)27
- Schminke, G., see Seubert, A. 884(2000)191
- Schminke, G. and Seubert, A.  
Simultaneous determination of inorganic disinfection by-products and the seven standard anions by ion chromatography 890(2000)295
- Schmitt-Kopplin, P., see Menzinger, F. 891(2000)45
- Schneider, G., see Wölfling, J. 852(1999)433
- Schneider, M. and Ballschmiter, K.  
Alkyl nitrates as achiral and chiral solute probes in gas chromatography. Novel properties of a  $\beta$ -cyclodextrin derivative and characterization of its enantioselective forces 852(1999)525
- Schoefs, B., see Darko, E. 876(2000)111
- Schoenmakers, P.J., Oomen, J.L.M.M., Blomberg, J., Genuit, W. and van Velzen, G.  
Comparison of comprehensive two-dimensional gas chromatography and gas chromatography – mass spectrometry for the characterization of complex hydrocarbon mixtures 892(2000)29
- Schoonjans, V., see Detroyer, A. 897(2000)23
- Schrader, S., see Moeder, M. 873(2000)95
- Schrader, W., Geiger, J., Hoffmann, T., Klockow, D. and Korte, E.-H.  
Application of gas chromatography–cryocondensation–Fourier transform infrared spectroscopy and gas chromatography–mass spectrometry to the identification of gas phase reaction products from the  $\alpha$ -pinene/ozone reaction 864(1999)299
- Schreiber, A., Efer, J. and Engewald, W.  
Application of spectral libraries for high-performance liquid chromatography–atmospheric pressure ionisation mass spectrometry to the analysis of pesticide and explosive residues in environmental samples 869(2000)411
- Schrimsher, J.L., see Shepard, S.R. 891(2000)93
- Schröder, H.Fr., see Castillo, M. 889(2000)195
- Schröder, H.Fr., see Li, H.-Q. 889(2000)155
- Schücker, S.C. and Scriba, G.K.E.  
Analysis of isomeric glutamyl peptides by capillary electrophoresis. Application to stability studies 888(2000)275
- Schultheiss, J., Jensen, D. and Galensa, R.  
Determination of aldehydes in food by high-performance liquid chromatography with biosensor coupling and micromembrane suppressors 880(2000)233
- Schultz, M., see Geiser, F. 865(1999)227
- Schulz, H., see Soetebeer, U.B. 895(2000)147
- Schulz, R.S., see Black, S.B. 855(1999)267
- Schumacher, K., see Unger, K.K. 892(2000)47
- Schurig, V., see Reich, S. 892(2000)487
- Schurig, V., see Wistuba, D. 875(2000)255
- Schweitz, L., Petersson, M., Johansson, T. and Nilsson, S.  
Alternative methods providing enhanced sensitivity and selectivity in capillary electroseparation experiments (Review) 892(2000)203
- Schwikowski, M., see Tenberken-Pötzsch, B. 871(2000)391
- Schwillens, P.L.W.J., see Stolker, A.A.M. 893(2000)55
- Schwinn, H., see Saenko, E. 852(1999)59
- Schwinn, H., see Saenko, E. 872(2000)323
- Scriba, G.K.E., see Sabbah, S. 894(2000)267
- Scriba, G.K.E., see Schücker, S.C. 888(2000)275
- Sealey, K., see Bartle, K.D. 892(2000)279
- Sebag, A., see Krull, I.S. 887(2000)137
- Sebastiani, E., see Di Corcia, A. 878(2000)87
- Sebastiano, R., Gelfi, C., Righetti, P.G. and Citterio, A.  
Novel, trifunctional diamine for silica coating in capillary zone electrophoresis 894(2000)53
- Sebastiano, R., see Olivieri, E. 894(2000)273
- Sefton, M.A., see Pollnitz, A.P. 857(1999)239
- Sefton, M.A., see Pollnitz, A.P. 874(2000)101
- Segal, A., Górecki, T., Mussche, P., Lips, J. and Pawliszyn, J.  
Development of membrane extraction with a sorbent interface–micro gas chromatography system for field analysis 873(2000)13
- Seidel, B.S., see Malik, A.K. 857(1999)365
- Seidel-Morgenstern, A., see Blümel, C. 865(1999)51
- Seiler, P., Ständker, L., Mark, S., Hahn, W., Forssmann, W.-G. and Meyer, M.  
Application of a peptide bank from porcine brain in isolation of regulatory peptides 852(1999)273
- Sekiguchi, Y., Matsunaga, A., Yamamoto, A. and Inoue, Y.  
Analysis of condensed phosphates in food products by ion chromatography with an on-line hydroxide eluent generator 881(2000)639
- Sellergren, B., see Ellwanger, A. 897(2000)317
- Semenov, S.N., Koziel, J.A. and Pawliszyn, J.  
Kinetics of solid-phase extraction and solid-phase microextraction in thin adsorbent layer with saturation sorption isotherm 873(2000)39
- Sen, J.W., see Heegaard, N.H.H. 894(2000)319
- Senkans, P., see Moffatt, F. 891(2000)235
- Señoráns, F.J., Ibañez, E., Caverro, S., Tabera, J. and Reglero, G.  
Liquid chromatographic–mass spectrometric analysis of supercritical-fluid extracts of rosemary plants 870(2000)491
- Sentellas, S., Puignou, L., Moyano, E. and Galceran, M.T.  
Determination of ebrotidine and its metabolites by capillary electrophoresis with UV and mass spectrometry detection 888(2000)281
- Seronero, L.C., Fernández Laespada, M<sup>2</sup>.E., Pérez Pavón, J.L. and Moreno Cordero, B.  
Cloud point preconcentration of rather polar compounds: application to the high-performance liquid chromatographic determination of priority pollutant chlorophenols 897(2000)171

- Serrano, R., López, F.J. and Hernández, F.  
Multiresidue determination of persistent organochlorine and organophosphorus compounds in whale tissues using automated liquid chromatographic clean up and gas chromatographic–mass spectrometric detection 855(1999)633
- Servant, R.E., see Gettar, R.T. 855(1999)111
- Setford, S.J. and Saini, S.  
High-sensitivity chromatographic detector incorporating three-dimensional charge coupled device fluorimetry 867(2000)93
- Sethuraman, R., see Poole, C.F. 885(2000)17
- Seto, Y., see Kataoka, M. 891(2000)295
- Seubert, A., see Nowak, M. 855(1999)91
- Seubert, A., Schminke, G., Nowak, M., Ahrer, W. and Buchberger, W.  
Comparison of on-line coupling of ion-chromatography with atmospheric pressure ionization mass spectrometry and with inductively coupled plasma mass spectrometry as tools for the ultra-trace analysis of bromate in surface water samples 884(2000)191
- Seubert, A., see Schminke, G. 890(2000)295
- Ševčík, J., Vičar, J., Ulrichová, J., Válka, I., Lemr, K. and Šimánek, V.  
Capillary electrophoretic determination of sanguinarine and chelerythrine in plant extracts and pharmaceutical preparations 866(2000)293
- Sewram, V., Nair, J.J., Nieuwoudt, T.W., Leggott, N.L. and Shephard, G.S.  
Determination of patulin in apple juice by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 897(2000)365
- Sewram, V., Nieuwoudt, T.W., Marasas, W.F.O., Shephard, G.S. and Rittieni, A.  
Determination of the *Fusarium* mycotoxins, fusaroliferin and beauvericin by high-performance liquid chromatography–electrospray ionization mass spectrometry 858(1999)175
- Shaimi, M., see Geiser, F. 865(1999)227
- Shakulashvili, N., Faller, T. and Engelhardt, H.  
Simultaneous determination of alkali, alkaline earth and transition metal ions by capillary electrophoresis with indirect UV detection 895(2000)205
- Shalliker, R.A., see Broyles, B.S. 855(1999)367
- Shalliker, R.A., Broyles, B.S. and Guiochon, G.  
Visualization of viscous fingering in high-performance liquid chromatographic columns. Influence of the header design 865(1999)73
- Shalliker, R.A., Broyles, B.S. and Guiochon, G.  
Visualization of sample introduction in liquid chromatographic columns. Contribution of a flow distributor on the sample band shape 865(1999)83
- Shalliker, R.A., see Broyles, B.S. 867(2000)71
- Shalliker, R.A., Broyles, B.S. and Guiochon, G.  
Evaluation of the secondary consolidation of columns for liquid chromatography by ultrasonic irradiation 878(2000)153
- Shalliker, R.A., Broyles, B.S. and Guiochon, G.  
Physical evidence of two wall effects in liquid chromatography 888(2000)1
- Shamsi, S.A., see Haddadian, F. 858(1999)219
- Shamsi, S.A., see Henry III, C.W. 863(1999)89
- Shang, Z.-H., see Gan, H.-Y. 867(2000)161
- Shao, X., see Shen, Y. 866(2000)1
- Shao, X.-X., see Liu, T. 855(1999)695
- Sharma, R.P., see Bala, S. 858(1999)239
- Sharma-Singh, G., Brown, D.A., Pullen, F.S. and Wright, A.G.  
Open access capillary electrophoresis. A walk up capillary electrophoresis service for the synthetic chemist 888(2000)219
- Sharp, V.S., see Kennedy, J.H. 872(2000)75
- Sharpless, K.E., Margolis, S. and Brown Thomas, J.  
Determination of vitamins in food-matrix Standard Reference Materials 881(2000)171
- Sharpless, K.E., see Sander, L.C. 880(2000)189
- Shaw, M.J., Hill, S.J., Jones, P. and Nesterenko, P.N.  
Determination of beryllium in a stream sediment by high-performance chelation ion chromatography 876(2000)127
- Shea, D., see Miller, J.L. 888(2000)251
- Sheelu, G., see Fadnavis, N.W. 893(2000)189
- Shen, Y., Shao, X., O'Neill, K., Bradshaw, J.S. and Lee, M.L.  
Reversed-phase liquid chromatography of proteins and peptides using multimodal copolymer-encapsulated silica 866(2000)1
- Sheng, G., see Chen, C. 886(2000)313
- Shepard, S.R., Brickman-Stone, C., Schrimsher, J.L. and Koch, G.  
Discoloration of ceramic hydroxyapatite used for protein chromatography 891(2000)93
- Shephard, G.S. and Leggott, N.L.  
Chromatographic determination of the mycotoxin patulin in fruit and fruit juices (Review) 882(2000)17
- Shephard, G.S., see Sewram, V. 858(1999)175
- Shephard, G.S., see Sewram, V. 897(2000)365
- Shepherd, T.A., see Kennedy, J.H. 872(2000)75
- Sherma, J.  
Thin-layer chromatography in food and agricultural analysis (Review) 880(2000)129
- Sherrington, D., see Berggren, C. 889(2000)105
- Sherrington, D., see Ellwanger, A. 897(2000)317
- Shibukawa, A., see Mohamed, N.A.L. 875(2000)447
- Shibusawa, Y., Yanagida, A., Ito, A., Ichihashi, K., Shindo, H. and Ito, Y.  
High-speed counter-current chromatography of apple procyanidins 886(2000)65
- Shih, Y. and Cheng, F.-C.  
Determination of sunscreen agents in cosmetic products using microwave-assisted extraction and liquid chromatography 876(2000)243
- Shihabi, Z.K.  
Field amplified injection in the presence of salts for capillary electrophoresis 853(1999)3
- Shihabi, Z.K.  
Analysis of angiotension-converting enzyme by capillary electrophoresis 853(1999)185
- Shihabi, Z.K.  
Capillary electrophoresis of double-stranded DNA in an untreated capillary 853(1999)349
- Shima, M., see Saenko, E. 852(1999)59
- Shima, M., see Saenko, E. 872(2000)323

- Shimabukuro, Y., see Shinbo, T. 877(2000)61
- Shimada, K., see Yamato, S. 896(2000)171
- Shin, D.-H., see Kang, S.H. 866(2000)253
- Shin, Y.G., Cho, K.H., Kim, J.M., Park, M.K. and Park, J.H.  
Determination of betaine in *Lycium chinense* fruits by liquid chromatography–electrospray ionization mass spectrometry 857(1999)331
- Shinbo, T., Shimabukuro, Y., Kanamori, T., Iwatsubo, T., Nagawa, Y. and Hiratani, K.  
Separation of aromatic isomers on cyclophane-bonded stationary phases 877(2000)61
- Shindo, H., see Shibusawa, Y. 886(2000)65
- Shiraishi, T., Fukusaki, E., Kajiyama, S. and Kobayashi, A.  
A simple assay for formate dehydrogenase activity by gas chromatography–mass spectrometry 855(1999)337
- Shiue, C.-C., see Liu, C.-Y. 862(1999)65
- Shkrob, I., see Dembitsky, V.M. 862(1999)221
- Shoji, T., see Yanagida, A. 855(1999)181
- Shpigun, O.A., see Krokhin, O.V. 890(2000)363
- Shpigun, O.A., see Krokhin, O.V. 895(2000)255
- Shpigun, O.A., see Pirogov, A.V. 884(2000)31
- Shum, A.Y.C., see Tsai, T.H. 870(2000)443
- Shuvaev, V.V., see Schlenck, A. 853(1999)237
- Siebert, R., see Djouadi, Z. 894(2000)231
- Sielex, K. and Andersson, J.T.  
Prediction of gas chromatographic retention indices of polychlorinated dibenzothiophenes on non-polar columns 866(2000)105
- Siest, G., see Schlenck, A. 853(1999)237
- Silva, R.B., Collins, K.E. and Collins, C.H.  
Effects in high-performance liquid chromatography of a high pH in the mobile phase on poly(methyloctylsiloxane) immobilized by  $\gamma$ -radiation on titanium-grafted silica 869(2000)137
- Simal Lozano, J., see de La Cruz Garcia, C. 891(2000)367
- Šimánek, V., see Ševčík, J. 866(2000)293
- Siméon, N., Chatelut, E., Canal, P., Nertz, M. and Couderc, F.  
Anthracycline analysis by capillary electrophoresis. Application to the analysis of daunorubicin in Kaposi sarcoma tumor 853(1999)449
- Šimić, M., see Gebauer, B. 852(1999)83
- Šimić, M., see Treščec, A. 852(1999)87
- Šimko, P., see Karovičová, J. 882(2000)271
- Simó-Alfonso, E.F., see Herrero-Martínez, J.M. 878(2000)261
- Simó-Alfonso, E.F., see Herrero-Martínez, J.M. 895(2000)227
- Simonovská, B., Andrenšek, S., Vovk, I. and Prošek, M.  
High-performance thin-layer chromatography method for monitoring norfloxacin residues on pharmaceutical equipment surfaces 862(1999)209
- Simpson, C., see Hanna, M. 894(2000)117
- Sinibaldi, M., see Dondi, M. 859(1999)133
- Sinquin, C., see Chevolut, L. 869(2000)353
- Siouffi, A.M. and Phan-Tan-Luu, R.  
Optimization methods in chromatography and capillary electrophoresis (Review) 892(2000)75
- Sirén, H., see Hiissa, T. 853(1999)403
- Sirén, H. and Karjalainen, U.  
Study of catecholamines in patient urine samples by capillary electrophoresis 853(1999)527
- Sirén, H., Kokkonen, R., Hiissa, T., Särme, T., Rimpinen, O. and Laitinen, R.  
Determination of soluble anions and cations from waters of pulp and paper mills with on-line coupled capillary electrophoresis 895(2000)189
- Sirén, H., see Suomi, J. 868(2000)73
- Sirén, H., see Vuorensola, K. 895(2000)317
- Siroma, Z., see Takeda, S. 853(1999)503
- Sitaram, B.R., Keah, H.H. and Hearn, M.T.W.  
Studies on the relationship between structure and electrophoretic mobility of  $\alpha$ -helical and  $\beta$ -sheet peptides using capillary zone electrophoresis 857(1999)263
- Sitte, U., see Schmid, M.G. 875(2000)307
- Sjöberg, P.J.R. and Markides, K.E.  
Capillary column supercritical fluid chromatography–atmospheric pressure ionisation mass spectrometry. Interface performance of atmospheric pressure chemical ionisation and electrospray ionisation 855(1999)317
- Skellern, G.G., see Denk, O.M. 895(2000)9
- Škoda, J., see Janoš, P. 859(1999)1
- Skuland, I.L., see Bruheim, I. 868(2000)261
- Skvortsov, A., see Trathnigg, B. 890(2000)195
- Sledge, M.F., Moneti, G., Pieraccini, G. and Turillazzi, S.  
Use of solid-phase microextraction in the investigation of chemical communication in social wasps 873(2000)73
- Šlejkovec, Z., see van Elteren, J.T. 855(1999)291
- Slowing, K., see Palomino, O. 870(2000)449
- Slyadnev, M.N., see Tanaka, Y. 894(2000)45
- Small, G.J., see Roberts, K.P. 853(1999)159
- Smallwood, A.W., see Ciolino, L.A. 852(1999)451
- Smeets, T., see Tობback, K. 857(1999)313
- Smeyers-Verbeke, J., see Hund, E. 874(2000)167
- Smit, J.A.M., see van Dijk, J.A.P.P. 867(2000)105
- Smith, A.R., Kirchhoff, J.R., Zhang, Z., Tillekeratne, L.M.V. and Hudson, R.A.  
Separation of the enzyme cofactor pyrroloquinoline quinone and three isomeric analogues by capillary electrophoresis with ion-pairing media 876(2000)193
- Smith, N.W.  
Comparison of aqueous and non-aqueous capillary electrochromatography for the separation of basic solutes 887(2000)233
- Smith, N.W. and Carter-Finch, A.S.  
Electrochromatography (Review) 892(2000)219
- Smith, R.M.  
Supercritical fluids in separation science – the dreams, the reality and the future (Review) 856(1999)83
- Smith, R.M., Chienthavorn, O., Saha, S., Wilson, I.D., Wright, B. and Taylor, S.D.  
Selective deuterium exchange during superheated heavy water chromatography–nuclear magnetic resonance spectroscopy–mass spectrometry of sulfonamides 886(2000)289
- Smith, R.M., see Hill, P.G. 872(2000)203
- Smith, R.W., see Marvin, C.H. 863(1999)13
- Smits, R.  
Preface 896(2000)1



- Smyth, W.F., McClean, S., O’Kane, E., Banat, I. and McMullan, G.  
Application of electrospray mass spectrometry in the detection and determination of Remazol textile dyes 854(1999)259
- Snellman, M., see Hiissa, T. 853(1999)403
- Snor, L.K., see Sørensen, L.K. 882(2000)145
- Snow, N.H.  
Solid-phase micro-extraction of drugs from biological matrices (Review) 885(2000)445
- Snyder, L.R., see Dolan, J.W. 857(1999)1
- Snyder, L.R., see Dolan, J.W. 857(1999)21
- Snyder, L.R., see Dolan, J.W. 857(1999)41
- Snyder, L.R. and Dolan, J.W.  
Reversed-phase separation of achiral isomers by varying temperature and either gradient time or solvent strength 892(2000)107
- Snyder, L.R., see Dolan, J.W. 897(2000)37
- Snyder, L.R., see Dolan, J.W. 897(2000)51
- Snyder, L.R., see Wolcott, R.G. 869(2000)3
- Snyder, L.R., see Wolcott, R.G. 869(2000)211
- So, T.S.K. and Huie, C.W.  
Investigation of the effects of cyclodextrins and organic solvents on the separation of cationic surfactants in capillary electrophoresis 872(2000)269
- Soares, C.R.J., see de Oliveira, J.E. 852(1999)441
- Soczewinski, E., see Hawryl, M.A. 886(2000)75
- Soderblom, C., see Mann, B. 895(2000)329
- Soetebeer, U.B., Schierenberg, M.-O., Möller, J.-G., Schulz, H., Grünefeld, G., Andresen, P., Blaschke, G. and Ahr, G.  
Capillary electrophoresis with laser-induced fluorescence in clinical drug development. Routine application and future aspects 895(2000)147
- Soga, T., see Kodama, S. 875(2000)371
- Soják, L., Perjéssy, A., Kubinec, R., Čambáliková, J., Giumanini, A.G., Verardo, G. and Magnan, M.M.  
Gas chromatography–mass spectrometry–Fourier transform infrared spectrometry and high-performance liquid chromatographic characterization of mononitro- and dinitro-isomers from the nitration of *N,N*-dimethyldiphenylacetamide 878(2000)235
- Sokolieš, T., Menyés, U., Roth, U. and Jira, T.  
New calixarene-bonded stationary phases in high-performance liquid chromatography: comparative studies on the retention behavior and on influences of the eluent 898(2000)35
- Soleas, G.J., Yan, J., Hom, K. and Goldberg, D.M.  
Multiresidue analysis of seventeen pesticides in wine by gas chromatography with mass-selective detection 882(2000)205
- Soliman, M., see Liao, W. 853(1999)541
- Soloshonok, I., see Abe, T. 884(2000)93
- Somsen, G.W., Gooijer, C. and Brinkman, U.A.Th.  
Liquid chromatography–Fourier-transform infrared spectrometry (Review) 856(1999)213
- Somsen, G.W., see Hilhorst, M.J. 872(2000)315
- Song, J.-F., see Che, F.-Y. 858(1999)229
- Song, J.-Z., Xu, H.-X., Tian, S.-J. and But, P.P.-H.  
Determination of quinolizidine alkaloids in traditional Chinese herbal drugs by nonaqueous capillary electrophoresis 857(1999)303
- Song, W.-B., see Pang, G.-F. 882(2000)231
- Song, Y.-S., see Lee, M.-R. 896(2000)265
- Sontag, G., see Spitzer, B. 880(2000)113
- Soon-Shiong, P., see Ci, S.X. 864(1999)199
- Soper, S.A., Ford, S.M., Xu, Y., Qi, S., McWhorter, S., Lassiter, S., Patterson, D. and Bruch, R.C.  
Nanoliter-scale sample preparation methods directly coupled to polymethylmethacrylate-based microchips and gel-filled capillaries for the analysis of oligonucleotides 853(1999)107
- Soper, S.A., see McWhorter, S. 883(2000)1
- Soracco, R.J., see Halstead, J.A. 857(1999)337
- Sørensen, A., see Andersen, R. 897(2000)195
- Sørensen, L.K. and Snor, L.K.  
Determination of cephalosporins in raw bovine milk by high-performance liquid chromatography 882(2000)145
- Sosnitsa, P., see Ulber, R. 882(2000)329
- Sotelo, A.F. and Felicissimo, A.M.P.  
Synthesis and study of the cluster  $[\text{Pd}(\text{AuPPh}_3)_6(\text{HgNO}_3)](\text{NO}_3)$  by reversed-phase high-performance liquid chromatography, thermoanalysis, infrared, nuclear magnetic resonance, and fast atom bombardment mass spectrometry 862(1999)29
- Sounart, T.L. and Baygents, J.C.  
Simulation of electrophoretic separations by the flux-corrected transport method 890(2000)321
- Spangenberg, B. and Klein, K.-F.  
Fibre optical scanning with high resolution in thin-layer chromatography 898(2000)265
- Sparidans, R.W., den Hartigh, J., Cremers, S. and Vermeij, P.  
Chromatographic analysis of bisphosphonates 868(2000)141
- Spaugh, A.T., see Tindall, G.W. 868(2000)41
- Speth, T.F., see Magnuson, M.L. 868(2000)115
- Spicq, A., see New, A.P. 889(2000)177
- Spikmans, V., see Mazereeuw, M. 879(2000)219
- Spitzer, B., Cichna, M., Markl, P., Sontag, G., Knopp, D. and Niessner, R.  
Determination of 1-nitropyrene in herbs after selective enrichment by a sol–gel-generated immunoaffinity column 880(2000)113
- Spivakov, B.Ya., see Vanifatova, N.G. 898(2000)257
- Spranger, I., see Csiktusnádi Kiss, G.A. 889(2000)51
- Srivatsa, G.S., see Deshmukh, R.R. 890(2000)179
- Staby, A., Jensen, I.H. and Møllerup, I.  
Comparison of chromatographic ion-exchange resins. I. Strong anion-exchange resins 897(2000)99
- Stack, M.A., see Fitzgerald, G. 896(2000)351
- Stadler, R.H., see Hau, J. 878(2000)77
- Ståhlberg, J.  
Retention models for ions in chromatography (Review) 855(1999)3
- Ståhlberg, J.  
Theory for migration of ions in capillary electrochromatography 887(2000)187

- Ståhlberg, J.  
Migration of ions in capillary electrochromatography 892(2000)291
- Ståhlberg, J., see Hallgren, E. 877(2000)13
- Štalc, A., see Gaberc-Porekar, V. 852(1999)117
- Stalikas, C.D. and Pilidis, G.A.  
Development of a method for the simultaneous determination of phosphoric and amino acid group containing pesticides by gas chromatography with mass-selective detection. Optimization of the derivatization procedure using an experimental design approach 872(2000)215
- Stan, H.-J.  
Pesticide residue analysis in foodstuffs applying capillary gas chromatography with mass spectrometric detection. State-of-the-art use of modified DFG-multimethod S19 and automated data evaluation 892(2000)347
- Ständker, L., see Mark, S. 852(1999)197
- Ständker, L., see Seiler, P. 852(1999)273
- Stanfill, S.B. and Ashley, D.L.  
Solid phase microextraction of alkenylbenzenes and other flavonoid-related compounds from tobacco for analysis by selected ion monitoring gas chromatography–mass spectrometry 858(1999)79
- Stanley, B.J., Krance, J. and Roy, A.  
Determination of the thermodynamic contribution to peak asymmetry of basic solutes in reversed-phase liquid chromatography 865(1999)97
- Stärk, E., see Ulber, R. 882(2000)329
- Startin, J.R., see Evans, C.S. 897(2000)399
- Stashenko, E.E., Puertas, M.A., Salgar, W., Delgado, W. and Martínez, J.R.  
Solid-phase microextraction with on-fibre derivatisation applied to the analysis of volatile carbonyl compounds 886(2000)175
- Stathakis, C., see Qi, M. 853(1999)131
- Stathakis, C., see Richards, D.P. 853(1999)21
- Stearns, S.D., see Sun, K. 872(2000)141
- Stearns, S.D., see Sun, K. 872(2000)167
- Stearns, S.D., see Sun, K. 872(2000)179
- Stearns, S.D., see Wentworth, W.E. 872(2000)119
- Stedman, G., see Furton, K.G. 859(1999)41
- Steen, R.J.C.A., Hogenboom, A.C., Leonards, P.E.G., Peerboom, R.A.L., Cofino, W.P. and Brinkman, U.A.Th.  
Ultra-trace-level determination of polar pesticides and their transformation products in surface and estuarine water samples using column liquid chromatography–electrospray tandem mass spectrometry 857(1999)157
- Stefani, M., Negrell, C., Braud, C. and Vert, M.  
Capillary zone electrophoretic analysis of positively charged poly(ethylene oxide) macromolecules using non-covalent polycation-coated fused-silica capillary and indirect UV detection 864(1999)335
- Stehly, G.R., see Meinertz, J.R. 855(1999)255
- Steijger, O.M., see Mol, H.G.J. 879(2000)97
- Steiner, F. and Scherer, B.  
Instrumentation for capillary electrochromatography (Review) 887(2000)55
- Stellwagen, N.C., Magnusdottir, S., Dagle, J.M., Gelfi, C. and Righetti, P.G.  
Free solution mobility of DNA molecules containing variable numbers of cationic phosphoramidate internucleoside linkages 883(2000)267
- Stephanou, E.G., see Kampioti, A.A. 857(1999)217
- Stępielewski, Z., see Tyrpień, K. 870(2000)29
- Sternberg, R., see Szopa, C. 863(1999)157
- Stevenson, R., see Krull, I.S. 887(2000)137
- Stewart, I.I. and Olesik, J.W.  
Investigation of Cr(III) hydrolytic polymerisation products by capillary electrophoresis–inductively coupled plasma-mass spectrometry 872(2000)227
- Stobaugh, J.F., see Angus, P.D.A. 887(2000)347
- Stobiecki, M., see Nélieu, S. 866(2000)195
- Stöckl, D., see Fierens, C. 896(2000)275
- Stoev, G. and Michailova, A.  
Quantitative determination of sulfonamide residues in foods of animal origin by high-performance liquid chromatography with fluorescence detection 871(2000)37
- Stoev, G. and Mihailova, A.  
Increasing the reliability of the identification by high-performance liquid chromatography by means of selective and/or sensitive detection 869(2000)275
- Stokes, P. and Webb, K.  
Analysis of some folate monoglutamates by high-performance liquid chromatography–mass spectrometry. I 864(1999)59
- Stol, R., Kok, W.Th. and Poppe, H.  
Capillary electrochromatography with macroporous particles 853(1999)45
- Stol, R., Mazereeuw, M., Tjaden, U.R. and van der Greef, J.  
Pseudo-electrokinetic packing of high efficiency columns for capillary electrochromatography 873(2000)293
- Stol, R., Poppe, H. and Kok, W.Th.  
Modelling of the pore flow in capillary electrochromatography 887(2000)199
- Stolker, A.A.M., Schwillens, P.L.W.J., van Ginkel, L.A. and Brinkman, U.A.Th.  
Comparison of different liquid chromatography methods for the determination of corticosteroids in biological matrices 893(2000)55
- Storm, T., see Hartig, C. 854(1999)163
- Storm, T., Reemtsma, T. and Jekel, M.  
Use of volatile amines as ion-pairing agents for the high-performance liquid chromatographic–tandem mass spectrometric determination of aromatic sulfonates in industrial wastewater 854(1999)175
- Storti, G., see Giacobello, S. 872(2000)23
- Stoyanov, A., see Castelletti, L. 894(2000)281
- Stoyanov, A.V. and Righetti, P.G.  
Dissociation of polyvalent electrolytes 853(1999)35
- Stránský, Z., see Barták, P. 878(2000)249
- Strasser, G.R. and Váradi, I.  
Investigations of artifact peaks in sensitive high-performance liquid chromatography methods 869(2000)85
- Strassnig, S., Wenzl, T. and Lankmayr, E.P.  
Microwave-assisted derivatization of volatile carbonyl compounds with *O*-(2,3,4,5,6-pentafluorobenzyl)hydroxylamine 891(2000)267

- Streel, B., see Toussaint, B. 896(2000)191
- Streel, B., see Toussaint, B. 896(2000)201
- Streib, T., see Jackson, P.E. 888(2000)151
- Strickmann, D.B., Chankvetadze, B., Blaschke, G., Desiderio, C. and Fanali, S.  
Separation and identification of etodolac and its urinary phase I metabolites using capillary electrochromatography and on-line capillary electrochromatography–electrospray ionisation mass spectrometry coupling 887(2000)393
- Stringham, R.W., see Blackwell, J.A. 852(1999)383
- Strobel, M., Heinrich, F. and Biesalski, H.K.  
Improved method for rapid determination of vitamin A in small samples of breast milk by high-performance liquid chromatography 898(2000)179
- Strohschein, S., see Lacker, T. 854(1999)37
- Struble, E., see Cheung, A.P. 870(2000)179
- Štulík, K., see Novotná, P. 863(1999)235
- Stults, J.T., see Cao, P. 853(1999)225
- Su, Y.-S., see Chen, S.-F. 896(2000)105
- Subramanian, A., Carr, P.W. and McNeff, C.V.  
Use of spray-dried zirconia microspheres in the separation of immunoglobulins from cell culture supernatant 890(2000)15
- Subramanian, V., see Wang, I.H. 864(1999)271
- Sugimura, H., see Akazawa, T. 862(1999)217
- Sugita, K., see Ozawa, I. 888(2000)43
- Sugiura, Y., see Tanaka, T. 882(2000)23
- Sugo, T., see Ozawa, I. 888(2000)43
- Sujino, K., see Osthoff, H.D. 895(2000)285
- Summa, L., see Lamb, D.H. 894(2000)311
- Sun, D., Chen, J., Lu, W. and Zheng, X.  
Heats of adsorption of some organic compounds on  $\beta$ -cyclodextrin determined by gas–solid chromatography 864(1999)293
- Sun, H.-L., Liu, H.-M. and Tsai, S.-J.J.  
Quantitative analysis of manganese, chromium and molybdenum by ion-pair reversed-phase high-performance liquid chromatography with pre-column derivatization and UV-visible detection 857(1999)351
- Sun, K., see Wentworth, W.E. 872(2000)119
- Sun, K., Wentworth, W.E. and Stearns, S.D.  
Development and characterization of chlorine-selective pulsed discharge emission detector for gas chromatography 872(2000)141
- Sun, K., Wentworth, W.E. and Stearns, S.D.  
Applications using the chlorine-selective pulsed discharge emission detector 872(2000)167
- Sun, K., Wentworth, W.E. and Stearns, S.D.  
Characterization of chlorinated compounds using a dual chlorine-selective pulsed discharge emission detector–helium-pulsed discharge photoionization detector system 872(2000)179
- Sun, L., see Kiba, N. 886(2000)83
- Sun, L., see Zhang, X.-X. 895(2000)1
- Sun, S.-W., Kuo, C.-H., Lee, S.-S. and Chen, C.-K.  
Determination of bisbenzylisoquinoline alkaloids by high-performance liquid chromatography (II) 891(2000)189
- Sun, Y., see Dong, X.-Y. 878(2000)197
- Sun, Y., see Yu, Y. 855(1999)129
- Sun, Y.-c., see Doong, R.-a. 879(2000)177
- Sunarto, S., see Mol, H.G.J. 879(2000)97
- Sundelöf, L.-O., see Porsch, B. 872(2000)91
- Sungur, Ş.K. and Akseli, A.  
Separation and determination of rare earth elements by Dowex 2-X8 resin using sodium trimetaphosphate as elution agent 874(2000)311
- Suomi, J., Sirén, H., Hartonen, K. and Riekkola, M.-L.  
Extraction of iridoid glycosides and their determination by micellar electrokinetic capillary chromatography 868(2000)73
- Sutherland, I.A.  
Relationship between retention, linear velocity and flow for counter-current chromatography 886(2000)283
- Sutherland, J.B., see Wilkes, J.G. 880(2000)3
- Sutton, K.L. and Caruso, J.A.  
Liquid chromatography–inductively coupled plasma mass spectrometry (Review) 856(1999)243
- Suzuki, S., see Kakehi, K. 863(1999)205
- Suzuki, S., Kuwahara, Y., Makiura, K. and Honda, S.  
Preparation of various silica-based columns for capillary electrochromatography by in-column derivatization 873(2000)247
- Suzuki, S., see Nojiri, S. 893(2000)195
- Suzuki, T., see Kiba, N. 886(2000)83
- Suzuki, T., Yamada, M., Ide, H., Kanaori, K., Tajima, K., Morii, T. and Makino, K.  
Influence of ring opening–closure equilibrium of oxanine, a novel damaged nucleobase, on migration behavior in capillary electrophoresis 877(2000)225
- Suzuki, T. and Yasumoto, T.  
Liquid chromatography–electrospray ionization mass spectrometry of the diarrhetic shellfish-poisoning toxins okadaic acid, dinophysistoxin-1 and pectenotoxin-6 in bivalves 874(2000)199
- Svec, F., Peters, E.C., Sýkora, D. and Fréchet, J.M.J.  
Design of the monolithic polymers used in capillary electrochromatography columns (Review) 887(2000)3
- Svec, F., see Sýkora, D. 852(1999)297
- Svec, F., see Xie, S. 865(1999)169
- Svensson, L.A., see Wikström, H. 869(2000)395
- Svobodová, M., see Kubec, R. 862(1999)85
- Sweetin, D., see Hodge, E.M. 884(2000)223
- Swijter, D.F.H., see Hiserodt, R.D. 888(2000)103
- Swinley, J.M., see Laurens, J.B. 873(2000)229
- Sybilska, D., see Asztemborska, M. 874(2000)73
- Sýkora, D., see Svec, F. 887(2000)3
- Sýkora, D., Svec, F. and Fréchet, J.M.J.  
Separation of oligonucleotides on novel monolithic columns with ion-exchange functional surfaces 852(1999)297
- Szentmihályi, K., see Then, M. 889(2000)69
- Szepeszy, L., see Sándi, Á. 893(2000)215
- Szoke, M., see Guttman, A. 871(2000)289
- Szopa, C., Sternberg, R., Coscia, D., Cottin, H., Raulin, F., Goemann, F. and Rosenbauer, H.  
Gas chromatography for in situ analysis of a cometary nucleus: characterization and optimization of diphenyl/dimethylpolysiloxane stationary phases 863(1999)157
- Szulińska, G., see Jaworska, M. 853(1999)479
- Szuskiewicz, W., see Wilimowska-Pelc, A. 852(1999)227

## T

- Tabera, J., see Señoráns, F.J. 870(2000)491
- Tachibana, M., see Kiba, N. 886(2000)83
- Tadeo, J.L., Sánchez-Brunete, C., Pérez, R.A. and Fernández, M.D.  
Analysis of herbicide residues in cereals, fruits and vegetables (Review) 882(2000)175
- Tagliaferri, E.G., Bonetti, G. and Blake, C.J.  
Ion chromatographic determination of inositol in infant formulae and clinical products for enteral feeding 879(2000)129
- Taguchi, N., see Nojiri, S. 893(2000)195
- Taguchi, V.Y., see Plomley, J.B. 854(1999)245
- Tahotna, S., see Pang, G.-F. 882(2000)231
- Tajima, K., see Suzuki, T. 877(2000)225
- Takaha, T., see Koizumi, K. 852(1999)407
- Takahashi, K., see Tanaka, H. 869(2000)151
- Takahashi, T., see Yanagida, A. 890(2000)251
- Takahashi, T., see Yokoyama, Y. 886(2000)297
- Takahashi, Y., see Kamiyuki, T. 852(1999)475
- Takayanagi, T. and Motomizu, S.  
Equilibrium analysis of reactions between aromatic anions and nonionic surfactant micelles by capillary zone electrophoresis 853(1999)55
- Takayanagi, T., see Motomizu, S. 853(1999)63
- Takeba, K., Fujinuma, K., Sakamoto, M., Miyazaki, T., Oka, H., Itoh, Y. and Nakazawa, H.  
Simultaneous determination of triclabendazole and its sulphoxide and sulphone metabolites in bovine milk by high-performance liquid chromatography 882(2000)99
- Takeba, K., see Ito, Y. 855(1999)247
- Takeba, K., see Ito, Y. 880(2000)85
- Takeda, S., Iida, S., Chayama, K., Tsuji, H., Fukushi, K. and Wakida, S.  
Separation of bisphenol A and three alkylphenols by micellar electrokinetic chromatography 895(2000)213
- Takeda, S., Tanaka, Y., Nishimura, Y., Yamane, M., Siroma, Z. and Wakida, S.-i.  
Analysis of dyestuff degradation products by capillary electrophoresis 853(1999)503
- Takehira, H., see Haginaka, J. 857(1999)117
- Takeuchi, T., see Matsui, J. 889(2000)25
- Takeuchi, T., see Safni, 864(1999)25
- Takino, M., Daishima, S. and Yamaguchi, K.  
Analysis of anatoxin-a in freshwaters by automated on-line derivatization–liquid chromatography–electrospray mass spectrometry 862(1999)191
- Takino, M., see Hada, M. 874(2000)81
- Talamond, P., Doubeau, S., Rochette, I., Guyot, J.-P. and Treche, S.  
Anion-exchange high-performance liquid chromatography with conductivity detection for the analysis of phytic acid in food 871(2000)7
- Tamaya, R., see Okamoto, H. 888(2000)299
- Tambuté, A., see Chaudot, X. 866(2000)231
- Tambuté, A., see Chaudot, X. 888(2000)327
- Tamisier-Karolak, S.L., Le Potier, I., Barlet, O. and Czok, M.  
Analysis of anions in aqueous samples by ion chromatography and capillary electrophoresis. A comparative study of peak modeling and validation criteria 852(1999)487
- Tammen, H., Forssmann, W.-G. and Richter, R.  
Proteolytic cleavage of glucagon-like peptide-1 by pancreatic  $\beta$  cells and by fetal calf serum analyzed by mass spectrometry 852(1999)285
- Tan, W.G., Tyrrell, D.L.J. and Dovichi, N.J.  
Detection of duck hepatitis B virus DNA fragments using on-column intercalating dye labeling with capillary electrophoresis–laser-induced fluorescence 853(1999)309
- Tanaka, H., see Okusa, K. 869(2000)143
- Tanaka, H., Takahashi, K. and Ohira, M.  
Characterization of an avidin-bonded column for direct injection in reversed-phase high-performance liquid chromatography 869(2000)151
- Tanaka, K., see Abe, T. 884(2000)93
- Tanaka, K., see Hu, W. 884(2000)161
- Tanaka, K., see Ohta, K. 884(2000)123
- Tanaka, K., Ohta, K., Haddad, P.R., Fritz, J.S., Miyanaga, A., Hu, W. and Hasebe, K.  
Simultaneous ion-exclusion/cation-exchange chromatography of anions and cations in acid rain waters on a weakly acidic cation-exchange resin by elution with sulfosalicylic acid 884(2000)167
- Tanaka, K., see O'Reilly, J. 884(2000)61
- Tanaka, N., see Hosoya, K. 853(1999)11
- Tanaka, N., see Tanigawa, T. 887(2000)299
- Tanaka, T., Yoneda, A., Inoue, S., Sugiura, Y. and Ueno, Y.  
Simultaneous determination of trichothecene mycotoxins and zearalenone in cereals by gas chromatography–mass spectrometry 882(2000)23
- Tanaka, Y., Otsuka, K. and Terabe, S.  
Separation of enantiomers by capillary electrophoresis–mass spectrometry employing a partial filling technique with a chiral crown ether 875(2000)323
- Tanaka, Y., Slyadnev, M.N., Hibara, A., Tokeshi, M. and Kitamori, T.  
Non-contact photothermal control of enzyme reactions on a microchip by using a compact diode laser 894(2000)45
- Tanaka, Y., see Takeda, S. 853(1999)503
- Tang, C., see Chen, Z. 859(1999)173
- Tang, D. and Santschi, P.H.  
Sensitive determination of dissolved sulfide in estuarine water by solid-phase extraction and high-performance liquid chromatography of methylene blue 883(2000)305
- Tang, J., see Ramanan, S. 883(2000)103
- Tang, K.-W., see Yi, J.-M. 883(2000)137
- Tang, Q. and Lee, M.L.  
Capillary electrochromatography using continuous-bed columns of sol–gel bonded silica particles with mixed-mode octadecyl and propylsulfonic acid functional groups 887(2000)265

- Tangen, A. and Lund, W.  
Capillary electrophoresis–inductively coupled plasma mass spectrometry interface with minimised dead volume for high separation efficiency 891(2000)129
- Tani, K., see Kiba, N. 886(2000)83
- Tanigawa, T., Nakagawa, T., Kimata, K., Nagayama, H., Hosoya, K. and Tanaka, N.  
Stationary phase structures enhancing electroosmotic flow in capillary electrochromatography 887(2000)299
- Tao, Y., Wells, P.S., Yi, X., Yun, K.S. and Parcher, J.F.  
Lattice–fluid model for gas–liquid chromatography 862(1999)49
- Tao, Y., Wells, P.S. Yi, X., Yun, J.F. and Parcher, J.F.  
Erratum to: “Lattice–fluid model for gas–liquid chromatography”. [J. Chromatogr. A, 862 (1999) 49–64] 868(2000)323
- Tautt, J., see Jaworska, M. 853(1999)479
- Tavazzi, S., see Natangelo, M. 859(1999)193
- Taverna, M., see Tran, N.T. 866(2000)121
- Taylor, J.I., Hurst, C.D., Davies, M.J., Sachsinger, N. and Bruce, I.J.  
Application of magnetite and silica–magnetite composites to the isolation of genomic DNA 890(2000)159
- Taylor, L.T., see McDaniel, L.H. 858(1999)201
- Taylor, L.T., see Porter, S.R. 855(1999)715
- Taylor, L.T., see Zhou, L.Y. 858(1999)209
- Taylor, S., see Ludlow, M. 857(1999)89
- Taylor, S.D., see Smith, R.M. 886(2000)289
- Tůma, P., Opekar, F. and Jelínek, I.  
Split-flow injector for capillary zone electrophoresis 883(2000)223
- Tchapla, A., see Gaudin, K. 883(2000)211
- Tchapla, A., see Gurdale, K. 866(2000)241
- Tekel, J., see Pang, G.-F. 882(2000)231
- Tenberken-Pötzsch, B., Schwikowski, M. and Gäggeler, H.W.  
Analysis of size-classified ice crystals by capillary electrophoresis 871(2000)391
- Tennikova, T.B., see Platonova, G.A. 852(1999)129
- Terabe, S., see Otsuka, K. 853(1999)413
- Terabe, S., see Otsuka, K. 875(2000)163
- Terabe, S., see Otsuka, K. 887(2000)457
- Terabe, S., see Quirino, J.P. 856(1999)465
- Terabe, S., see Quirino, J.P. 892(2000)187
- Terabe, S., see Tanaka, Y. 875(2000)323
- Terabe, S., see Watanabe, T. 880(2000)295
- Terabe, S., see Watanabe, T. 880(2000)311
- Terada, Y., see Koizumi, K. 852(1999)407
- Tesařová, E., Bosáková, Z. and Zusková, I.  
Enantioseparation of selected *N-tert*-butyloxycarbonyl amino acids in high-performance liquid chromatography and capillary electrophoresis with a teicoplanin chiral selector 879(2000)147
- Teske, J., see Engewald, W. 856(1999)259
- Then, M., Szentmihályi, K., Sárközi, Á., Illés, V. and Forgács, E.  
Effect of sample handling on alkaloid and mineral content of aqueous extracts of greater celandine (*Chelidonium majus* L.) 889(2000)69
- Thienpont, L.M.R., see Fierens, C. 896(2000)275
- Thomas, D.H., see Garguilo, M.G. 883(2000)231
- Thomasberger, A., Engel, F. and Feige, K.  
Determination of the impurity profile of ethyl-2-(4-[(5*R*)-3-[4-(methoxycarboxamidoiminomethyl)-phenyl]-2-oxo-5-oxazolidinylmethyl]-1-piperazinyl) acetate, citrate, a highly active platelet aggregation inhibitor, by liquid chromatography–mass spectrometry 854(1999)13
- Thomassen, Y., see Molander, P. 892(2000)67
- Thömmes, J., see Fernández-Lahore, H.M. 873(2000)195
- Thompson, B., see Wei, Y. 864(1999)49
- Thompson, R., see Zhou, L. 866(2000)281
- Thomsen, C., see Halvorsen, B.L. 880(2000)121
- Thomsson, K.A., Karlsson, N.G. and Hansson, G.C.  
Liquid chromatography–electrospray mass spectrometry as a tool for the analysis of sulfated oligosaccharides from mucin glycoproteins 854(1999)131
- Thordarson, E., see Jönsson, J.Å. 870(2000)151
- Thordarson, E., see Norberg, J. 869(2000)523
- Thormann, W., see Vernez, L. 895(2000)309
- Thormann, W., see Wey, A.B. 853(1999)95
- Thormann, W., see Wey, A.B. 895(2000)133
- Thormann, W., see Wind, M. 895(2000)51
- Thormann, W., see Zaugg, S. 875(2000)27
- Thorud, S., see Molander, P. 892(2000)67
- Thouvenot, D., see Paugam, L. 864(1999)155
- Thuncke, F., see Kiessig, S. 853(1999)469
- Thurbide, K.B. and Aue, W.A.  
Analysis of organotin compounds by gas chromatography–reactive-flow detection 858(1999)245
- Tian, G., see Yang, F. 858(1999)103
- Tian, G., Zhang, T., Yang, F. and Ito, Y.  
Separation of gallic acid from *Cornus officinalis* Sieb. et Zucc by high-speed counter-current chromatography 886(2000)309
- Tian, Q. and Ding, X.  
Screening for limonoid glucosides in *Citrus tangerina* (Tanaka) Tseng by high-performance liquid chromatography–electrospray ionization mass spectrometry 874(2000)13
- Tian, S.-J., see Song, J.-Z. 857(1999)303
- Tian, Y., see Cao, X.-L. 898(2000)75
- Tian, Yu., see Cao, X. 855(1999)709
- Tiesnitsch, J., see Geerdink, R.B. 863(1999)147
- Tikhonov, N.A., see Muraviev, D. 867(2000)57
- Tillekeratne, L.M.V., see Smith, A.R. 876(2000)193
- Timerbaev, A.R., Fukushi, K., Miyado, T., Ishio, N., Saito, K. and Motomizu, S.  
Analysis of highly saline samples by capillary zone electrophoresis: enhanced direct UV detection of inorganic anions using on-capillary preconcentration and clean-up techniques 888(2000)309
- Timperio, A.M., see Corradini, D. 886(2000)111  
see Tindall, G.W. 868(2000)41
- Tissut, M., see Ravel, P. 864(1999)145
- Tjaden, U.R., see Ingkaninan, K. 872(2000)61
- Tjaden, U.R., see Mazereeuw, M. 879(2000)219
- Tjaden, U.R., see Stol, R. 873(2000)293
- Tjaden, U.R., see Toussaint, B. 871(2000)173
- Tjaden, U.R., see van Bommel, M.R. 855(1999)383
- Tjaden, U.R., see van Bommel, M.R. 855(1999)397
- Tjaden, U.R., see van Bommel, M.R. 886(2000)19

- Tjerneld, F., see Persson, J. 864(1999)31
- Thuscik, F., see Guyonnet, V. 852(1999)217
- Tobback, K., Li, Y.-M., Pizarro, N.A., De Smedt, I., Smeets, T., Van Schepdael, A., Roets, E. and Hoogmartens, J.  
Micellar electrokinetic capillary chromatography of macrolide antibiotics. Separation of tylosin, erythromycin and their related substances 857(1999)313
- Tobler, E., Lämmerhofer, M. and Lindner, W.  
Investigation of an enantioselective non-aqueous capillary electrochromatography system applied to the separation of chiral acids 875(2000)341
- Tobler, E., see Lämmerhofer, M. 887(2000)421
- Tokeshi, M., Minagawa, T. and Kitamori, T.  
Integration of a microextraction system. Solvent extraction of a Co–2-nitroso-5-dimethylaminophenol complex on a microchip 894(2000)19
- Tokeshi, M., see Tanaka, Y. 894(2000)45
- Tola, G., see Giacobello, S. 872(2000)23
- Toles, C.A., see Wartelle, L.H. 879(2000)169
- Tölgyessy, P. and Liška, I.  
Study of applicability of various solid-phase extraction materials for sample handling in screening analysis of organic micropollutants in water 857(1999)247
- Tolokán, A., Horváth, V., Horvai, G., Egresi, A., Balogh Nemes, K. and Klebovich, I.  
Determination of deramciclanc and *N*-desmethylderamciclanc in human plasma by liquid chromatography–tandem mass spectrometry using off-line robotic sample pretreatment 896(2000)279
- Tolosa, I., Douy, B. and Carvalho, F.P.  
Comparison of the performance of graphitized carbon black and poly(styrene–divinylbenzene) cartridges for the determination of pesticides and industrial phosphates in environmental waters 864(1999)121
- Tolrà, R.P., Alonso, R., Poschenrieder, C., Barceló, D. and Barceló, J.  
Determination of glucosinolates in rapeseed and *Thlaspi caerulescens* plants by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 889(2000)75
- Tomaz, C.T. and Queiroz, J.A.  
Studies on the chromatographic fractionation of *Trichoderma reesei* cellulases by hydrophobic interaction 865(1999)123
- Tomer, K.B., see Borchers, C. 854(1999)119
- Tominaga, I., see Hiraoka, A. 895(2000)339
- Tonogai, Y., see Amakura, Y. 891(2000)183
- Tonogai, Y., see Amakura, Y. 896(2000)87
- Tonogai, Y., see Yoshii, K. 896(2000)75
- Tonon, D., see Mattivi, F. 888(2000)121
- Toribio, F., Moyano, E., Puignou, L. and Galceran, M.T.  
Determination of heterocyclic aromatic amines in meat extracts by liquid chromatography–ion-trap atmospheric pressure chemical ionization mass spectrometry 869(2000)307
- Toribio, F., Moyano, E., Puignou, L. and Galceran, M.T.  
Comparison of different commercial solid-phase extraction cartridges used to extract heterocyclic amines from a lyophilised meat extract 880(2000)101
- Toribio, L., see Bernal, J.L. 871(2000)127
- Toribio, L., see Nozal, M.J. 870(2000)69
- Toro, I., see Sanz-Nebot, V. 870(2000)335
- Toro, I., Sanz-Nebot, V. and Barbosa, J.  
Analysis of a peptide hormone mixture of therapeutic interest by liquid chromatography coupled to high-flow pneumatically assisted electrospray mass spectrometry 893(2000)95
- Torre, M., see García, M.C. 880(2000)169
- Torre, M., see García, M.C. 881(2000)37
- Torre, M., see García, M.C. 881(2000)47
- Torre, M., see García-Ruiz, C. 859(1999)77
- Torre, P., see Irigoyen, A. 881(2000)59
- Torre, P., see Izco, J.M. 881(2000)69
- Torrents, A., see Mata-Sandoval, J.C. 864(1999)211
- Torres-Duarte, A., see Choudhary, G. 857(1999)183
- Torres-Lapasió, J.R., see Garrido Frenich, A. 855(1999)487
- Torres-Lapasió, J.R., see Gil-Agustí, M. 866(2000)35
- Torres-Lapasió, J.R., see Vivó-Truyols, G. 876(2000)17
- Torres-Lapasió, J.R., Rosés, M., Bosch, E. and García-Alvarez-Coque, M.C.  
Interpretive optimisation strategy applied to the isocratic separation of phenols by reversed-phase liquid chromatography with acetonitrile–water and methanol–water mobile phases 886(2000)31
- Torres-Lapasió, J.R., see Carda-Broch, S. 893(2000)321
- Torstensson, A., see Wikström, H. 869(2000)395
- Torstensson, L., see Börjesson, E. 886(2000)207
- Tourwé, D., see Péter, A. 871(2000)105
- Toussaint, B., Duchateau, A.L.L., van der Wal, S., Albert, A., Hubert, Ph. and Crommen, J.  
Determination of the enantiomers of 3-*tert*-butylamino-1,2-propanediol by high-performance liquid chromatography coupled to evaporative light scattering detection 890(2000)239
- Toussaint, B., Hubert, Ph., Tjaden, U.R., van der Greef, J. and Crommen, J.  
Enantiomeric separation of clenbuterol by transient isotachopheresis–capillary zone electrophoresis–UV detection. New optimization technique for transient isotachopheresis 871(2000)173
- Toussaint, B., Pitti, Ch., Streel, B., Ceccato, A., Hubert, Ph. and Crommen, J.  
Quantitative analysis of *N*-acetylcysteine and its pharmacopoeial impurities in a pharmaceutical formulation by liquid chromatography–UV detection–mass spectrometry 896(2000)191
- Toussaint, B., Streel, B., Ceccato, A., Hubert, Ph. and Crommen, J.  
Determination of the enantiomers of 3-*tert*-butylamino-1,2-propanediol by high-performance liquid chromatography using mass spectrometric detection 896(2000)201
- Trabelsi, H., Bouabdallah, S., Sabbah, S., Raouafi, F. and Bouzouita, K.  
Study of the *cis*–*trans* isomerization of enalapril by reversed-phase liquid chromatography 871(2000)189
- Traina, J.A., see Mann, B. 895(2000)329
- Traini, A., see Bruno, P. 888(2000)145

- Tran, N.T., Taverna, M., Chevalier, M. and Ferrier, D.  
One-step capillary isoelectric focusing for the separation of the recombinant human immunodeficiency virus envelope glycoprotein glycoforms 866(2000)121
- Trapp, O., see Reich, S. 892(2000)487
- Trathnigg, B., Gorbunov, A. and Skvortsov, A.  
Liquid adsorption chromatography of polyethers: experiments and simulation 890(2000)195
- Travis, J., see Guyonnet, V. 852(1999)217
- Treche, S., see Talamond, P. 871(2000)7
- Treiner, C., see Portet, F.I. 878(2000)99
- Trembley, S., see Hawthorne, S.B. 886(2000)237
- Treščec, A., see Gebauer, B. 852(1999)83
- Treščec, A., Šimić, M., Branović, K., Gebauer, B. and Benko, B.  
Removal of detergent and solvent from solvent–detergent-treated immunoglobulins 852(1999)87
- Treubig, J.M. and Brown, P.R.  
Novel approach to the analysis and use of fullerenes in capillary electrophoresis 873(2000)257
- Tricoire, H., see Djouadi, Z. 894(2000)231
- Tripathi, V., see Bala, S. 858(1999)239
- Tripodi, V.P., see Lucangioli, S.E. 871(2000)207
- Tröltzsch, C., see Wegmann, J. 883(2000)27
- Trone, M.D. and Khaledi, M.G.  
Statistical evaluation of linear solvation energy relationship models used to characterize chemical selectivity in micellar electrokinetic chromatography 886(2000)245
- Trone, M.D., Mack, J.P., Goodell, H.P. and Khaledi, M.G.  
Characterization of chemical selectivity in micellar electrokinetic chromatography. VI. Effects of surfactant counter-ion 888(2000)229
- Trones, R., Andersen, T., Greibrokk, T. and Hegna, D.R.  
Hindered amine stabilizers investigated by the use of packed capillary temperature-programmed liquid chromatography. I. Poly(6-(1,1,3,3-tetramethylbutyl)-amino)-1,3,5-triazine-2,4-diyl(2,2,6,6-tetramethyl-4-piperidyl)imino)-1,6-hexanediy(2,2,6,6-tetramethyl-4-piperidyl)imino) 874(2000)65
- Trotta, F., see Baggiani, C. 883(2000)119
- Trotta, F., see Zerbinati, O. 875(2000)423
- Trujillo, A.-J., Casals, I. and Guamis, B.  
Analysis of major ovine milk proteins by reversed-phase high-performance liquid chromatography and flow injection analysis with electrospray ionization mass spectrometry 870(2000)371
- Truszkowski, F.A., see Kirkland, J.J. 890(2000)3
- Tsai, C.-H., see Wang, J.-L. 896(2000)31
- Tsai, D., see Dan, N. 891(2000)115
- Tsai, S.-J.J., see Sun, H.-L. 857(1999)351
- Tsai, T.H., Chen, Y.F., Chou, C.J. and Chen, C.F.  
Measurement and pharmacokinetics of unbound 20(S)-camptothecin in rat blood and brain by microdialysis coupled to microbore liquid chromatography with fluorescence detection 870(2000)221
- Tsai, T.H., Chen, Y.F., Shum, A.Y.C. and Chen, C.F.  
Determination of chlorogenic acid in rat blood by microdialysis coupled with microbore liquid chromatography and its application to pharmacokinetic studies 870(2000)443
- Tsai, T.-H., see Cheng, F.-C. 870(2000)389
- Tsai, T.-H., see Cheng, F.-C. 870(2000)405
- Tsang, W.-G., see Ci, S.X. 864(1999)199
- Tseng, W.-L., Hsieh, M.-M., Wang, S.-J. and Chang, H.-T.  
Effect of ionic strength, pH and polymer concentration on the separation of DNA fragments in the presence of electroosmotic flow 894(2000)219
- Tsikas, D., Gutzki, F.-M., Böhme, M., Fuchs, I. and Frölich, J.C.  
Solid- and liquid-phase extraction for the gas chromatographic–tandem mass spectrometric quantification of 2,3-dinor-thromboxane B<sub>2</sub> and 2,3-dinor-6-oxo-prostaglandin F<sub>1α</sub> in human urine 885(2000)351
- Tsuge, K., see Kataoka, M. 891(2000)295
- Tsuji, H., see Takeda, S. 895(2000)213
- Tsuji, S., see Amakura, Y. 891(2000)183
- Tsuji, S., see Amakura, Y. 896(2000)87
- Tsukagoshi, K., see Hashimoto, M. 852(1999)597
- Tsukagoshi, K., see Hashimoto, M. 867(2000)271
- Tsukamoto, T., Ushio, T. and Haginaka, J.  
Chiral resolution of basic drugs by capillary electrophoresis with new glycosaminoglycans 864(1999)163
- Tsumura, Y., see Yoshii, K. 896(2000)75
- Tudor, E.  
Analysis of the equations for the temperature dependence of the retention index. I. Relation between equations 858(1999)65
- Tudor, E.  
Analysis of the equations for the temperature dependence of the retention index. II. Physico-chemical meaning of the parameters 859(1999)49
- Tuinman, A.A., see Chen, Y. 873(2000)163
- Tuncel, A., see Unsal, E. 898(2000)167
- Tuncel, M., see Unsal, E. 898(2000)167
- Turesky, R.J., see Guy, P.A. 883(2000)89
- Turiel, E., Fernández, P., Pérez-Conde, C. and Cámara, C.  
Trace-level determination of triazines and several degradation products in environmental waters by disk solid-phase extraction and micellar electrokinetic chromatography 872(2000)299
- Turillazzi, S., see Sledge, M.F. 873(2000)73
- Turková, J., see Bílková, Z. 852(1999)141
- Turner, A.P.F., see Bossi, A. 892(2000)143
- Turner, C. and Mathiasson, L.  
Determination of vitamins A and E in milk powder using supercritical fluid extraction for sample clean-up 874(2000)275
- Turner, J.A., see Ciolino, L.A. 852(1999)451
- Turujman, S.A., see Abu-Lafi, S. 855(1999)157
- Twohill, E., see Paull, B. 877(2000)123
- Tyrefors, N., see Forngren, B.H. 854(1999)155
- Tyrpień, K., Wielkoszyński, T., Janoszka, B., Dobosz, C., Bodzek, D. and Stęplewski, Z.  
Application of liquid separation techniques to the determination of the main urinary nicotine metabolites 870(2000)29
- Tyrell, D.L.J., see Tan, W.G. 853(1999)309
- Tyski, S., see Pajchel, G. 895(2000)27
- Tyskind, M., see Lundstedt, S. 883(2000)151
- Tyson, J.F., see Kotreba, M. 866(2000)51

## U

- Ubera, J.L., see Jiménez-Carmona, M.M. 855(1999)625  
 Uden, P.C., see González, A.M. 898(2000)201  
 Uden, P.C., see Kotrebai, M. 866(2000)51  
 Ueno, K., see Koide, T. 893(2000)177  
 Ueno, Y., see Adachi, J. 881(2000)501  
 Ueno, Y., see Tanaka, T. 882(2000)23  
 Uetake, A., see Okamoto, H. 888(2000)299  
 Ugata, S., see Matsui, J. 889(2000)25  
 Ulber, R., Faurie, R., Sosnitzer, P., Fischer, L., Stärk, E., Harbeck, C. and Scheper, T.  
 Monitoring and control of industrial downstream processing of sugar beet molasses 882(2000)329  
 Ulrichová, J., see Ševčík, J. 866(2000)293  
 Unger, K.K., see Adam, T. 887(2000)327  
 Unger, K.K., see Adam, T. 894(2000)241  
 Unger, K.K., Kumar, D., Grün, M., Büchel, G., Lüdtke, S., Adam, Th., Schumacher, K. and Renker, S.  
 Synthesis of spherical porous silicas in the micron and submicron size range: challenges and opportunities for miniaturized high-resolution chromatographic and electrokinetic separations (Review) 892(2000)47  
 Unger, K.K., see Luedtke, S. 887(2000)339  
 Unger, K.K., see Račaitytė, K. 890(2000)135  
 Unger, K.K., see Wagner, K. 893(2000)293  
 Unger, K.K., see Walhagen, K. 853(1999)263  
 Unger, K.K., see Walhagen, K. 887(2000)165  
 Unger, K.K., see Walhagen, K. 893(2000)401  
 Unger, K.K., see Walhagen, K. 894(2000)35  
 Uniyal, G.C., see Bala, S. 858(1999)239  
 Unsal, E., Bahar, T., Tuncel, M. and Tuncel, A.  
 DNA adsorption onto polyethylenimine-attached poly(*p*-chloromethylstyrene) beads 898(2000)167  
 Urbansky, E.T. and Bashe, W.J.  
 Comparative methodology in the determination of  $\alpha$ -oxocarboxylates in aqueous solution. Ion chromatography versus gas chromatography after oximation, extraction and esterification 867(2000)143  
 Uretschläger, A. and Jungbauer, A.  
 Scale-down of continuous protein purification by annular chromatography. Design parameters for the smallest unit 890(2000)53  
 Ushio, T., see Tsukamoto, T. 864(1999)163  
 Uwamino, Y., see Ohta, K. 884(2000)123

## V

- Väänänen, T., see Kuronen, P. 863(1999)25  
 Väänänen, T., Kuronen, P. and Pehu, E.  
 Comparison of commercial solid-phase extraction sorbents for the sample preparation of potato glycoalkaloids 869(2000)301  
 Vachálková, A., see Romanová, D. 870(2000)463  
 Vachirapatama, N., Doble, P. and Haddad, P.R.  
 On-line preconcentration of niobium(V) and tantalum(V) as 4-(2-pyridylazo) resorcinol–citrate ternary complexes in geological samples by ion interaction high-performance liquid chromatography 885(2000)369  
 Vahteristo, L.T., see Ruggeri, S. 855(1999)237  
 Valcárcel, M., see Ballesteros, E. 869(2000)101  
 Valcárcel, M., see Columé, A. 882(2000)193  
 Valcárcel, M., see Crespín, M.A. 897(2000)279  
 Valcárcel, M., see Hinsmann, P. 866(2000)137  
 Valcárcel, M., see Manganiello, L. 874(2000)265  
 Valdigué, P., see Caussé, E. 895(2000)173  
 Valente, A.L.P., see Augusto, F. 873(2000)117  
 Valentin, L., see Djouadi, Z. 894(2000)231  
 Valenzuela, A.I., Redondo, M.J., Picó, Y. and Font, G.  
 Determination of abamectin in citrus fruits by liquid chromatography–electrospray ionization mass spectrometry 871(2000)57  
 Valenzuela, M.T., Núñez, M.I., Guerrero, M.R., Villalobos, M. and Ruiz de Almodóvar, J.M.  
 Capillary electrophoresis of DNA damage after irradiation: apoptosis and necrosis 871(2000)321  
 Valiente, M., see Muraviev, D. 867(2000)57  
 Valiente, M., see Muraviev, D. 868(2000)143  
 Válka, I., see Ševčík, J. 866(2000)293  
 Valkó, I.E., see Riekkola, M.-L. 892(2000)155  
 Vallano, P.T. and Remcho, V.T.  
 Highly selective separations by capillary electrochromatography: molecular imprint polymer sorbents (Review) 887(2000)125  
 Vallano, P.T. and Remcho, V.T.  
 Affinity screening by packed capillary high-performance liquid chromatography using molecular imprinted sorbents. I. Demonstration of feasibility 888(2000)23  
 Valsecchi, S., Isernia, A., Polesello, S. and Cavalli, S.  
 Ion chromatography determination of trace level bromate by large volume injection with conductivity and spectrophotometric detection after post column derivatisation 864(1999)263  
 Van Asten, A., van Veenendaal, N. and Koster, S.  
 Surface characterization of industrial fibers with inverse gas chromatography 888(2000)175  
 Vanatta, J.C., see Vanatta, L.E. 884(2000)143



- Vanatta, L.E. and Coleman, D.E.  
Ion-chromatographic assay of chromium(VI)-containing semiconductor etchants. Statistical comparison of two columns 884(2000)151
- Vanatta, L.E., Vanatta, J.C. and Riviello, J.  
Ion-chromatographic study of the possible absorption of copper and zinc by the skin of *Rana pipiens* 884(2000)143
- Van Bavel, B., see Lundstedt, S. 883(2000)151
- Van Bommel, M.R., de Jong, A.P.J.M., Tjaden, U.R., Irth, H. and van der Greef, J.  
Enzyme amplification as detection tool in continuous-flow systems I. Development of an enzyme-amplified biochemical detection system coupled on-line to flow-injection analysis 855(1999)383
- Van Bommel, M.R., De Jong, A.P.J.M., Tjaden, U.R., Irth, H. and van der Greef, J.  
Enzyme amplification as detection tool in continuous-flow systems II. On-line coupling of liquid chromatography to enzyme-amplified biochemical detection after pre-column derivatization with biotin 855(1999)397
- Van Bommel, M.R., de Jong, A.P.J.M., Tjaden, U.R., Irth, H. and van der Greef, J.  
High-performance liquid chromatography coupled to enzyme-amplified biochemical detection for the analysis of hemoglobin after pre-column biotinylation 886(2000)19
- Van de Merbel, N.C.  
Membrane-based sample preparation coupled on-line to chromatography or electrophoresis (Review) 856(1999)55
- Van den Bergh, V., Vanhees, I., De Boer, R., Compennolle, F. and Vinckier, C.  
Identification of the oxidation products of the reaction between  $\alpha$ -pinene and hydroxyl radicals by gas and high-performance liquid chromatography with mass spectrometric detection 896(2000)135
- Van den Bossche, W., see Hillaert, S. 895(2000)33
- Van den Broeck, H., see Courtin, C.M. 866(2000)97
- Vandenabeele-Trambouze, O., Albert, M., Bayle, C., Couderc, F., Commeyras, A., Despois, D., Dobrijevic, M. and Grenier Loustalot, M.-F.  
Chiral determination of amino acids by capillary electrophoresis and laser-induced fluorescence at picomolar concentrations 894(2000)259
- Vander Heyden, Y., see Detroyer, A. 897(2000)23
- Vander Heyden, Y., see Hund, E. 874(2000)167
- Vander Heyden, Y., see Perrin, C. 883(2000)249
- Vander Heyden, Y., see Vargas, M.G. 855(1999)681
- Vandereecken, P., see Verhelst, V. 871(2000)269
- Van der Esch, S.A., see Schaaf, O. 886(2000)89
- Van der Greef, J.  
Foreword 854(1999)1
- Van der Greef, J., see Ingkaninan, K. 872(2000)61
- Van der Greef, J., see Mazereeuw, M. 879(2000)219
- Van der Greef, J., see Stol, R. 873(2000)293
- Van der Greef, J., see Toussaint, B. 871(2000)173
- Van der Greef, J., see van Bommel, M.R. 855(1999)383
- Van der Greef, J., see van Bommel, M.R. 855(1999)397
- Van der Greef, J., see van Bommel, M.R. 886(2000)19
- Van der Heeft, E., Dijkman, E., Baumann, R.A. and Hogendoorn, E.A.  
Comparison of various liquid chromatographic methods involving UV and atmospheric pressure chemical ionization mass spectrometric detection for the efficient trace analysis of phenylurea herbicides in various types of water samples 879(2000)39
- Van der Heijden, A., see Adahchour, M. 873(2000)299
- Van der Heijden, R., see Ingkaninan, K. 872(2000)61
- Vanderriest, I., see Chepkwony, H.K. 870(2000)227
- Van der Wal, S., see Mengerink, Y. 871(2000)259
- Van der Wal, S., see Toussaint, B. 890(2000)239
- Van der Wal, S.J., see Mengerink, Y. 876(2000)37
- Van der Wal, S.J., see Mengerink, Y. 878(2000)45
- Van der Weken, G., see Baeyens, W.R.G. 871(2000)153
- Van der Wielen, L.A.M., see Jensen, T.B. 873(2000)149
- Van Deursen, M.M., Beens, J., Janssen, H.-G., Leclercq, P.A. and Cramers, C.A.  
Evaluation of time-of-flight mass spectrometric detection for fast gas chromatography 878(2000)205
- Van Deursen, M.M., see Cramers, C.A. 856(1999)315
- Van Dijk, J.A.P.P. and Smit, J.A.M.  
Size-exclusion chromatography–multiangle laser light scattering analysis of  $\beta$ -lactoglobulin and bovine serum albumin in aqueous solution with added salt 867(2000)105
- Van Dongen, J.L.J., see Lou, X. 896(2000)19
- Van Dongen, W.D., see Bruins, C.H.P. 863(1999)115
- Van Elteren, J.T. and Šlejkovec, Z.  
Understanding of peak deterioration in hyphenated speciation systems due to gas–liquid separation in the hydride generation interface 855(1999)291
- Van Gerven, A., see Orwa, J.A. 870(2000)237
- Van Ginkel, L.A., see Stolker, A.A.M. 893(2000)55
- Vanhaelen, M.H., see Vanhaelen-Fastré, R.J. 868(2000)269
- Vanhaelen-Fastré, R.J., Faes, M.L. and Vanhaelen, M.H.  
High-performance thin-layer chromatographic determination of six major ginsenosides in *Panax ginseng* 868(2000)269
- Vanhees, I., see Van den Bergh, V. 896(2000)135
- Van Heukelem, L., see Dolan, J.W. 897(2000)37
- Van Hout, M.W.J., de Zeeuw, R.A. and de Jong, G.J.  
Coupling device for desorption of drugs from solid-phase extraction-pipette tips and on-line gas chromatographic analysis 858(1999)117
- Vanhoutte, B., see De Meulenaer, B. 896(2000)239
- Vanifatova, N.G., Spivakov, B.Ya., Mattusch, J. and Wennrich, R.  
Separation of unmodified polystyrene nanosphere standards by capillary zone electrophoresis 898(2000)257
- Van Langenhove, H., see Huybrechts, T. 893(2000)367
- Van Langenhove, H., see Wittmann, Gy. 874(2000)225
- Van Montagu, M., see Davey, M.W. 853(1999)381
- Vanni, A., see Baggiani, C. 883(2000)119
- Van Royen, G., see De Meulenaer, B. 896(2000)239
- Van Schepdael, A., see Castellanos Gil, E. 895(2000)43
- Van Schepdael, A., see Kaale, E. 895(2000)67
- Van Schepdael, A., see Kang, J.W. 879(2000)211
- Van Schepdael, A., see Tobback, K. 857(1999)313
- Van Straten, M.A., see Kaliszán, R. 855(1999)455
- Van Veenendaal, N., see van Asten, A. 888(2000)175
- Van Velzen, G., see Schoenmakers, P.J. 892(2000)29

- Van Zomeren, P.V., Hilhorst, M.J., Coenegracht, P.M.J. and de Jong, G.J.  
Resolution optimisation in micellar electrokinetic chromatography using empirical models 867(2000)247
- Van Zoonen, P., see Hogendoorn, E. 892(2000)435
- Váradí, I., see Strasser, G.R. 869(2000)85
- Várady, L., Rajur, S.B., Nicewonger, R.B., Guo, M. and Ditto, L.  
Fast and quantitative high-performance liquid chromatography method for the determination of 9-fluorenylmethoxycarbonyl release from solid-phase synthesis resins 869(2000)171
- Varelis, P. and Balafas, D.  
Preparation of 4,4'-(1-[<sup>2</sup>H<sub>6</sub>]methylene)bis-[2,3,5,6-<sup>2</sup>H<sub>4</sub>]phenol and its application to the measurement of bisphenol A in beverages by stable isotope dilution mass spectrometry 883(2000)163
- Varga, N., see Hau, J. 878(2000)77
- Vargas, M.G., see Perrin, C. 883(2000)249
- Vargas, M.G., Vander Heyden, Y., Maftouh, M. and Massart, D.L.  
Rapid development of the enantiomeric separation of *β*-blockers by capillary electrophoresis using an experimental design approach 855(1999)681
- Varoli, L., see Andrisano, V. 876(2000)75
- Vartiainen, T., see Mämmelä, P. 891(2000)75
- Vasanits, A., Kutlán, D., Sass, P. and Molnár-Perl, I.  
Retention/quantitation properties of the *o*-phthalaldehyde–3-mercaptopropionic acid and the *o*-phthalaldehyde–*N*-acetyl-L-cysteine amino acid derivatives in reversed-phase high-performance liquid chromatography 870(2000)271
- Vassiliadou, I., see Livaniou, E. 881(2000)331
- Vazquez, B.I., see Gigoso, P.G. 871(2000)31
- Vazquez, B.I., see Jaimez, J. 882(2000)1
- Večeřa, Z., see Zdráhal, Z. 893(2000)201
- Vejrosta, J., see Zdráhal, Z. 893(2000)201
- Vejrup, K., see Bossi, R. 855(1999)575
- Vela, N., see Navarro, S. 882(2000)221
- Vela, N., see Oliva, J. 882(2000)213
- Velayudhan, A., see Ramanan, S. 883(2000)103
- Velázquez, C., Llovera, M., Plana, J. and Canela, R.  
Effect of solvents on the fumonisins analysis by high-performance liquid chromatography with AccQ-Fluor as the derivatizing reagent 870(2000)469
- Velíšek, J., see Kubic, R. 862(1999)85
- Vendrell-Pascuas, S., Castellote-Bargalló, A.I. and López-Sabater, M.C.  
Determination of inulin in meat products by high-performance liquid chromatography with refractive index detection 881(2000)591
- Ventriglia, M., Restani, P., Morrica, P., David, P., De Angelis, L. and Galli, C.L.  
Liquid chromatographic determination of imazosulfuron in drinking water and in soil using ultraviolet detection 857(1999)327
- Ventura, F., see Cancho, B. 897(2000)307
- Ventura, F., see Castillo, M. 889(2000)195
- Veraart, J.R., Lingeman, H. and Brinkman, U.A.Th.  
Coupling of biological sample handling and capillary electrophoresis (Review) 856(1999)483
- Verardo, G., see Soják, L. 878(2000)235
- Vercammen, J., see Pham-Tuan, H. 868(2000)249
- Verdon, E., Fuselier, R., Hurtaud-Pessel, D., Couëdor, P., Cadieu, N. and Laurentie, M.  
Stability of penicillin antibiotic residues in meat during storage. Ampicillin 882(2000)135
- Verheggen, T.P.E.M., see de Ridder, R. 862(1999)237
- Verhelst, V. and Vandereecken, P.  
Analysis of organosilicone copolymers by gradient polymer elution chromatography with evaporative light scattering detection 871(2000)269
- Verma, S.P., García, R., Santoyo, E. and Aparicio, A.  
Improved capillary electrophoresis method for measuring rare-earth elements in synthetic geochemical standards 884(2000)317
- Verma, S.P., see Santoyo, E. 884(2000)229
- Vermeij, P., see Sparidans, R.W. 868(2000)141
- Vernez, L., Thormann, W. and Krähenbühl, S.  
Analysis of carnitine and acylcarnitines in urine by capillary electrophoresis 895(2000)309
- Verpoorte, R., see Ingkaninan, K. 872(2000)61
- Versini, G., see Mattivi, F. 855(1999)227
- Vert, M., see Stefani, M. 864(1999)335
- Vervoort, R.J.M., Debets, A.J.J., Claessens, H.A., Cramers, C.A. and de Jong, G.J.  
Optimisation and characterisation of silica-based reversed-phase liquid chromatographic systems for the analysis of basic pharmaceuticals (Review) 897(2000)1
- Verzola, B., see Castelletti, L. 894(2000)281
- Verzola, B., Gelfi, C. and Righetti, P.G.  
Protein adsorption to the bare silica wall in capillary electrophoresis. Quantitative study on the chemical composition of the background electrolyte for minimising the phenomenon 868(2000)85
- Verzola, B., Gelfi, C. and Righetti, P.G.  
Quantitative studies on the adsorption of proteins to the bare silica wall in capillary electrophoresis. II. Effects of adsorbed, neutral polymers on quenching the interaction 874(2000)293
- Vespalec, R., see Barták, P. 878(2000)249
- Vespalec, R. and Boček, P.  
Calculation of stability constants for the chiral selector–enantiomer interactions from electrophoretic mobilities 875(2000)431
- Vessman, J., see Gyllenhaal, O. 862(1999)95
- Vestjens, M., see Mengerink, Y. 876(2000)37
- Vestjens, M., see Mengerink, Y. 878(2000)45
- Vetter, W., Costas, N.P., Bartha, R., Martínez, A.G. and Luckas, B.  
Liquid chromatographic profiles of individual compounds of technical toxaphene 886(2000)123
- Veuthey, J.-L., see Cherkaoui, S. 874(2000)121
- Veuthey, J.-L., see Geiser, L. 895(2000)111
- Veuthey, J.-L., see Mateus, L. 868(2000)285
- Veuthey, J.-L., see Ortellí, D. 871(2000)163
- Veuthey, J.-L., see Rudaz, S. 868(2000)295
- Viana, P., see de Almeida Azevedo, D. 879(2000)13

- Vianello, M., see Marcato, B. 869(2000)285  
 Vičar, J., see Ševčík, J. 866(2000)293  
 Vicente, C., see Mateos, J.L. 870(2000)425  
 Vicente, C., see Rodríguez, C.W. 881(2000)531  
 Vickers, T.J., see Doyle, C.A. 877(2000)25  
 Vickers, T.J., see Doyle, C.A. 877(2000)41  
 Videnšek, A., see Gaberc-Porekar, V. 852(1999)117  
 Vieites, J.M., see González, J.C. 876(2000)117  
 Vieytes, M.R., see González, J.C. 876(2000)117  
 Vigh, Gy., see Zhu, W. 892(2000)499  
 Vigh, Gy., see Zhu, W. 895(2000)247  
 Vilas-Boas, L., see Csiktusnádi Kiss, G.A. 889(2000)51  
 Vilegas, W., see Zamperlini, G.C.M. 889(2000)281  
 Villalobos, M., see Valenzuela, M.T. 871(2000)321  
 Villani, C., see D'Acquarica, I. 857(1999)145  
 Villanueva-Camañas, R.M., see Molero-Monfort, M. 870(2000)1  
 Villar, A., see Palomino, O. 870(2000)449  
 Villet, A., see Peyrin, E. 886(2000)1  
 Viñas, P., López-Erroz, C., Marín-Hernández, J.J. and Hernández-Córdoba, M.  
 Determination of phenols in wines by liquid chromatography with photodiode array and fluorescence detection 871(2000)85  
 Vinckier, C., see Van den Bergh, V. 896(2000)135  
 Vinhas, T., see de Almeida Azevedo, D. 879(2000)13  
 Vinogradov, M.G., see Malyshev, O.R. 859(1999)143  
 Visconti, A., Pascale, M. and Centonze, G.  
 Determination of ochratoxin A in wine by means of immunoaffinity column clean-up and high-performance liquid chromatography 864(1999)89  
 Visconti, A., Pascale, M. and Centonze, G.  
 Determination of ochratoxin A in domestic and imported beers in Italy by immunoaffinity clean-up and liquid chromatography 888(2000)321  
 Vissers, J.P.C.  
 Recent developments in microcolumn liquid chromatography (Review) 856(1999)117  
 Vissers, J.P.C., Hoeben, M.A., Laven, J., Claessens, H.A. and Cramers, C.A.  
 Hydrodynamic aspects of slurry packing processes in microcolumn liquid chromatography 883(2000)11  
 Visvikis, S., see Schlenck, A. 853(1999)237  
 Vivilecchia, R.V., see Huang, W.X. 875(2000)361  
 Vivó-Truyols, G., Torres-Lapasió, J.R. and García-Alvarez-Coque, M.C.  
 Complementary mobile-phase optimisation for resolution enhancement in high-performance liquid chromatography 876(2000)17  
 Vizcaino, J.A., see Csiktusnádi Kiss, G. 896(2000)61  
 Vlasov, G.P., see Platonova, G.A. 852(1999)129  
 Voelter, W., see Kaiser, T. 852(1999)189  
 Vogel, M., Pötter, W. and Karst, U.  
 Characterization of a chemical artifact in the liquid chromatographic determination of 3-butyn-2-one using the 2,4-dinitrophenylhydrazine method 886(2000)303  
 Vogg, G., Achatz, S., Kettrup, A. and Sandermann, H.  
 Fast, sensitive and selective liquid chromatographic–tandem mass spectrometric determination of tumor-promoting diterpene esters 855(1999)563  
 Vogt, S., see Schmidt, B. 865(1999)27  
 Voisin, S., Renaud, F.N.R., Freney, J., de Montclos, M., Boulieu, R. and Deruaz, D.  
 Pyrolysis–gas–liquid chromatography with atomic emission detection for the identification of *Corynebacterium* species 863(1999)243  
 Voldřich, M., see Kvasnička, F. 891(2000)175  
 Volk, F.-J., see Schlauch, M. 897(2000)145  
 Volz-Thomas, A., see Konrad, S. 878(2000)215  
 Von Doehren, N., see Luedtke, S. 887(2000)339  
 Vouros, P., see Andrews, C.L. 856(1999)515  
 Vouros, P., see Ding, J. 887(2000)103  
 Vovk, I., see Simonovska, B. 862(1999)209  
 Vreuls, J.J., Louter, A.J.H. and Brinkman, U.A.Th.  
 On-line combination of aqueous-sample preparation and capillary gas chromatography (Review) 856(1999)279  
 Vreuls, J.J., see Ramos, L. 891(2000)275  
 Vreuls, R.J.J., see Adahchour, M. 873(2000)299  
 Vreuls, R.J.J., see Catalina, M.I. 877(2000)153  
 Vrhovšek, U., see Mattivi, F. 855(1999)227  
 Vrhovšek, U., see Mattivi, F. 888(2000)121  
 Vuorensola, K. and Sirén, H.  
 Determination of urinary catecholamines with capillary electrophoresis after solid-phase extraction 895(2000)317
- ## W
- Wada, A., see Cia, D. 864(1999)257  
 Waeghe, T.J., see Dolan, J.W. 857(1999)1  
 Waeghe, T.J., see Dolan, J.W. 857(1999)21  
 Wagner, H., see Wind, M. 895(2000)51  
 Wagner, H.P., Pepich, B.V., Hautman, D.P. and Munch, D.J.  
 Eliminating the chlorite interference in US Environmental Protection Agency Method 317.0 permits analysis of trace bromate levels in all drinking water matrices 882(2000)309  
 Wagner, H.P., Pepich, B.V., Hautman, D.P. and Munch, D.J.  
 Performance evaluation of a method for the determination of bromate in drinking water by ion chromatography (EPA Method 317.0) and validation of EPA Method 324.0 884(2000)201  
 Wagner, K., see Potterat, O. 872(2000)85  
 Wagner, K., Racaityte, K., Unger, K.K., Miliotis, T., Edholm, L.E., Bischoff, R. and Marko-Varga, G.  
 Protein mapping by two-dimensional high performance liquid chromatography 893(2000)293  
 Wagschal, K.C., see Yu, Y.B. 890(2000)81  
 Wainer, I., see Choudhary, G. 857(1999)183  
 Wainer, I.W., see Andrisano, V. 876(2000)75  
 Wakida, S., see Takeda, S. 895(2000)213  
 Wakida, S.-i., see Takeda, S. 853(1999)503

- Walhagen, K., Unger, K.K., Olsson, A.M. and Hearn, M.T.W.  
Separation of selected peptides by capillary electroosmotic chromatography using 3  $\mu\text{m}$  reversed-phase bonded silica and mixed-mode phases 853(1999)263
- Walhagen, K., Unger, K.K. and Hearn, M.T.W.  
Capillary electroosmotic chromatography of peptides (Review) 887(2000)165
- Walhagen, K., Unger, K.K. and Hearn, M.T.W.  
Influence of temperature on the behaviour of small linear peptides in capillary electrochromatography 893(2000)401
- Walhagen, K., Unger, K.K. and Hearn, M.T.W.  
Life-time studies with capillary electrochromatography columns operated under different conditions 894(2000)35
- Walsh, M.K. and Brown, R.J.  
Use of amino acid analysis for estimating the individual concentrations of proteins in mixtures 891(2000)355
- Walter, T.H., see O'Gara, J.E. 893(2000)245
- Waltermire, R.E., see Blackwell, J.A. 852(1999)383
- Wan, H. and Blomberg, L.G.  
Chiral separation of amino acids and peptides by capillary electrophoresis (Review) 875(2000)43
- Wan, Q.H., see Lam, M.T. 853(1999)545
- Wan, Q.-H. and Le, X.C.  
Capillary electrophoresis coupled with laser-induced fluorescence polarization as a hybrid approach to ultrasensitive immunoassays 853(1999)555
- Wandrey, C., see Schmidt, B. 865(1999)27
- Wang, C., see Pang, G.-F. 882(2000)85
- Wang, D.-N., see Pang, G.-F. 882(2000)231
- Wang, F., Chen, X., Chen, Q., Qin, X. and Li, Z.  
Determination of neurotoxin 3-*N*-oxalyl-2,3-diaminopropionic acid and non-protein amino acids in *Lathyrus sativus* by precolumn derivatization with 1-fluoro-2,4-dinitrobenzene 883(2000)113
- Wang, F. and Khaledi, M.G.  
Enantiomeric separations by nonaqueous capillary electrophoresis (Review) 875(2000)277
- Wang, F., Loughlin, T., Dowling, T., Bicker, G. and Wyvratt, J.  
Enantiomeric separation of enzymatic hydrolysis products of dihydropyrimidinone methyl ester with cationic cyclodextrin by capillary electrophoresis 872(2000)279
- Wang, F.C.-Y.  
Polymer additive analysis by pyrolysis–gas chromatography. II. Flame retardants 886(2000)225
- Wang, F.C.-Y.  
Polymer additive analysis by pyrolysis–gas chromatography. IV. Antioxidants 891(2000)325
- Wang, F.C.-Y. and Buzanowski, W.C.  
Polymer additive analysis by pyrolysis–gas chromatography. III. Lubricants 891(2000)313
- Wang, F.C.-Y., Dettloff, M.L., Null, M.J. and White, J.E.  
Qualitative and quantitative analysis of a thermoset polymer, poly(benzoxazine), by pyrolysis–gas chromatography 886(2000)217
- Wang, F.C.-Yu.  
Polymer additive analysis by pyrolysis–gas chromatography. I. Plasticizers 883(2000)199
- Wang, F.C.-Yu. and Meunier, D.M.  
Number-average molecular mass determination of polymeric material by pyrolysis–gas chromatography 888(2000)209
- Wang, H., see Zhang, Q. 866(2000)173
- Wang, H.L., Zou, H.F., Ni, J.Y., Kong, L., Gao, S. and Guo, B.  
Fractionation and analysis of *Artemisia capillaris* Thunb. by affinity chromatography with human serum albumin as stationary phase 870(2000)501
- Wang, I.H., Subramanian, V., Moorman, R., Burleson, J. and Ko, J.  
Chiral high-performance liquid chromatography of *N*-octyl bicycloheptene dicarboximide and confirmatory studies using liquid chromatography–tandem mass spectrometry and two-dimensional nuclear magnetic resonance spectroscopy 864(1999)271
- Wang, J., see Furton, K.G. 885(2000)419
- Wang, J.-D., see Gan, H.-Y. 867(2000)161
- Wang, J.-L., Chen, S.-W. and Chew, C.  
Automated gas chromatography with cryogenic/sorbent trap for the measurement of volatile organic compounds in the atmosphere 863(1999)183
- Wang, J.-L., Chen, W.-L., Lin, Y.-H. and Tsai, C.-H.  
Cryogen free automated gas chromatography for the measurement of ambient volatile organic compounds 896(2000)31
- Wang, K.-Y., see Che, F.-Y. 858(1999)229
- Wang, N.-H.L., see Wu, D.-J. 855(1999)71
- Wang, S.-J., see Tseng, W.-L. 894(2000)219
- Wang, T. and Chen, Y.W.  
Application and comparison of derivatized cellulose and amylose chiral stationary phases for the separation of enantiomers of pharmaceutical compounds by high-performance liquid chromatography 855(1999)411
- Wang, T.-Z., see Lin, C.-E. 878(2000)137
- Wang, X., see Chen, C. 886(2000)313
- Wang, X.-Yu., Hou, Z.-Y., Lu, W.-M., Chen, F. and Zheng, X.-M.  
Identification of 2,3-butanedione monoxime hydrogenation products by gas chromatography–mass spectrometry in an ion trap mass spectrometer 855(1999)341
- Wang, Y., see He, Y. 874(2000)149
- Wang, Y., see Wang-Fan, W. 864(1999)69
- Wang, Z., Xiao, C., Wu, C. and Han, H.  
High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol–gel technology 893(2000)157
- Wang-Fan, W., Küsters, E., Lohse, O., Mak, C.-P. and Wang, Y.  
Application of centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. I. Selection of solvent systems based on solubility and partition coefficient investigations 864(1999)69
- Ward, V.L. and Khaledi, M.G.  
Efficiency studies in nonaqueous capillary electrophoresis 859(1999)203
- Warner, I.M., see Haddadian, F. 858(1999)219
- Warner, I.M., see Henry III, C.W. 863(1999)89
- Warner, I.M., see Yarabe, H.H. 875(2000)179
- Warner, T.N., see Deshmukh, R.R. 890(2000)179

- Wartelle, L.H., Marshall, W.E., Toles, C.A. and Johns, M.M.  
Comparison of nutshell granular activated carbons to commercial adsorbents for the purge-and-trap gas chromatographic analysis of volatile organic compounds 879(2000)169
- Watanabe, H., see Jinno, K. 887(2000)479
- Watanabe, T. and Terabe, S.  
Applications of in-capillary reaction micellar electrokinetic chromatography in the food industry 880(2000)295
- Watanabe, T. and Terabe, S.  
Analysis of natural food pigments by capillary electrophoresis (Review) 880(2000)311
- Waterhouse, A.L., see Kennedy, J.A. 866(2000)25
- Watler, P.K., see Yamamoto, S. 852(1999)37
- Watson, D.G., see Denk, O.M. 895(2000)9
- Watt, A.P., Hitzel, L., Morrison, D. and Locker, K.L.  
Use of chiral liquid chromatography–tandem mass spectrometry to investigate the metabolism of racemic cholecystokinin-B antagonists 896(2000)217
- Watt, A.P., Hitzel, L., Morrison, D. and Locker, K.L.  
Determination of the in vitro metabolism of (+)- and (-)-epibatidine 896(2000)229
- Wätzig, H., see Kaupp, S. 894(2000)73
- Webb, K., see Stokes, P. 864(1999)59
- Wede, J., see Schlauch, M. 897(2000)145
- Wegmann, J., Bachmann, S., Händel, H., Tröltzsch, C. and Albert, K.  
New stationary phase for liquid chromatography with chemically bonded pinane ligand: synthesis and characterization by nuclear magnetic resonance and high-performance liquid chromatographic investigations 883(2000)27
- Wehling, R.L., see Osseyi, E.S. 867(2000)289
- Wei, Y., Marino, M., Thompson, B. and Girard, J.E.  
High-performance liquid chromatography separation methods for the analysis of peptide nucleic acids 864(1999)49
- Weigert, C., see Jackson, P.E. 884(2000)175
- Weinstock, J., see Catimel, B. 869(2000)261
- Weisz, A., see Andrzejewski, D. 863(1999)37
- Wells, M.J.M. and Yu, L.Z.  
Solid-phase extraction of acidic herbicides (Review) 885(2000)237
- Wells, P.S., see Tao, Y. 862(1999)49
- Wells, P.S., see Tao, Y. 868(2000)329
- Welsch, T., see König, S. 894(2000)79
- Wen, E., Asiaie, R. and Horváth, Cs.  
Dynamics of capillary electrochromatography II. Comparison of column efficiency parameters in microscale high-performance liquid chromatography and capillary electrochromatography 855(1999)349
- Wen, K.C., see Chen, Y.R. 866(2000)273
- Wendel, L., see Bergholdt, A.B. 875(2000)403
- Wendler, U., see Grosche, O. 894(2000)105
- Wennrich, R., see Schmidt, A.-C. 889(2000)83
- Wennrich, R., see Vanifatova, N.G. 898(2000)257
- Wentworth, W.E., see Sun, K. 872(2000)141
- Wentworth, W.E., see Sun, K. 872(2000)167
- Wentworth, W.E., see Sun, K. 872(2000)179
- Wentworth, W.E., Sun, K., Zhang, D., Madabushi, J. and Stearns, S.D.  
Pulsed discharge emission detector: an element-selective detector for gas chromatography 872(2000)119
- Wenzl, T. and Lankmayr, E.P.  
Reduction of adsorption phenomena of volatile aldehydes and aromatic compounds for static headspace analysis of cellulose based packaging materials 897(2000)269
- Wenzl, T., see Strassnig, S. 891(2000)267
- Wessel, T., Lanvers, C., Freund, S. and Hempel, G.  
Determination of purines including 2,8-dihydroxyadenine in urine using capillary electrophoresis 894(2000)157
- Wessler, C., see Christians, T. 853(1999)455
- Westerbuhr, S.G. and Rowlen, K.L.  
On-column refractive index detector for flash chromatography 886(2000)9
- Westerlund, D., see Enlund, A.M. 895(2000)17
- Westhuis, K., see Hogendoorn, E.A. 858(1999)45
- Wey, A.B., Caslavská, J. and Thormann, W.  
Analysis of codeine, dihydrocodeine and their glucuronides in human urine by electrokinetic capillary immunoassays and capillary electrophoresis–ion trap mass spectrometry 895(2000)133
- Wey, A.B., Zhang, C.-X. and Thormann, W.  
Head-column field-amplified sample stacking in binary system capillary electrophoresis. Preparation of extracts for determination of opioids in microliter amounts of body fluids 853(1999)95
- Wang, C.-W., see Chiang, M.-T. 877(2000)233
- Whelan, T.J., see Mulholland, M. 870(2000)135
- White, J.E., see Wang, F.C.-Y. 886(2000)217
- Wieckhusen, D., see Küsters, E. 874(2000)155
- Wieczorek, P., see Dzygiel, P. 889(2000)93
- Wieczorek, P., see Dzygiel, P. 895(2000)301
- Wielandt, W., see Ellwanger, A. 858(1999)133
- Wielgos, T., see Havel, K. 853(1999)215
- Wielkoszyński, T., see Tyrpień, K. 870(2000)29
- Wierzbowska, M., see Zarzycki, P.K. 857(1999)255
- Wikström, H., see Karlsson, C. 897(2000)349
- Wikström, H., Svensson, L.A., Torstensson, A. and Owens, P.K.  
Immobilisation and evaluation of a vancomycin chiral stationary phase for capillary electrochromatography 869(2000)395
- Wilhelm, M., Battista, H.-J. and Obendorf, D.  
Selective and sensitive assay for the determination of benzodiazepines by high-performance liquid chromatography with simultaneous ultraviolet and reductive electrochemical detection at the hanging mercury drop electrode 897(2000)215
- Wilhelm, M., Matuschek, G. and Kettrup, A.  
Determination of basic nitrogen-containing polynuclear aromatic hydrocarbons formed during thermal degradation of polymers by high-performance liquid chromatography–fluorescence detection 878(2000)171
- Wilimowska-Pelc, A., Olichwier, Z., Kowalska, J., Gałuszka, A., Szuszkiewicz, W., Polanowski, A. and Wilusz, T.  
High concentrations of sodium chloride facilitate the use of immobilized chymotrypsin for separating virgin forms of specific trypsin inhibitors 852(1999)227
- Wilk, M., see Jaworska, M. 853(1999)479

- Wilkes, J.G., Conte, E.D., Kim, Y., Holcomb, M., Sutherland, J.B. and Miller, D.W.  
Sample preparation for the analysis of flavors and off-flavors in foods (Review) 880(2000)3
- Wilkins, C.L., see Ragunathan, N. 856(1999)349
- Willekens, E., see Fierens, C. 896(2000)275
- Williams, B.R., see Brickhouse, M.D. 883(2000)185
- Williams, M.G., see Zhong, W.-Z. 871(2000)201
- Wilson, I.D.  
The state of the art in thin-layer chromatography–mass spectrometry: a critical appraisal (Review) 856(1999)429
- Wilson, I.D.  
Multiple hyphenation of liquid chromatography with nuclear magnetic resonance spectroscopy, mass spectrometry and beyond (Review) 892(2000)315
- Wilson, I.D., see Ludlow, M. 857(1999)89
- Wilson, I.D., see Martin, P. 889(2000)143
- Wilson, I.D., see Smith, R.M. 886(2000)289
- Wilusz, T., see Lopuska, A. 852(1999)207
- Wilusz, T., see Wilimowska-Pelc, A. 852(1999)227
- Wimmerová, M., see Glatz, Z. 895(2000)219
- Wind, M., Hoffmann, P., Wagner, H. and Thormann, W.  
Chiral capillary electrophoresis as predictor for separation of drug enantiomers in continuous flow zone electrophoresis 895(2000)51
- Winkler, J. and Marmé, S.  
Titania as a sorbent in normal-phase liquid chromatography 888(2000)51
- Winkler, M., see Moeder, M. 873(2000)95
- Wirth, H.-J., see Kronina, V.V. 852(1999)261
- Wissiacq, R., see Letzel, T. 855(1999)501
- Wissiacq, R., Rosenberg, E. and Grasserbauer, M.  
Comparison of different sorbent materials for *on-line* solid-phase extraction with liquid chromatography–atmospheric pressure chemical ionization mass spectrometry of phenols 896(2000)159
- Wistuba, D. and Schurig, V.  
Enantiomer separation of chiral pharmaceuticals by capillary electrochromatography (Review) 875(2000)255
- Witt, K., see Choudhary, G. 857(1999)183
- Wittmann, Gy., Van Langenhove, H. and Dewulf, J.  
Determination of acetic acid in aqueous samples, by water-phase derivatisation, solid-phase microextraction and gas chromatography 874(2000)225
- Wolcott, R.G., see Dolan, J.W. 857(1999)41
- Wolcott, R.G., Dolan, J.W. and Snyder, L.R.  
Computer simulation for the convenient optimization of isocratic reversed-phase liquid chromatographic separations by varying temperature and mobile phase strength 869(2000)3
- Wolcott, R.G., Dolan, J.W., Snyder, L.R., Bakalyar, S.R., Arnold, M.A. and Nichols, J.A.  
Control of column temperature in reversed-phase liquid chromatography 869(2000)211
- Wölfling, J., Schneider, G. and Péter, A.  
High-performance liquid chromatographic methods for monitoring of isomers of 17-hydroxy-16-hydroxymethyl-3-methoxyestra-1,3,5(10)-triene 852(1999)433
- Wolfrum, J., see Neumann, M. 871(2000)299
- Wong, C.S. and Garrison, A.W.  
Enantiomer separation of polychlorinated biphenyl atropisomers and polychlorinated biphenyl retention behavior on modified cyclodextrin capillary gas chromatography columns 866(2000)213
- Wong, J., see Britz-Mckibbin, P. 853(1999)535
- Wong, S.-K., see Lau, O.-W. 882(2000)255
- Wong, S.-S., see Pang, G.-F. 882(2000)231
- Wongyai, S.  
Determination of vitamin B<sub>12</sub> in multivitamin tablets by multimode high-performance liquid chromatography 870(2000)217
- Woo, K.-L. and Kim, J.-I.  
New hydrolysis method for extremely small amount of lipids and capillary gas chromatographic analysis as *N*(*O*)-*tert*-butyldimethylsilyl fatty acid derivatives compared with methyl ester derivatives 862(1999)199
- Wozny, G., see Beste, Y.A. 868(2000)169
- Wright, A.G., see Sharma-Singh, G. 888(2000)219
- Wright, B., see Ludlow, M. 857(1999)89
- Wright, B., see Smith, R.M. 886(2000)289
- Wu, B., see Hettiarachchi, K. 895(2000)87
- Wu, C., see Wang, Z. 893(2000)157
- Wu, D.-J., Ma, Z. and Wang, N.-H.L.  
Optimization of throughput and desorbent consumption in simulated moving-bed chromatography for paclitaxel purification 855(1999)71
- Wu, F., see Zhu, W. 895(2000)247
- Wu, H., Haig, T., Pratley, J., Lemerle, D. and An, M.  
Simultaneous determination of phenolic acids and 2,4-dihydroxy-7-methoxy-1,4-benzoxazin-3-one in wheat (*Triticum aestivum* L.) by gas chromatography–tandem mass spectrometry 864(1999)315
- Wu, L., see Furton, K.G. 885(2000)419
- Wu, N., Medina, J.C. and Lee, M.L.  
Fast gas chromatography: packed column solvating gas chromatography versus open tubular column gas chromatography 892(2000)3
- Wu, S.-C., see Cheng, C. 896(2000)299
- Wu, T.-F., see Cheng, F.-C. 870(2000)405
- Wu, Y., see Zhou, L. 866(2000)281
- Wu, Y.J., see Zhang, S.S. 872(2000)259
- Wuerthner, S., see Koppenhoefer, B. 875(2000)135
- Wulff, T., see Knepper, T.P. 889(2000)245
- Wyllie, S.G., see Griffin, S. 864(1999)221
- Wynn, J.L., see Krieger, M.S. 897(2000)405
- Wyss, R., Bucheli, F. and Philipp, W.  
Determination of the *N*-methyl-D-aspartate receptor NR2B subunit blocker Ro 63-1908 in rat, cynomolgus monkey and human plasma by high-performance liquid chromatography with column switching and fluorescence detection 870(2000)189
- Wyvratt, J., see Wang, F. 872(2000)279
- Wyvratt, J.M., see Zhou, L. 866(2000)281
- Wyvratt, J.M., see Zhou, L. 875(2000)389

## X

- Xia, Q.-C., see Che, F.-Y. 858(1999)229  
 Xia, Q.-C., see Liu, T. 855(1999)695  
 Xiang, D., see Blackwell, J.A. 852(1999)383  
 Xiao, C., see Wang, Z. 893(2000)157  
 Xie, S., Allington, R.W., Svec, F. and Fréchet, J.M.J.  
 Rapid reversed-phase separation of proteins and peptides using optimized 'moulded' monolithic poly(styrene-*co*-divinylbenzene) columns 865(1999)169  
 Xie, S.-Y., Huang, R.-B. and Zheng, L.-S.  
 Separation and identification of perchlorinated polycyclic aromatic hydrocarbons by high-performance liquid chromatography and ultraviolet absorption spectroscopy 864(1999)173  
 Xu, G., see Yang, F. 883(2000)67  
 Xu, H., see Huang, W.X. 875(2000)361  
 Xu, H.-X., see Song, J.-Z. 857(1999)303  
 Xu, J., see Chen, Z. 859(1999)173  
 Xu, Q., see Cui, H. 884(2000)89  
 Xu, W. and Regnier, F.E.  
 Electrokinetically-driven cation-exchange chromatography of proteins and its comparison with pressure-driven high-performance liquid chromatography 853(1999)243  
 Xu, Y., see Soper, S.A. 853(1999)107  
 Xu, Y.K., see Ching, C.B. 898(2000)53  
 Xu, Z.-Q., see Liu, L. 893(2000)207

## Y

- Yaduraju, N.T., see Bazoobandi, M. 886(2000)319  
 Yagi, R., see Kiba, N. 886(2000)83  
 Yamada, M., see Suzuki, T. 877(2000)225  
 Yamada, T., see Akiyama, T. 895(2000)279  
 Yamada, Y., see Ikuta, N. 894(2000)11  
 Yamagami, T., see Hada, M. 874(2000)81  
 Yamaguchi, K., see Hada, M. 874(2000)81  
 Yamaguchi, K., see Takino, M. 862(1999)191  
 Yamaguchi, M., see Yoshida, H. 898(2000)1  
 Yamamoto, A., see Kodama, S. 875(2000)371  
 Yamamoto, A., see Sekiguchi, Y. 881(2000)639  
 Yamamoto, F.M. and Rokushika, S.  
 Retention properties of the fluorinated bonded phase on liquid chromatography of aromatic hydrocarbons 898(2000)141  
 Yamamoto, S. and Ishihara, T.  
 Ion-exchange chromatography of proteins near the isoelectric points 852(1999)31  
 Yamamoto, S. and Miyagawa, E.  
 Retention behavior of very large biomolecules in ion-exchange chromatography 852(1999)25  
 Yamamoto, S., Watler, P.K., Feng, D. and Kaltenbrunner, O.  
 Characterization of unstable ion-exchange chromatographic separation of proteins 852(1999)37  
 Yamane, M., see Takeda, S. 853(1999)503  
 Yamato, S., Kawakami, N., Shimada, K., Ono, M., Idei, N. and Itoh, Y.  
 On-line automated high-performance liquid chromatographic determination of total riboflavin phosphates using immobilized acid phosphatase as a pre-column reactor 896(2000)171  
 Yamauchi, S., see Otsuka, K. 853(1999)413  
 Yan, C., see Ru, Q.-H. 894(2000)337  
 Yan, J., see Soleas, G.J. 882(2000)205  
 Yan, Y., see Ding, X. 883(2000)127  
 Yanagida, A., Kanda, T., Shoji, T., Ohnishi-Kameyama, M. and Nagata, T.  
 Fractionation of apple procyanidins by size-exclusion chromatography 855(1999)181  
 Yanagida, A., Kanda, T., Takahashi, T., Kamimura, A., Hamazono, T. and Honda, S.  
 Fractionation of apple procyanidins according to their degree of polymerization by normal-phase high-performance liquid chromatography 890(2000)251  
 Yanagida, A., see Shibusawa, Y. 886(2000)65  
 Yang, A., see Ci, S.X. 864(1999)199  
 Yang, A., Gehring, A.P. and Li, T.  
 Large degree of racemization observed in the amide bond forming reaction on silica gel 878(2000)165  
 Yang, D.-Y., see Cheng, F.-C. 870(2000)389  
 Yang, D.-Y., see Cheng, F.-C. 870(2000)405  
 Yang, F., see Tian, G. 886(2000)309  
 Yang, F., Zhang, T., Liu, Q., Xu, G., Zhang, Y., Zhang, S. and Ito, Y.  
 Preparative isolation and purification of notopterol and isoimperatorin from *Notopterygium forbesii* boiss (Chinese traditional medicinal herb) by high-speed counter-current chromatography 883(2000)67  
 Yang, F., Zhang, T., Tian, G., Cao, H., Liu, Q. and Ito, Y.  
 Preparative isolation and purification of hydroxyanthraquinones from *Rheum officinale* Baill by high-speed counter-current chromatography using pH-modulated stepwise elution 858(1999)103  
 Yang, H., see Dong, X.-Y. 878(2000)197  
 Yang, J., see Lin, L.-Z. 876(2000)87  
 Yang, L., see Matyska, M.T. 887(2000)497  
 Yang, L.-L., see Cheng, F.-C. 870(2000)389  
 Yang, W.-C., Dai, Y.-Q., Yu, A.-M. and Chen, H.-Y.  
 Simultaneous determination of polycarboxylic acids by capillary electrophoresis with a copper electrode 867(2000)261  
 Yang, Y., see Li, B. 873(2000)175  
 Yao, J., see Ru, Q.-H. 894(2000)337

- Yarabe, H.H., Billiot, E. and Warner, I.M.  
Enantiomeric separations by use of polymeric surfactant electrokinetic chromatography (Review) 875(2000)179
- Yasumoto, T., see Draisci, R. 871(2000)13
- Yasumoto, T., see Suzuki, T. 874(2000)199
- Ye, L., see Brüggemann, O. 889(2000)15
- Ye, M., see Liu, Z. 863(1999)69
- Ye, M., Zou, H., Liu, Z., Ni, J. and Zhang, Y.  
Capillary electrochromatography with a silica column with a dynamically modified cationic surfactant 855(1999)137
- Ye, M., Zou, H., Liu, Z. and Ni, J.  
Separation of peptides by strong cation-exchange capillary electrochromatography 869(2000)385
- Ye, M., Zou, H., Liu, Z. and Ni, J.  
Separation of acidic compounds by strong anion-exchange capillary electrochromatography 887(2000)223
- Yeh, S.-P., see Ding, W.-H. 896(2000)111
- Yeung, B. and Marecak, D.  
Molecular weight determination of hyaluronic acid by gel filtration chromatography coupled to matrix-assisted laser desorption ionization mass spectrometry 852(1999)573
- Yeung, E.S., see He, Y. 894(2000)179
- Yeung, E.S., see Lu, S.X. 853(1999)359
- Ygartua, P., see de Jalón, E.G.<sup>2</sup>. 870(2000)143
- Yi, J.-M. and Tang, K.-W.  
Insoluble  $\beta$ -cyclodextrin polymer for capillary gas chromatographic separation of enantiomers and isomers 883(2000)137
- Yi, T.Y., see Ciolino, L.A. 852(1999)451
- Yi, X., see Tao, Y. 862(1999)49
- Yi, X., see Tao, Y. 868(2000)329
- Yilmaz, E., see Brüggemann, O. 889(2000)15
- Yin, H., see Choudhary, G. 887(2000)85
- Yin, J., see Liu, Z. 852(1999)319
- Yoder, R.N., see Krieger, M.S. 897(2000)405
- Yokoyama, Y., Horikoshi, S., Takahashi, T. and Sato, H.  
Low-capacity cation-exchange chromatography of ultraviolet-absorbing urinary basic metabolites using a reversed-phase column coated with hexadecylsulfonate 886(2000)297
- Yoneda, A., see Tanaka, T. 882(2000)23
- Yoo, K.-P., see Choi, Y.H. 863(1999)47
- Yoo, Y.S., see Ban, E. 853(1999)439
- Yoo, Y.S., see Choi, S. 853(1999)285
- Yorke, J.C. and Froc, P.  
Quantitation of nine quinolones in chicken tissues by high-performance liquid chromatography with fluorescence detection 882(2000)63
- Yoshida, H., Nakao, R., Nohta, H. and Yamaguchi, M.  
5-Amino-4-sulfanylpthalhydrazide as a chemiluminescence derivatization reagent for aromatic aldehydes in liquid chromatography 898(2000)1
- Yoshida, M., see Akazawa, T. 862(1999)217
- Yoshida, Y., see Saitoh, T. 891(2000)69
- Yoshii, K., Kaihara, A., Tsumura, Y., Ishimitsu, S. and Tonogai, Y.  
Liquid chromatographic determination of emamectin, milbemectin, ivermectin and abamectin in crops and confirmation by liquid chromatography–mass spectrometry 896(2000)75
- Yoshiyama, T., see Hirokawa, T. 894(2000)3
- Yoshiyama, T., see Ikuta, N. 894(2000)11
- Yoshizako, K., see Hosoya, K. 853(1999)11
- Yotsuyanagi, T., see Krokhn, O.V. 890(2000)363
- Yotsuyanagi, T., see Krokhn, O.V. 895(2000)255
- Young, I.S., see Lynch, P.L.M. 881(2000)267
- Yritia, M., Parra, P., Iglesias, E. and Barbanj, J.M.  
Quantitation of nifedipine in human plasma by on-line solid-phase extraction and high-performance liquid chromatography 870(2000)115
- Yu, A.-M., see Yang, W.-C. 867(2000)261
- Yu, C. and Mosbach, K.  
Influence of mobile phase composition and cross-linking density on the enantiomeric recognition properties of molecularly imprinted polymers 888(2000)63
- Yu, L.Z., see Wells, M.J.M. 885(2000)237
- Yu, M., see Chen, F. 855(1999)305
- Yu, T., see Berthod, A. 897(2000)113
- Yu, Y. and Sun, Y.  
Macroporous poly(glycidyl methacrylate–triallyl isocyanurate–divinylbenzene) matrix as an anion-exchange resin for protein adsorption 855(1999)129
- Yu, Y.B., Wagschal, K.C., Mant, C.T. and Hodges, R.S.  
Trapping the monomeric  $\alpha$ -helical state during unfolding of coiled-coils by reversed-phase liquid chromatography 890(2000)81
- Yuan, N., see Liu, Z. 852(1999)319
- Yuan, Z.B., see Zhang, S.S. 872(2000)259
- Yun, J.F., see Tao, Y. 868(2000)329
- Yun, K.S., see Tao, Y. 862(1999)49

## Z

- Zachariou, M. and Hearn, M.T.W.  
Adsorption and selectivity characteristics of several human serum proteins with immobilised hard Lewis metal ion–chelate adsorbents 890(2000)95
- Zambonin, C.G. and Palmisano, F.  
Determination of triazines in soil leachates by solid-phase microextraction coupled to gas chromatography–mass spectrometry 874(2000)247
- Zamfir, A., König, S., Althoff, J. and Peter-Katalinc, J.  
Capillary electrophoresis and off-line capillary electrophoresis–electrospray ionization quadrupole time-of-flight tandem mass spectrometry of carbohydrates 895(2000)291
- Zamperlini, G.C.M., Santiago-Silva, M. and Vilegas, W.  
Solid-phase extraction of sugar cane soot extract for analysis by gas chromatography with flame ionisation and mass spectrometric detection 889(2000)281
- Zarbl, E., see Lämmerhofer, M. 892(2000)509



- Zarzycki, P.K., Wierzbowska, M. and Lamparczyk, H.  
Retention and separation studies of cholesterol and bile acids using thermostated thin-layer chromatography 857(1999)255
- Zattoni, A., see Contado, C. 871(2000)449
- Zaugg, S. and Thormann, W.  
Enantioselective determination of drugs in body fluids by capillary electrophoresis (Review) 875(2000)27
- Zdráhal, Z., Karásek, P., Lojková, L., Bucková, M., Večeřa, Z. and Vejrosta, J.  
Pressurised liquid extraction of ketones of polycyclic aromatic hydrocarbons from soil 893(2000)201
- Zeece, M., see Gu, X. 881(2000)471
- Zegota, H.  
High-performance liquid chromatography of methanol released from pectins after its oxidation to formaldehyde and condensation with 2,4-dinitrophenylhydrazine 863(1999)227
- Zeng, R., see Che, F.-Y. 858(1999)229
- Zeng, R., see Liu, T. 855(1999)695
- Zeng, Z.-R., see Fang, P.-F. 867(2000)177
- Zenker, A., Galanski, M., Bereuter, T.L., Keppler, B.K. and Lindner, W.  
Capillary electrophoretic study of cisplatin interaction with nucleoside monophosphates, di- and trinucleotides 852(1999)337
- Zenoni, G., Pedferri, M., Mazzotti, M. and Morbidelli, M.  
On-line monitoring of enantiomer concentration in chiral simulated moving bed chromatography 888(2000)73
- Zerbinati, O., Balduzzi, F. and Dell'Oro, V.  
Determination of lithium in wines by ion chromatography 881(2000)645
- Zerbinati, O., Trotta, F. and Giovannoli, C.  
Optimization of the cyclodextrin-assisted capillary electrophoresis separation of the enantiomers of phenoxyacid herbicides 875(2000)423
- Zgorelec, R., see Branović, K. 852(1999)305
- Zhang, C.-X., see Wey, A.B. 853(1999)95
- Zhang, D., see Wentworth, W.E. 872(2000)119
- Zhang, H., see Gong, Z. 855(1999)329
- Zhang, H., see Li, G. 863(1999)105
- Zhang, J., see Huang, X. 858(1999)91
- Zhang, J., see Jin, W. 868(2000)101
- Zhang, J., see Zhang, S. 887(2000)465
- Zhang, J.-J., see Pang, G.-F. 882(2000)85
- Zhang, J.-J., see Pang, G.-F. 882(2000)231
- Zhang, J.-M., see Jin, Y.-R. 888(2000)137
- Zhang, L., Krylov, S.N., Hu, S. and Dovichi, N.J.  
Methyl- $\beta$ -cyclodextrin modified micellar electrokinetic capillary chromatography with laser-induced fluorescence for separation and detection of phospholipids 894(2000)129
- Zhang, L.-X., see Jin, Y.-R. 888(2000)137
- Zhang, L.-Z., see Jin, Y.-R. 888(2000)137
- Zhang, M., Ostrander, G.K. and El Rassi, Z.  
Capillary electrochromatography with novel stationary phases. IV. Retention behavior of glycosphingolipids on porous and non-porous octadecyl sulfonated silica 887(2000)287
- Zhang, N., see Rossi, D.T. 885(2000)97
- Zhang, Q., Zou, H., Wang, H. and Ni, J.  
Synthesis of a silica-bonded bovine serum albumin *s*-triazine chiral stationary phase for high-performance liquid chromatographic resolution of enantiomers 866(2000)173
- Zhang, R., see Liu, L. 893(2000)207
- Zhang, S., Huang, X., Zhang, J. and Horváth, Cs.  
Capillary electrochromatography of proteins and peptides with a cationic acrylic monolith 887(2000)465
- Zhang, S., see Yang, F. 883(2000)67
- Zhang, S.S., Yuan, Z.B., Liu, H.X., Zou, H. and Wu, Y.J.  
On-column amperometric detection in capillary electrophoresis with an improved high-voltage electric field decoupler 872(2000)259
- Zhang, T., see Cao, X. 855(1999)709
- Zhang, T., see Tian, G. 886(2000)309
- Zhang, T., see Yang, F. 858(1999)103
- Zhang, T., see Yang, F. 883(2000)67
- Zhang, T.-Y., see Cao, X.-L. 898(2000)75
- Zhang, X., see Jiang, X. 857(1999)175
- Zhang, X. and Regnier, F.E.  
Analysis of channel-geometry effects on separation efficiency in rectangular-capillary electrochromatography columns 869(2000)319
- Zhang, X.-D., see Zhou, G.-H. 853(1999)277
- Zhang, X.-X., Li, J., Gao, J., Sun, L. and Chang, W.-B.  
Determination of morphine by capillary electrophoresis immunoassay in thermally reversible hydrogel-modified buffer and laser-induced fluorescence detection 895(2000)1
- Zhang, Y., see Gong, Z. 855(1999)329
- Zhang, Y., see Liu, Z. 863(1999)69
- Zhang, Y., see Yang, F. 883(2000)67
- Zhang, Y., see Ye, M. 855(1999)137
- Zhang, Y., and Gormez, F.A.  
Multiple-step ligand affinity capillary electrophoresis for determining binding constants of ligands to receptors 897(2000)339
- Zhang, Y.-X., see Ru, Q.-H. 894(2000)337
- Zhang, Z., see Hu, S. 894(2000)291
- Zhang, Z., see Smith, A.R. 876(2000)193
- Zhao, G., see Cui, H. 855(1999)171
- Zhao, G.L., see Purcell, A.W. 852(1999)43
- Zhao, L., Chen, X., Hu, Z., Li, Q., Chen, Q. and Li, Z.  
Analysis of  $\beta$ -*N*-oxalyl-L- $\alpha$ , $\beta$ -diaminopropionic acid and homoarginine in *Lathyrus sativus* by capillary zone electrophoresis 857(1999)295
- Zhao, L., see Li, G. 863(1999)105
- Zheng, J., Ohata, M., Furuta, N. and Kosmus, W.  
Speciation of selenium compounds with ion-pair reversed-phase liquid chromatography using inductively coupled plasma mass spectrometry as element-specific detection 874(2000)55
- Zheng, L.-S., see Xie, S.-Y. 864(1999)173
- Zheng, Q.-S., see Cao, C.-X. 863(1999)219
- Zheng, X., see Sun, D. 864(1999)293
- Zheng, X.-M., see Wang, X.-Yu. 855(1999)341
- Zheng, X.-Y., see Cao, C.-X. 891(2000)337

- Zhong, W.-Z. and Williams, M.G.  
Enantiospecific determination of PNU-83894 and its major metabolite, PNU-83892, in plasma, and its application to the characterization of the enantioselective pharmacokinetics of PNU-83894 in the dog 871(2000)201
- Zhou, G.-h., see Li, S.-l. 859(1999)183
- Zhou, G.-H., Luo, G.-A. and Zhang, X.-D.  
Microemulsion electrokinetic chromatography of proteins 853(1999)277
- Zhou, G.-Q., see Jin, Y.-R. 888(2000)137
- Zhou, J.Y., Chaminade, P., Gaudin, K., Prognon, P., Baillet, A. and Ferrier, D.  
Postcolumn fluorescence as an alternative to evaporative light scattering detection for ceramide analysis with gradient elution in non-aqueous reversed-phase liquid chromatography 859(1999)99
- Zhou, L., Johnson, B.D., Miller, C. and Wyvratt, J.M.  
Chiral capillary electrophoretic analysis of the enantiomeric purity of a pharmaceutical compound using sulfated  $\beta$ -cyclodextrin 875(2000)389
- Zhou, L., Wu, Y., Johnson, B.D., Thompson, R. and Wyvratt, J.M.  
Chromatographic separation of 3,4-difluorophenylacetic acid and its positional isomers using five different techniques 866(2000)281
- Zhou, L.Y., Ashraf-Khorassani, M. and Taylor, L.T.  
Comparison of methods for quantitative analysis of additives in low-density polyethylene using supercritical fluid and enhanced solvent extraction 858(1999)209
- Zhou, Q.-f., see Jiang, G.-b. 886(2000)197
- Zhou, S.-L., see Cao, C.-X. 891(2000)337
- Zhou, Y.-F., see Liu, L. 893(2000)207
- Zhu, J.-H., see Cao, C.-X. 863(1999)219
- Zhu, P.-L., see Liu, C.-L. 857(1999)167
- Zhu, W. and Vigh, G.  
Enantiomer separations by nonaqueous capillary electrophoresis using octakis(2,3-diacetyl-6-sulfato)- $\gamma$ -cyclodextrin 892(2000)499
- Zhu, W., Wu, F., Raushel, F.M. and Vigh, Gy.  
Capillary electrophoretic separation of the enantiomers of organophosphates with a phosphorus stereogenic center using the sodium salt of octakis(2,3-diacetyl-6-sulfo)- $\gamma$ -cyclodextrin as resolving agent 895(2000)247
- Zhu, X., Ding, Y., Lin, B., Jakob, A. and Koppenhoefer, B.  
Transient state of chiral recognition in a binary mixture of cyclodextrins in capillary electrophoresis 888(2000)241
- Zhu, X., see Koppenhoefer, B. 875(2000)135
- Zimmer, D., Pickard, V., Czembor, W. and Müller, C.  
Comparison of turbulent-flow chromatography with automated solid-phase extraction in 96-well plates and liquid-liquid extraction used as plasma sample preparation techniques for liquid chromatography-tandem mass spectrometry 854(1999)23
- Zimmerli, B., see Reinhard, H. 862(1999)147
- Zimmerli, B., see Zoller, O. 872(2000)101
- Zolla, L., see Corradini, D. 886(2000)111
- Zoller, O., Rhyn, P. and Zimmerli, B.  
High-performance liquid chromatographic determination of  $\Delta^9$ -tetrahydrocannabinol and the corresponding acid in hemp containing foods with special regard to the fluorescence properties of  $\Delta^9$ -tetrahydrocannabinol 872(2000)101
- Zöllner, P., Jodlbauer, J. and Lindner, W.  
Determination of zearalenone in grains by high-performance liquid chromatography-tandem mass spectrometry after solid-phase extraction with RP-18 columns or immunoaffinity columns 858(1999)167
- Zou, H., see Liu, Z. 863(1999)69
- Zou, H., see Ye, M. 855(1999)137
- Zou, H., see Ye, M. 869(2000)385
- Zou, H., see Ye, M. 887(2000)223
- Zou, H., see Zhang, Q. 866(2000)173
- Zou, H., see Zhang, S.S. 872(2000)259
- Zou, H.F., see Wang, H.L. 870(2000)501
- Zurek, G. and Karst, U.  
Liquid chromatography-mass spectrometry method for the determination of aldehydes derivatized by the Hantzsch reaction 864(1999)191
- Zurek, G. and Karst, U.  
2,4-Dinitro-3,5,6-trideuterophenylhydrazones for the quantitation of aldehydes and ketones in air samples by liquid chromatography-mass spectrometry 869(2000)251
- Zusková, I., see Tesařová, E. 879(2000)147
- Zwiener, C., see Müller, M.B. 862(1999)137
- Zygmunt, B., see Namieśnik, J. 885(2000)405