



ELSEVIER

Journal of Chromatography A, 907 (2001) 365–372

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 907

Acetic acid

Corrections to moving chemical reaction boundary equation for weak reactive electrolytes under the existence of background electrolyte KCl in large concentrations 907(2001)347

Affinity membrane

Molecularly imprinted polymer membranes for substance-selective solid-phase extraction from water by surface photo-grafting polymerization 907(2001)89

Air analysis

Simple time weighted average level air-monitoring method for sulfur mustard in work places 907(2001)229

Alkaline earth metals

Determination of trace alkaline earth metals in brines using chelation ion chromatography with an iminodiacetic acid bonded silica column 907(2001)191

Alkylphenols

Determination of phenols in soil by supercritical fluid extraction–capillary electrochromatography 907(2001)301

Alkylphosphonic acids

Determination of alkylphosphonic acids by microcolumn liquid chromatography with gradient elution coupled on-line with flame photometric detection 907(2001)165

Amines

4-(6,7-Dihydro-5,8-dioxothiazolo[4,5-g]phthalazin-2-yl)benzoic acid *N*-hydroxysuccinimide ester as a highly sensitive chemiluminescence derivatization reagent for amines in liquid chromatography 907(2001)39

Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73

Amino acids

Analytical methods to determine phosphonic and amino acid group-containing pesticides (Review) 907(2001)1

Optimisation of resolution in micellar electrokinetic chromatography by multivariate evaluation of electrolytes 907(2001)267

Aminopyridine

Development and validation of a capillary electrophoresis assay for the determination of 3,4-diaminopyridine and 4-aminopyridine including related substances 907(2001)321

Ammonia

Corrections to moving chemical reaction boundary equation for weak reactive electrolytes under the existence of background electrolyte KCl in large concentrations 907(2001)347

Antibodies

Membrane ion-exchange chromatography for process-scale antibody purification 907(2001)145

Background electrolyte composition

Sulfur speciation and tetrathionate sulfitolysis monitoring by capillary electrophoresis 907(2001)329

Corrections to moving chemical reaction boundary equation for weak reactive electrolytes under the existence of background electrolyte KCl in large concentrations 907(2001)347

Bi-quadratic surface response

Bi-quadratic surface response for quantitative determination of analytes leading to partially overlapped chromatographic peaks 907(2001)81

Breakthrough volumes

Membrane ion-exchange chromatography for process-scale antibody purification 907(2001)145

Buffer composition

Solute–solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate–lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Optimisation of resolution in micellar electrokinetic chromatography by multivariate evaluation of electrolytes 907(2001)267

Recalculation of the temperature inside capillaries using high buffer concentrations 907(2001)353

Joule heating calculations in capillary zone electrophoresis. Reply to "Recalculation of the temperature inside capillaries using high buffer concentrations" by Zhang et al 907(2001)357

Carrier composition

Influence of the carrier composition on thermal field-flow fractionation for the characterisation of sub-micron polystyrene latex particles 907(2001)201

Carbohydrates

Trace analysis of γ -cyclodextrin in a sample of β -cyclodextrin by capillary electrophoresis 907(2001)313

Chelation ion chromatography

Determination of trace alkaline earth metals in brines using chelation ion chromatography with an iminodiacetic acid bonded silica column 907(2001)191

Chemical warfare agents

Extraction of thiodiglycol from soil using pressurised liquid extraction 907(2001)221

Chemiluminescence detection

4-(6,7-Dihydro-5,8-dioxothiazolo[4,5-g]phthalazin-2-yl)benzoic acid *N*-hydroxysuccinimide ester as a highly sensitive chemiluminescence derivatization reagent for amines in liquid chromatography 907(2001)39

Chemometrics

Optimisation of resolution in micellar electrokinetic chromatography by multivariate evaluation of electrolytes 907(2001)267

Chip technology

Fabrication of polyester microchannels and their applications to capillary electrophoresis 907(2001)279

Chiral stationary phases, LC

Chiral β -cyclodextrin-based polymer supports prepared via ring-opening metathesis graft-polymerization 907(2001)47

Direct separation of the stereoisomers of methoxytetrahydronaphthalene derivatives, new agonist and antagonist ligands for melatonin receptors, by liquid chromatography on cellulose chiral stationary phases 907(2001)101

Coating

Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73

Counter-current chromatography

High-speed counter-current chromatography separation and purification of resveratrol and piceid from *Polygonum cuspidatum* 907(2001)343

Cyclodextrins

Trace analysis of γ -cyclodextrin in a sample of β -cyclodextrin by capillary electrophoresis 907(2001)313

Derivatization, LC

4-(6,7-Dihydro-5,8-dioxothiazolo[4,5-g]phthalazin-2-yl)benzoic acid *N*-hydroxysuccinimide ester as a highly sensitive chemiluminescence derivatization reagent for amines in liquid chromatography 907(2001)39

Detection, electrophoresis

Laser-induced fluorescence detection at 266 nm in capillary electrophoresis. Polycyclic aromatic hydrocarbon metabolites in biota 907(2001)291

Detection, LC

4-(6,7-Dihydro-5,8-dioxothiazolo[4,5-g]phthalazin-2-yl)benzoic acid *N*-hydroxysuccinimide ester as a highly sensitive chemiluminescence derivatization reagent for amines in liquid chromatography 907(2001)39

Determination of alkylphosphonic acids by microcolumn liquid chromatography with gradient elution coupled on-line with flame photometric detection 907(2001)165

Diaminopyridine

Development and validation of a capillary electrophoresis assay for the determination of 3,4-diaminopyridine and 4-aminopyridine including related substances 907(2001)321

Dihydrodioxothiazolo[4,5-g]phthalazinylbenzoic acid hydroxysuccinimide ester

4-(6,7-Dihydro-5,8-dioxothiazolo[4,5-g]phthalazin-2-yl)benzoic acid *N*-hydroxysuccinimide ester as a highly sensitive chemiluminescence derivatization reagent for amines in liquid chromatography 907(2001)39

Dinophysistoxin-1

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Electrochromatography

Determination of phenols in soil by supercritical fluid extraction-capillary electrochromatography 907(2001)301

Electroosmotic flow

Fabrication of polyester microchannels and their applications to capillary electrophoresis 907(2001)279

Environmental analysis

Analytical methods to determine phosphonic and amino acid group-containing pesticides (Review) 907(2001)1

Application of solvent microextraction to the analysis of nitroaromatic explosives in water samples 907(2001)211

Simple time weighted average level air-monitoring method for sulfur mustard in work places 907(2001)229

Explosives

Application of solvent microextraction to the analysis of nitroaromatic explosives in water samples 907(2001)211

Extraction methods

Application of solvent microextraction to the analysis of nitroaromatic explosives in water samples 907(2001)211

Extraction of thiodiglycol from soil using pressurised liquid extraction 907(2001)221

Supercritical fluid extraction and quantitative determination of organophosphorus pesticide residues in wheat and maize using gas chromatography with flame photometric and mass spectrometric detection 907(2001)247

G-Fenozide

Effect of liquid chromatography separation of complex matrices on liquid chromatography–tandem mass spectrometry signal suppression 907(2001)337

Field-flow fractionation

Influence of the carrier composition on thermal field-flow fractionation for the characterisation of sub-micron polystyrene latex particles 907(2001)201

Filtration

Molecularly imprinted polymer membranes for substance-selective solid-phase extraction from water by surface photo-grafting polymerization 907(2001)89

Fish

Laser-induced fluorescence detection at 266 nm in capillary electrophoresis. Polycyclic aromatic hydrocarbon metabolites in biota 907(2001)291

Flame photometric detection

Determination of alkylphosphonic acids by microcolumn liquid chromatography with gradient elution coupled on-line with flame photometric detection 907(2001)165

Flash chromatography

Fast temperature programming in routine analysis of multiple pesticide residues in food matrices 907(2001)235

Food analysis

Purification method for the isolation of monophosphate nucleotides from Champagne wine and their identification by mass spectrometry 907(2001)155

Fast temperature programming in routine analysis of multiple pesticide residues in food matrices 907(2001)235

Supercritical fluid extraction and quantitative determination of organophosphorus pesticide residues in wheat and maize using gas chromatography with flame photometric and mass spectrometric detection 907(2001)247

Forensic analysis

Analytical methods to determine phosphonic and amino acidgroup-containing pesticides (Review) 907(2001)1

Fruits

Analytical methods to determine phosphonic and amino acidgroup-containing pesticides (Review) 907(2001)1

Grafting

Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73

HD

Simple time weighted average level air-monitoring method for sulfur mustard in work places 907(2001)229

Hydroxyfenozide

Effect of liquid chromatography separation of complex matrices on liquid chromatography–tandem mass spectrometry signal suppression 907(2001)337

45-Hydroxyessotoxin

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Iminodiacetic acid bonded silica

Determination of trace alkaline earth metals in brines using chelation ion chromatography with an iminodiacetic acid bonded silica column 907(2001)191

Immobilized metal affinity chromatography

Thermosensitive copolymers of *N*-vinylimidazole as displacers of proteins in immobilised metal affinity chromatography 907(2001)115

Inorganic anions

Sulfur speciation and tetrathionate sulfitolysis monitoring by capillary electrophoresis 907(2001)329

Insulin

Monitoring of recombinant human insulin production by narrow-bore reversed-phase high-performance liquid chromatography, high-performance capillary electrophoresis and matrix-assisted laser desorption ionisation time-of-flight mass spectrometry 907(2001)131

Isoelectric focusing

Corrections to moving chemical reaction boundary equation for weak reactive electrolytes under the existence of background electrolyte KCl in large concentrations 907(2001)347

Joule heating

Recalculation of the temperature inside capillaries using high buffer concentrations 907(2001)353

Joule heating calculations in capillary zone electrophoresis. Reply to "Recalculation of the temperature inside capillaries using high buffer concentrations" by Zhang et al 907(2001)357

Large-volume injections

Determination of alkylphosphonic acids by microcolumn liquid chromatography with gradient elution coupled on-line with flame photometric detection 907(2001)165

Laser-induced fluorescence detection

Laser-induced fluorescence detection at 266 nm in capillary electrophoresis. Polycyclic aromatic hydrocarbon metabolites in biota 907(2001)291

Latex particles

Influence of the carrier composition on thermal field-flow fractionation for the characterisation of sub-micron polystyrene latex particles 907(2001)201

Liquid chromatography–mass spectrometry

Effect of liquid chromatography separation of complex matrices on liquid chromatography–tandem mass spectrometry signal suppression 907(2001)337

Lithium dodecyl sulfate

Solute–solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate–lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Lithium perfluorooctanesulfonate

Solute–solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate–lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Lutidines

Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73

Membranes

Membrane ion-exchange chromatography for process-scale antibody purification 907(2001)145

Metathesis polymerization

Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73

Methoxyfenozide

Effect of liquid chromatography separation of complex matrices on liquid chromatography–tandem mass spectrometry signal suppression 907(2001)337

Methoxytetrahydronaphthalenes

Direct separation of the stereoisomers of methoxytetrahydronaphthalene derivatives, new agonist and antagonist ligands for melatonin receptors, by liquid chromatography on cellulose chiral stationary phases 907(2001)101

Micellar electrokinetic chromatography

Solute–solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate–lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Optimisation of resolution in micellar electrokinetic chromatography by multivariate evaluation of electrolytes 907(2001)267

Micelles, mixed

Solute–solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate–lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Microchannels

Fabrication of polyester microchannels and their applications to capillary electrophoresis 907(2001)279

Migration time

How to increase precision in capillary electrophoresis (Review) 907(2001)21

Molecular imprinting

Molecularly imprinted polymer membranes for substance-selective solid-phase extraction from water by surface photo-grafting polymerization 907(2001)89

Moving chemical reaction boundary

Corrections to moving chemical reaction boundary equation for weak reactive electrolytes under the existence of background electrolyte KCl in large concentrations 907(2001)347

Nitroaromatic compounds

Application of solvent microextraction to the analysis of nitroaromatic explosives in water samples 907(2001)211

Nitrogen sorption

Determination of the pore connectivity and pore size distribution and pore spatial distribution of porous chromatographic particles from nitrogen sorption measurements and pore network modelling theory 907(2001)57

Nucleotides

Purification method for the isolation of monophosphate nucleotides from Champagne wine and their identification by mass spectrometry 907(2001)155

Okadaic acid

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Optimization

Optimisation of resolution in micellar electrokinetic chromatography by multivariate evaluation of electrolytes 907(2001)267

Organophosphorous compounds

Supercritical fluid extraction and quantitative determination of organophosphorus pesticide residues in wheat and maize using gas chromatography with flame photometric and mass spectrometric detection 907(2001)247

Organosulfur compounds

Simple time weighted average level air-monitoring method for sulfur mustard in work places 907(2001)229

7-O-Palmytoylidinophysistoxin-1

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

7-O-Palmytoylokadaic acid

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Partially overlapping peaks

Bi-quadratic surface response for quantitative determination of analytes leading to partially overlapped chromatographic peaks 907(2001)81

Peak area

How to increase precision in capillary electrophoresis (Review) 907(2001)21

Peak overlap

Bi-quadratic surface response for quantitative determination of analytes leading to partially overlapped chromatographic peaks 907(2001)81

Pectenotoxin seco acid

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Pectenotoxin-1

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Pectenotoxin-2

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Pectenotoxin-6

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Peptides

Monitoring of recombinant human insulin production by narrow-bore reversed-phase high-performance liquid chromatography, high-performance capillary electrophoresis and matrix-assisted laser desorption ionisation time-of-flight mass spectrometry 907(2001)131

Pesticides

Analytical methods to determine phosphonic and amino acid group-containing pesticides (Review) 907(2001)1

Molecularly imprinted polymer membranes for substance-selective solid-phase extraction from water by surface photo-grafting polymerization 907(2001)89

Fast temperature programming in routine analysis of multiple pesticide residues in food matrices 907(2001)235

Supercritical fluid extraction and quantitative determination of organophosphorus pesticide residues in wheat and maize using gas chromatography with flame photometric and mass spectrometric detection 907(2001)247

Pharmaceutical analysis

Reversed-phase high-performance liquid chromatography versus spectrophotometric assay for thimerosal in Cuban recombinant hepatitis B vaccine 907(2001)173

Development and validation of a capillary electrophoresis assay for the determination of 3,4-diaminopyridine and 4-aminopyridine including related substances 907(2001)321

Phenols

Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73

Optimisation of resolution in micellar electrokinetic chromatography by multivariate evaluation of electrolytes 907(2001)267

Determination of phenols in soil by supercritical fluid extraction-capillary electrochromatography 907(2001)301

Phosphonic acids

Analytical methods to determine phosphonic and amino acid group-containing pesticides (Review) 907(2001)1

Photo-initiated graft copolymerization

Molecularly imprinted polymer membranes for substance-selective solid-phase extraction from water by surface photo-grafting polymerization 907(2001)89

Piceid

High-speed counter-current chromatography separation and purification of resveratrol and piceid from *Polygonum cuspidatum* 907(2001)343

Plant material

High-speed counter-current chromatography separation and purification of resveratrol and piceid from *Polygonum cuspidatum* 907(2001)343

Polyester

Fabrication of polyester microchannels and their applications to capillary electrophoresis 907(2001)279

Polygonum cuspidatum

High-speed counter-current chromatography separation and purification of resveratrol and piceid from *Polygonum cuspidatum* 907(2001)343

Polynuclear aromatic hydrocarbons

Laser-induced fluorescence detection at 266 nm in capillary electrophoresis. Polycyclic aromatic hydrocarbon metabolites in biota 907(2001)291

Polyphenols

High-speed counter-current chromatography separation and purification of resveratrol and piceid from *Polygonum cuspidatum* 907(2001)343

Pore connectivity

Determination of the pore connectivity and pore size distribution and pore spatial distribution of porous chromatographic particles from nitrogen sorption measurements and pore network modelling theory 907(2001)57

Pore network modelling theory

Determination of the pore connectivity and pore size distribution and pore spatial distribution of porous chromatographic particles from nitrogen sorption measurements and pore network modelling theory 907(2001)57

Pore size distribution

Determination of the pore connectivity and pore size distribution and pore spatial distribution of porous chromatographic particles from nitrogen sorption measurements and pore network modelling theory 907(2001)57

Pore spatial distribution

Determination of the pore connectivity and pore size distribution and pore spatial distribution of porous chromatographic particles from nitrogen sorption measurements and pore network modelling theory 907(2001)57

Precision

How to increase precision in capillary electrophoresis (Review) 907(2001)21

Preparative chromatography

Membrane ion-exchange chromatography for process-scale antibody purification 907(2001)145

Pressurised liquid extraction

Extraction of thiodiglycol from soil using pressurised liquid extraction 907(2001)221

Proteins

Thermosensitive copolymers of *N*-vinylimidazole as displacers of proteins in immobilised metal affinity chromatography 907(2001)115

Monitoring of recombinant human insulin production by narrow-bore reversed-phase high-performance liquid chromatography, high-performance capillary electrophoresis and matrix-assisted laser desorption ionisation time-of-flight mass spectrometry 907(2001)131

Pseudo-stationary phases

Solute-solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate-lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Pyridines

Development and validation of a capillary electrophoresis assay for the determination of 3,4-diaminopyridine and 4-aminopyridine including related substances 907(2001)321

Reproducibility

How to increase precision in capillary electrophoresis (Review) 907(2001)21

Resolution

Optimisation of resolution in micellar electrokinetic chromatography by multivariate evaluation of electrolytes 907(2001)267

Resveratrol

High-speed counter-current chromatography separation and purification of resveratrol and piceid from *Polygonum cuspidatum* 907(2001)343

Reviews

Analytical methods to determine phosphonic and amino acidgroup-containing pesticides (Review) 907(2001)1

How to increase precision in capillary electrophoresis (Review) 907(2001)21

Ring-opening metathesis polymerization

Chiral β -cyclodextrin-based polymer supports prepared via ring-opening metathesis graft-polymerization 907(2001)47

Salicylic acid

Reversed-phase high-performance liquid chromatography versus spectrophotometric assay for thimerosal in Cuban recombinant hepatitis B vaccine 907(2001)173

Sample preparation

Analytical methods to determine phosphonic and amino acidgroup-containing pesticides (Review) 907(2001)1

Shellfish poisoning

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Signal suppression

Effect of liquid chromatography separation of complex matrices on liquid chromatography–tandem mass spectrometry signal suppression 907(2001)337

Silica

Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73

Silica particles

Determination of the pore connectivity and pore size distribution and pore spatial distribution of porous chromatographic particles from nitrogen sorption measurements and pore network modelling theory 907(2001)57

Soil

Analytical methods to determine phosphonic and amino acidgroup-containing pesticides (Review) 907(2001)1

Extraction of thiodiglycol from soil using pressurised liquid extraction 907(2001)221

Determination of phenols in soil by supercritical fluidextraction–capillary electrochromatography 907(2001)301

Solid-phase extraction

Molecularly imprinted polymer membranes for substance-selective solid-phase extraction from water by surface photo-grafting polymerization 907(2001)89

Solute descriptors

Solute–solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate–lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Solvation parameter model

Solute–solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate–lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Solvent microextraction

Application of solvent microextraction to the analysis of nitroaromatic explosives in water samples 907(2001)211

Stability studies

Reversed-phase high-performance liquid chromatography versus spectrophotometric assay for thimerosal in Cuban recombinant hepatitis B vaccine 907(2001)173

Stationary phases, LC

Determination of the pore connectivity and pore size distribution and pore spatial distribution of porous chromatographic particles from nitrogen sorption measurements and pore network modelling theory 907(2001)57

Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73

Determination of trace alkaline earth metals in brines using chelation ion chromatography with an iminodiacetic acid bonded silica column 907(2001)191

Sulfonamides

Joule heating calculations in capillary zone electrophoresis. Reply to “Recalculation of the temperature inside capillaries using high buffer concentrations” by Zhang et al 907(2001)357

Sulfur compounds

Sulfur speciation and tetrathionate sulfitolysis monitoring by capillary electrophoresis 907(2001)329

Sulfur mustard

Simple time weighted average level air-monitoring method for sulfur mustard in work places 907(2001)229

Supercritical fluid extraction

Determination of phenols in soil by supercritical fluidextraction–capillary electrochromatography 907(2001)301

Surface grafting

Chiral β -cyclodextrin-based polymer supports prepared viaring-opening metathesis graft-polymerization 907(2001)47

Surfactants

Influence of the carrier composition on thermal field-flow fractionation for the characterisation of sub-micron polystyrene latex particles 907(2001)201

Solute–solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate–lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Temperature programming

Fast temperature programming in routine analysis of multiple pesticide residues in food matrices 907(2001)235

Terbumeton

Molecularly imprinted polymer membranes for substance-selective solid-phase extraction from water by surface photo-grafting polymerization 907(2001)89

Tetralins

Direct separation of the stereoisomers of methoxytetrahydronaphthalene derivatives, new agonist and antagonist ligands for melatonin receptors, by liquid chromatography on cellulose chiral stationary phases 907(2001)101

Tetraphenylborate

Trace analysis of γ -cyclodextrin in a sample of β -cyclodextrin by capillary electrophoresis 907(2001)313

Thermal field-flow fractionation

Influence of the carrier composition on thermal field-flow fractionation for the characterisation of sub-micron polystyrene latex particles 907(2001)201

Thimerosal

Reversed-phase high-performance liquid chromatography versus spectrophotometric assay for thimerosal in Cuban recombinant hepatitis B vaccine 907(2001)173

Thiodiglycol

Extraction of thiodiglycol from soil using pressurised liquid extraction 907(2001)221

Toxins

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Undecenol

Fabrication of polyester microchannels and their applications to capillary electrophoresis 907(2001)279

Validation

Development and validation of a capillary electrophoresis assay for the determination of 3,4-diaminopyridine and 4-aminopyridine including related substances 907(2001)321

N-Vinylimidazole

Thermosensitive copolymers of *N*-vinylimidazole as displacers of proteins in immobilised metal affinity chromatography 907(2001)115

Warfare agents

Determination of alkylphosphonic acids by microcolumn liquid chromatography with gradient elution coupled on-line with flame photometric detection 907(2001)165

Simple time weighted average level air-monitoring method for sulfur mustard in work places 907(2001)229

Water analysis

Analytical methods to determine phosphonic and amino acidgroup-containing pesticides (Review) 907(2001)1

Application of solvent microextraction to the analysis of nitroaromatic explosives in water samples 907(2001)211

Wine

Purification method for the isolation of monophosphate nucleotides from Champagne wine and their identification by mass spectrometry 907(2001)155

Yessotoxin

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181