

Journal of Chromatography A, 908 (2001) 303-307

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 908

Adsorption

Performance comparison of suspended bed and batch contactor chromatography 908(2001)169

Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273

Flow microcalorimetric measurements for bovine serum albumin on reversed-phase and anion-exchange supports under overloaded conditions 908(2001)293

Adipoyl-7-amino-3-deacetoxycephalosporanic acid

Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273

Adsorption isotherms

Description of adsorption equilibria in liquid chromatography systems with binary mobile phases 908(2001)3

Frontal analysis method to determine competitive adsorption isotherms 908(2001)19

Application of equilibrium theory to ternary moving bed configurations (four+four, five+four, eight and nine zones). I. Linear case 908(2001)71

Application of the equilibrium theory to ternary moving bed configurations (4+4, 5+4, 8 and 9 zones). II. Langmuir case 908(2001)87

Theoretical study of the accuracy of the elution by characteristic points method for bi-Langmuir isotherms 908(2001)111

Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273

Affinity chromatography

Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251

Albumin

Flow microcalorimetric measurements for bovine serum albumin on reversed-phase and anion-exchange supports under overloaded conditions 908(2001)293

Antibiotics

Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273

Anion exchangers

Comparison of chromatographic ion-exchange resins. II. More strong anion-exchange resins 908(2001)149

Automation

Automated normal-phase preparative high-performance liquid chromatography as a substitute for flash chromatography in the synthetic research laboratory 908(2001)143

Axial dispersion

Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273

Batch contractor chromatography

Performance comparison of suspended bed and batch contactor chromatography 908(2001)169

Benzophenone

Description of adsorption equilibria in liquid chromatography systems with binary mobile phases 908(2001)3

Breakthrough curves

Control method for integrity of continuous beds 908(2001)179

Calorimetry

Flow microcalorimetric measurements for bovine serum albumin on reversed-phase and anion-exchange supports under overloaded conditions 908(2001)293

Cellulose

Direct isolation of monoclonal antibodies from tissue culture supernatant using the cation-exchange cellulose Express-Ion S 908(2001)223

0021-9673/01/\$ – see front matter © 2001 Elsevier Science B.V. All right reserved

PII: S0021-9673(00)01233-4

Cephalosporins

Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273

Chiral stationary phases, LC

Modification of a commercial chiral stationary phase. Influences on enantiomer separations using simulated moving bed chromatography 908(2001)185

Cholesterol

Description of adsorption equilibria in liquid chromatography systems with binary mobile phases 908(2001)3

Column performance

Characterizing the performance of industrial-scale columns 908(2001)131

Continuous beds

Control method for integrity of continuous beds 908(2001)179

Crystallization

Coupling of simulated moving bed chromatography and fractional crystallisation for efficient enantioseparation 908(2001)201

Dynamic adsorption

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

Elution by characteristic point method

Theoretical study of the accuracy of the elution by characteristic points method for bi-Langmuir isotherms 908(2001)111

Enantiomer separation

Modification of a commercial chiral stationary phase. Influences on enantiomer separations using simulated moving bed chromatography 908(2001)185

Coupling of simulated moving bed chromatography and fractional crystallisation for efficient enantioseparation 908(2001)201

Equilibrium theory

Application of equilibrium theory to ternary moving bed configurations (four+four, five+four, eight and nine zones). I. Linear case 908(2001)71

Application of the equilibrium theory to ternary moving bed configurations (4+4, 5+4, 8 and 9 zones). II. Langmuir case 908(2001)87

Frontal analysis

Frontal analysis method to determine competitive adsorption isotherms 908(2001)19

Galactosidase

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

Gradient elution

Advances in process chromatography gradient elution using binary linear gradients 908(2001)163

Green-fluorescent protein

Continuous separation of green fluorescent protein by annular chromatography 908(2001)243

Heat of adsorption

Flow microcalorimetric measurements for bovine serum albumin on reversed-phase and anion-exchange supports under overloaded conditions 908(2001)293

Hydrophobic charge induction chromatography

Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251

Hydrophobic interaction chromatography

Use of ion-exchange chromatography and hydrophobic interaction chromatography in the preparation and recovery of polyethylene glycol-linked proteins 908(2001)235

Hydrophobicity

Calculation of partition coefficient and hydrophobic moment of the secondary structure of lysozyme 908(2001)215

Ideal adsorbed solution theory

Frontal analysis method to determine competitive adsorption isotherms 908(2001)19

Immunoglobulins

Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251

Induced competition model

Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273

IsoPak columns

Characterizing the performance of industrial-scale columns 908(2001)131

Low solvent consumption point

Application of equilibrium theory to ternary moving bed configurations (four+four, five+four, eight and nine zones). I. Linear case 908(2001)71

Lysozyme

Control method for integrity of continuous beds 908(2001)179

Calculation of partition coefficient and hydrophobic moment of the secondary structure of lysozyme 908(2001)215

Mandelic acid

Coupling of simulated moving bed chromatography and fractional crystallisation for efficient enantioseparation 908(2001)201

Mass transfer

Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273

Mathematical modeling

Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273

Mercaptoethylpyridine

Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251

Mobile phase composition

Description of adsorption equilibria in liquid chromatography systems with binary mobile phases 908(2001)3

Monoclonal antibodies

Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251

Monoclonal antibody

Direct isolation of monoclonal antibodies from tissue culture supernatant using the cation-exchange cellulose Express-Ion S 908(2001)223

Monolithic columns

Control method for integrity of continuous beds 908(2001)179

Mucin

Direct isolation of monoclonal antibodies from tissue culture supernatant using the cation-exchange cellulose Express-Ion S 908(2001)223

Network model

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

Organic acids

Coupling of simulated moving bed chromatography and fractional crystallisation for efficient enantioseparation 908(2001)201

Ovalbumin

Performance comparison of suspended bed and batch contactor chromatography 908(2001)169

Partition coefficients

Calculation of partition coefficient and hydrophobic moment of the secondary structure of lysozyme 908(2001)215

Phenols

Description of adsorption equilibria in liquid chromatography systems with binary mobile phases 908(2001)3

Frontal analysis method to determine competitive adsorption isotherms 908(2001)19

Phenylethanol

Frontal analysis method to determine competitive adsorption isotherms 908(2001)19

Phenylpropanol

Frontal analysis method to determine competitive adsorption isotherms 908(2001)19

Poly(ethylene glycol) bis-vinylsulfone

Use of ion-exchange chromatography and hydrophobic interaction chromatography in the preparation and recovery of polyethylene glycol-linked proteins 908(2001)235

Poly(ethylene glycol)

Use of ion-exchange chromatography and hydrophobic interaction chromatography in the preparation and recovery of polyethylene glycol-linked proteins 908(2001)235

Pore connectivity

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

Pore diffusion

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

Pore size distribution

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

Pore structure

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

Porosity

Effect of the homogeneity of the column set on the performance of a simulated moving bed unit. I. Theory 908(2001)49

Preparative chromatography

Frontal analysis method to determine competitive adsorption isotherms 908(2001)19

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

Characterizing the performance of industrial-scale columns 908(2001)131

Automated normal-phase preparative high-performance liquid chromatography as a substitute for flash chromatography in the synthetic research laboratory 908(2001)143

Comparison of chromatographic ion-exchange resins. II. More strong anion-exchange resins 908(2001)149

Advances in process chromatography gradient elution using binary linear gradients 908(2001)163

Performance comparison of suspended bed and batch contactor chromatography 908(2001)169

Modification of a commercial chiral stationary phase. Influences on enantiomer separations using simulated moving bed chromatography 908(2001)185

Use of ion-exchange chromatography and hydrophobic interaction chromatography in the preparation and recovery of polyethylene glycol-linked proteins 908(2001)235

Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251

Separation of steroid compounds by overloaded preparative chromatography with precipitation in the fluid phase 908(2001)265

Protein A

Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251

Proteins

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

Comparison of chromatographic ion-exchange resins. II. More strong anion-exchange resins 908(2001)149

Performance comparison of suspended bed and batch contactor chromatography 908(2001)169

Control method for integrity of continuous beds 908(2001)179

Calculation of partition coefficient and hydrophobic moment of the secondary structure of lysozyme 908(2001)215

Use of ion-exchange chromatography and hydrophobic interaction chromatography in the preparation and recovery of polyethylene glycol-linked proteins 908(2001)235

Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251

Flow microcalorimetric measurements for bovine serum albumin on reversed-phase and anion-exchange supports under overloaded conditions 908(2001)293

Real adsorbed solution theory

Frontal analysis method to determine competitive adsorption isotherms 908(2001)19

Retention factors

Effect of the homogeneity of the column set on the performance of a simulated moving bed unit. I. Theory 908(2001)49

Simulated moving bed chromatography

Effect of the homogeneity of the column set on the performance of a simulated moving bed unit. I. Theory 908(2001)49

Application of equilibrium theory to ternary moving bed configurations (four+four, five+four, eight and nine zones). I. Linear case 908(2001)71

Application of the equilibrium theory to ternary moving bed configurations (4+4, 5+4, 8 and 9 zones). II. Langmuir case 908(2001)87

Modification of a commercial chiral stationary phase. Influences on enantiomer separations using simulated moving bed chromatography 908(2001)185

Coupling of simulated moving bed chromatography and fractional crystallisation for efficient enantioseparation 908(2001)201

Solvation parameter model

Calculation of partition coefficient and hydrophobic moment of the secondary structure of lysozyme 908(2001)215

Stationary phases, LC

Characterizing the performance of industrial-scale columns 908(2001)131

Comparison of chromatographic ion-exchange resins. II. More strong anion-exchange resins 908(2001)149

Control method for integrity of continuous beds 908(2001)179

Steroids

Separation of steroid compounds by overloaded preparative chromatography with precipitation in the fluid phase 908(2001)265

Suspended bed chromatography

Performance comparison of suspended bed and batch contactor chromatography 908(2001)169

Ternary moving bed

Application of the equilibrium theory to ternary moving bed configurations $(4+4,\ 5+4,\ 8$ and 9 zones). II. Langmuir case 908(2001)87

Ternary moving bed configurations

Application of equilibrium theory to ternary moving bed configurations (four+four, five+four, eight and nine zones). I. Linear case 908(2001)71

Thermodynamic parameters

Calculation of partition coefficient and hydrophobic moment of the secondary structure of lysozyme 908(2001)215

Flow microcalorimetric measurements for bovine serum albumin on reversed-phase and anion-exchange supports under overloaded conditions 908(2001)293

Tröger's base

Modification of a commercial chiral stationary phase. Influences on enantiomer separations using simulated moving bed chromatography 908(2001)185

True moving bed

Application of the equilibrium theory to ternary moving bed configurations (4+4, 5+4, 8 and 9 zones). II. Langmuir case 908(2001)87