



ELSEVIER

Journal of Chromatography A, 910 (2001) 387–389

JOURNAL OF  
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

## Author Index Vol. 910

- Achten, C. and Püttmann, W.  
Method for determination of methyl *tert*-butyl ether in gasoline by gas chromatography 910(2001)377
- Ahrer, W., Scherwenk, E. and Buchberger, W.  
Determination of drug residues in water by the combination of liquid chromatography or capillary electrophoresis with electrospray mass spectrometry 910(2001)69
- Aidos, I., see De Geus, H.-J. 910(2001)95
- Akbay, C., Shamsi, S.A. and Warner, I.M.  
Separation of monomethyl-benz[*a*]anthracene isomers using cyclodextrin-modified electrokinetic chromatography 910(2001)147
- Aubagnac, J.-L., see Farenc, C. 910(2001)61
- Audran, M., see Farenc, C. 910(2001)61
- Avdalovic, N., see Madden, J.E. 910(2001)173
- Bagheri, H. and Saraji, M.  
New polymeric sorbent for the solid-phase extraction of chlorophenols from water samples followed by gas chromatography–electron-capture detection 910(2001)87
- Balke, S.T., see Torabi, K. 910(2001)19
- Bashir, W. and Paull, B.  
Sensitive and selective ion chromatographic method for the determination of trace beryllium in water samples 910(2001)301
- Bertoncini, F., Thiébaud, D., Caude, M., Gagean, M., Carrazé, B., Beurdouche, P. and Duteurtre, X.  
On-line packed column supercritical fluid chromatography–microwave-induced plasma atomic emission 910(2001)127
- Beurdouche, P., see Bertoncini, F. 910(2001)127
- Blanc, T., see Dolan, J.W. 910(2001)385
- Bon, C., see Rochu, D. 910(2001)347
- Borrey, D., Meyer, E., Lambert, W., Van Calenbergh, S., Van Peteghem, C. and De Leenheer, A.P.  
Sensitive gas chromatographic–mass spectrometric screening of acetylated benzodiazepines 910(2001)105
- Bosch, E., see Rosés, M. 910(2001)187
- Botana, A.M., see González, J.C. 910(2001)119
- Botana, L.M., see González, J.C. 910(2001)119
- Bressolle, F., see Farenc, C. 910(2001)61
- Brinkman, U.A.Th., see De Geus, H.-J. 910(2001)95
- Brinkman, U.A.Th., see Geerdink, R.B. 910(2001)291
- Buchberger, W., see Ahrer, W. 910(2001)69
- Carle, R., see Schieber, A. 910(2001)265
- Carrazé, B., see Bertoncini, F. 910(2001)127
- Caude, M., see Bertoncini, F. 910(2001)127
- Chang, T., see Lee, W. 910(2001)51
- Chen, C.-C., see Lin, C.-E. 910(2001)165
- Chen, H.-W., see Lin, C.-E. 910(2001)165
- Chen, H.-Y., see Yang, W.-C. 910(2001)311
- Cheong, W.J. and Keum, Y.I.  
Positional effect of solute functional group among positional isomers in hydroxyl group–solvent and carbonyl group–solvent specific interactions in methanol–water mixed solvents monitored by high-performance liquid chromatography 910(2001)195
- Cho, D., see Lee, W. 910(2001)51
- Chun, B.O., see Lee, W. 910(2001)51
- Codony, R., see Leal, C. 910(2001)285
- Collén, A., Ward, M., Tjerneld, F. and Stålbbrand, H.  
Genetically engineered peptide fusions for improved protein partitioning in aqueous two-phase systems. Effect of fusion localization on endoglucanase I of *Trichoderma reesei* 910(2001)275
- Compañó, R., see Leal, C. 910(2001)285
- Crego, A.L., see García-Ruiz, C. 910(2001)157
- Cserhádi, T., Forgács, E., Deyl, Z., Miksik, I. and Eckhardt, A.  
Interaction of surfactants with homologous series of peptides studied by reversed-phase thin-layer chromatography 910(2001)137
- Dabek-Zlotorzynska, E., Piechowski, M., McGrath, M. and Lai, E.P.C.  
Determination of low-molecular-mass carboxylic acids in atmospheric aerosol and vehicle emission samples by capillary electrophoresis 910(2001)331
- De Boer, J., see de Geus, H.-J. 910(2001)95
- De Geus, H.-J., Aidos, I., de Boer, J., Lutén, J.B. and Brinkman, U.A.Th.  
Characterisation of fatty acids in biological oil samples using comprehensive multidimensional gas chromatography 910(2001)95
- De Leenheer, A.P., see Borrey, D. 910(2001)105
- Deyl, Z., see Cserhádi, T. 910(2001)137
- Dolan, J.W., Snyder, L.R., Blanc, T. and Van Heukelen, L.  
Erratum to “Selectivity differences for C<sub>18</sub> and C<sub>8</sub> reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution”. [J. Chromatogr. A 897 (2000) 37–50] 910(2001)385
- Du Fresne von Hohenesche, C., see Großmann, F. 910(2001)223
- Duteurtre, X., see Bertoncini, F. 910(2001)127

- Eckhardt, A., see Cserhádi, T. 910(2001)137
- Ehwald, V., see Großmann, F. 910(2001)223
- Enjalbal, C., see Farenc, C. 910(2001)61
- Farenc, C., Enjalbal, C., Sanchez, P., Bressolle, F., Audran, M., Martínez, J. and Aubagnac, J.-L.  
Quantitative determination of rocuronium in human plasma by liquid chromatography–electrospray ionization mass spectrometry 910(2001)61
- Forgács, E., see Cserhádi, T. 910(2001)137
- Fülöp, F., see Péter, M. 910(2001)247
- Gagean, M., see Bertoncini, F. 910(2001)127
- García-Ruiz, C., Martín-Biosca, Y., Crego, A.L. and Marina, M.L.  
Rapid enantiomeric separation of polychlorinated biphenyls by electrokinetic chromatography using mixtures of neutral and charged cyclodextrin derivatives 910(2001)157
- Geerdink, R.B., Niessen, W.M.A. and Brinkman, U.A.Th.  
Mass spectrometric confirmation criterion for product-ion spectra generated in flow-injection analysis. Environmental application 910(2001)291
- Gennaro, M.C., Marengo, E., Gianotti, V. and Maurino, V.  
New strategies for the determination of phenylurea pesticides by gas chromatography with hot splitless inlet systems 910(2001)79
- Gianotti, V., see Gennaro, M.C. 910(2001)79
- González, J.C., Vieytes, M.R., Botana, A.M., Vieites, J.M. and Botana, L.M.  
Modified mass action law-based model to correlate the solubility of solids and liquids in entrained supercritical carbon dioxide 910(2001)119
- Gorbunov, A., see Trathnigg, B. 910(2001)207
- Granados, M., see Leal, C. 910(2001)285
- Großmann, F., Ehwald, V., du Fresne von Hohenesche, C. and Unger, K.K.  
Impact of the post-treatment conditions of parent silica on the silanization of *n*-octadecyl bonded silica packings in reversed-phase high-performance liquid chromatography 910(2001)223
- Gyéresi, Á., see Péter, M. 910(2001)247
- Haddad, P.R., see Madden, J.E. 910(2001)173
- Han, H., see Shangguan, D. 910(2001)367
- Han, S.C., see Hyun, M.H. 910(2001)359
- Handley, A., see Louden, D. 910(2001)237
- Havel, J., see Madden, J.E. 910(2001)173
- Hayakawa, K., see Yamamoto, A. 910(2001)217
- Hayakawa, T., see Ohta, M. 910(2001)1
- Honda, A., see Suzuki, S. 910(2001)319
- Honda, S., see Suzuki, S. 910(2001)319
- Huang, H.-C., see Lin, C.-E. 910(2001)165
- Huang, S., see Zhang, X. 910(2001)13
- Hyuga, M., see Ohta, M. 910(2001)1
- Hyuga, S., see Ohta, M. 910(2001)1
- Hyun, M.H., Han, S.C., Lipshutz, B.H., Shin, Y.-J. and Welch, C.J.  
New chiral crown ether stationary phase for the liquid chromatographic resolution of  $\alpha$ -amino acid enantiomers 910(2001)359
- Inoue, N., see Suzuki, S. 910(2001)319
- Inoue, S., see Takeuchi, T. 910(2001)373
- Karami, A., see Torabi, K. 910(2001)19
- Kawasaki, N., see Ohta, M. 910(2001)1
- Keller, P., see Schieber, A. 910(2001)265
- Keum, Y.I., see Cheong, W.J. 910(2001)195
- Kitaoka, M., see Yamamoto, A. 910(2001)217
- Kodama, S., see Yamamoto, A. 910(2001)217
- Lafont, R., see Louden, D. 910(2001)237
- Lai, E.P.C., see Dabek-Zlotorzynska, E. 910(2001)331
- Lambert, W., see Borrey, D. 910(2001)105
- Leal, C., Codony, R., Compañó, R., Granados, M. and Prat, M.D.  
Determination of macrolide antibiotics by liquid chromatography 910(2001)285
- Lee, W., Cho, D., Chun, B.O., Chang, T. and Ree, M.  
Characterization of polystyrene and polyisoprene by normal-phase temperature gradient interaction chromatography 910(2001)51
- Lenz, E., see Louden, D. 910(2001)237
- Lin, C.-E., Chen, C.-C., Chen, H.-W., Huang, H.-C., Lin, C.-H. and Liu, Yu.-C.  
Optimization of separation and migration behavior of chloropyridines in micellar electrokinetic chromatography 910(2001)165
- Lin, C.-H., see Lin, C.-E. 910(2001)165
- Lipshutz, B.H., see Hyun, M.H. 910(2001)359
- Liu, G., see Shangguan, D. 910(2001)367
- Liu, Yu.-C., see Lin, C.-E. 910(2001)165
- Louden, D., Handley, A., Taylor, S., Lenz, E., Miller, S., Wilson, I.D., Sage, A. and Lafont, R.  
Spectroscopic characterisation and identification of ecdysteroids using high-performance liquid chromatography combined with on-line UV–diode array, FT-infrared and <sup>1</sup>H-nuclear magnetic resonance spectroscopy and time of flight mass spectrometry 910(2001)237
- Luque de Castro, M.D., see Mataix, E. 910(2001)255
- Luten, J.B., see De Geus, H.-J. 910(2001)95
- Madden, J.E., Avdalovic, N., Haddad, P.R. and Havel, J.  
Prediction of retention times for anions in linear gradient elution ion chromatography with hydroxide eluents using artificial neural networks 910(2001)173
- Marengo, E., see Gennaro, M.C. 910(2001)79
- Marina, M.L., see García-Ruiz, C. 910(2001)157
- Martín-Biosca, Y., see García-Ruiz, C. 910(2001)157
- Martinez, J., see Farenc, C. 910(2001)61
- Masson, P., see Rochu, D. 910(2001)347
- Mataix, E. and Luque de Castro, M.D.  
Determination of anthocyanins in wine based on flow-injection, liquid–solid extraction, continuous evaporation and high-performance liquid chromatography–photometric detection 910(2001)255
- Matsunaga, A., see Yamamoto, A. 910(2001)217
- Maurino, V., see Gennaro, M.C. 910(2001)79
- McGrath, M., see Dabek-Zlotorzynska, E. 910(2001)331
- Meyer, E., see Borrey, D. 910(2001)105
- Miksik, I., see Cserhádi, T. 910(2001)137
- Miller, S., see Louden, D. 910(2001)237
- Miwa, T., see Takeuchi, T. 910(2001)373
- Niessen, W.M.A., see Geerdink, R.B. 910(2001)291
- Ohta, M., Kawasaki, N., Hyuga, S., Hyuga, M. and Hayakawa, T.  
Selective glycopeptide mapping of erythropoietin by on-line high-performance liquid chromatography–electrospray ionization mass spectrometry 910(2001)1

- Oumada, F.Z., see Rosés, M. 910(2001)187
- Paull, B., see Bashir, W. 910(2001)301
- Pernet, T., see Rochu, D. 910(2001)347
- Péter, M., Gyéresi, Á. and Fülöp, F.  
Liquid chromatographic enantioseparation of  $\beta$ -blocking agents with (1*R*,2*R*)-1,3-diacetoxy-1-(4-nitrophenyl)-2-propyl isothiocyanate as chiral derivatizing agent 910(2001)247
- Piechowski, M., see Dabek-Zlotorzynska, E. 910(2001)331
- Prat, M.D., see Leal, C. 910(2001)285
- Püttmann, W., see Achten, C. 910(2001)377
- Ree, M., see Lee, W. 910(2001)51
- Renault, F., see Rochu, D. 910(2001)347
- Rochu, D., Pernet, T., Renault, F., Bon, C. and Masson, P.  
Dual effect of high electric field in capillary electrophoresis study of the conformational stability of *Bungarus fasciatus* acetylcholinesterase 910(2001)347
- Rosés, M., Oumada, F.Z. and Bosch, E.  
Retention of ionizable compounds on high-performance liquid chromatography. VII. Characterization of the retention of ionic solutes in a C<sub>18</sub> column by mass spectrometry with electrospray ionization 910(2001)187
- Sage, A., see Louden, D. 910(2001)237
- Sanchez, P., see Farenc, C. 910(2001)61
- Saraji, M., see Bagheri, H. 910(2001)87
- Scherwenk, E., see Ahrer, W. 910(2001)69
- Schieber, A., Keller, P. and Carle, R.  
Determination of phenolic acids and flavonoids of apple and pear by high-performance liquid chromatography 910(2001)265
- Schunk, T.C., see Torabi, K. 910(2001)19
- Shamsi, S.A., see Akbay, C. 910(2001)147
- Shangguan, D., Han, H., Zhao, R., Zhao, Y., Xiong, S. and Liu, G.  
New method for high-performance liquid chromatographic separation and fluorescence detection of ginsenosides 910(2001)367
- Shin, Y.-J., see Hyun, M.H. 910(2001)359
- Snyder, L.R., see Dolan, J.W. 910(2001)385
- Stålbrand, H., see Collén, A. 910(2001)275
- Suzuki, S., Tanaka, R., Takada, K., Inoue, N., Yashima, Y., Honda, A. and Honda, S.  
Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3-methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319
- Takada, K., see Suzuki, S. 910(2001)319
- Takeuchi, T., Inoue, S., Yamamoto, M., Tsuji, M. and Miwa, T.  
Fluorimetric determination of magnesium and aluminum via complexation with oxine in high-performance liquid chromatography 910(2001)373
- Tanaka, R., see Suzuki, S. 910(2001)319
- Taylor, S., see Louden, D. 910(2001)237
- Tewari, B.B.  
Ionophoretic studies on mixed metal–nitrilotriacetate–penicillamine complexes 910(2001)181
- Thiébaud, D., see Bertocini, F. 910(2001)127
- Thomas, C.S., see Van Heukelem, L. 910(2001)31
- Tjerneld, F., see Collén, A. 910(2001)275
- Torabi, K., Karami, A., Balke, S.T. and Schunk, T.C.  
Quantitative FTIR detection in size-exclusion chromatography 910(2001)19
- Trathnigg, B. and Gorbunov, A.  
Liquid exclusion–adsorption chromatography: new technique for isocratic separation of nonionic surfactants. I. Retention behaviour of fatty alcohol ethoxylates 910(2001)207
- Tsuji, M., see Takeuchi, T. 910(2001)373
- Unger, K.K., see Großmann, F. 910(2001)223
- Van Calenbergh, S., see Borrey, D. 910(2001)105
- Van Heukelem, L. and Thomas, C.S.  
Computer-assisted high-performance liquid chromatography method development with applications to the isolation and analysis of phytoplankton pigments 910(2001)31
- Van Heukelen, L., see Dolan, J.W. 910(2001)385
- Van Peteghem, C., see Borrey, D. 910(2001)105
- Vieites, J.M., see González, J.C. 910(2001)119
- Vieytes, M.R., see González, J.C. 910(2001)119
- Ward, M., see Collén, A. 910(2001)275
- Warner, I.M., see Akbay, C. 910(2001)147
- Welch, C.J., see Hyun, M.H. 910(2001)359
- Wilson, I.D., see Louden, D. 910(2001)237
- Xiong, S., see Shangguan, D. 910(2001)367
- Yamamoto, A., Kodama, S., Matsunaga, A., Hayakawa, K., Yasui, Y. and Kitaoka, M.  
Multi-beam polarized photometric detector for high-performance liquid chromatography 910(2001)217
- Yamamoto, M., see Takeuchi, T. 910(2001)373
- Yang, W.-C., Yu, X.-D., Yu, A.-M. and Chen, H.-Y.  
Study of a novel cationic calix[4]arene used as selectivity modifier in capillary electrophoresis with electrochemical detection 910(2001)311
- Yashima, Y., see Suzuki, S. 910(2001)319
- Yasui, Y., see Yamamoto, A. 910(2001)217
- Yu, A.-M., see Yang, W.-C. 910(2001)311
- Yu, X.-D., see Yang, W.-C. 910(2001)311
- Zhang, X. and Huang, S.  
Single step on-column frit making for capillary high-performance liquid chromatography using sol–gel technology 910(2001)13
- Zhao, R., see Shangguan, D. 910(2001)367
- Zhao, Y., see Shangguan, D. 910(2001)367