



ELSEVIER

Journal of Chromatography A, 910 (2001) 391–398

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 910

Acetylcholinesterase

Dual effect of high electric field in capillary electrophoresis study of the conformational stability of *Bungarus fasciatus* acetylcholinesterase 910(2001)347

Aerosols

Determination of low-molecular-mass carboxylic acids in atmospheric aerosol and vehicle emission samples by capillary electrophoresis 910(2001)331

Air analysis

Determination of low-molecular-mass carboxylic acids in atmospheric aerosol and vehicle emission samples by capillary electrophoresis 910(2001)331

Aluminium

Ionophoretic studies on mixed metal–nitrilotriacetate–penicillamine complexes 910(2001)181

Aluminum

Fluorimetric determination of magnesium and aluminum via complexation with oxine in high-performance liquid chromatography 910(2001)373

Amino acids

New chiral crown ether stationary phase for the liquid chromatographic resolution of α -amino acid enantiomers 910(2001)359

Aminophenols

Study of a novel cationic calix[4]arene used as selectivity modifier in capillary electrophoresis with electrochemical detection 910(2001)311

Anthocyanins

Determination of anthocyanins in wine based on flow-injection, liquid–solid extraction, continuous evaporation and high-performance liquid chromatography–photometric detection 910(2001)255

Antibiotics

Determination of macrolide antibiotics by liquid chromatography 910(2001)285

Aqueous two-phase systems

Genetically engineered peptide fusions for improved protein partitioning in aqueous two-phase systems. Effect of fusion localization on endoglucanase I of *Trichoderma reesei* 910(2001)275

Atomic emission detection

On-line packed column supercritical fluid chromatography–microwave-induced plasma atomic emission 910(2001)127

Automation

Determination of anthocyanins in wine based on flow-injection, liquid–solid extraction, continuous evaporation and high-performance liquid chromatography–photometric detection 910(2001)255

Background electrolyte composition

Separation of monomethyl-benz[*a*]anthracene isomers using cyclodextrin-modified electrokinetic chromatography 910(2001)147

Benzenediols

Study of a novel cationic calix[4]arene used as selectivity modifier in capillary electrophoresis with electrochemical detection 910(2001)311

Benzodiazepines

Sensitive gas chromatographic–mass spectrometric screening of acetylated benzodiazepines 910(2001)105

Beryllium

Sensitive and selective ion chromatographic method for the determination of trace beryllium in water samples 910(2001)301

β -Blockers

Liquid chromatographic enantioseparation of β -blocking agents with (1*R*,2*R*)-1,3-diacetoxy-1-(4-nitrophenyl)-2-propyl isothiocyanate as chiral derivatizing agent 910(2001)247

Buffer composition

Rapid enantiomeric separation of polychlorinated biphenyls by electrokinetic chromatography using mixtures of neutral and charged cyclodextrin derivatives 910(2001)157

Optimization of separation and migration behavior of chloropyridines in micellar electrokinetic chromatography 910(2001)165

Study of a novel cationic calix[4]arene used as selectivity modifier in capillary electrophoresis with electrochemical detection 910(2001)311

Bungarus fasciatus

Dual effect of high electric field in capillary electrophoresis study of the conformational stability of *Bungarus fasciatus* acetylcholinesterase 910(2001)347

Calcination

Impact of the post-treatment conditions of parent silica on the silanization of *n*-octadecyl bonded silica packings in reversed-phase high-performance liquid chromatography 910(2001)223

Calixarenes

Study of a novel cationic calix[4]arene used as selectivity modifier in capillary electrophoresis with electrochemical detection 910(2001)311

Capillary columns

Single step on-column frit making for capillary high-performance liquid chromatography using sol-gel technology 910(2001)13

Carbohydrates

Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3-methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319

Carbonyl group

Positional effect of solute functional group among positional isomers in hydroxyl group-solvent and carbonyl group-solvent specific interactions in methanol-water mixed solvents monitored by high-performance liquid chromatography 910(2001)195

Carboxylic acid

Determination of low-molecular-mass carboxylic acids in atmospheric aerosol and vehicle emission samples by capillary electrophoresis 910(2001)331

Carotenoids

Computer-assisted high-performance liquid chromatography method development with applications to the isolation and analysis of phytoplankton pigments 910(2001)31

Charge exclusion

Retention of ionizable compounds on high-performance liquid chromatography. VII. Characterization of the retention of ionic solutes in a C₁₈ column by mass spectrometry with electrospray ionization 910(2001)187

Chiral stationary phases, LC

New chiral crown ether stationary phase for the liquid chromatographic resolution of α -amino acid enantiomers 910(2001)359

Chlorophenols

New polymeric sorbent for the solid-phase extraction of chlorophenols from water samples followed by gas chromatography-electron-capture detection 910(2001)87

Chlorophylls

Computer-assisted high-performance liquid chromatography method development with applications to the isolation and analysis of phytoplankton pigments 910(2001)31

Chloropyridines

Optimization of separation and migration behavior of chloropyridines in micellar electrokinetic chromatography 910(2001)165

Cholinesterase

Dual effect of high electric field in capillary electrophoresis study of the conformational stability of *Bungarus fasciatus* acetylcholinesterase 910(2001)347

Chromatography modeling software

Computer-assisted high-performance liquid chromatography method development with applications to the isolation and analysis of phytoplankton pigments 910(2001)31

Comprehensive two-dimensional gas chromatography

Characterisation of fatty acids in biological oil samples using comprehensive multidimensional gas chromatography 910(2001)95

Crown ether

New chiral crown ether stationary phase for the liquid chromatographic resolution of α -amino acid enantiomers 910(2001)359

Cyclodextrins

Separation of monomethyl-benz[*a*]anthracene isomers using cyclodextrin-modified electrokinetic chromatography 910(2001)147

Rapid enantiomeric separation of polychlorinated biphenyls by electrokinetic chromatography using mixtures of neutral and charged cyclodextrin derivatives 910(2001)157

(1*R*,2*R*)-1,3-Diacetoxy-1-(4-nitrophenyl)-2-propyl isothiocyanate

Liquid chromatographic enantioseparation of β -blocking agents with (1*R*,2*R*)-1,3-diacetoxy-1-(4-nitrophenyl)-2-propyl isothiocyanate as chiral derivatizing agent 910(2001)247

Derivatization, electrophoresis

Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3-methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319

Derivatization, GC

Sensitive gas chromatographic–mass spectrometric screening of acetylated benzodiazepines 910(2001)105

Derivatization, LC

Liquid chromatographic enantioseparation of β -blocking agents with (1*R*,2*R*)-1,3-diacetoxy-1-(4-nitrophenyl)-2-propyl isothiocyanate as chiral derivatizing agent 910(2001)247

New method for high-performance liquid chromatographic separation and fluorescence detection of ginsenosides 910(2001)367

Fluorimetric determination of magnesium and aluminum via complexation with oxine in high-performance liquid chromatography 910(2001)373

Detection, LC

Quantitative FTIR detection in size-exclusion chromatography 910(2001)19

Multi-beam polarized photometric detector for high-performance liquid chromatography 910(2001)217

Spectroscopic characterisation and identification of ecdysteroids using high-performance liquid chromatography combined with on-line UV–diode array, FT-infrared and ^1H -nuclear magnetic resonance spectroscopy and time of flight mass spectrometry 910(2001)237

Detection, SFC

On-line packed column supercritical fluid chromatography–microwave-induced plasma atomic emission 910(2001)127

Drugs

Determination of drug residues in water by the combination of liquid chromatography or capillary electrophoresis with electrospray mass spectrometry 910(2001)69

Ecdysteroids

Spectroscopic characterisation and identification of ecdysteroids using high-performance liquid chromatography combined with on-line UV–diode array, FT-infrared and ^1H -nuclear magnetic resonance spectroscopy and time of flight mass spectrometry 910(2001)237

Enantiomer separation

Rapid enantiomeric separation of polychlorinated biphenyls by electrokinetic chromatography using mixtures of neutral and charged cyclodextrin derivatives 910(2001)157

Liquid chromatographic enantioseparation of β -blocking agents with (1*R*,2*R*)-1,3-diacetoxy-1-(4-nitrophenyl)-2-propyl isothiocyanate as chiral derivatizing agent 910(2001)247

New chiral crown ether stationary phase for the liquid chromatographic resolution of α -amino acid enantiomers 910(2001)359

Endoglucanases

Genetically engineered peptide fusions for improved protein partitioning in aqueous two-phase systems. Effect of fusion localization on endoglucanase I of *Trichoderma reesei* 910(2001)275

Environmental analysis

Determination of drug residues in water by the combination of liquid chromatography or capillary electrophoresis with electrospray mass spectrometry 910(2001)69

New polymeric sorbent for the solid-phase extraction of chlorophenols from water samples followed by gas chromatography–electron-capture detection 910(2001)87

Enzymes

Genetically engineered peptide fusions for improved protein partitioning in aqueous two-phase systems. Effect of fusion localization on endoglucanase I of *Trichoderma reesei* 910(2001)275

Dual effect of high electric field in capillary electrophoresis study of the conformational stability of *Bungarus fasciatus* acetylcholinesterase 910(2001)347

Errata

Erratum to “Selectivity differences for C_{18} and C_8 reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution” [J. Chromatogr. A 897 (2000) 37–50] 910(2001)385

Erythropoietin

Selective glycopeptide mapping of erythropoietin by on-line high-performance liquid chromatography–electrospray ionization mass spectrometry 910(2001)1

Ethers

Method for determination of methyl *tert*-butyl ether in gasoline by gas chromatography 910(2001)377

Ethyl *tert*-butyl ether

Method for determination of methyl *tert*-butyl ether in gasoline by gas chromatography 910(2001)377

Experimental design

New strategies for the determination of phenylurea pesticides by gas chromatography with hot splitless inlet systems 910(2001)79

Fatty acids

Characterisation of fatty acids in biological oil samples using comprehensive multidimensional gas chromatography 910(2001)95

Fatty alcohols ethoxylates

Liquid exclusion–adsorption chromatography: new technique for isocratic separation of nonionic surfactants. I. Retention behaviour of fatty alcohol ethoxylates 910(2001)207

Fetuin

Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3-methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319

Flavonoids

Determination of phenolic acids and flavonoids of apple and pear by high-performance liquid chromatography 910(2001)265

Food analysis

Determination of anthocyanins in wine based on flow-injection, liquid–solid extraction, continuous evaporation and high-performance liquid chromatography–photometric detection 910(2001)255

Fourier transform infrared spectroscopy

Quantitative FTIR detection in size-exclusion chromatography 910(2001)19

Frit making

Single step on-column frit making for capillary high-performance liquid chromatography using sol–gel technology 910(2001)13

Functional group

Positional effect of solute functional group among positional isomers in hydroxyl group–solvent and carbonyl group–solvent specific interactions in methanol–water mixed solvents monitored by high-performance liquid chromatography 910(2001)195

Gas chromatography

Characterisation of fatty acids in biological oil samples using comprehensive multidimensional gas chromatography 910(2001)95

Gasoline

Method for determination of methyl *tert*-butyl ether in gasoline by gas chromatography 910(2001)377

Ginsenosides

New method for high-performance liquid chromatographic separation and fluorescence detection of ginsenosides 910(2001)367

Glucosides

Determination of anthocyanins in wine based on flow-injection, liquid–solid extraction, continuous evaporation and high-performance liquid chromatography–photometric detection 910(2001)255

Glycans

Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3-methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319

Glycopeptides

Selective glycopeptide mapping of erythropoietin by on-line high-performance liquid chromatography–electrospray ionization mass spectrometry 910(2001)1

Glycoproteins

Selective glycopeptide mapping of erythropoietin by on-line high-performance liquid chromatography–electrospray ionization mass spectrometry 910(2001)1

Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3-methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319

Gradient time

Erratum to ‘‘Selectivity differences for C₁₈ and C₈ reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution’’ [J. Chromatogr. A 897 (2000) 37–50] 910(2001)385

Gradient elution

Prediction of retention times for anions in linear gradient elution ion chromatography with hydroxide eluents using artificial neural networks 910(2001)173

Hydroxyl group

Positional effect of solute functional group among positional isomers in hydroxyl group–solvent and carbonyl group–solvent specific interactions in methanol–water mixed solvents monitored by high-performance liquid chromatography 910(2001)195

Injection methods

New strategies for the determination of phenylurea pesticides by gas chromatography with hot splitless inlet systems 910(2001)79

Inorganic anions

Prediction of retention times for anions in linear gradient elution ion chromatography with hydroxide eluents using artificial neural networks 910(2001)173

Inorganic cations

Retention of ionizable compounds on high-performance liquid chromatography. VII. Characterization of the retention of ionic solutes in a C₁₈ column by mass spectrometry with electrospray ionization 910(2001)187

Ion chromatography

Sensitive and selective ion chromatographic method for the determination of trace beryllium in water samples 910(2001)301

Liquid exclusion–adsorption chromatography

Liquid exclusion–adsorption chromatography: new technique for isocratic separation of nonionic surfactants. I. Retention behaviour of fatty alcohol ethoxylates 910(2001)207

Macrolide antibiotics

Determination of macrolide antibiotics by liquid chromatography 910(2001)285

Magnesium

Fluorimetric determination of magnesium and aluminum via complexation with oxine in high-performance liquid chromatography 910(2001)373

Mathematical modelling

Modified mass action law-based model to correlate the solubility of solids and liquids in entrained supercritical carbon dioxide 910(2001)119

Metal cations

Ionophoretic studies on mixed metal–nitrilotriacetate–penicillamine complexes 910(2001)181

Metal complexes

Ionophoretic studies on mixed metal–nitrilotriacetate–penicillamine complexes 910(2001)181

Methylbenz[*a*]anthracenes

Separation of monomethyl-benz[*a*]anthracene isomers using cyclodextrin-modified electrokinetic chromatography 910(2001)147

Methylpentanes

Method for determination of methyl *tert*-butyl ether in gasoline by gas chromatography 910(2001)377

Methyl *tert*-butyl ether

Method for determination of methyl *tert*-butyl ether in gasoline by gas chromatography 910(2001)377

Micelles, Mixed

Optimization of separation and migration behavior of chloropyridines in micellar electrokinetic chromatography 910(2001)165

Microwave-induced plasma

On-line packed column supercritical fluid chromatography–microwave-induced plasma atomic emission 910(2001)127

Mixture analysis

Spectroscopic characterisation and identification of ecdysteroids using high-performance liquid chromatography combined with on-line UV–diode array, FT-infrared and ¹H-nuclear magnetic resonance spectroscopy and time of flight mass spectrometry 910(2001)237

Mobile phase composition

Prediction of retention times for anions in linear gradient elution ion chromatography with hydroxide eluents using artificial neural networks 910(2001)173

Retention of ionizable compounds on high-performance liquid chromatography. VII. Characterization of the retention of ionic solutes in a C₁₈ column by mass spectrometry with electrospray ionization 910(2001)187

Multiple hyphenation

Spectroscopic characterisation and identification of ecdysteroids using high-performance liquid chromatography combined with on-line UV–diode array, FT-infrared and ¹H-nuclear magnetic resonance spectroscopy and time of flight mass spectrometry 910(2001)237

Multi-beam polarized photometric detection

Multi-beam polarized photometric detector for high-performance liquid chromatography 910(2001)217

Neural networks, artificial

Prediction of retention times for anions in linear gradient elution ion chromatography with hydroxide eluents using artificial neural networks 910(2001)173

Nitrilotriacetic acid

Ionophoretic studies on mixed metal–nitrilotriacetate–penicillamine complexes 910(2001)181

Non-ionic surfactants

Liquid exclusion–adsorption chromatography: new technique for isocratic separation of nonionic surfactants. I. Retention behaviour of fatty alcohol ethoxylates 910(2001)207

Octaethoxy oleyl alcohol

Interaction of surfactants with homologous series of peptides studied by reversed-phase thin-layer chromatography 910(2001)137

Oils

Characterisation of fatty acids in biological oil samples using comprehensive multidimensional gas chromatography 910(2001)95

Optimization

Erratum to “Selectivity differences for C₁₈ and C₈ reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution” [J. Chromatogr. A 897 (2000) 37–50] 910(2001)385

Organic acids

Prediction of retention times for anions in linear gradient elution ion chromatography with hydroxide eluents using artificial neural networks 910(2001)173

Oxine

Fluorimetric determination of magnesium and aluminum via complexation with oxine in high-performance liquid chromatography 910(2001)373

Paper ionophoresis

Ionophoretic studies on mixed metal–nitrilotriacetate–penicillamine complexes 910(2001)181

Penicillamine

Ionophoretic studies on mixed metal–nitrilotriacetate–penicillamine complexes 910(2001)181

Peptides

Selective glycopeptide mapping of erythropoietin by on-line high-performance liquid chromatography–electrospray ionization mass spectrometry 910(2001)1

Interaction of surfactants with homologous series of peptides studied by reversed-phase thin-layer chromatography 910(2001)137

Genetically engineered peptide fusions for improved protein partitioning in aqueous two-phase systems. Effect of fusion localization on endoglucanase I of *Trichoderma reesei* 910(2001)275

Pesticides

New strategies for the determination of phenylurea pesticides by gas chromatography with hot splitless inlet systems 910(2001)79

Mass spectrometric confirmation criterion for product-ion spectra generated in flow-injection analysis. Environmental application 910(2001)291

Pharmaceutical analysis

Sensitive gas chromatographic–mass spectrometric screening of acetylated benzodiazepines 910(2001)105

New method for high-performance liquid chromatographic separation and fluorescence detection of ginsenosides 910(2001)367

Phenolic acids

Determination of phenolic acids and flavonoids of apple and pear by high-performance liquid chromatography 910(2001)265

Phenolic compounds

Determination of anthocyanins in wine based on flow-injection, liquid–solid extraction, continuous evaporation and high-performance liquid chromatography–photometric detection 910(2001)255

Phenols

New polymeric sorbent for the solid-phase extraction of chlorophenols from water samples followed by gas chromatography–electron-capture detection 910(2001)87

Study of a novel cationic calix[4]arene used as selectivity modifier in capillary electrophoresis with electrochemical detection 910(2001)311

Phenylmethylpyrazolone

Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3-methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319

Phenylureas

New strategies for the determination of phenylurea pesticides by gas chromatography with hot splitless inlet systems 910(2001)79

On-line packed column supercritical fluid chromatography–microwave-induced plasma atomic emission 910(2001)127

Phytoplankton pigments

Computer-assisted high-performance liquid chromatography method development with applications to the isolation and analysis of phytoplankton pigments 910(2001)31

Plant extracts

Spectroscopic characterisation and identification of ecdysteroids using high-performance liquid chromatography combined with on-line UV–diode array, FT-infrared and ¹H-nuclear magnetic resonance spectroscopy and time of flight mass spectrometry 910(2001)237

Polarized photometric detection

Multi-beam polarized photometric detector for high-performance liquid chromatography 910(2001)217

Polyaniline sorbents

New polymeric sorbent for the solid-phase extraction of chlorophenols from water samples followed by gas chromatography–electron-capture detection 910(2001)87

Polychlorinated biphenyls

Rapid enantiomeric separation of polychlorinated biphenyls by electrokinetic chromatography using mixtures of neutral and charged cyclodextrin derivatives 910(2001)157

Polyisoprene

Characterization of polystyrene and polyisoprene by normal-phase temperature gradient interaction chromatography 910(2001)51

Polymers

Quantitative FTIR detection in size-exclusion chromatography 910(2001)19

Characterization of polystyrene and polyisoprene by normal-phase temperature gradient interaction chromatography 910(2001)51

Polynuclear aromatic hydrocarbons

Separation of monomethyl-benz[*a*]anthracene isomers using cyclodextrin-modified electrokinetic chromatography 910(2001)147

Poly(sodium 10-undecylenic sulfate)

Separation of monomethyl-benz[*a*]anthracene isomers using cyclodextrin-modified electrokinetic chromatography 910(2001)147

Polystyrene

Characterization of polystyrene and polyisoprene by normal-phase temperature gradient interaction chromatography 910(2001)51

Positional effect

Positional effect of solute functional group among positional isomers in hydroxyl group–solvent and carbonyl group–solvent specific interactions in methanol–water mixed solvents monitored by high-performance liquid chromatography 910(2001)195

Post-treatment procedures

Impact of the post-treatment conditions of parent silica on the silanization of *n*-octadecyl bonded silica packings in reversed-phase high-performance liquid chromatography 910(2001)223

Protein folding

Dual effect of high electric field in capillary electrophoresis study of the conformational stability of *Bungarus fasciatus* acetylcholinesterase 910(2001)347

Proteins

Selective glycopeptide mapping of erythropoietin by on-line high-performance liquid chromatography–electrospray ionization mass spectrometry 910(2001)1

Genetically engineered peptide fusions for improved protein partitioning in aqueous two-phase systems. Effect of fusion localization on endoglucanase I of *Trichoderma reesei* 910(2001)275

Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3-methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319

Pyridines

Optimization of separation and migration behavior of chloropyridines in micellar electrokinetic chromatography 910(2001)165

Rehydroxylation

Impact of the post-treatment conditions of parent silica on the silanization of *n*-octadecyl bonded silica packings in reversed-phase high-performance liquid chromatography 910(2001)223

Retention behavior

Retention of ionizable compounds on high-performance liquid chromatography. VII. Characterization of the retention of ionic solutes in a C₁₈ column by mass spectrometry with electrospray ionization 910(2001)187

Retention prediction

Prediction of retention times for anions in linear gradient elution ion chromatography with hydroxide eluents using artificial neural networks 910(2001)173

Rocuronium

Quantitative determination of rocuronium in human plasma by liquid chromatography–electrospray ionization mass spectrometry 910(2001)61

Selectivity

Study of a novel cationic calix[4]arene used as selectivity modifier in capillary electrophoresis with electrochemical detection 910(2001)311

Erratum to “Selectivity differences for C₁₈ and C₈ reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution” [J. Chromatogr. A 897 (2000) 37–50] 910(2001)385

Sialoglycans

Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3-methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319

Silanization

Impact of the post-treatment conditions of parent silica on the silanization of *n*-octadecyl bonded silica packings in reversed-phase high-performance liquid chromatography 910(2001)223

Silica, *n*-octadecyl bonded

Impact of the post-treatment conditions of parent silica on the silanization of *n*-octadecyl bonded silica packings in reversed-phase high-performance liquid chromatography 910(2001)223

Sodium dodecylsulfate

Interaction of surfactants with homologous series of peptides studied by reversed-phase thin-layer chromatography 910(2001)137

Solid-phase extraction

New polymeric sorbent for the solid-phase extraction of chlorophenols from water samples followed by gas chromatography–electron-capture detection 910(2001)87

Solubility

Modified mass action law-based model to correlate the solubility of solids and liquids in entrained supercritical carbon dioxide 910(2001)119

Solute–solvent interactions

Positional effect of solute functional group among positional isomers in hydroxyl group–solvent and carbonyl group–solvent specific interactions in methanol–water mixed solvents monitored by high-performance liquid chromatography 910(2001)195

Sol–gel technology

Single step on-column frit making for capillary high-performance liquid chromatography using sol–gel technology 910(2001)13

Spatial accessibility

Positional effect of solute functional group among positional isomers in hydroxyl group–solvent and carbonyl group–solvent specific interactions in methanol–water mixed solvents monitored by high-performance liquid chromatography 910(2001)195

Spectroscopic characterization

Spectroscopic characterization and identification of ecdysteroids using high-performance liquid chromatography combined with on-line UV–diode array, FT-infrared and ¹H-nuclear magnetic resonance spectroscopy and time of flight mass spectrometry 910(2001)237

Stability constants

Ionophoretic studies on mixed metal–nitrilotriacetate–penicillamine complexes 910(2001)181

Stationary phases, LC

Computer-assisted high-performance liquid chromatography method development with applications to the isolation and analysis of phytoplankton pigments 910(2001)31

Impact of the post-treatment conditions of parent silica on the silanization of *n*-octadecyl bonded silica packings in reversed-phase high-performance liquid chromatography 910(2001)223

Erratum to “Selectivity differences for C₁₈ and C₈ reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution” [J. Chromatogr. A 897 (2000) 37–50] 910(2001)385

Supercritical fluid extraction

Modified mass action law-based model to correlate the solubility of solids and liquids in entrained supercritical carbon dioxide 910(2001)119

Surfactants

Interaction of surfactants with homologous series of peptides studied by reversed-phase thin-layer chromatography 910(2001)137

Temperature

Erratum to “Selectivity differences for C₁₈ and C₈ reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution” [J. Chromatogr. A 897 (2000) 37–50] 910(2001)385

Temperature gradient interaction chromatography

Characterization of polystyrene and polyisoprene by normal-phase temperature gradient interaction chromatography 910(2001)51

Tetrabutylammonium bromide

Retention of ionizable compounds on high-performance liquid chromatography. VII. Characterization of the retention of ionic solutes in a C₁₈ column by mass spectrometry with electrospray ionization 910(2001)187

Thermodynamic parameters

Modified mass action law-based model to correlate the solubility of solids and liquids in entrained supercritical carbon dioxide 910(2001)119

Thorium

Ionophoretic studies on mixed metal–nitrilotriacetate–penicillamine complexes 910(2001)181

Trichoderma reesei

Genetically engineered peptide fusions for improved protein partitioning in aqueous two-phase systems. Effect of fusion localization on endoglucanase I of *Trichoderma reesei* 910(2001)275

Triazines

Mass spectrometric confirmation criterion for product-ion spectra generated in flow-injection analysis. Environmental application 910(2001)291

Water analysis

Determination of drug residues in water by the combination of liquid chromatography or capillary electrophoresis with electrospray mass spectrometry 910(2001)69

New polymeric sorbent for the solid-phase extraction of chlorophenols from water samples followed by gas chromatography–electron-capture detection 910(2001)87

Mass spectrometric confirmation criterion for product-ion spectra generated in flow-injection analysis. Environmental application 910(2001)291

Sensitive and selective ion chromatographic method for the determination of trace beryllium in water samples 910(2001)301

Wine

Determination of anthocyanins in wine based on flow-injection, liquid–solid extraction, continuous evaporation and high-performance liquid chromatography–photometric detection 910(2001)255