



ELSEVIER

Journal of Chromatography A, 911 (2001) 299–301

JOURNAL OF  
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

## Author Index Vol. 911

- Andrews, A.R.J., see de Jager, L.S. 911(2001)97
- Arnošťová, H., Kučerová, Z., Tišlerová, I., Trnka, T. and Tichá, M.  
Affinity chromatography of porcine pepsin on different types of immobilized 3,5-diiodo-L-tyrosine 911(2001)211
- Attinà, M., see Baciocchi, R. 911(2001)135
- Baciocchi, R., Attinà, M., Lombardi, G. and Boni, M.R.  
Fast determination of phenols in contaminated soils 911(2001)135
- Balke, S.T., see Karami, A. 911(2001)127
- Bamba, T., Fukusaki, E., Kajiyama, S., Ute, K., Kitayama, T. and Kobayashi, A.  
High-resolution analysis of polyprenols by supercritical fluid chromatography 911(2001)113
- Barceló, D., see López de Alda, M.J. 911(2001)203
- Boni, M.R., see Baciocchi, R. 911(2001)135
- Bosch, E., see Canals, I. 911(2001)191
- Buchberger, W., see Klampfl, C.W. 911(2001)277
- Canals, I., Oumada, F.Z., Rosés, M. and Bosch, E.  
Retention of ionizable compounds on HPLC. 6. pH measurements with the glass electrode in methanol–water mixtures 911(2001)191
- Cherrak, D.E. and Guiochon, G.  
Phenomenological study of the bed–wall friction in axially compressed packed chromatographic columns 911(2001)147
- Cheung, H.Y., Ng, C.W. and Hood, D.J.  
Identification and quantification of base and nucleoside markers in extracts of *Ganoderma lucidum*, *Ganoderma japonicum* and *Ganoderma* capsules by micellar electrokinetic chromatography 911(2001)119
- Chieh, C.-L., see Sheu, S.-J. 911(2001)285
- Christians, T. and Holzgrabe, U.  
New single-isomer chiral selector for capillary electrophoresis: the highly water-soluble *heptakis*(2-*N,N*-dimethylcarbamoyl)- $\beta$ -cyclodextrin 911(2001)249
- Claessens, H.A., see Vonk, E.C. 911(2001)13
- Collins, G.E., see Evans III, L. 911(2001)127
- Cramers, C.A., see Vonk, E.C. 911(2001)13
- David, F., see Tienpont, B. 911(2001)235
- De Coning, J.P., see Laurens, J.B. 911(2001)107
- De Jager, L.S. and Andrews, A.R.J.  
Development of a screening method for cocaine and cocaine metabolites in urine using solvent microextraction in conjunction with gas chromatography 911(2001)97
- Endo, Y., Tagiri-Endo, M., Seo, H.-S. and Fujimoto, K.  
Identification and quantification of molecular species of diacyl glyceryl ether by reversed-phase high-performance liquid chromatography with refractive index detection and mass spectrometry 911(2001)39
- Eshraghi, J., see Nguyen, T. 911(2001)55
- Evans III, L. and Collins, G.E.  
Separation of uranium(VI) and transition metal ions with 4-(2-thiazolylazo)resorcinol by capillary electrophoresis 911(2001)127
- Fässler, P., see Öllers, S. 911(2001)225
- Fujimoto, K., see Endo, Y. 911(2001)39
- Fukusaki, E., see Bamba, T. 911(2001)113
- García-Carmona, F., see López-Mas, J.A. 911(2001)47
- Gonyea, G., see Nguyen, T. 911(2001)55
- Guiochon, G., see Cherrak, D.E. 911(2001)147
- Gupta, A.K., see Vijaya Saradhi, U.V.R. 911(2001)63
- Haddad, P.R., see Klampfl, C.W. 911(2001)277
- Holzgrabe, U., see Christians, T. 911(2001)249
- Honda, S., see Taga, A. 911(2001)259
- Hood, D.J., see Cheung, H.Y. 911(2001)119
- Hosoya, K., see Turowski, M. 911(2001)177
- Ibaraki, T., see Kawata, K. 911(2001)75
- Ikai, Y., see Ito, Y. 911(2001)217
- Ikegami, T., see Turowski, M. 911(2001)177
- Ito, Y., Ikai, Y., Oka, H., Matsumoto, H., Miyazaki, Y., Takeba, K. and Nagase, H.  
Application of ion-exchange cartridge clean-up in food analysis. IV. Confirmatory assay of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine tissues by liquid chromatography–electrospray ionization tandem mass spectrometry 911(2001)217
- Janssen, R.A.J., see Vonk, E.C. 911(2001)13
- Jayaram, B., see Vijaya Saradhi, U.V.R. 911(2001)63
- Kajiyama, S., see Bamba, T. 911(2001)113
- Karami, A., Balke, S.T. and Schunk, T.C.  
Quantitative interpretation of Fourier-transform infrared spectroscopic data from a size-exclusion chromatography solvent–evaporation interface 911(2001)127
- Kawata, K., Ibaraki, T., Tanabe, A., Yagoh, H., Shinoda, A., Suzuki, H. and Yasuhara, A.

- Gas chromatographic–mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75
- Kenndler, E., see Poppe, H. 911(2001)143
- Kimata, K., see Turowski, M. 911(2001)177
- Kitayama, T., see Bamba, T. 911(2001)113
- Klampfl, C.W., Buchberger, W. and Haddad, P.R.  
Fast separation of pyrimidine derivatives by capillary electrochromatography on ion-exchange/reversed-phase mixed-mode stationary phases 911(2001)277
- Kobayashi, A., see Bamba, T. 911(2001)113
- Kučerová, Z., see Arnoštová, H. 911(2001)211
- Langeveld-Voss, B.M.W., see Vonk, E.C. 911(2001)13
- Laurens, J.B., de Coning, J.P. and McNeil Swinley, J.  
Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107
- Lee, M.L., see Wu, N. 911(2001)1
- Lillard, S.J., see Zabzdzyr, J.L. 911(2001)269
- Lindner, W., see Poppe, H. 911(2001)143
- Lippert, J.A., see Wu, N. 911(2001)1
- Lombardi, G., see Baciocchi, R. 911(2001)135
- López de Alda, M.J. and Barceló, D.  
Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by fully automated on-line solid-phase extraction–liquid chromatography–diode array detection 911(2001)203
- López-Mas, J.A., Streitenberger, S.A., García-Carmona, F. and Sánchez-Ferrer, Á.  
Cyclodextrin biospecific-like displacement in dye-affinity chromatography 911(2001)47
- Matsumoto, H., see Ito, Y. 911(2001)217
- Mayer, S.F., see Steinreiber, A. 911(2001)295
- McNeil Swinley, J., see Laurens, J.B. 911(2001)107
- Miyazaki, Y., see Ito, Y. 911(2001)217
- Monde, H., see Turowski, M. 911(2001)177
- Morimoto, T., see Turowski, M. 911(2001)177
- Müller, S.R., see Öllers, S. 911(2001)225
- Nagase, H., see Ito, Y. 911(2001)217
- Ng, C.W., see Cheung, H.Y. 911(2001)119
- Nguyen, T., Eshraghi, J., Gonyea, G., Ream, R. and Smith, R.  
Studies on factors influencing stability and recovery of paclitaxel from suspension media and cultures of *Taxus cuspidata* cv *Densiformis* by high-performance liquid chromatography 911(2001)55
- Oka, H., see Ito, Y. 911(2001)217
- Öllers, S., Singer, H.P., Fässler, P. and Müller, S.R.  
Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225
- Oumada, F.Z., see Canals, I. 911(2001)191
- Poppe, H., Kenndler, E. and Lindner, W.  
Obituary 911(2001)143
- Ream, R., see Nguyen, T. 911(2001)55
- Rosés, M., see Canals, I. 911(2001)191
- Sánchez-Ferrer, Á., see López-Mas, J.A. 911(2001)47
- Sandra, P., see Tienpont, B. 911(2001)235
- Schunk, T.C., see Karami, A. 911(2001)127
- Schurig, V., see Trapp, O. 911(2001)167
- Sega, G.A., see Tomkins, B.A. 911(2001)85
- Semwal, R.P., see Vijaya Saradhi, U.V.R. 911(2001)63
- Seo, H.-S., see Endo, Y. 911(2001)39
- Sheu, S.-J., Chieh, C.-L. and Weng, W.-C.  
Capillary electrophoretic determination of the constituents of *Artemisia Capillaris* Herba 911(2001)285
- Shinoda, A., see Kawata, K. 911(2001)75
- Singer, H.P., see Öllers, S. 911(2001)225
- Smith, R., see Nguyen, T. 911(2001)55
- Steinreiber, A., Strauss, U., Mayer, S.F. and Uray, G.  
Simultaneous direct high-performance liquid chromatographic enantioseparation of 2-methylglycidol-1-benzyl ether and 2-methylglycerol-1-benzyl ether using a solvent-switching technique 911(2001)295
- Strauss, U., see Steinreiber, A. 911(2001)295
- Streitenberger, S.A., see López-Mas, J.A. 911(2001)47
- Suryanarayana, M.V.S., see Vijaya Saradhi, U.V.R. 911(2001)63
- Suzuki, H., see Kawata, K. 911(2001)75
- Suzuki, S., see Taga, A. 911(2001)259
- Taga, A., Suzuki, S. and Honda, S.  
Capillary electrophoretic analysis of carbohydrates derivatized by in-capillary condensation with 1-phenyl-3-methyl-5-pyrazolone 911(2001)259
- Tagiri-Endo, M., see Endo, Y. 911(2001)39
- Takeba, K., see Ito, Y. 911(2001)217
- Tanabe, A., see Kawata, K. 911(2001)75
- Tanaka, N., see Turowski, M. 911(2001)177
- Tichá, M., see Arnoštová, H. 911(2001)211
- Tienpont, B., David, F., Vanwalleghem, F. and Sandra, P.  
Pyrolysis–capillary gas chromatography–mass spectrometry for the determination of polyvinyl chloride traces in solid environmental samples 911(2001)235
- Tišlerová, I., see Arnoštová, H. 911(2001)211
- Tomkins, B.A. and Sega, G.A.  
Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode 911(2001)85
- Trapp, O. and Schurig, V.  
Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167
- Trnka, T., see Arnoštová, H. 911(2001)211
- Turowski, M., Morimoto, T., Kimata, K., Monde, H., Ikegami, T., Hosoya, K. and Tanaka, N.  
Selectivity of stationary phases in reversed-phase liquid chromatography based on the dispersion interactions 911(2001)177
- Uray, G., see Steinreiber, A. 911(2001)295
- Ute, K., see Bamba, T. 911(2001)113
- Van Dongen, J.L.J., see Vonk, E.C. 911(2001)13
- Vanwalleghem, F., see Tienpont, B. 911(2001)235
- Vijaya Saradhi, U.V.R., Suryanarayana, M.V.S., Gupta, A.K., Semwal, R.P. and Jayaram, B.  
Studies on the response mechanism of thermionic detection to organophosphorus compounds 911(2001)63

- Vonk, E.C., Langeveld-Voss, B.M.W., van Dongen, J.L.J.,  
Janssen, R.A.J., Claessens, H.A. and Cramers, C.A.  
Separation and characterization of oligomers by reversed-  
phase high-performance liquid chromatography; a study on  
well-defined oligothiophenes 911(2001)13
- Weng, W.-C., see Sheu, S.-J. 911(2001)285
- Wu, N., Lippert, J.A. and Lee, M.L.  
Practical aspects of ultrahigh pressure capillary liquid  
chromatography 911(2001)1
- Yagoh, H., see Kawata, K. 911(2001)75
- Yasuhara, A., see Kawata, K. 911(2001)75
- Zabzdyr, J.L. and Lillard, S.J.  
UV- and visible-excited fluorescence of nucleic acids  
separated by capillary electrophoresis 911(2001)269