

Journal of Chromatography A, 911 (2001) 303-309

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 911

Acrylamide

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Adenosine

Identification and quantification of base and nucleoside markers in extracts of *Ganoderma lucidum*, *Ganoderma japonicum* and *Ganoderma* capsules by micellar electrokinetic chromatography 911(2001)119

Affinity chromatography

Cyclodextrin biospecific-like displacement in dye-affinity chromatography 911(2001)47

Amides

Gas chromatographic—mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Amines

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Anhydroecgonine methyl ester

Development of a screening method for cocaine and cocaine metabolites in urine using solvent microextraction in conjunction with gas chromatography 911(2001)97

Artemisia capillaris

Capillary electrophoretic determination of the constituents of Artemisiae Capillaris Herba 911(2001)285

Automation

Capillary electrophoretic analysis of carbohydrates derivatized by in-capillary condensation with 1-phenyl-3-methyl-5-pyrazolone 911(2001)259

Axial compression

Phenomenological study of the bed-wall friction in axially compressed packed chromatographic columns 911(2001)147

Benzylpenicillin

Application of ion-exchange cartridge clean-up in food analysis. IV. Confirmatory assay of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine tissues by liquid chromatography—electrospray ionization tandem mass spectrometry 911(2001)217

Buffer composition

Separation of uranium(VI) and transition metal ions with 4-(2-thiazolylazo)resorcinol by capillary electrophoresis 911(2001)127

Capillary columns

Practical aspects of ultrahigh pressure capillary liquid chromatography 911(2001)1

Carbamazepine

Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225

Carbohydrates

Capillary electrophoretic analysis of carbohydrates derivatized by in-capillary condensation with 1-phenyl-3-methyl-5-pyrazolone 911(2001)259

Carbon dioxide

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

Carbon fiber felt

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Carbon monoxide

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

Chiral stationary phases, LC

Simultaneous direct high-performance liquid chromatographic enantioseparation of 2-methylglycidol-1-benzyl ether and 2-methylglycerol-1-benzyl ether using a solvent-switching technique 911(2001)295

0021-9673/01/\$ - see front matter © 2001 Elsevier Science B.V. All right reserved

PII: S0021-9673(01)00589-1

Cibacron Blue

Cyclodextrin biospecific-like displacement in dye-affinity chromatography 911(2001)47

Clofibric acid

Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225

Cloxacillin

Application of ion-exchange cartridge clean-up in food analysis. IV. Confirmatory assay of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine tissues by liquid chromatography—electrospray ionization tandem mass spectrometry 911(2001)217

Cocaethylene

Development of a screening method for cocaine and cocaine metabolites in urine using solvent microextraction in conjunction with gas chromatography 911(2001)97

Cocaine

Development of a screening method for cocaine and cocaine metabolites in urine using solvent microextraction in conjunction with gas chromatography 911(2001)97

Column packing

Practical aspects of ultrahigh pressure capillary liquid chromatography 911(2001)1

Phenomenological study of the bed-wall friction in axially compressed packed chromatographic columns 911(2001)147

Computer simulations

Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167

Cyclodextrins

Cyclodextrin biospecific-like displacement in dye-affinity chromatography 911(2001)47

Derivatization, electrophoresis

Capillary electrophoretic analysis of carbohydrates derivatized by in-capillary condensation with 1-phenyl-3-methyl-5-pyrazolone 911(2001)259

Detection, electrophoresis

UV- and visible-excited fluorescence of nucleic acids separated by capillary electrophoresis 911(2001)269

Detection, GC

Studies on the response mechanism of thermionic detection to organophosphorus compounds 911(2001)63

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

Detection, LC

Quantitative interpretation of Fourier-transform infrared spectroscopic data from a size-exclusion chromatography solvent-evaporation interface 911(2001)127

Diacyl glyceryl ether

Identification and quantification of molecular species of diacyl glyceryl ether by reversed-phase high-performance liquid chromatography with refractive index detection and mass spectrometry 911(2001)39

Diclofenac

Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225

Dicloxacillin

Application of ion-exchange cartridge clean-up in food analysis. IV. Confirmatory assay of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine tissues by liquid chromatography–electrospray ionization tandem mass spectrometry 911(2001)217

Diiodotyrosine

Affinity chromatography of porcine pepsin on different types of immobilized 3,5-diiodo-L-tyrosine 911(2001)211

Dimethylacetamide

Gas chromatographic—mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

1,2-Dimethoxyethane

Simultaneous direct high-performance liquid chromatographic enantioseparation of 2-methylglycidol-1-benzyl ether and 2-methylglycerol-1-benzyl ether using a solvent-switching technique 911(2001)295

Dimethylformamide

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Dioxan

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

DNA

UV- and visible-excited fluorescence of nucleic acids separated by capillary electrophoresis 911(2001)269

Dispersion interactions

Selectivity of stationary phases in reversed-phase liquid chromatography based on the dispersion interactions 911(2001)177

Dust

Pyrolysis-capillary gas chromatography-mass spectrometry for the determination of polyvinyl chloride traces in solid environmental samples 911(2001)235

Dyes

Cyclodextrin biospecific-like displacement in dye-affinity chromatography 911(2001)47

Dynamic chromatography

Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167

Ecgonine methyl ester

Development of a screening method for cocaine and cocaine metabolites in urine using solvent microextraction in conjunction with gas chromatography 911(2001)97

Electrochromatography

Fast separation of pyrimidine derivatives by capillary electrochromatography on ion-exchange/reversed-phase mixed-mode stationary phases 911(2001)277

Enantiomer separation

New single-isomer chiral selector for capillary electrophoresis: the highly water-soluble *heptakis*(2-N,N-dimethylcarbamoyl)-β-cyclodextrin 911(2001)249

Simultaneous direct high-performance liquid chromatographic enantioseparation of 2-methylglycidol-1-benzyl ether and 2-methylglycerol-1-benzyl ether using a solvent-switching technique 911(2001)295

Enantiomerization barrier

Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167

Enantiomerization kinetics

Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167

Endocrine disrupters

Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by fully automated on-line solid-phase extraction—liquid chromatography—diode array detection 911(2001)203

Environmental analysis

Gas chromatographic—mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode 911(2001)85

Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225

Enzymes

Cyclodextrin biospecific-like displacement in dye-affinity chromatography 911(2001)47

Affinity chromatography of porcine pepsin on different types of immobilized 3,5-diiodo-L-tyrosine 911(2001)211

Estrogens

Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by fully automated on-line solid-phase extraction—liquid chromatography—diode array detection 911(2001)203

Fatty acids

Identification and quantification of molecular species of diacyl glyceryl ether by reversed-phase high-performance liquid chromatography with refractive index detection and mass spectrometry 911(2001)39

Food analysis

Application of ion-exchange cartridge clean-up in food analysis. IV. Confirmatory assay of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine tissues by liquid chromatography–electrospray ionization tandem mass spectrometry 911(2001)217

Fourier-transform infrared spectroscopy

Quantitative interpretation of Fourier-transform infrared spectroscopic data from a size-exclusion chromatography solvent-evaporation interface 911(2001)127

Furfural

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Furfuryl alcohol

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Ganoderma spp

Identification and quantification of base and nucleoside markers in extracts of *Ganoderma lucidum*, *Ganoderma japonicum* and *Ganoderma* capsules by micellar electrokinetic chromatography 911(2001)119

Gases

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

Glass electrode

Retention of ionizable compounds on HPLC. 6. pH measurements with the glass electrode in methanol-water mixtures 911(2001)191

Heptakis(2-N,NN-dimethylcarbamoyl)-β-cyclodextrin

New single-isomer chiral selector for capillary electrophoresis: the highly water-soluble *heptakis*(2-*N*,*N*-dimethylcarbamoyl)-β-cyclodextrin 911(2001)249

3-Hexylthiopene

Separation and characterization of oligomers by reversed-phase high-performance liquid chromatography; a study on well-defined oligothiophenes 911(2001)13

Immobilized amino acids

Affinity chromatography of porcine pepsin on different types of immobilized 3,5-diiodo-L-tyrosine 911(2001)211

Inversion barrier

Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167

In-capillary derivatization

Capillary electrophoretic analysis of carbohydrates derivatized by in-capillary condensation with 1-phenyl-3-methyl-5-pyrazolone 911(2001)259

Ionizable compounds

Retention of ionizable compounds on HPLC. 6. pH measurements with the glass electrode in methanol-water mixtures 911(2001)191

Lactate dehydrogenase

Cyclodextrin biospecific-like displacement in dye-affinity chromatography 911(2001)47

Laser-induced fluorescence detection

UV- and visible-excited fluorescence of nucleic acids separated by capillary electrophoresis 911(2001)269

Matrix-assisted laser desorption ionization time-of-flight mass spectrometry

Separation and characterization of oligomers by reversed-phase high-performance liquid chromatography; a study on well-defined oligothiophenes 911(2001)13

Metal chelates

Separation of uranium(VI) and transition metal ions with 4-(2-thiazolylazo)resorcinol by capillary electrophoresis 911(2001)127

2-Methylglycerol-1-benzyl ether

Simultaneous direct high-performance liquid chromatographic enantioseparation of 2-methylglycidol-1-benzyl ether and 2-methylglycerol-1-benzyl ether using a solvent-switching technique 911(2001)295

2-Methylglycidol-1-benzyl ether

Simultaneous direct high-performance liquid chromatographic enantioseparation of 2-methylglycidol-1-benzyl ether and 2-methylglycerol-1-benzyl ether using a solvent-switching technique 911(2001)295

Mixed-mode chromatography

Fast separation of pyrimidine derivatives by capillary electrochromatography on ion-exchange/reversed-phase mixed-mode stationary phases 911(2001)277

Mobile phase composition

Retention of ionizable compounds on HPLC. 6. pH measurements with the glass electrode in methanol-water mixtures 911(2001)191

Nafcillin

Application of ion-exchange cartridge clean-up in food analysis. IV. Confirmatory assay of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine tissues by liquid chromatography–electrospray ionization tandem mass spectrometry 911(2001)217

Naproxen

Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225

Nitrogen

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

Nitrosodiethylamine

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Nitrosodimethylamine

Gas chromatographic—mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Nuclear magnetic resonance spectroscopy

Separation and characterization of oligomers by reversed-phase high-performance liquid chromatography; a study on well-defined oligothiophenes 911(2001)13

Nucleic acids

UV- and visible-excited fluorescence of nucleic acids separated by capillary electrophoresis 911(2001)269

Nucleosides

Identification and quantification of base and nucleoside markers in extracts of *Ganoderma lucidum*, *Ganoderma japonicum* and *Ganoderma* capsules by micellar electrokinetic chromatography 911(2001)119

Oligomers

Separation and characterization of oligomers by reversed-phase high-performance liquid chromatography; a study on well-defined oligothiophenes 911(2001)13

Oligothiopenes

Separation and characterization of oligomers by reversed-phase high-performance liquid chromatography; a study on well-defined oligothiophenes 911(2001)13

Organophosphorus compounds

Studies on the response mechanism of thermionic detection to organophosphorus compounds 911(2001)63

Oxacillin

Application of ion-exchange cartridge clean-up in food analysis. IV. Confirmatory assay of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine tissues by liquid chromatography—electrospray ionization tandem mass spectrometry 911(2001)217

Oxygen

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

Paclitaxel

Studies on factors influencing stability and recovery of paclitaxel from suspension media and cultures of *Taxus cuspidata* cv *Densiformis* by high-performance liquid chromatography 911(2001)55

Partial least squares

Quantitative interpretation of Fourier-transform infrared spectroscopic data from a size-exclusion chromatography solvent-evaporation interface 911(2001)127

Pepsin

Affinity chromatography of porcine pepsin on different types of immobilized 3,5-diiodo-L-tyrosine 911(2001)211

Pesticides

Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225

Ph measurements

Retention of ionizable compounds on HPLC. 6. pH measurements with the glass electrode in methanol-water mixtures 911(2001)191

Pharmaceutical analysis

Identification and quantification of base and nucleoside markers in extracts of *Ganoderma lucidum*, *Ganoderma japonicum* and *Ganoderma* capsules by micellar electrokinetic chromatography 911(2001)119

Capillary electrophoretic determination of the constituents of Artemisiae Capillaris Herba 911(2001)285

Pharmaceuticals

Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225

Phenols

Fast determination of phenols in contaminated soils 911(2001)135

Phenoxymethylpenicillin

Application of ion-exchange cartridge clean-up in food analysis. IV. Confirmatory assay of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine tissues by liquid chromatography–electrospray ionization tandem mass spectrometry 911(2001)217

Phenylmethylpyrazolone

Capillary electrophoretic analysis of carbohydrates derivatized by in-capillary condensation with 1-phenyl-3-methyl-5pyrazolone 911(2001)259

Phthalates

Pyrolysis-capillary gas chromatography-mass spectrometry for the determination of polyvinyl chloride traces in solid environmental samples 911(2001)235

Polymers

Quantitative interpretation of Fourier-transform infrared spectroscopic data from a size-exclusion chromatography solvent-evaporation interface 911(2001)127

Poly(methylmethacrylate)

Quantitative interpretation of Fourier-transform infrared spectroscopic data from a size-exclusion chromatography solvent-evaporation interface 911(2001)127

Polyprenols

High-resolution analysis of polyprenols by supercritical fluid chromatography 911(2001)113

Polystyrene

Quantitative interpretation of Fourier-transform infrared spectroscopic data from a size-exclusion chromatography solvent-evaporation interface 911(2001)127

Polyvinylchloride

Pyrolysis-capillary gas chromatography-mass spectrometry for the determination of polyvinyl chloride traces in solid environmental samples 911(2001)235

Profens

Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225

Pulsed discharge helium ionisation detection

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

Pyrimidines

Fast separation of pyrimidine derivatives by capillary electrochromatography on ion-exchange/reversed-phase mixed-mode stationary phases 911(2001)277

Pyrolysis

Pyrolysis-capillary gas chromatography-mass spectrometry for the determination of polyvinyl chloride traces in solid environmental samples 911(2001)235

Quantitative structure-retention relationships

Selectivity of stationary phases in reversed-phase liquid chromatography based on the dispersion interactions 911(2001)177

Rate constants

Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167

Refractive index detection

Identification and quantification of molecular species of diacyl glyceryl ether by reversed-phase high-performance liquid chromatography with refractive index detection and mass spectrometry 911(2001)39

Retention mechanisms

Selectivity of stationary phases in reversed-phase liquid chromatography based on the dispersion interactions 911(2001)177

RNA

UV- and visible-excited fluorescence of nucleic acids separated by capillary electrophoresis 911(2001)269

Sample introduction

Practical aspects of ultrahigh pressure capillary liquid chromatography 911(2001)1

Selectivity

Selectivity of stationary phases in reversed-phase liquid chromatography based on the dispersion interactions 911(2001)177

Shear stress

Phenomenological study of the bed-wall friction in axially compressed packed chromatographic columns 911(2001)147

Sludge

Pyrolysis-capillary gas chromatography-mass spectrometry for the determination of polyvinyl chloride traces in solid environmental samples 911(2001)235

Soil

Fast determination of phenols in contaminated soils 911(2001)135

Solid samples

Pyrolysis-capillary gas chromatography-mass spectrometry for the determination of polyvinyl chloride traces in solid environmental samples 911(2001)235

Solid-phase extraction

Gas chromatographic—mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by fully automated on-line solid-phase extraction—liquid chromatography—diode array detection 911(2001)203

Solid-phase microextraction

Fast determination of phenols in contaminated soils 911(2001)135

Solvent microextraction

Development of a screening method for cocaine and cocaine metabolites in urine using solvent microextraction in conjunction with gas chromatography 911(2001)97

Solvent-evaporation interface

Quantitative interpretation of Fourier-transform infrared spectroscopic data from a size-exclusion chromatography solvent-evaporation interface 911(2001)127

Stationary phases, electrochromatography

Fast separation of pyrimidine derivatives by capillary electrochromatography on ion-exchange/reversed-phase mixed-mode stationary phases 911(2001)277

Stationary phases, LC

Phenomenological study of the bed-wall friction in axially compressed packed chromatographic columns 911(2001)147

Selectivity of stationary phases in reversed-phase liquid chromatography based on the dispersion interactions 911(2001)177

Steroids

Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by fully automated on-line solid-phase extraction—liquid chromatography—diode array detection 911(2001)203

Stochastic model

Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167

Sulfur compounds

Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode 911(2001)85

Sulfur hexafluoride

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

Sulfur mustard

Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode 911(2001)85

Taxanes

Studies on factors influencing stability and recovery of paclitaxel from suspension media and cultures of *Taxus cuspidata* cv *Densiformis* by high-performance liquid chromatography 911(2001)55

Taxus cuspidata

Studies on factors influencing stability and recovery of paclitaxel from suspension media and cultures of *Taxus cuspidata* cv *Densiformis* by high-performance liquid chromatography 911(2001)55

Theoretical plate model

Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167

Thermionic detection

Studies on the response mechanism of thermionic detection to organophosphorus compounds 911(2001)63

Thiazolylazoresorcinol

Separation of uranium(VI) and transition metal ions with 4-(2-thiazolylazo)resorcinol by capillary electrophoresis 911(2001)127

Thiodiglycol

Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode 911(2001)85

Thiodipropanol

Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode 911(2001)85

Transition metal

Separation of uranium(VI) and transition metal ions with 4-(2-thiazolylazo)resorcinol by capillary electrophoresis 911(2001)127

Triazines

Cyclodextrin biospecific-like displacement in dye-affinity chromatography 911(2001)47

Tungsten hexafluoride

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

Ultrahigh pressure

Practical aspects of ultrahigh pressure capillary liquid chromatography 911(2001)1

Uracil

Identification and quantification of base and nucleoside markers in extracts of *Ganoderma lucidum*, *Ganoderma japonicum* and *Ganoderma* capsules by micellar electrokinetic chromatography 911(2001)119

Uranium

Separation of uranium(VI) and transition metal ions with 4-(2-thiazolylazo)resorcinol by capillary electrophoresis 911(2001)127

Uridine

Identification and quantification of base and nucleoside markers in extracts of *Ganoderma lucidum*, *Ganoderma japonicum* and *Ganoderma* capsules by micellar electrokinetic chromatography 911(2001)119

Wall effects

Phenomenological study of the bed-wall friction in axially compressed packed chromatographic columns 911(2001)147

Warfare agents

Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode 911(2001)85

Water analysis

Gas chromatographic—mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode 911(2001)85

Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225