



ELSEVIER

Journal of Chromatography A, 914 (2001) 331–336

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Author Index Vols. 913–914

- Abidi, S.L. and Rennick, K.A.
Capillary electrochromatographic evaluation of vitamin E-active oil constituents: tocopherols and tocotrienols 913(2001)379
- Abramson, F.P., Black, G.E. and Lecchi, P.
Application of high-performance liquid chromatography with isotope-ratio mass spectrometry for measuring low levels of enrichment of underivatized materials 913(2001)269
- Achard, M.-F., see Gritti, F. 913(2001)147
- Ahmed, F., see Layne, J. 913(2001)233
- Ahmed, F., see Rustamov, I. 913(2001)49
- Airoldi, C., see Silva, C.R. 913(2001)65
- Albert, K., see Hellriegel, C. 914(2001)315
- Allen, J.R., Williams, J.D., Burinsky, D.J. and Cole, S.R.
Isolation of the components of a complex mixture by means of column switching for their enhanced detection by mass spectrometry 913(2001)209
- Almela, L., see Fernández-López, J.A. 913(2001)415
- Anacleto, J.F., see Presto Elgstoen, K.B. 914(2001)265
- Badenhorst, D., see Sutherland, F.C.W. 914(2001)37
- Badenhorst, D., see Sutherland, F.C.W. 914(2001)45
- Baker, G.B., see Chen, Z. 914(2001)293
- Bald, E., see Głowacki, R. 914(2001)29
- Bald, E., Głowacki, R. and Drzewoski, J.
Determination by liquid chromatography of free and total cysteine in human urine in the form of its *S*-quinolinium derivative 913(2001)319
- Baratova, L., see Ivanov, A.R. 913(2001)315
- Bayle, C., see Siméon, N. 913(2001)253
- Beam, B., see Koch, J.T. 914(2001)223
- Berger, S.J., see Shen, Y. 914(2001)257
- Black, G.E., see Abramson, F.P. 913(2001)269
- Bordunov, A., see Slingsby, R.W. 913(2001)159
- Branch, B.R., see Fields, S.M. 913(2001)197
- Budinská, M., see Janoušková, J. 914(2001)183
- Burinsky, D.J., see Allen, J.R. 913(2001)209
- Busby, M.B., see Russell, W.K. 914(2001)325
- Cacia, J., see Wan, H.Z. 913(2001)437
- Carter, S., see Li, X.-F. 914(2001)5
- Castle, W.S., see Lee, H.S. 913(2001)371
- Castro, R., Moyano, E. and Galceran, M.T.
Determination of quaternary ammonium pesticides by liquid chromatography–electrospray tandem mass spectrometry 914(2001)111
- Chan, F., see Kazakevich, Y.V. 913(2001)75
- Chan, F., see Rustamov, I. 913(2001)49
- Chang, Y.L., Chou, M.H., Lin, M.F., Chen, C.F. and Tsai, T.H.
Determination and pharmacokinetic study of unbound cefepime in rat bile by liquid chromatography with on-line microdialysis 914(2001)77
- Chao, H., see Shaw, C.J. 913(2001)365
- Chen, C.F., see Chang, Y.L. 914(2001)77
- Chen, C.F., see Tsai, T.H. 914(2001)83
- Chen, H., Zuo, Y. and Deng, Y.
Separation and determination of flavonoids and other phenolic compounds in cranberry juice by high-performance liquid chromatography 913(2001)387
- Chen, S.-H., see Yang, D.-Yu. 913(2001)349
- Chen, Y.F., see Tsai, T.H. 914(2001)83
- Chen, Z., Wu, J., Baker, G.B., Parent, M. and Dovichi, N.J.
Application of capillary electrophoresis with laser-induced fluorescence detection to the determination of biogenic amines and amino acids in brain microdialysate and homogenate samples 914(2001)293
- Cheng, C.-H., see Yang, D.-Yu. 913(2001)349
- Cheng, F.C., see Tsai, T.H. 914(2001)83
- Cheng, F.-C., see Wu, Y.-S. 913(2001)341
- Cheng, F.-C., see Yang, D.-Yu. 913(2001)349
- Chepkwony, H.K., Roets, E. and Hoogmartens, J.
Liquid chromatography of troleandomycin 914(2001)53
- Cheung, A.P., see He, J. 913(2001)355
- Chilenski, J., see Ko, J. 913(2001)15
- Chmelfík, J., see Janoušková, J. 914(2001)183
- Chou, M.H., see Chang, Y.L. 914(2001)77
- Claessens, H.A., see Mengerink, Y. 914(2001)131
- Cloix, J.-F. and Wainer, I.W.
Development of an immobilized brain glutamine synthetase liquid chromatographic stationary phase for on-line biochemical studies 913(2001)133
- Coates, G.A., see Lee, H.S. 913(2001)371
- Cole, S.R., see Allen, J.R. 913(2001)209
- Coleman, D.W., see Li, P. 914(2001)147
- Collison, M.W., see Griffith, A.P. 913(2001)397
- Couderc, F., see Siméon, N. 913(2001)253

- Crabtree, S., see New, A.P. 913(2001)205
- Cramers, C.A., see Mengerink, Y. 914(2001)131
- Dansereau, S.M., see Peng, S.X. 914(2001)105
- De Jager, A.D., see Sutherland, F.C.W. 914(2001)37
- De Jager, A.D., see Sutherland, F.C.W. 914(2001)45
- DeKoster, C.G., see Mengerink, Y. 914(2001)131
- Deng, Y., see Chen, H. 913(2001)387
- Denisenko, A.D., see Tcherkas, YV. 913(2001)309
- Divan, K., see New, A.P. 913(2001)205
- Do Santos, L.F., see New, A.P. 913(2001)205
- Dovichi, N.J., see Chen, Z. 914(2001)293
- Dovichi, N.J., see Li, X.-F. 914(2001)5
- Dreux, M., see Mouchère, F. 914(2001)167
- Dreux, M., see Petritis, K. 913(2001)331
- Drzewoski, J., see Bald, E. 913(2001)319
- Ducey, M.W., see Pemberton, J.E. 913(2001)243
- Effenberger, H., see Jandera, P. 914(2001)233
- El Haddad, M., see Mouchère, F. 914(2001)167
- Elfakir, C., see Mouchère, F. 914(2001)167
- Elfakir, C., see Petritis, K. 913(2001)331
- Fang, K., see He, J. 913(2001)355
- Farcas, T., see Layne, J. 913(2001)233
- Farcas, T., see Rustamov, I. 913(2001)49
- Felinger, A. and Guiochon, G.
Validation of a chromatography data analysis software
913(2001)221
- Felinger, A., Kele, M. and Guiochon, G.
Identification of the factors that influence the
reproducibility of chromatographic retention data
913(2001)23
- Félix, G., see Gritti, F. 913(2001)147
- Felton, J.S., see Knize, M.G. 914(2001)95
- Fernández-López, J.A. and Almela, L.
Application of high-performance liquid chromatography to
the characterization of the betalain pigments in prickly pear
fruits 913(2001)415
- Fields, S.M., Ye, C.Q., Zhang, D.D., Branch, B.R., Zhang, X.J.
and Okafo, N.
Superheated water as eluent in high-temperature high-
performance liquid chromatographic separations of steroids
on a polymer-coated zirconia column 913(2001)197
- Fife, D.J., see Li, P. 914(2001)147
- Fischer, J., see Jandera, P. 914(2001)233
- Flood, K.G., Reynolds, E.R. and Snow, N.H.
Determination of apparent association constants of steroid-
cyclodextrin inclusion complexes using a modification of
the Hummel–Dreyer method 913(2001)261
- Ford, J.C., see Ko, J. 913(2001)3
- Ford, J.C., see Ko, J. 913(2001)15
- Freitag, R., see Hoegger, D. 914(2001)211
- Frenz, J., see Wan, H.Z. 913(2001)437
- Furushima, N., see Zhou, X. 913(2001)165
- Głowacki, R., Wójcik, K. and Bald, E.
Facile and sensitive method for the determination of mesna
in plasma by high-performance liquid chromatography with
ultraviolet detection 914(2001)29
- Galceran, M.T., see Castro, R. 914(2001)111
- Galceran, M.T., see Ruiz-Calero, V. 914(2001)277
- Glowacki, R., see Bald, E. 913(2001)319
- Griffith, A.P. and Collison, M.W.
Improved methods for the extraction and analysis of
isoflavones from soy-containing foods and nutritional
supplements by reversed-phase high-performance liquid
chromatography and liquid chromatography–mass
spectrometry 913(2001)397
- Grimes, M., see Slingsby, R.W. 913(2001)159
- Griswold, M.P., see Gunawan, S. 914(2001)1
- Gritti, F., Félix, G., Achard, M.-F. and Hardouin, F.
Laterally attached liquid-crystalline polymers as stationary
phases in reversed-phase high-performance liquid
chromatography. III. Effect of the local anisotropic order
on the separation of polycyclic aromatic hydrocarbons
913(2001)147
- Guiochon, G., see Felinger, A. 913(2001)23
- Guiochon, G., see Felinger, A. 913(2001)221
- Guiochon, G., see Kele, M. 913(2001)89
- Gunawan, S., Griswold, M.P. and Kahn, D.G.
Liquid chromatographic–tandem mass spectrometric
determination of amprenavir (agenerase) in serum/plasma
of human immunodeficiency virus type-1 infected patients
receiving combination antiretroviral therapy 914(2001)1
- Gundersen, J.L.
Separation of isomers of nonylphenol and select
nonylphenol polyethoxylates by high-performance liquid
chromatography on a graphitic carbon column
914(2001)161
- Güzeltunç, E. and Ülgen, K.Ö.
Recovery of actinorhodin from fermentation broth
914(2001)67
- Haginaka, J. and Sanbe, H.
Uniformly sized molecularly imprinted polymer for (*S*)-
naproxen. Retention and molecular recognition properties in
aqueous mobile phase 913(2001)141
- Händel, H., see Hellriegel, C. 914(2001)315
- Hardouin, F., see Gritti, F. 913(2001)147
- He, J., Cheung, A.P., Wang, E., Fang, K. and Liu, P.
High-performance liquid chromatographic analysis for a
non-chromophore-containing phosphatidyl inositol analog,
1-[(1-*O*-octadecyl-2-*O*-methyl-*sn*-glycero)-phospho]-1*D*-3-
deoxy-*myo*-inositol, using indirect UV detection
913(2001)355
- Hellriegel, C., Händel, H., Wedig, M., Steinhauer, S., Sörgel, F.,
Albert, K. and Holzgrabe, U.
Study on the chiral recognition of the enantiomers of
ephedrine derivatives with neutral and sulfated
heptakis(2,3-*O*-diacetyl)- β -cyclodextrins using capillary
electrophoresis, UV, nuclear magnetic resonance
spectroscopy and mass spectrometry 914(2001)315
- Hendershot, S. and Koharski, D.
Appropriate column configurations for the rapid analysis
and semipreparative purification of the radiolabeled drug
flutamide by high-performance liquid chromatography
914(2001)23
- Ho, M., see Pemberton, J.E. 913(2001)243
- Hoegger, D. and Freitag, R.
Acrylamide-based monoliths as robust stationary phases for
capillary electrochromatography 914(2001)211
- Holzgrabe, U., see Hellriegel, C. 914(2001)315
- Hoogmartens, J., see Chepkwony, H.K. 914(2001)53

- Horváth, C., see Zhang, S. 914(2001)189
- Hundt, A.F., see Sutherland, F.C.W. 914(2001)37
- Hundt, A.F., see Sutherland, F.C.W. 914(2001)45
- Hundt, H.K.L., see Sutherland, F.C.W. 914(2001)37
- Hundt, H.K.L., see Sutherland, F.C.W. 914(2001)45
- Inoue, M., see Okada, T.K. 914(2001)175
- Ivanov, A.R., Nazimov, I.V., Baratova, L., Lobazov, A.P. and Popkovich, G.B.
Determination of biologically active low-molecular-mass thiols in human blood. III. Highly sensitive narrow-bore isocratic reversed-phase high-performance liquid chromatography with fluorescence detection 913(2001)315
- Jandera, P., Fischer, J., Jebavá, J. and Effenberger, H.
Characterisation of retention in micellar high-performance liquid chromatography, in micellar electrokinetic chromatography and in micellar electrokinetic chromatography with reduced flow 914(2001)233
- Janoušková, J., Budinská, M., Plocková, J. and Chmelík, J.
Optimization of experimental conditions for the separation of small and large starch granules by gravitational field-flow fractionation 914(2001)183
- Jardim, I.C.S.F., see Silva, C.R. 913(2001)65
- Jebavá, J., see Jandera, P. 914(2001)233
- Jellum, E., see Presto Elgstoen, K.B. 914(2001)265
- Jisaki, F., see Okada, T.K. 914(2001)175
- Jones, A., see LoBrutto, R. 913(2001)173
- Jones, A., see LoBrutto, R. 913(2001)189
- Kahn, D.G., see Gunawan, S. 914(2001)1
- Kamo, N., see Liu, X.-Y. 913(2001)123
- Kaneshiro, S., see Wan, H.Z. 913(2001)437
- Kartsova, L.A., see Tcherkas, Y.V. 913(2001)303
- Kazakevich, Y.V., LoBrutto, R., Chan, F. and Patel, T.
Interpretation of the excess adsorption isotherms of organic eluent components on the surface of reversed-phase adsorbents. Effect on the analyte retention 913(2001)75
- Kazakevich, Y.V., see LoBrutto, R. 913(2001)173
- Kazakevich, Y.V., see LoBrutto, R. 913(2001)189
- Kazakevich, Y.V., see Rustamov, I. 913(2001)49
- Kele, M., see Felinger, A. 913(2001)23
- Kele, M. and Guiochon, G.
Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns. V. Results obtained with Vydac 218TP C₁₈ columns 913(2001)89
- Knize, M.G., Kulp, K.S., Malfatti, M.A., Salmon, C.P. and Felton, J.S.
Liquid chromatography–tandem mass spectrometry method of urine analysis for determining human variation in carcinogen metabolism 914(2001)95
- Ko, J., Chilenski, J., Rodgers, T. and Ford, J.C.
Modeling the effect of solvation on solute retention in reversed-phase liquid chromatography 913(2001)15
- Ko, J. and Ford, J.C.
Comparison of selected retention models in reversed-phase liquid chromatography 913(2001)3
- Koch, J.T., Beam, B., Phillips, K.S. and Wheeler, J.F.
Hydrophobic interaction electrokinetic chromatography for the separation of polycyclic aromatic hydrocarbons using non-aqueous matrices 914(2001)223
- Koharski, D., see Hendershot, S. 914(2001)23
- Kok, W.Th., see Stol, R. 914(2001)201
- Kolberg, A., see Russell, W.K. 914(2001)325
- Kovarik, P., see Li, X.-F. 914(2001)5
- Krasnova, I.N., see Tcherkas, Y.V. 913(2001)303
- Kulp, K.S., see Knize, M.G. 914(2001)95
- Kurano, M., see Zhou, X. 913(2001)165
- Layne, J., Farcas, T., Rustamov, I. and Ahmed, F.
Volume-load capacity in fast-gradient liquid chromatography. Effect of sample solvent composition and injection volume on chromatographic performance 913(2001)233
- Lecchi, P., see Abramson, F.P. 913(2001)269
- Lee, C.-W., see Yang, D.-Yu. 913(2001)349
- Lee, H.S., Castle, W.S. and Coates, G.A.
High-performance liquid chromatography for the characterization of carotenoids in the new sweet orange (Earlygold) grown in Florida, USA 913(2001)371
- Lee, J., see New, A.P. 913(2001)205
- Li, P., Coleman, D.W., Spaulding, K.M., McClennen, W.H., Stafford, P.R. and Fife, D.J.
Fractionation and characterization of phenolic resins by high-performance liquid chromatography and gel-permeation chromatography combined with ultraviolet, refractive index, mass spectrometry and light-scattering detection 914(2001)147
- Li, S., see Russell, W.K. 914(2001)325
- Li, X.-F., Carter, S., Dovichi, N.J., Zhao, J.Y., Kovarik, P. and Sakuma, T.
Analysis of tamoxifen and its metabolites in synthetic gastric fluid digests and urine samples using high-performance liquid chromatography with electrospray mass spectrometry 914(2001)5
- Lin, M.F., see Chang, Y.L. 914(2001)77
- Lipford, L.C., see Simon, V.A. 913(2001)447
- Liu, G., see Zhao, R. 913(2001)421
- Liu, H., see Zhao, R. 913(2001)421
- Liu, P., see He, J. 913(2001)355
- Liu, X.-Y., Yang, Q., Kamo, N. and Miyake, J.
Effect of liposome type and membrane fluidity on drug–membrane partitioning analyzed by immobilized liposome chromatography 913(2001)123
- Lloyd, D.K., see Wolbach, J.P. 914(2001)299
- Lobazov, A.P., see Ivanov, A.R. 913(2001)315
- LoBrutto, R., Jones, A., Kazakevich, Y.V. and McNair, H.M.
Effect of the eluent pH and acidic modifiers in high-performance liquid chromatography retention of basic analytes 913(2001)173
- LoBrutto, R., Jones, A. and Kazakevich, Y.V.
Effect of counter-anion concentration on retention in high-performance liquid chromatography of protonated basic analytes 913(2001)189
- LoBrutto, R., see Kazakevich, Y.V. 913(2001)75
- LoBrutto, R., see Rustamov, I. 913(2001)49
- Malfatti, M.A., see Knize, M.G. 914(2001)95
- Maynard, D.K., see Russell, W.K. 914(2001)325
- McClennen, W.H., see Li, P. 914(2001)147
- McNair, H.M., see LoBrutto, R. 913(2001)173
- McNair, H.M., see Rustamov, I. 913(2001)49

- Mengerink, Y., Peters, R., deKoster, C.G., van der Wal, S., Claessens, H.A. and Cramers, C.A.
Separation and quantification of the linear and cyclic structures of polyamide-6 at the critical point of adsorption 914(2001)131
- Michels, J.J.
Improved measurement of formaldehyde in water-soluble polymers by high-performance liquid chromatography coupled with post-column reaction detection 914(2001)123
- Miyake, J., see Liu, X.-Y. 913(2001)123
- Miyakoshi, M., see Okada, T.K. 914(2001)175
- Molnár-Perl, I.
Derivatization and chromatographic behavior of the *o*-phthaldialdehyde amino acid derivatives obtained with various SH-group-containing additives 913(2001)283
- Mouchère, F., El Haddad, M., Elfakir, C. and Dreux, M.
Determination of inorganic cations and anions by ion-exchange chromatography with evaporative light-scattering detection 914(2001)167
- Moyano, E., see Castro, R. 914(2001)111
- Moyano, E., see Ruiz-Calero, V. 914(2001)277
- Munro, J.S. and Walker, T.A.
Bupropion hydrochloride: the development of a chiral separation using an ovomucoid column 913(2001)275
- Munro, J.S. and Walker, T.A.
Ranitidine hydrochloride: development of an isocratic stability-indicating high-performance liquid chromatographic separation 914(2001)13
- Myers, R., see Siméon, N. 913(2001)253
- Nakabayashi, Y., see Okada, T.K. 914(2001)175
- Nazimov, I.V., see Ivanov, A.R. 913(2001)315
- Nertz, M., see Siméon, N. 913(2001)253
- New, A.P., Wolff, J.-C., Crabtree, S., do Santos, L.F., Okafo, G., Lee, J. and Divan, K.
Preliminary investigation of the application of on-line membrane extraction of trifluoroacetic acid as an aid to improvement of negative ion electrospray mass spectrometry data 913(2001)205
- Niedzielska, J., see Posyniak, A. 914(2001)59
- Okada, T.K., Miyakoshi, M., Inoue, M., Nakabayashi, Y. and Jisaki, F.
Differential elution of sodium or potassium dihydrogen- and hydrogenphosphate ions from a Sephadex G-15 column with sodium or potassium chloride solution 914(2001)175
- Okafo, G., see New, A.P. 913(2001)205
- Okafo, N., see Fields, S.M. 913(2001)197
- Olsen, B.A.
Hydrophilic interaction chromatography using amino and silica columns for the determination of polar pharmaceuticals and impurities 913(2001)113
- Orendorff, C.J., see Pemberton, J.E. 913(2001)243
- Pang, H.-M., see Xue, G. 914(2001)245
- Parent, M., see Chen, Z. 914(2001)293
- Patel, T., see Kazakevich, Y.V. 913(2001)75
- Pemberton, J.E., Ho, M., Orendorff, C.J. and Ducey, M.W.
Raman spectroscopy of octadecylsilane stationary phase conformational order. Effect of solvent 913(2001)243
- Peng, S.X. and Dansereau, S.M.
Ion-exchange liquid chromatographic analysis of bisphosphonates by on-line post-column photochemical reaction and spectrophotometric detection 914(2001)105
- Peters, R., see Mengerink, Y. 914(2001)131
- Petritis, K., Valleix, A., Elfakir, C. and Dreux, M.
Simultaneous analysis of underivatized chiral amino acids by liquid chromatography–ionspray tandem mass spectrometry using a teicoplanin chiral stationary phase 913(2001)331
- Phillips, K.S., see Koch, J.T. 914(2001)223
- Plocková, J., see Janoušková, J. 914(2001)183
- Popkovich, G.B., see Ivanov, A.R. 913(2001)315
- Poppe, H., see Stol, R. 914(2001)201
- Posyniak, A., Zmudzki, J. and Niedzielska, J.
Sample preparation for residue determination of gentamicin and neomycin by liquid chromatography 914(2001)59
- Posyniak, A., Zmudzki, J. and Semeniuk, S.
Effects of the matrix and sample preparation on the determination of fluoroquinolone residues in animal tissues 914(2001)89
- Presto Elgstoen, K.B., Zhao, J.Y., Anacleto, J.F. and Jellum, E.
Potential of capillary electrophoresis, tandem mass spectrometry and coupled capillary electrophoresis–tandem mass spectrometry as diagnostic tools 914(2001)265
- Puignou, L., see Ruiz-Calero, V. 914(2001)277
- Regnier, F.E., see Wang, S. 913(2001)429
- Rennick, K.A., see Abidi, S.L. 913(2001)379
- Reynolds, E.R., see Flood, K.G. 913(2001)261
- Rodgers, T., see Ko, J. 913(2001)15
- Roets, E., see Chepkwony, H.K. 914(2001)53
- Ruiz-Calero, V., Moyano, E., Puignou, L. and Galceran, M.T.
Pressure-assisted capillary electrophoresis–electrospray ion trap mass spectrometry for the analysis of heparin depolymerised disaccharides 914(2001)277
- Russell, D.H., see Russell, W.K. 914(2001)325
- Russell, W.K., Russell, D.H., Busby, M.B., Kolberg, A., Li, S., Maynard, D.K., Sanchez-Vindas, S., Zhu, W. and Vigh, G.
Artifact-free matrix-assisted laser desorption/ionization time-of-flight mass spectra of *tert*-butyldimethylsilyl ether derivatives of cyclodextrins used for the synthesis of single-isomer, chiral resolving agents for capillary electrophoresis 914(2001)325
- Rustamov, I., Farcas, T., Ahmed, F., Chan, F., LoBrutto, R., McNair, H.M. and Kazakevich, Y.V.
Geometry of chemically modified silica 913(2001)49
- Rustamov, I., see Layne, J. 913(2001)233
- Sakuma, T., see Li, X.-F. 914(2001)5
- Salmon, C.P., see Knize, M.G. 914(2001)95
- Sanbe, H., see Haginaka, J. 913(2001)141
- Sanchez-Vindas, S., see Russell, W.K. 914(2001)325
- Scanes, T., see Sutherland, F.C.W. 914(2001)37
- Scanes, T., see Sutherland, F.C.W. 914(2001)45
- Semeniuk, S., see Posyniak, A. 914(2001)89
- Shaw, C.J., Chao, H. and Xiao, B.
Determination of sialic acids by liquid chromatography–mass spectrometry 913(2001)365

- Shen, Y., Berger, S.J. and Smith, R.D.
High-efficiency capillary isoelectric focusing of protein complexes from *Escherichia coli* cytosolic extracts 914(2001)257
- Silva, C.R., Jardim, I.C.S.F. and Airoldi, C.
Development of new urea-functionalized silica stationary phases. Characterization and chromatographic performance 913(2001)65
- Siméon, N., Myers, R., Bayle, C., Nertz, M., Stewart, J.K. and Couderc, F.
Some applications of near-ultraviolet laser-induced fluorescence detection in nanomolar- and subnanomolar-range high-performance liquid chromatography or micro-high-performance liquid chromatography 913(2001)253
- Simon, V.A., Thiam, M.D. and Lipford, L.C.
Determination of serum levels of thirteen human immunodeficiency virus-suppressing drugs by high-performance liquid chromatography 913(2001)447
- Slingsby, R.W., Bordunov, A. and Grimes, M.
Removal of metallic impurities from mobile phases in reversed-phase high-performance liquid chromatography by the use of an in-line chelation column 913(2001)159
- Smith, R.D., see Shen, Y. 914(2001)257
- Snow, N.H., see Flood, K.G. 913(2001)261
- Sörgel, F., see Hellriegel, C. 914(2001)315
- Spaulding, K.M., see Li, P. 914(2001)147
- Stafford, P.R., see Li, P. 914(2001)147
- Steinhauer, S., see Hellriegel, C. 914(2001)315
- Stewart, J.K., see Siméon, N. 913(2001)253
- Stol, R., Kok, W.Th. and Poppe, H.
Size-exclusion electrochromatography with controlled pore flow 914(2001)201
- Su, T., see Zhao, R. 913(2001)421
- Sutherland, F.C.W., Badenhorst, D., de Jager, A.D., Scanes, T., Hundt, H.K.L., Swart, K.J. and Hundt, A.F.
Sensitive liquid chromatographic–tandem mass spectrometric method for the determination of fluoxetine and its primary active metabolite norfluoxetine in human plasma 914(2001)45
- Sutherland, F.C.W., de Jager, A.D., Badenhorst, D., Scanes, T., Hundt, H.K.L., Swart, K.J. and Hundt, A.F.
Sensitive liquid chromatography–tandem mass spectrometry method for the determination of loratadine and its major active metabolite descarboethoxy loratadine in human plasma 914(2001)37
- Swart, K.J., see Sutherland, F.C.W. 914(2001)37
- Swart, K.J., see Sutherland, F.C.W. 914(2001)45
- Tanaka, H., see Zhou, X. 913(2001)165
- Tcherkas, Y.V. and Denisenko, A.D.
Simultaneous determination of several amino acids, including homocysteine, cysteine and glutamic acid, in human plasma by isocratic reversed-phase high-performance liquid chromatography with fluorimetric detection 913(2001)309
- Tcherkas, Y.V., Kartsova, L.A. and Krasnova, I.N.
Analysis of amino acids in human serum by isocratic reversed-phase high-performance liquid chromatography with electrochemical detection 913(2001)303
- Terashima, C., see Zhou, X. 913(2001)165
- Thiam, M.D., see Simon, V.A. 913(2001)447
- Tsai, T.H., see Chang, Y.L. 914(2001)77
- Tsai, T.H., Cheng, F.C., Chen, Y.F. and Chen, C.F.
On-line microdialysis coupled with microbore liquid chromatography with ultraviolet detection for continuous monitoring of free cefsulodin in rat blood 914(2001)83
- Tsai, T.-H., see Wu, Y.-S. 913(2001)341
- Tsai, T.-H., see Yang, D.-Yu. 913(2001)349
- Valleix, A., see Petritis, K. 913(2001)331
- Ülgen, K.Ö., see Güzeltunç, E. 914(2001)67
- Van der Wal, S., see Mengerink, Y. 914(2001)131
- Vigh, G., see Russell, W.K. 914(2001)325
- Wainer, I.W., see Cloix, J.-F. 913(2001)133
- Wainer, I.W., see Wolbach, J.P. 914(2001)299
- Walker, T.A., see Munro, J.S. 913(2001)275
- Walker, T.A., see Munro, J.S. 914(2001)13
- Wan, H.Z., Kaneshiro, S., Frenz, J. and Cacia, J.
Rapid method for monitoring galactosylation levels during recombinant antibody production by electrospray mass spectrometry with selective-ion monitoring 913(2001)437
- Wang, E., see He, J. 913(2001)355
- Wang, S. and Regnier, F.E.
Proteolysis of whole cell extracts with immobilized enzyme columns as part of multidimensional chromatography 913(2001)429
- Wedig, M., see Hellriegel, C. 914(2001)315
- Wheeler, J.F., see Koch, J.T. 914(2001)223
- Williams, J.D., see Allen, J.R. 913(2001)209
- Wójcik, K., see Głowacki, R. 914(2001)29
- Wolbach, J.P., Lloyd, D.K. and Wainer, I.W.
Approaches to quantitative structure–enantioselectivity relationship modeling of chiral separations using capillary electrophoresis 914(2001)299
- Wolff, J.-C., see New, A.P. 913(2001)205
- Wu, J., see Chen, Z. 914(2001)293
- Wu, T.-F., see Wu, Y.-S. 913(2001)341
- Wu, Y.-S., Tsai, T.-H., Wu, T.-F. and Cheng, F.-C.
Determination of pyruvate and lactate in primary liver cell culture medium during hypoxia by on-line microdialysis–liquid chromatography 913(2001)341
- Xiao, B., see Shaw, C.J. 913(2001)365
- Xiong, S., see Zhao, R. 913(2001)421
- Xue, G., Pang, H.-M. and Yeung, E.S.
On-line nanoliter cycle sequencing reaction with capillary zone electrophoresis purification for DNA sequencing 914(2001)245
- Yang, D.-Yu., Tsai, T.-H., Cheng, C.-H., Lee, C.-W., Chen, S.-H. and Cheng, F.-C.
Simultaneous monitoring of extracellular glucose, pyruvate, lactate and glutamate in gerbil cortex during focal cerebral ischemia by dual probe microdialysis 913(2001)349
- Yang, Q., see Liu, X.-Y. 913(2001)123
- Ye, C.Q., see Fields, S.M. 913(2001)197
- Yeung, E.S.
Foreword 913(2001)1
- Yeung, E.S., see Xue, G. 914(2001)245
- Yu, X., see Zhao, R. 913(2001)421
- Zhai, L., see Zhao, R. 913(2001)421
- Zhang, D.D., see Fields, S.M. 913(2001)197
- Zhang, J., see Zhang, S. 914(2001)189

- Zhang, S., Zhang, J. and Horváth, C.
Rapid separation of peptides and proteins by isocratic
capillary electrochromatography at elevated temperature
914(2001)189
- Zhang, X.J., see Fields, S.M. 913(2001)197
- Zhao, J.Y., see Li, X.-F. 914(2001)5
- Zhao, J.Y., see Presto Elgstoen, K.B. 914(2001)265
- Zhao, R., Yu, X., Liu, H., Zhai, L., Xiong, S., Su, T. and Liu,
G.
Study on the degeneracy of antisense peptides using
affinity chromatography 913(2001)421
- Zhou, X., Furushima, N., Terashima, C., Tanaka, H. and
Kurano, M.
New micro-flow pumping system for liquid
chromatography 913(2001)165
- Zhu, W., see Russell, W.K. 914(2001)325
- Zmudzki, J., see Posyniak, A. 914(2001)59
- Zmudzki, J., see Posyniak, A. 914(2001)89
- Zuo, Y., see Chen, H. 913(2001)387