

Journal of Chromatography A, 915 (2001) 279-285

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 915

Acetone

Determination of the oxidation products of the reaction between α -pinene and hydroxyl radicals by high-performance liquid chromatography 915(2001)75

Air analysis

Analysis of C_2-C_4 peroxyacyl nitrates and C_1-C_5 alkyl nitrates with a non-polar capillary column 915(2001)271

Alkanes

Linear programming of inlet pressure or flow-rate in isothermal gas chromatography with near-vacuum outlet pressure 915(2001)265

Alkyl nitrates

Analysis of C_2-C_4 peroxyacyl nitrates and C_1-C_5 alkyl nitrates with a non-polar capillary column 915(2001)271

Amaryllidaceae

Screening for acetylcholinesterase inhibitors from Amaryllidaceae using silica gel thin-layer chromatography in combination with bioactivity staining 915(2001)217

Amino acids

Chemical derivatization of amino acids for in situ analysis of Martian samples by gas chromatography 915(2001)199

Anthocyanins

Value of high-performance liquid chromatographic analysis of anthocyanins in the differentiation of red grape cultivars and red wines made from them 915(2001)53

Apples

Separation of apple procyanidins into different degrees of polymerization by high-speed counter-current chromatography 915(2001)253

Atomic absorption spectrometry

Ion chromatographic preconcentration of Cu and Cd from ultrahigh-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167

Atrazines

Screening for transformation products of pesticides using tandem mass spectrometric scan modes 915(2001)129

Background electrolyte composition

Non-aqueous capillary electrophoresis using non-dissociating solvents. Application to the separation of highly hydrophobic oligomers 915(2001)241

Bioactivity staining

Screening for acetylcholinesterase inhibitors from Amaryllidaceae using silica gel thin-layer chromatography in combination with bioactivity staining 915(2001)217

Capsicum frutescens

Profiling of colour pigments of chili powders of different origin by high-performance liquid chromatography 915(2001)149

Cadmium

Ion chromatographic preconcentration of Cu and Cd from ultrahigh-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167

Carbohydrates

Preparative separation of the naphthopyranone glycosides by high-speed counter-current chromatography 915(2001)259

Carbon tetrachloride

Analysis of C_2-C_4 peroxyacyl nitrates and C_1-C_5 alkyl nitrates with a non-polar capillary column 915(2001)271

Carbonyl compounds

Determination of the oxidation products of the reaction between α -pinene and hydroxyl radicals by high-performance liquid chromatography 915(2001)75

Carboxylic acids

Potentiometric detection of organic acids in liquid chromatography using polymeric liquid membrane electrodes incorporating macrocyclic hexaamines 915(2001)25

Caseins

Improved method for the simultaneous determination of whey proteins, caseins and *para*-κ-casein in milk and dairy products by capillary electrophoresis 915(2001)225

Catechins

Separation of apple procyanidins into different degrees of polymerization by high-speed counter-current chromatography 915(2001)253

0021-9673/01/\$ – see front matter © 2001 Elsevier Science B.V. All right reserved PII: S0021-9673(01)00728-2

280

Cheese

Improved method for the simultaneous determination of whey proteins, caseins and *para*-κ-casein in milk and dairy products by capillary electrophoresis 915(2001)225

Chloroform

Analysis of C_2-C_4 peroxyacyl nitrates and C_1-C_5 alkyl nitrates with a non-polar capillary column 915(2001)271

Copper

Ion chromatographic preconcentration of Cu and Cd from ultrahigh-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167

Counter-current chromatography

Separation of apple procyanidins into different degrees of polymerization by high-speed counter-current chromatography 915(2001)253

Preparative separation of the naphthopyranone glycosides by high-speed counter-current chromatography 915(2001)259

β -Cyclodextrins

Trace level determination of enantiomeric monoterpenes in terrestrial plant emission and in the atmosphere using a β -cyclodextrin capillary column coupled with thermal desorption and mass spectrometry 915(2001)185

Derivatization, GC

Chemical derivatization of amino acids for in situ analysis of Martian samples by gas chromatography 915(2001)199

Derivatization, LC

Determination of the oxidation products of the reaction between α -pinene and hydroxyl radicals by high-performance liquid chromatography 915(2001)75

Detection, IC

Ion chromatographic preconcentration of Cu and Cd from ultrahigh-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167

Detection, LC

Influence of peak-broadening and interdetector volume error on size-exclusive chromatographic analysis with dual viscometric-concentration detection using the universal calibration method 915(2001)15

Potentiometric detection of organic acids in liquid chromatography using polymeric liquid membrane electrodes incorporating macrocyclic hexaamines 915(2001)25

Separation and identification of organic and organometallic compounds by use of a liquid chromatography-particle beam-glow discharge mass spectrometry combination 915(2001)117

Liquid exclusion-adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. II. Quantitation in the analysis of fatty alcohol ethoxylates 915(2001)155

Dextran-coated supports

Affinity chromatography of polyhistidine tagged enzymes. New dextran-coated immobilized metal ion affinity chromatography matrices for prevention of undesired multipoint adsorptions 915(2001)97

Dichlofluanid

Monitoring of antifouling agents in water samples by on-line solid-phase extraction–liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 915(2001)139

Dinitrophenylhydrazine

Determination of the oxidation products of the reaction between α -pinene and hydroxyl radicals by high-performance liquid chromatography 915(2001)75

Dipolarity

Selectivity of amino-, cyano- and diol-bonded silica in reversedphase liquid chromatography 915(2001)35

Dissociation constants

Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85

Dithiobis-(nitrobenzoic acid)

Screening for acetylcholinesterase inhibitors from Amaryllidaceae using silica gel thin-layer chromatography in combination with bioactivity staining 915(2001)217

Diuretics

Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85

Diuron

Monitoring of antifouling agents in water samples by on-line solid-phase extraction–liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 915(2001)139

DNA

DNA sequencing by capillary electrophoresis using mixtures of polyacrylamide and poly(N,N-dimethylacrylamide) 915(2001)231

Dual detection

Influence of peak-broadening and interdetector volume error on size-exclusive chromatographic analysis with dual viscometric-concentration detection using the universal calibration method 915(2001)15

Electrochemical detection

Potentiometric detection of organic acids in liquid chromatography using polymeric liquid membrane electrodes incorporating macrocyclic hexaamines 915(2001)25

Electrodes

Potentiometric detection of organic acids in liquid chromatography using polymeric liquid membrane electrodes incorporating macrocyclic hexaamines 915(2001)25

Enantiomer separation

Trace level determination of enantiomeric monoterpenes in terrestrial plant emission and in the atmosphere using a β -cyclodextrin capillary column coupled with thermal desorption and mass spectrometry 915(2001)185

Environmental analysis

Screening for transformation products of pesticides using tandem mass spectrometric scan modes 915(2001)129

Enzyme inhibitors

Screening for acetylcholinesterase inhibitors from Amaryllidaceae using silica gel thin-layer chromatography in combination with bioactivity staining 915(2001)217

Enzymes

Affinity chromatography of polyhistidine tagged enzymes. New dextran-coated immobilized metal ion affinity chromatography matrices for prevention of undesired multipoint adsorptions 915(2001)97

Ethoxylates

Liquid exclusion-adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. II. Quantitation in the analysis of fatty alcohol ethoxylates 915(2001)155

Evolving factor analysis

Peak purity assessment in liquid chromatography-mass spectrometry 915(2001)43

Experimental design

Improving gas chromatographic determination of residual solvents in pharmaceuticals by the combined use of headspace solid-phase microextraction and isotopic dilution 915(2001)209

Exponential-Gaussian hybrid function

A hybrid of exponential and gaussian functions as a simple model of asymmetric chromatographic peaks 915(2001)1

Fatty alcohol ethoxylates

Liquid exclusion-adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. II. Quantitation in the analysis of fatty alcohol ethoxylates 915(2001)155

Fenchlorazole-ethyl

Screening for transformation products of pesticides using tandem mass spectrometric scan modes 915(2001)129

Fixed-size moving window

Peak purity assessment in liquid chromatography-mass spectrometry 915(2001)43

Flow-rate

Linear programming of inlet pressure or flow-rate in isothermal gas chromatography with near-vacuum outlet pressure 915(2001)265

Folpet

Monitoring of antifouling agents in water samples by on-line solid-phase extraction–liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 915(2001)139

Food analysis

Value of high-performance liquid chromatographic analysis of anthocyanins in the differentiation of red grape cultivars and red wines made from them 915(2001)53

Profiling of colour pigments of chili powders of different origin by high-performance liquid chromatography 915(2001)149

Improved method for the simultaneous determination of whey proteins, caseins and *para*-κ-casein in milk and dairy products by capillary electrophoresis 915(2001)225

Furathiocarb

Screening for transformation products of pesticides using tandem mass spectrometric scan modes 915(2001)129

Galactosidases

Affinity chromatography of polyhistidine tagged enzymes. New dextran-coated immobilized metal ion affinity chromatography matrices for prevention of undesired multipoint adsorptions 915(2001)97

Gaseous plant emissions

Trace level determination of enantiomeric monoterpenes in terrestrial plant emission and in the atmosphere using a β -cyclodextrin capillary column coupled with thermal desorption and mass spectrometry 915(2001)185

Glutathione

Artifactual-free analysis of *S*-nitrosoglutathione and *S*-nitroglutathione by neutral-pH, anion-pairing, high-performance liquid chromatography. Study on peroxynitrite-mediated *S*-nitration of glutathione to *S*-nitroglutathione under physiological conditions 915(2001)107

Glycosides

Preparative separation of the naphthopyranone glycosides by high-speed counter-current chromatography 915(2001)259

Grapes

Value of high-performance liquid chromatographic analysis of anthocyanins in the differentiation of red grape cultivars and red wines made from them 915(2001)53

Hexaamines

Potentiometric detection of organic acids in liquid chromatography using polymeric liquid membrane electrodes incorporating macrocyclic hexaamines 915(2001)25

Hydrogen bond acceptor basicity

Selectivity of amino-, cyano- and diol-bonded silica in reversedphase liquid chromatography 915(2001)35

Hydrogen bond donor acidity

Selectivity of amino-, cyano- and diol-bonded silica in reversedphase liquid chromatography 915(2001)35

Hydrophobicity

Selectivity of amino-, cyano- and diol-bonded silica in reversedphase liquid chromatography 915(2001)35

Immobilized metal ion affinity chromatography

Affinity chromatography of polyhistidine tagged enzymes. New dextran-coated immobilized metal ion affinity chromatography matrices for prevention of undesired multipoint adsorptions 915(2001)97

Interdetector volume

Influence of peak-broadening and interdetector volume error on size-exclusive chromatographic analysis with dual viscometric-concentration detection using the universal calibration method 915(2001)15

Ionic strength

Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85

Irgarol 1051

Monitoring of antifouling agents in water samples by on-line solid-phase extraction–liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 915(2001)139

Isotopic dilution

Improving gas chromatographic determination of residual solvents in pharmaceuticals by the combined use of headspace solid-phase microextraction and isotopic dilution 915(2001)209

Ketoprofen

Improving gas chromatographic determination of residual solvents in pharmaceuticals by the combined use of headspace solid-phase microextraction and isotopic dilution 915(2001)209

Lactoglobulin

Improved method for the simultaneous determination of whey proteins, caseins and *para*-κ-casein in milk and dairy products by capillary electrophoresis 915(2001)225

Light scattering

Influence of peak-broadening and interdetector volume error on size-exclusive chromatographic analysis with dual viscometric– concentration detection using the universal calibration method 915(2001)15

Linear solvation energy relationships

Selectivity of amino-, cyano- and diol-bonded silica in reversedphase liquid chromatography 915(2001)35

Liquid exclusion-adsorption chromatography

Liquid exclusion-adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. II. Quantitation in the analysis of fatty alcohol ethoxylates 915(2001)155

Martian samples

Chemical derivatization of amino acids for in situ analysis of Martian samples by gas chromatography 915(2001)199

Membranes

Potentiometric detection of organic acids in liquid chromatography using polymeric liquid membrane electrodes incorporating macrocyclic hexaamines 915(2001)25

Metal cations

Ion chromatographic preconcentration of Cu and Cd from ultrahigh-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167

Milk

Improved method for the simultaneous determination of whey proteins, caseins and *para*-κ-casein in milk and dairy products by capillary electrophoresis 915(2001)225

Mobile phase composition

Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85

Molecular descriptors

Artificial neural network modeling of Kováts retention indices for noncyclic and monocyclic terpenes 915(2001)177

Monoterpenes

Trace level determination of enantiomeric monoterpenes in terrestrial plant emission and in the atmosphere using a β -cyclodextrin capillary column coupled with thermal desorption and mass spectrometry 915(2001)185

Naphthopyranones

Preparative separation of the naphthopyranone glycosides by high-speed counter-current chromatography 915(2001)259

Neural networks, artificial

Artificial neural network modeling of Kováts retention indices for noncyclic and monocyclic terpenes 915(2001)177

Nitroglutathione

Artifactual-free analysis of *S*-nitrosoglutathione and *S*-nitroglutathione by neutral-pH, anion-pairing, highperformance liquid chromatography. Study on peroxynitritemediated *S*-nitration of glutathione to *S*-nitroglutathione under physiological conditions 915(2001)107

Nitrosoglutathione

Artifactual-free analysis of *S*-nitrosoglutathione and *S*-nitroglutathione by neutral-pH, anion-pairing, highperformance liquid chromatography. Study on peroxynitritemediated *S*-nitration of glutathione to *S*-nitroglutathione under physiological conditions 915(2001)107

Non-aqueous capillary electrophoresis

Non-aqueous capillary electrophoresis using non-dissociating solvents. Application to the separation of highly hydrophobic oligomers 915(2001)241

Oligomers

Non-aqueous capillary electrophoresis using non-dissociating solvents. Application to the separation of highly hydrophobic oligomers 915(2001)241

Organometallic compounds

Separation and identification of organic and organometallic compounds by use of a liquid chromatography-particle beam-glow discharge mass spectrometry combination 915(2001)117

Organosulfur compounds

Artifactual-free analysis of *S*-nitrosoglutathione and *S*-nitroglutathione by neutral-pH, anion-pairing, high-performance liquid chromatography. Study on peroxynitrite-mediated *S*-nitration of glutathione to *S*-nitroglutathione under physiological conditions 915(2001)107

Oxidation

Determination of the oxidation products of the reaction between α -pinene and hydroxyl radicals by high-performance liquid chromatography 915(2001)75

Paepalanthus microphyllus

Preparative separation of the naphthopyranone glycosides by high-speed counter-current chromatography 915(2001)259

Particle beam glow discharge mass spectrometry

Separation and identification of organic and organometallic compounds by use of a liquid chromatography–particle beamglow discharge mass spectrometry combination 915(2001)117

Peak profiles

A hybrid of exponential and gaussian functions as a simple model of asymmetric chromatographic peaks 915(2001)1

Peak purity detection

Peak purity assessment in liquid chromatography-mass spectrometry 915(2001)43

Peak-broadening

Influence of peak-broadening and interdetector volume error on size-exclusive chromatographic analysis with dual viscometric-concentration detection using the universal calibration method 915(2001)15

Peptide hormones

Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85

Peptides

Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85

Peroxyacyl nitrates

Analysis of C_2-C_4 peroxyacyl nitrates and C_1-C_5 alkyl nitrates with a non-polar capillary column 915(2001)271

Peroxynitrite

Artifactual-free analysis of *S*-nitrosoglutathione and *S*-nitroglutathione by neutral-pH, anion-pairing, highperformance liquid chromatography. Study on peroxynitritemediated *S*-nitration of glutathione to *S*-nitroglutathione under physiological conditions 915(2001)107

Pesticides

Screening for transformation products of pesticides using tandem mass spectrometric scan modes 915(2001)129

Monitoring of antifouling agents in water samples by on-line solid-phase extraction–liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 915(2001)139

pH effects

Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85

Pharmaceutical analysis

Improving gas chromatographic determination of residual solvents in pharmaceuticals by the combined use of headspace solid-phase microextraction and isotopic dilution 915(2001)209

Phenols

Value of high-performance liquid chromatographic analysis of anthocyanins in the differentiation of red grape cultivars and red wines made from them 915(2001)53

Phytoalexins

Reproducibility of the high-performance liquid chromatographic fingerprints obtained from two soybean cultivars and a selected progeny 915(2001)61

Pigments

Profiling of colour pigments of chili powders of different origin by high-performance liquid chromatography 915(2001)149

Pinenes

Determination of the oxidation products of the reaction between α -pinene and hydroxyl radicals by high-performance liquid chromatography 915(2001)75

Polarizability

Selectivity of amino-, cyano- and diol-bonded silica in reversedphase liquid chromatography 915(2001)35

Polyacrylamide

DNA sequencing by capillary electrophoresis using mixtures of polyacrylamide and poly(N,N-dimethylacrylamide) 915(2001)231

Polyaniline

Non-aqueous capillary electrophoresis using non-dissociating solvents. Application to the separation of highly hydrophobic oligomers 915(2001)241

Polydimethylacrylamide

DNA sequencing by capillary electrophoresis using mixtures of polyacrylamide and poly(N,N-dimethylacrylamide) 915(2001)231

Polyphenols

Value of high-performance liquid chromatographic analysis of anthocyanins in the differentiation of red grape cultivars and red wines made from them 915(2001)53

Poly(phenylaniline)

Non-aqueous capillary electrophoresis using non-dissociating solvents. Application to the separation of highly hydrophobic oligomers 915(2001)241

Preparative chromatography

Preparative separation of the naphthopyranone glycosides by high-speed counter-current chromatography 915(2001)259

Pressure programming

Linear programming of inlet pressure or flow-rate in isothermal gas chromatography with near-vacuum outlet pressure 915(2001)265

Principal component analysis

Peak purity assessment in liquid chromatography-mass spectrometry 915(2001)43

Profiling of colour pigments of chili powders of different origin by high-performance liquid chromatography 915(2001)149

Procyanidins

Separation of apple procyanidins into different degrees of polymerization by high-speed counter-current chromatography 915(2001)253

Profens

Improving gas chromatographic determination of residual solvents in pharmaceuticals by the combined use of headspace solid-phase microextraction and isotopic dilution 915(2001)209

Proteins

Improved method for the simultaneous determination of whey proteins, caseins and *para*-κ-casein in milk and dairy products by capillary electrophoresis 915(2001)225

Pyridinedicarboxylic acid

Ion chromatographic preconcentration of Cu and Cd from ultrahigh-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167

Quinolones

Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85

Regression models

Artificial neural network modeling of Kováts retention indices for noncyclic and monocyclic terpenes 915(2001)177

Retention indices

Artificial neural network modeling of Kováts retention indices for noncyclic and monocyclic terpenes 915(2001)177

Retention models

Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85

Retention prediction

Linear programming of inlet pressure or flow-rate in isothermal gas chromatography with near-vacuum outlet pressure 915(2001)265

Roots

Reproducibility of the high-performance liquid chromatographic fingerprints obtained from two soybean cultivars and a selected progeny 915(2001)61

Sample handling

Ion chromatographic preconcentration of Cu and Cd from ultrahigh-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167

Sequencing methods

DNA sequencing by capillary electrophoresis using mixtures of polyacrylamide and poly(N,N-dimethylacrylamide) 915(2001)231

Soybean

Reproducibility of the high-performance liquid chromatographic fingerprints obtained from two soybean cultivars and a selected progeny 915(2001)61

Stationary phases, LC

Selectivity of amino-, cyano- and diol-bonded silica in reversedphase liquid chromatography 915(2001)35

Surfactants, non-ionic

Liquid exclusion–adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. II. Quantitation in the analysis of fatty alcohol ethoxylates 915(2001)155

Tannins

Separation of apple procyanidins into different degrees of polymerization by high-speed counter-current chromatography 915(2001)253

Terpenes

Artificial neural network modeling of Kováts retention indices for noncyclic and monocyclic terpenes 915(2001)177

Tetrachloroethylene

Analysis of C_2-C_4 peroxyacyl nitrates and C_1-C_5 alkyl nitrates with a non-polar capillary column 915(2001)271

Influence of peak-broadening and interdetector volume error on size-exclusive chromatographic analysis with dual viscometric-concentration detection using the universal calibration method 915(2001)15

Volatile organic compounds

Determination of the oxidation products of the reaction between α -pinene and hydroxyl radicals by high-performance liquid chromatography 915(2001)75

Trace level determination of enantiomeric monoterpenes in terrestrial plant emission and in the atmosphere using a β -cyclodextrin capillary column coupled with thermal desorption and mass spectrometry 915(2001)185

Analysis of C_2-C_4 peroxyacyl nitrates and C_1-C_5 alkyl nitrates with a non-polar capillary column 915(2001)271

Water analysis

Screening for transformation products of pesticides using tandem mass spectrometric scan modes 915(2001)129

Monitoring of antifouling agents in water samples by on-line solid-phase extraction–liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 915(2001)139

Ion chromatographic preconcentration of Cu and Cd from ultrahigh-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167

Whey proteins

Improved method for the simultaneous determination of whey proteins, caseins and *para*-κ-casein in milk and dairy products by capillary electrophoresis 915(2001)225

Wine

Value of high-performance liquid chromatographic analysis of anthocyanins in the differentiation of red grape cultivars and red wines made from them 915(2001)53