



ELSEVIER

Journal of Chromatography A, 917 (2001) 379–386

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 917

Adsorbents

Evaluation on the adsorption capabilities of new chemically modified polymeric adsorbents with protoporphyrin IX 917(2001)87

Adsorption

Bioskin as an affinity matrix for the separation of glycoproteins 917(2001)55

Adsorption isotherms

Evaluation on the adsorption capabilities of new chemically modified polymeric adsorbents with protoporphyrin IX 917(2001)87

Affinity adsorbents

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Bioskin as an affinity matrix for the separation of glycoproteins 917(2001)55

Affinity chromatography

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Alcohols

Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205

Aldehydes

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205

Alkaloids

Determination of tobacco alkaloids in single plant cells by capillary electrophoresis 917(2001)311

Alkylbenzene

Application of gas chromatography–tandem mass spectrometry to the analysis of inhibition of dimerisation of tributylphosphate under radiolysis. Identification of isomeric tributylphosphate-alkylbenzene inhibitor coupling products 917(2001)261

Amides

Structural analysis of commercial ceramides by gas chromatography–mass spectrometry 917(2001)251

Amino acids

Effect of the mobile phase on the retention behaviour of optical isomers of carboxylic acids and amino acids in liquid chromatography on bonded Teicoplanin columns 917(2001)123

Amylopectin

Characterization of starch polysaccharides by flow field-flow fractionation–multi-angle laser light scattering–differential refractometer index 917(2001)179

Amylose

Characterization of starch polysaccharides by flow field-flow fractionation–multi-angle laser light scattering–differential refractometer index 917(2001)179

Antifungals

Optimization of the separation of a group of antifungals by capillary zone electrophoresis 917(2001)337

Assay bias

Investigation of pharmaceutical high-performance liquid chromatography assay bias using experimental design 917(2001)63

Asterosaponins

Combination of matrix solid-phase dispersion extraction and direct on-line liquid chromatography–nuclear magnetic resonance spectroscopy–tandem mass spectrometry as a new efficient approach for the rapid screening of natural products: Application to the total asterosaponin fraction of the starfish *Asterias rubens* 917(2001)75

Automation

Miniaturized automated matrix solid-phase dispersion extraction of pesticides in fruit followed by gas chromatographic–mass spectrometric analysis 917(2001)277

Axial dispersion

Visualization of solute migration in chromatographic columns. Influence of the frit porosity 917(2001)1

Azo dyes

Determination of the dissociation constants of sulfonated azo dyes by capillary zone electrophoresis and spectrophotometry methods 917(2001)331

Band profiles

Visualization of solute migration in chromatographic columns. Influence of the frit porosity 917(2001)1

Bile acids

Evaluation of the lipophilicity of bile acids and their derivatives by thin-layer chromatography and principal component analysis 917(2001)361

Biliproteins

Chromatographic purification and characterization of B-phycoerythrin from *Porphyridium cruentum*. Semipreparative high-performance liquid chromatographic separation and characterization of its subunits 917(2001)135

Binding constants

A capillary electrophoresis study on the influence of β -cyclodextrin on the critical micelle concentration of sodium dodecyl sulfate 917(2001)297

Biomimetic ligands

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Bioskin

Bioskin as an affinity matrix for the separation of glycoproteins 917(2001)55

Breakthrough volume

Evaluation on the adsorption capabilities of new chemically modified polymeric adsorbents with protoporphyrin IX 917(2001)87

Carbon sorbents

Suitability of several carbon sorbents for the fractionation of various sub-groups of toxic polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans 917(2001)227

Carboxylic acids

Effect of the mobile phase on the retention behaviour of optical isomers of carboxylic acids and amino acids in liquid chromatography on bonded Teicoplanin columns 917(2001)123

Ceramides

Structural analysis of commercial ceramides by gas chromatography–mass spectrometry 917(2001)251

Chlorobium phaeobacteroides

Development and application of a high resolution liquid chromatographic method for the analysis of complex pigment distributions 917(2001)167

Chlorophenols

Evaluation on the adsorption capabilities of new chemically modified polymeric adsorbents with protoporphyrin IX 917(2001)87

A capillary electrophoresis study on the influence of β -cyclodextrin on the critical micelle concentration of sodium dodecyl sulfate 917(2001)297

Coal tar

Capillary electrophoresis of methyl derivatives of quinolines. I 917(2001)319

Concatemers

Comparative studies on discrete and concatemeric DNA-Sepharose columns for purification of transcription factors 917(2001)43

Counter-current chromatography

Counter-current chromatographic separation of glycoprotein components from *Morchella esculenta* (L.) with a polymer phase system by a cross-axis coil planet centrifuge 917(2001)347

Critical micellar concentration

A capillary electrophoresis study on the influence of β -cyclodextrin on the critical micelle concentration of sodium dodecyl sulfate 917(2001)297

Cyclodextrins

A capillary electrophoresis study on the influence of β -cyclodextrin on the critical micelle concentration of sodium dodecyl sulfate 917(2001)297

Detection, GC

Determination of percent composition of a mixture analyzed by gas chromatography. Comparison of a helium pulsed-discharge photoionization detector with a flame ionization detector 917(2001)187

Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205

Detection, LC

Setting system suitability criteria for detectability in high-performance liquid chromatography methods using signal-to-noise ratio statistical tolerance intervals 917(2001)23

Dimerisation

Application of gas chromatography–tandem mass spectrometry to the analysis of inhibition of dimerisation of tributylphosphate under radiolysis. Identification of isomeric tributylphosphate-alkylbenzene inhibitor coupling products 917(2001)261

Dissociation constants

Capillary electrophoresis of methyl derivatives of quinolines. I 917(2001)319

Determination of the dissociation constants of sulfonated azo dyes by capillary zone electrophoresis and spectrophotometry methods 917(2001)331

DMP 543

Investigation of pharmaceutical high-performance liquid chromatography assay bias using experimental design 917(2001)63

DNA

Comparative studies on discrete and concatemeric DNA–Sephacrose columns for purification of transcription factors 917(2001)43

Dyes

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Eggs

Pressurized liquid extraction of lipids for the determination of oxysterols in egg-containing food 917(2001)239

Enantiomer separation

Effect of the mobile phase on the retention behaviour of optical isomers of carboxylic acids and amino acids in liquid chromatography on bonded Teicoplanin columns 917(2001)123

Enzymes

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Enzymic degradation

High-performance anion-exchange chromatography–electrospray mass spectrometry for investigation of the substituent distribution in hydroxypropylated potato amylopectin starch 917(2001)111

Essential oil

On-site field sampling and analysis of fragrance from living Lavender (*Lavandula angustifolia* L.) flowers by solid-phase microextraction coupled to gas chromatography and ion-trap mass spectrometry 917(2001)245

Esters

Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205

Ethers

Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205

Experimental design

Investigation of pharmaceutical high-performance liquid chromatography assay bias using experimental design 917(2001)63

Extraction methods

Miniaturized automated matrix solid-phase dispersion extraction of pesticides in fruit followed by gas chromatographic–mass spectrometric analysis 917(2001)277

Fast ion-interaction chromatography

Fast separation of UV absorbing anions using ion-interaction chromatography 917(2001)353

Fatty acids

Structural analysis of commercial ceramides by gas chromatography–mass spectrometry 917(2001)251

Flame ionization detection

Determination of percent composition of a mixture analyzed by gas chromatography. Comparison of a helium pulsed-discharge photoionization detector with a flame ionization detector 917(2001)187

Food analysis

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Pressurized liquid extraction of lipids for the determination of oxysterols in egg-containing food 917(2001)239

Miniaturized automated matrix solid-phase dispersion extraction of pesticides in fruit followed by gas chromatographic–mass spectrometric analysis 917(2001)277

Formaldehyde dehydrogenase

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Fragrances

On-site field sampling and analysis of fragrance from living Lavender (*Lavandula angustifolia* L.) flowers by solid-phase microextraction coupled to gas chromatography and ion-trap mass spectrometry 917(2001)245

Frits

Visualization of solute migration in chromatographic columns. Influence of the frit porosity 917(2001)1

Fruits

Miniaturized automated matrix solid-phase dispersion extraction of pesticides in fruit followed by gas chromatographic–mass spectrometric analysis 917(2001)277

Furaldehyde

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Furancarboxaldehyde

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Furancarboxylic acid

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Furoic acid

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Glutathione reductase

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Glutathione transferase

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Glycoproteins

Bioskin as an affinity matrix for the separation of glycoproteins 917(2001)55

Counter-current chromatographic separation of glycoprotein components from *Morchella esculenta* (L.) with a polymer phase system by a cross-axis coil planet centrifuge 917(2001)347

Helium pulsed-discharge photoionization detection

Determination of percent composition of a mixture analyzed by gas chromatography. Comparison of a helium pulsed-discharge photoionization detector with a flame ionization detector 917(2001)187

Heparin

Determination of heparin on intraocular lens surfaces by ion chromatography 917(2001)105

Honey

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Hydroxymethylfurfural

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Hydroxypropylated amylopectin

High-performance anion-exchange chromatography–electrospray mass spectrometry for investigation of the substituent distribution in hydroxypropylated potato amylopectin starch 917(2001)111

Hyphenated techniques

Combination of matrix solid-phase dispersion extraction and direct on-line liquid chromatography–nuclear magnetic resonance spectroscopy–tandem mass spectrometry as a new efficient approach for the rapid screening of natural products: Application to the total asterosaponin fraction of the starfish *Asterias rubens* 917(2001)75

Inorganic anions

Fast separation of UV absorbing anions using ion-interaction chromatography 917(2001)353

Iodine

Visualization of solute migration in chromatographic columns. Influence of the frit porosity 917(2001)1

Isoelectric focusing

Validity of a capillary isoelectric focusing method for impurity quantitation 917(2001)147

Lavandula angustifolia

On-site field sampling and analysis of fragrance from living Lavender (*Lavandula angustifolia* L.) flowers by solid-phase microextraction coupled to gas chromatography and ion-trap mass spectrometry 917(2001)245

Lens, intraocular

Determination of heparin on intraocular lens surfaces by ion chromatography 917(2001)105

Lipids

Pressurized liquid extraction of lipids for the determination of oxysterols in egg-containing food 917(2001)239

Lipophilicity

Evaluation of the lipophilicity of bile acids and their derivatives by thin-layer chromatography and principal component analysis 917(2001)361

Matrix solid-phase dispersion

Miniaturized automated matrix solid-phase dispersion extraction of pesticides in fruit followed by gas chromatographic–mass spectrometric analysis 917(2001)277

Matrix solid-phase dispersion extraction

Combination of matrix solid-phase dispersion extraction and direct on-line liquid chromatography–nuclear magnetic resonance spectroscopy–tandem mass spectrometry as a new efficient approach for the rapid screening of natural products: Application to the total asterosaponin fraction of the starfish *Asterias rubens* 917(2001)75

Methyl anthranilate

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Mobile phase composition

Effect of the mobile phase on the retention behaviour of optical isomers of carboxylic acids and amino acids in liquid chromatography on bonded Teicoplanin columns 917(2001)123

Molecular interactions

Mixtures of nonionic and anionic surfactants: interactions with low-molecular-mass homopeptides 917(2001)287

Molecular modelling

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Morchella esculenta

Counter-current chromatographic separation of glycoprotein components from *Morchella esculenta* (L.) with a polymer phase system by a cross-axis coil planet centrifuge 917(2001)347

Natural products

Combination of matrix solid-phase dispersion extraction and direct on-line liquid chromatography–nuclear magnetic resonance spectroscopy–tandem mass spectrometry as a new efficient approach for the rapid screening of natural products: Application to the total asterosaponin fraction of the starfish *Asterias rubens* 917(2001)75

***N*-Methylpyrrolidinone**

Liquid chromatography–mass spectrometry and liquid chromatography–tandem mass spectrometry determination of *N*-methylpyrrolidinone in riverine biofilms 917(2001)159

Nuclear magnetic resonance spectroscopy

Combination of matrix solid-phase dispersion extraction and direct on-line liquid chromatography–nuclear magnetic resonance spectroscopy–tandem mass spectrometry as a new efficient approach for the rapid screening of natural products: Application to the total asterosaponin fraction of the starfish *Asterias rubens* 917(2001)75

Optimization

Optimization of the separation of a group of antifungals by capillary zone electrophoresis 917(2001)337

Organophosphorus compounds

Miniaturized automated matrix solid-phase dispersion extraction of pesticides in fruit followed by gas chromatographic–mass spectrometric analysis 917(2001)277

Oxysterols

Pressurized liquid extraction of lipids for the determination of oxysterols in egg-containing food 917(2001)239

Peptides

Mixtures of nonionic and anionic surfactants: interactions with low-molecular-mass homopeptides 917(2001)287

Pesticides

Miniaturized automated matrix solid-phase dispersion extraction of pesticides in fruit followed by gas chromatographic–mass spectrometric analysis 917(2001)277

Pharmaceutical analysis

Validatibility of a capillary isoelectric focusing method for impurity quantitation 917(2001)147

Optimization of the separation of a group of antifungals by capillary zone electrophoresis 917(2001)337

Phenol

Evaluation on the adsorption capabilities of new chemically modified polymeric adsorbents with protoporphyrin IX 917(2001)87

Pheromones

Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205

Photoionization detection

Determination of percent composition of a mixture analyzed by gas chromatography. Comparison of a helium pulsed-discharge photoionization detector with a flame ionization detector 917(2001)187

Phycoerythrins

Chromatographic purification and characterization of B-phycoerythrin from *Porphyridium cruentum*. Semipreparative high-performance liquid chromatographic separation and characterization of its subunits 917(2001)135

Pigments

Development and application of a high resolution liquid chromatographic method for the analysis of complex pigment distributions 917(2001)167

Plant materials

On-site field sampling and analysis of fragrance from living Lavender (*Lavandula angustifolia* L.) flowers by solid-phase microextraction coupled to gas chromatography and ion-trap mass spectrometry 917(2001)245

Determination of tobacco alkaloids in single plant cells by capillary electrophoresis 917(2001)311

Polychlorinated biphenyls

Suitability of several carbon sorbents for the fractionation of various sub-groups of toxic polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans 917(2001)227

Polychlorinated dibenzo-*p*-dioxins

Suitability of several carbon sorbents for the fractionation of various sub-groups of toxic polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans 917(2001)227

Polychlorinated dibenzofurans

Suitability of several carbon sorbents for the fractionation of various sub-groups of toxic polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans 917(2001)227

Poly(ethylene glycol)

Capillary electrophoresis of methyl derivatives of quinolines. I 917(2001)319

Polysaccharides

Characterization of starch polysaccharides by flow field-flow fractionation–multi-angle laser light scattering–differential refractometer index 917(2001)179

Porosity

Visualization of solute migration in chromatographic columns. Influence of the frit porosity 917(2001)1

Porphyridium cruentum

Chromatographic purification and characterization of B-phycoerythrin from *Porphyridium cruentum*. Semipreparative high-performance liquid chromatographic separation and characterization of its subunits 917(2001)135

Pressurized liquid extraction

Pressurized liquid extraction of lipids for the determination of oysterols in egg-containing food 917(2001)239

Principal component analysis

Evaluation of the lipophilicity of bile acids and their derivatives by thin-layer chromatography and principal component analysis 917(2001)361

Prochlorperazine

Setting system suitability criteria for detectability in high-performance liquid chromatography methods using signal-to-noise ratio statistical tolerance intervals 917(2001)23

Proteins

Comparative studies on discrete and concatemeric DNA-Sepharose columns for purification of transcription factors 917(2001)43

Bioskin as an affinity matrix for the separation of glycoproteins 917(2001)55

Chromatographic purification and characterization of B-phycoerythrin from *Porphyridium cruentum*. Semipreparative high-performance liquid chromatographic separation and characterization of its subunits 917(2001)135

Validity of a capillary isoelectric focusing method for impurity quantitation 917(2001)147

Counter-current chromatographic separation of glycoprotein components from *Morchella esculenta* (L.) with a polymer phase system by a cross-axis coil planet centrifuge 917(2001)347

Protoporphyrin IX

Evaluation of the adsorption capabilities of new chemically modified polymeric adsorbents with protoporphyrin IX 917(2001)87

2-(1-Pyrenyl) ethyldimethylsilylated silica

Suitability of several carbon sorbents for the fractionation of various sub-groups of toxic polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans 917(2001)227

Quinolines

Capillary electrophoresis of methyl derivatives of quinolines. I 917(2001)319

Radiolysis

Application of gas chromatography–tandem mass spectrometry to the analysis of inhibition of dimerisation of tributylphosphate under radiolysis. Identification of isomeric tributylphosphate-alkylbenzene inhibitor coupling products 917(2001)261

Radio-frequency ion mobility spectrometry

Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205

Regression analysis

Mixtures of nonionic and anionic surfactants: interactions with low-molecular-mass homopeptides 917(2001)287

Retention behaviour

Effect of the mobile phase on the retention behaviour of optical isomers of carboxylic acids and amino acids in liquid chromatography on bonded Teicoplanin columns 917(2001)123

Riverine biofilms

Liquid chromatography–mass spectrometry and liquid chromatography–tandem mass spectrometry determination of *N*-methylpyrrolidinone in riverine biofilms 917(2001)159

Signal-to-noise ratio

Setting system suitability criteria for detectability in high-performance liquid chromatography methods using signal-to-noise ratio statistical tolerance intervals 917(2001)23

Silphenylene–siloxane copolymers

Characterization of stationary phases for gas chromatography by ²⁹Si NMR spectroscopy. II. Silphenylene–siloxane copolymers 917(2001)219

Sodium dodecylsulfate

Mixtures of nonionic and anionic surfactants: interactions with low-molecular-mass homopeptides 917(2001)287

A capillary electrophoresis study on the influence of β-cyclodextrin on the critical micelle concentration of sodium dodecyl sulfate 917(2001)297

Solid-phase microextraction

On-site field sampling and analysis of fragrance from living Lavender (*Lavandula angustifolia* L.) flowers by solid-phase microextraction coupled to gas chromatography and ion-trap mass spectrometry 917(2001)245

Sorbents

Suitability of several carbon sorbents for the fractionation of various sub-groups of toxic polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans 917(2001)227

Starch

Characterization of starch polysaccharides by flow field-flow fractionation–multi-angle laser light scattering–differential refractometer index 917(2001)179

Starfish

Combination of matrix solid-phase dispersion extraction and direct on-line liquid chromatography–nuclear magnetic resonance spectroscopy–tandem mass spectrometry as a new efficient approach for the rapid screening of natural products: Application to the total asterosaponin fraction of the starfish *Asterias rubens* 917(2001)75

Stationary phases, GC

Characterization of stationary phases for gas chromatography by ²⁹Si NMR spectroscopy. II. Silphenylene–siloxane copolymers 917(2001)219

Stationary phases, LC

Comparative studies on discrete and concatemeric DNA–Sephacryl columns for purification of transcription factors 917(2001)43

Substituent distribution

High-performance anion-exchange chromatography–electrospray mass spectrometry for investigation of the substituent distribution in hydroxypropylated potato amylopectin starch 917(2001)111

Sulfur compounds

Investigation of the storage stability of selected volatile sulfur compounds in different sampling containers 917(2001)367

Surfactants

Mixtures of nonionic and anionic surfactants: interactions with low-molecular-mass homopeptides 917(2001)287

System suitability criteria

Setting system suitability criteria for detectability in high-performance liquid chromatography methods using signal-to-noise ratio statistical tolerance intervals 917(2001)23

Tobacco

Determination of tobacco alkaloids in single plant cells by capillary electrophoresis 917(2001)311

Teicoplanin

Effect of the mobile phase on the retention behaviour of optical isomers of carboxylic acids and amino acids in liquid chromatography on bonded Teicoplanin columns 917(2001)123

Transcription factors

Comparative studies on discrete and concatemeric DNA–Sephacryl columns for purification of transcription factors 917(2001)43

Triazines

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Tributylphosphate

Application of gas chromatography–tandem mass spectrometry to the analysis of inhibition of dimerisation of tributylphosphate under radiolysis. Identification of isomeric tributylphosphate-alkylbenzene inhibitor coupling products 917(2001)261

Tridecyl alcohol diglycolate

Mixtures of nonionic and anionic surfactants: interactions with low-molecular-mass homopeptides 917(2001)287

Validation

Validatibility of a capillary isoelectric focusing method for impurity quantitation 917(2001)147

Viscosity

Capillary electrophoresis of methyl derivatives of quinolines. I 917(2001)319

Visualization of solute migration

Visualization of solute migration in chromatographic columns. Influence of the frit porosity 917(2001)1

Volatile organic compounds

Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205

Investigation of the storage stability of selected volatile sulfur compounds in different sampling containers 917(2001)367

XP 280

Investigation of pharmaceutical high-performance liquid chromatography assay bias using experimental design 917(2001)63