



ELSEVIER

Journal of Chromatography A, 918 (2001) 443–451

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 918

Acrylates

New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233

Adsorption isotherms

Determination and comparison of competitive isotherms by rectangular pulse method and frontal velocity analysis method 918(2001)13

Air analysis

Wet effluent diffusion denuder technique and determination of volatile organic compounds in air. I. Oxo compounds (alcohols and ketones) 918(2001)153

Alcohols

Wet effluent diffusion denuder technique and determination of volatile organic compounds in air. I. Oxo compounds (alcohols and ketones) 918(2001)153

Alkanes

Gas chromatographic study of the volatile products from co-pyrolysis of coal and polyethylene wastes 918(2001)135

Alkenes

Gas chromatographic study of the volatile products from co-pyrolysis of coal and polyethylene wastes 918(2001)135

Aluminum oxide

New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233

Amino acids

Characterization of phosphorylation of a novel protein kinase in rice cells by capillary electrophoresis 918(2001)401

Aminoanthracene

High-performance liquid chromatography–ToxPrint: chromatographic analysis with a novel (geno)toxicity detection 918(2001)277

Ammonia

Ammonia as carrier gas in capillary gas–liquid chromatography 918(2001)423

Ampholytes

Analytical aspects of carrier ampholyte-free isoelectric focusing 918(2001)195

Arbacia punctulata

Post-capillary reaction detection in capillary electrophoresis based on the streptavidin–biotin interaction. Optimization and application to single cell analysis 918(2001)381

Aroma compounds

Analysis of *Origanum vulgare* volatiles by direct thermal desorption coupled to gas chromatography–mass spectrometry 918(2001)189

Arsenic

Speciation of arsenic and selenium compounds by ion-pair reversed-phase chromatography with electrothermic atomic absorption spectrometry. Application of experimental design for chromatographic optimisation 918(2001)87

Atomic absorption spectrometry

Speciation of arsenic and selenium compounds by ion-pair reversed-phase chromatography with electrothermic atomic absorption spectrometry. Application of experimental design for chromatographic optimisation 918(2001)87

Avermectin

Comparison of various liquid chromatographic methods for the analysis of avermectin residues in citrus fruits 918(2001)59

Axial dispersion

Contribution of axial dispersion to band spreading in perfusion chromatography 918(2001)37

Band spreading

Contribution of axial dispersion to band spreading in perfusion chromatography 918(2001)37

Benzodiazepines

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293

Benzoylureas

Determination of benzoylureas in tomato by high-performance liquid chromatography using continuous on-line post-elution photoirradiation with fluorescence detection 918(2001)79

 β -Blockers

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293

Biotin

Post-capillary reaction detection in capillary electrophoresis based on the streptavidin–biotin interaction. Optimization and application to single cell analysis 918(2001)381

Bovine serum albumin

Mass transport characteristics and chromatographic behavior of preparative electrochromatography on hydroxyapatite 918(2001)393

Bromhexine

Determination of sulfamethoxazole, sulfadiazine and associated compounds in pharmaceutical preparations by capillary zone electrophoresis 918(2001)205

Buffer composition

Capillary zone electrophoresis for the determination of light-absorbing anions in environmental samples 918(2001)411

Bupirimate

Pressurised fluid extraction of bupirimate and ethirimol from aged soils 918(2001)429

Carbohydrates

Fractionation of low-molecular-mass heparin by centrifugal partition chromatography in the ion-exchange displacement mode 918(2001)47

Carrier gas

Ammonia as carrier gas in capillary gas–liquid chromatography 918(2001)423

Cation exchangers

Capillary electrochromatography of tricyclic antidepressants on strong cation exchangers with different pore sizes 918(2001)211

Central composite design

Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267

Centrifugal partition chromatography

Fractionation of low-molecular-mass heparin by centrifugal partition chromatography in the ion-exchange displacement mode 918(2001)47

Chlorotriazines

Solid-phase extraction with styrene–divinylbenzene sorbent for high-performance liquid or gas chromatographic determination of urinary chloro- and methylthiotriazines 918(2001)351

Chlorotrimethylsilane

Chlorotrimethylsilane as a reagent for gas chromatographic analysis of fats and oils 918(2001)227

Cereals

Critical study of and improvements in chromatographic methods for the analysis of type B trichothecenes 918(2001)99

Coal

Gas chromatographic study of the volatile products from co-pyrolysis of coal and polyethylene wastes 918(2001)135

Cocoa butter

Analysis of steryl esters in cocoa butter by on-line liquid chromatography–gas chromatography 918(2001)341

Competitive isotherm

Determination and comparison of competitive isotherms by rectangular pulse method and frontal velocity analysis method 918(2001)13

Deoxynivalenol

Critical study of and improvements in chromatographic methods for the analysis of type B trichothecenes 918(2001)99

Denuder

Wet effluent diffusion denuder technique and determination of volatile organic compounds in air. I. Oxo compounds (alcohols and ketones) 918(2001)153

Derivatization, electrophoresis

Post-capillary reaction detection in capillary electrophoresis based on the streptavidin–biotin interaction. Optimization and application to single cell analysis 918(2001)381

Detection, electrophoresis

Post-capillary reaction detection in capillary electrophoresis based on the streptavidin–biotin interaction. Optimization and application to single cell analysis 918(2001)381

Detection, GC

Solid-phase microextraction method for gas chromatography with mass spectrometric and pulsed flame photometric detection: studies of organoarsenical speciation 918(2001)169

Detection, LC

Liquid-core waveguide technology for coupling column liquid chromatography and Raman spectroscopy 918(2001)25

High-performance liquid chromatography–ToxPrint: chromatographic analysis with a novel (geno)toxicity detection 918(2001)277

Diffusion denuder

Wet effluent diffusion denuder technique and determination of volatile organic compounds in air. I. Oxo compounds (alcohols and ketones) 918(2001)153

Dimethyl arsinic acid

Solid-phase microextraction method for gas chromatography with mass spectrometric and pulsed flame photometric detection: studies of organoarsenical speciation 918(2001)169

Dimetridazole

Determination of three nitroimidazole residues in poultry meat by gas chromatography with nitrogen–phosphorus detection 918(2001)435

Displacement chromatography

Chromatographic purification of some 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors 918(2001)319

Electrochromatography

Capillary electrochromatography of tricyclic antidepressants on strong cation exchangers with different pore sizes 918(2001)211

Electroosmosis

Mass transport characteristics and chromatographic behavior of preparative electrochromatography on hydroxyapatite 918(2001)393

Enoxaparin sodium

Fractionation of low-molecular-mass heparin by centrifugal partition chromatography in the ion-exchange displacement mode 918(2001)47

Environmental analysis

Determination of organochlorine pesticides and their metabolites in soil samples using headspace solid-phase microextraction 918(2001)177

High-performance liquid chromatography–ToxPrint: chromatographic analysis with a novel (geno)toxicity detection 918(2001)277

Multiresidue analysis of insecticides in soil by gas chromatography with electron–capture detection and confirmation by gas chromatography–mass spectrometry 918(2001)371

Capillary zone electrophoresis for the determination of light-absorbing anions in environmental samples 918(2001)411

Enzyme inhibitors

Chromatographic purification of some 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors 918(2001)319

Enzymes

Characterization of phosphorylation of a novel protein kinase in rice cells by capillary electrophoresis 918(2001)401

Essential oils

Solid-phase microextraction of hop volatiles. Potential use for determination and verification of hop varieties 918(2001)159

Ethirimol

Pressurised fluid extraction of bupirimate and ethirimol from aged soils 918(2001)429

Ethoxynonafluorobutane

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293

Experimental design

Speciation of arsenic and selenium compounds by ion-pair reversed-phase chromatography with electrothermic atomic absorption spectrometry. Application of experimental design for chromatographic optimisation 918(2001)87

Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267

Explosives

Influence of solvents and gas chromatographic injector conditions on the detectability of nitroaromatic compounds 918(2001)121

Extraction methods

Determination of organochlorine pesticides and their metabolites in soil samples using headspace solid-phase microextraction 918(2001)177

Fats

Chlorotrimethylsilane as a reagent for gas chromatographic analysis of fats and oils 918(2001)227

Fatty acid methyl esters

Chlorotrimethylsilane as a reagent for gas chromatographic analysis of fats and oils 918(2001)227

Field-flow fractionation

Different elution modes and field programming in gravitational field-flow fractionation. III. Field programming by flow-rate gradient generated by a programmable pump 918(2001)361

Field programming

Different elution modes and field programming in gravitational field-flow fractionation. III. Field programming by flow-rate gradient generated by a programmable pump 918(2001)361

Flow-rate gradients

Different elution modes and field programming in gravitational field-flow fractionation. III. Field programming by flow-rate gradient generated by a programmable pump 918(2001)361

Food analysis

Comparison of various liquid chromatographic methods for the analysis of avermectin residues in citrus fruits 918(2001)59

Critical study of and improvements in chromatographic methods for the analysis of type B trichothecenes 918(2001)99

Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267

Automated solid-phase extraction for sample preparation followed by high-performance liquid chromatography with diode array and mass spectrometric detection for the analysis of resveratrol derivatives in wine 918(2001)303

Determination of three nitroimidazole residues in poultry meat by gas chromatography with nitrogen–phosphorus detection 918(2001)435

Frontal velocity analysis method

Determination and comparison of competitive isotherms by rectangular pulse method and frontal velocity analysis method 918(2001)13

Fruits

Comparison of various liquid chromatographic methods for the analysis of avermectin residues in citrus fruits 918(2001)59

Gas chromatography

Elution parameters in constant-pressure, single-ramp temperature-programmed gas chromatography 918(2001)113

Genotoxicity

High-performance liquid chromatography–ToxPrint: chromatographic analysis with a novel (geno)toxicity detection 918(2001)277

Glycosaminoglycans

Fractionation of low-molecular-mass heparin by centrifugal partition chromatography in the ion-exchange displacement mode 918(2001)47

Glycosides

Automated solid-phase extraction for sample preparation followed by high-performance liquid chromatography with diode array and mass spectrometric detection for the analysis of resveratrol derivatives in wine 918(2001)303

Gradient elution

Urea gradient size-exclusion chromatography enhanced the yield of lysozyme refolding 918(2001)311

Guaiacol

Determination of sulfamethoxazole, sulfadiazine and associated compounds in pharmaceutical preparations by capillary zone electrophoresis 918(2001)205

Headspace analysis

Solid-phase microextraction of hop volatiles. Potential use for determination and verification of hop varieties 918(2001)159

Determination of organochlorine pesticides and their metabolites in soil samples using headspace solid-phase microextraction 918(2001)177

Heparin

Fractionation of low-molecular-mass heparin by centrifugal partition chromatography in the ion-exchange displacement mode 918(2001)47

Hop

Solid-phase microextraction of hop volatiles. Potential use for determination and verification of hop varieties 918(2001)159

Hopanes

Study of Croatian non-aromatic naphthalene constituents with skeletons analogous to bioactive compounds 918(2001)127

HPLC supports

New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233

Humulus lupulus

Solid-phase microextraction of hop volatiles. Potential use for determination and verification of hop varieties 918(2001)159

Hydrocarbons

Gas chromatographic study of the volatile products from co-pyrolysis of coal and polyethylene wastes 918(2001)135

Selectivity of solid-phase extraction phases in the determination of biodegradation products 918(2001)145

Hydrodynamic lift forces

Different elution modes and field programming in gravitational field-flow fractionation. III. Field programming by flow-rate gradient generated by a programmable pump 918(2001)361

Hydroxyapatite

Mass transport characteristics and chromatographic behavior of preparative electrochromatography on hydroxyapatite 918(2001)393

Injection methods

Influence of solvents and gas chromatographic injector conditions on the detectability of nitroaromatic compounds 918(2001)121

Inorganic anions

Simultaneous determination of six inorganic anions in drinking water by non-suppressed ion chromatography 918(2001)325

Capillary zone electrophoresis for the determination of light-absorbing anions in environmental samples 918(2001)411

Instrumentation

Influence of solvents and gas chromatographic injector conditions on the detectability of nitroaromatic compounds 918(2001)121

Wet effluent diffusion denuder technique and determination of volatile organic compounds in air. I. Oxo compounds (alcohols and ketones) 918(2001)153

Inverse temperature programming

Separation of polyethylene glycol oligomers using inverse temperature programming in packed capillary liquid chromatography 918(2001)221

Iodide

Determination of iodide in seawater and urine by size exclusion chromatography with iodine–starch complex 918(2001)335

Isoelectric focusing

Analytical aspects of carrier ampholyte-free isoelectric focusing 918(2001)195

Isotachopheresis–capillary zone electrophoresis

Analytical aspects of carrier ampholyte-free isoelectric focusing 918(2001)195

Ketones

Wet effluent diffusion denuder technique and determination of volatile organic compounds in air. I. Oxo compounds (alcohols and ketones) 918(2001)153

Linear solvation energy relationships

Study of retention in micellar liquid chromatography on a C₈ column by the use of linear solvation energy relationships 918(2001)1

Liquid-core waveguide

Liquid-core waveguide technology for coupling column liquid chromatography and Raman spectroscopy 918(2001)25

Lovastatin

Chromatographic purification of some 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors 918(2001)319

Lysozyme

Urea gradient size-exclusion chromatography enhanced the yield of lysozyme refolding 918(2001)311

Mass transport

Mass transport characteristics and chromatographic behavior of preparative electrochromatography on hydroxyapatite 918(2001)393

Methacrylates

New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233

Methylthiotriazines

Solid-phase extraction with styrene–divinylbenzene sorbent for high-performance liquid or gas chromatographic determination of urinary chloro- and methylthiotriazines 918(2001)351

Metronidazole

Determination of three nitroimidazole residues in poultry meat by gas chromatography with nitrogen–phosphorus detection 918(2001)435

Mevastatin

Chromatographic purification of some 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors 918(2001)319

Micellar liquid chromatography

Study of retention in micellar liquid chromatography on a C₈ column by the use of linear solvation energy relationships 918(2001)1

Mobile phase composition

Study of retention in micellar liquid chromatography on a C₈ column by the use of linear solvation energy relationships 918(2001)1

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293

Mobility factor

Elution parameters in constant-pressure, single-ramp temperature-programmed gas chromatography 918(2001)113

Monomethyl arsonous acid

Solid-phase microextraction method for gas chromatography with mass spectrometric and pulsed flame photometric detection: studies of organoarsenical speciation 918(2001)169

Mycotoxins

Critical study of and improvements in chromatographic methods for the analysis of type B trichothecenes 918(2001)99

Naphthalene preparations

Study of Croatian non-aromatic naphthalene constituents with skeletons analogous to bioactive compounds 918(2001)127

Nitroaromatic compounds

Influence of solvents and gas chromatographic injector conditions on the detectability of nitroaromatic compounds 918(2001)121

Nitroquinoline-N-oxide

High-performance liquid chromatography–ToxPrint: chromatographic analysis with a novel (geno)toxicity detection 918(2001)277

Nivalenol

Critical study of and improvements in chromatographic methods for the analysis of type B trichothecenes 918(2001)99

Nonsteroidal anti-inflammatory drugs

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293

Nucleoside phosphates

Liquid-core waveguide technology for coupling column liquid chromatography and Raman spectroscopy 918(2001)25

Oils

Chlorotrimethylsilane as a reagent for gas chromatographic analysis of fats and oils 918(2001)227

Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267

Optimisation

Speciation of arsenic and selenium compounds by ion-pair reversed-phase chromatography with electrothermic atomic absorption spectrometry. Application of experimental design for chromatographic optimisation 918(2001)87

Optimization

Simultaneous determination of six inorganic anions in drinking water by non-suppressed ion chromatography 918(2001)325

Organoarsenic compounds

Solid-phase microextraction method for gas chromatography with mass spectrometric and pulsed flame photometric detection: studies of organoarsenical speciation 918(2001)169

Organochlorine compounds

Determination of organochlorine pesticides and their metabolites in soil samples using headspace solid-phase microextraction 918(2001)177

Organophosphorous compounds

Characterization of phosphorylation of a novel protein kinase in rice cells by capillary electrophoresis 918(2001)401

Organophosphorus compounds

Determination of polar organophosphorus pesticides in aqueous samples by direct injection using liquid chromatography–tandem mass spectrometry 918(2001)67

Origanum vulgare

Analysis of *Origanum vulgare* volatiles by direct thermal desorption coupled to gas chromatography–mass spectrometry 918(2001)189

Packed capillary columns

Separation of polyethylene glycol oligomers using inverse temperature programming in packed capillary liquid chromatography 918(2001)221

Pesticides

Comparison of various liquid chromatographic methods for the analysis of avermectin residues in citrus fruits 918(2001)59

Determination of polar organophosphorus pesticides in aqueous samples by direct injection using liquid chromatography–tandem mass spectrometry 918(2001)67

Determination of benzoylureas in tomato by high-performance liquid chromatography using continuous on-line post-elution photoirradiation with fluorescence detection 918(2001)79

Determination of organochlorine pesticides and their metabolites in soil samples using headspace solid-phase microextraction 918(2001)177

Solid-phase extraction with styrene–divinylbenzene sorbent for high-performance liquid or gas chromatographic determination of urinary chloro- and methylthiothiazines 918(2001)351

Multiresidue analysis of insecticides in soil by gas chromatography with electron–capture detection and confirmation by gas chromatography–mass spectrometry 918(2001)371

Perfusion chromatography

Contribution of axial dispersion to band spreading in perfusion chromatography 918(2001)37

Petroleum

Study of Croatian non-aromatic naphthalene constituents with skeletons analogous to bioactive compounds 918(2001)127

Pharmaceutical analysis

Determination of sulfametoxazole, sulfadiazine and associated compounds in pharmaceutical preparations by capillary zone electrophoresis 918(2001)205

Chromatographic purification of some 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors 918(2001)319

Phenolic compounds

Automated solid-phase extraction for sample preparation followed by high-performance liquid chromatography with diode array and mass spectrometric detection for the analysis of resveratrol derivatives in wine 918(2001)303

Phosphoamino acids

Characterization of phosphorylation of a novel protein kinase in rice cells by capillary electrophoresis 918(2001)401

Photochemically induced fluorescence

Determination of benzoylureas in tomato by high-performance liquid chromatography using continuous on-line post-elution photoirradiation with fluorescence detection 918(2001)79

Plant materials

Analysis of *Origanum vulgare* volatiles by direct thermal desorption coupled to gas chromatography–mass spectrometry 918(2001)189

Polyethylene

Gas chromatographic study of the volatile products from co-pyrolysis of coal and polyethylene wastes 918(2001)135

Poly(ethylene glycol)

Separation of polyethylene glycol oligomers using inverse temperature programming in packed capillary liquid chromatography 918(2001)221

Poly(styrene–divinylbenzene)

New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233

Pore size

Capillary electrochromatography of tricyclic antidepressants on strong cation exchangers with different pore sizes 918(2001)211

Pravastatin

Chromatographic purification of some 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors 918(2001)319

Preparative chromatography

Chromatographic purification of some 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors 918(2001)319

Pressurised fluid extraction

Pressurised fluid extraction of bupirimate and ethirimol from aged soils 918(2001)429

Principal component analysis

Analysis of *Origanum vulgare* volatiles by direct thermal desorption coupled to gas chromatography–mass spectrometry 918(2001)189

Principle components analysis

Solid-phase microextraction of hop volatiles. Potential use for determination and verification of hop varieties 918(2001)159

Protein refolding

Urea gradient size-exclusion chromatography enhanced the yield of lysozyme refolding 918(2001)311

Proteins

Contribution of axial dispersion to band spreading in perfusion chromatography 918(2001)37

Urea gradient size-exclusion chromatography enhanced the yield of lysozyme refolding 918(2001)311

Characterization of phosphorylation of a novel protein kinase in rice cells by capillary electrophoresis 918(2001)401

Purines

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293

Pyrimidines

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293

Pyrolysis

Gas chromatographic study of the volatile products from co-pyrolysis of coal and polyethylene wastes 918(2001)135

Raman spectroscopy

Liquid-core waveguide technology for coupling column liquid chromatography and Raman spectroscopy 918(2001)25

Rectangular pulse method

Determination and comparison of competitive isotherms by rectangular pulse method and frontal velocity analysis method 918(2001)13

Regression analysis

Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267

Response surface fitting

Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267

Retention factor

Elution parameters in constant-pressure, single-ramp temperature-programmed gas chromatography 918(2001)113

Reviews

New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233

Resveratrol

Automated solid-phase extraction for sample preparation followed by high-performance liquid chromatography with diode array and mass spectrometric detection for the analysis of resveratrol derivatives in wine 918(2001)303

Ronidazole

Determination of three nitroimidazole residues in poultry meat by gas chromatography with nitrogen–phosphorus detection 918(2001)435

Sample handling

Wet effluent diffusion denuder technique and determination of volatile organic compounds in air. I. Oxo compounds (alcohols and ketones) 918(2001)153

Sample preparation

Analytical aspects of carrier ampholyte-free isoelectric focusing 918(2001)195

Automated solid-phase extraction for sample preparation followed by high-performance liquid chromatography with diode array and mass spectrometric detection for the analysis of resveratrol derivatives in wine 918(2001)303

Seawater

Determination of iodide in seawater and urine by size exclusion chromatography with iodine–starch complex 918(2001)335

Selenium

Speciation of arsenic and selenium compounds by ion-pair reversed-phase chromatography with electrothermic atomic absorption spectrometry. Application of experimental design for chromatographic optimisation 918(2001)87

Sesquiterpenoids

Critical study of and improvements in chromatographic methods for the analysis of type B trichothecenes 918(2001)99

Silica

New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233

Simvastatin

Chromatographic purification of some 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors 918(2001)319

Soil

Determination of organochlorine pesticides and their metabolites in soil samples using headspace solid-phase microextraction 918(2001)177

Multiresidue analysis of insecticides in soil by gas chromatography with electron-capture detection and confirmation by gas chromatography-mass spectrometry 918(2001)371

Solid-phase extraction

Selectivity of solid-phase extraction phases in the determination of biodegradation products 918(2001)145

Speciation

Speciation of arsenic and selenium compounds by ion-pair reversed-phase chromatography with electrothermic atomic absorption spectrometry. Application of experimental design for chromatographic optimisation 918(2001)87

Stationary phases, CEC

Capillary electrochromatography of tricyclic antidepressants on strong cation exchangers with different pore sizes 918(2001)211

Steranes

Study of Croatian non-aromatic naphthalene constituents with skeletons analogous to bioactive compounds 918(2001)127

Steroids

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293

Steryl esters

Analysis of steryl esters in cocoa butter by on-line liquid chromatography-gas chromatography 918(2001)341

Sulfadiazine

Determination of sulfamethoxazole, sulfadiazine and associated compounds in pharmaceutical preparations by capillary zone electrophoresis 918(2001)205

Sulfamethoxazole

Determination of sulfamethoxazole, sulfadiazine and associated compounds in pharmaceutical preparations by capillary zone electrophoresis 918(2001)205

Surfactants

Selectivity of solid-phase extraction phases in the determination of biodegradation products 918(2001)145

Temperature programming

Elution parameters in constant-pressure, single-ramp temperature-programmed gas chromatography 918(2001)113

Thermal desorption

Analysis of *Origanum vulgare* volatiles by direct thermal desorption coupled to gas chromatography-mass spectrometry 918(2001)189

Titania

New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233

Tocopherols

Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267

Triazines

Solid-phase extraction with styrene-divinylbenzene sorbent for high-performance liquid or gas chromatographic determination of urinary chloro- and methylthiotriazines 918(2001)351

Trichothecenes

Critical study of and improvements in chromatographic methods for the analysis of type B trichothecenes 918(2001)99

Tricyclic antidepressants

Capillary electrochromatography of tricyclic antidepressants on strong cation exchangers with different pore sizes 918(2001)211

Trimethoprim

Determination of sulfamethoxazole, sulfadiazine and associated compounds in pharmaceutical preparations by capillary zone electrophoresis 918(2001)205

Umu test

High-performance liquid chromatography-ToxPrint: chromatographic analysis with a novel (geno)toxicity detection 918(2001)277

Uncertainty

Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267

Urea

Urea gradient size-exclusion chromatography enhanced the yield of lysozyme refolding 918(2001)311

Urea gradient

Urea gradient size-exclusion chromatography enhanced the yield of lysozyme refolding 918(2001)311

Volatile organic compounds

Analysis of *Origanum vulgare* volatiles by direct thermal desorption coupled to gas chromatography-mass spectrometry 918(2001)189

Water analysis

Determination of polar organophosphorus pesticides in aqueous samples by direct injection using liquid chromatography-tandem mass spectrometry 918(2001)67

High-performance liquid chromatography–ToxPrint:
chromatographic analysis with a novel (geno)toxicity detection
918(2001)277

Simultaneous determination of six inorganic anions in drinking
water by non-suppressed ion chromatography 918(2001)325

Capillary zone electrophoresis for the determination of light-
absorbing anions in environmental samples 918(2001)411

Wine

Automated solid-phase extraction for sample preparation
followed by high-performance liquid chromatography with diode
array and mass spectrometric detection for the analysis of
resveratrol derivatives in wine 918(2001)303

Zirconia

New synthetic ways for the preparation of high-performance
liquid chromatography supports (Review) 918(2001)233