



ELSEVIER

Journal of Chromatography A, 919 (2001) 453–461

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 919

Adsorption

Quantitative analysis and synthesis of the electrokinetic mass transport and adsorption mechanisms of a charged adsorbate in capillary electrochromatography systems employing charged adsorbent particles 919(2001)157

Adsorption isotherms

Supercritical fluid simulated moving bed chromatography. II. Langmuir isotherm 919(2001)1

Air analysis

Application of programmed-temperature split/splitless injection to the trace analysis of aliphatic hydrocarbons by gas chromatography 919(2001)363

AlCl₃ catalysts

Study of the polymerization of anthracene oil with AlCl₃ by chromatography and related techniques 919(2001)255

Alkali-lignin

Analysis of alkali-lignin in a paper mill effluent decolourised with two *Streptomyces* strains by gas chromatography–mass spectrometry after cupric oxide degradation 919(2001)389

Alkanes

Simple, non-moving modulation interface for comprehensive two-dimensional gas chromatography 919(2001)127

Amines, aromatic

Comparison of chromatographic properties of cyanopropyl-, diol- and aminopropyl- polar-bonded stationary phases by the retention of model compounds in normal-phase liquid chromatography systems 919(2001)39

3-Aminobicyclo[2.2.1]heptane-2-methanol

High-performance liquid chromatographic enantioseparation of bicyclic 1,3-amino alcohols 919(2001)79

3-Aminobicyclo[2.2.1]hept-5-ene-2-methanol

High-performance liquid chromatographic enantioseparation of bicyclic 1,3-amino alcohols 919(2001)79

Anions

Suppressed ion chromatography methods for the routine determination of ultra low level anions and cations in ice cores 919(2001)107

Anthracene oil

Study of the polymerization of anthracene oil with AlCl₃ by chromatography and related techniques 919(2001)255

Anthraglycosides

Large-scale separation of resveratrol, anthraglycoside A and anthraglycoside B from *Polygonum cuspidatum* Sieb. et Zucc by high-speed counter-current chromatography 919(2001)443

Band profiles

Analysis of the band profiles of the enantiomers of phenylglycine in liquid chromatography on bonded teicoplanin columns using the stochastic theory of chromatography 919(2001)67

Benzenes

Retention and mass transfer characteristics in reversed-phase liquid chromatography using a tetrahydrofuran–water solution as the mobile phase 919(2001)231

Bialaphos

Integrated pulsed amperometric detection of glufosinate, bialaphos and glyphosate at gold electrodes in anion-exchange chromatography 919(2001)313

Bicyclic 1,3-amino alcohols

High-performance liquid chromatographic enantioseparation of bicyclic 1,3-amino alcohols 919(2001)79

Biosensors

Qualitative detection of selenium in fortified soil and water samples by a paper chromatographic–carboxyl esterase enzyme inhibition technique 919(2001)223

Buffer composition

Prediction of electrophoretic behaviour of a series of quinolones in aqueous methanol 919(2001)395

Chiral separations of transition metal complexes using capillary zone electrophoresis 919(2001)427

Carboxymethyl-β-cyclodextrin

Retention behaviour and fluorimetric detection of procaine hydrochloride using carboxymethyl-β-cyclodextrin as an additive in reversed-phase liquid chromatography 919(2001)321

Carrier gas velocity

Effect of efficiency improvement by injecting a sample at a lower carrier gas velocity in isothermal gas-liquid chromatography 919(2001)357

Catechins

Reversed-phase and size-exclusion chromatography as useful tools in the resolution of peroxidase-mediated (+)-catechin oxidation products 919(2001)267

Cations

Suppressed ion chromatography methods for the routine determination of ultra low level anions and cations in ice cores 919(2001)107

Charged adsorbate

Quantitative analysis and synthesis of the electrokinetic mass transport and adsorption mechanisms of a charged adsorbate in capillary electrochromatography systems employing charged adsorbent particles 919(2001)157

Charged particles

Quantitative analysis and synthesis of the electrokinetic mass transport and adsorption mechanisms of a charged adsorbate in capillary electrochromatography systems employing charged adsorbent particles 919(2001)157

Chemiluminescence, electrogenerated

Sensitive determination of metal ions by liquid chromatography with tris(2,2'-bipyridine) ruthenium (II) complex electrogenerated chemiluminescence detection 919(2001)331

Chiral stationary phases, LC

Analysis of the band profiles of the enantiomers of phenylglycine in liquid chromatography on bonded teicoplanin columns using the stochastic theory of chromatography 919(2001)67

Counter-current chromatography

Large-scale separation of resveratrol, anthraglycoside A and anthraglycoside B from *Polygonum cuspidatum* Sieb. et Zucc by high-speed counter-current chromatography 919(2001)443

Decanol

Linear solvation energy relationships of mixed micelles of sodium dodecyl sulfate and decanol: towards a better model of octanol/water partitioning 919(2001)181

Derivatization, LC

Improvement of the analysis of dansylated derivatives of polyamines and their conjugates by high-performance liquid chromatography 919(2001)283

O-Desmethylvenlafaxine

Use of vancomycin silica stationary phase in packed capillary electrochromatography. II. Enantiomer separation of venlafaxine and O-desmethylvenlafaxine in human plasma 919(2001)195

Detection, electrophoresis

Use of eosin as a fluorophore in capillary electrophoresis with laser detection 919(2001)407

Isotachopheric separation behavior of rare-earth EDTA chelates and analysis of minor rare-earth elements in an iron ore by bidirectional isotachopheric-particle-induced X-ray emission 919(2001)417

Detection, LC

Polymer characterization by size-exclusion chromatography with multiple detection 919(2001)13

Retention behaviour and fluorimetric detection of procaine hydrochloride using carboxymethyl- β -cyclodextrin as an additive in reversed-phase liquid chromatography 919(2001)321

Dialysis

On-line dialysis as a sample preparation technique for ion chromatography 919(2001)59

Dicarboxyl cellulose

Ion-exchange chromatography by dicarboxyl cellulose gel 919(2001)29

Dissociation constants

Prediction of electrophoretic behaviour of a series of quinolones in aqueous methanol 919(2001)395

Dyes

Analysis of sulfophthalimide and some of its derivatives by liquid chromatography-electrospray ionization tandem mass spectrometry 919(2001)289

Efficiency

Effect of efficiency improvement by injecting a sample at a lower carrier gas velocity in isothermal gas-liquid chromatography 919(2001)357

Electrochromatography

Quantitative analysis and synthesis of the electrokinetic mass transport and adsorption mechanisms of a charged adsorbate in capillary electrochromatography systems employing charged adsorbent particles 919(2001)157

Use of vancomycin silica stationary phase in packed capillary electrochromatography. II. Enantiomer separation of venlafaxine and O-desmethylvenlafaxine in human plasma 919(2001)195

Electroosmotic flow

Quantitative analysis and synthesis of the electrokinetic mass transport and adsorption mechanisms of a charged adsorbate in capillary electrochromatography systems employing charged adsorbent particles 919(2001)157

Electrophoretic migration

Quantitative analysis and synthesis of the electrokinetic mass transport and adsorption mechanisms of a charged adsorbate in capillary electrochromatography systems employing charged adsorbent particles 919(2001)157

Electrophoretic mobility

Prediction of electrophoretic behaviour of a series of quinolones in aqueous methanol 919(2001)395

Emetine dithiocarbamate metal complex

Sensitive determination of metal ions by liquid chromatography with tris(2,2'-bipyridine) ruthenium (II) complex electrogenerated chemiluminescence detection 919(2001)331

Enantiomer separation

Analysis of the band profiles of the enantiomers of phenylglycine in liquid chromatography on bonded teicoplanin columns using the stochastic theory of chromatography 919(2001)67

High-performance liquid chromatographic enantioseparation of bicyclic 1,3-amino alcohols 919(2001)79

Use of vancomycin silica stationary phase in packed capillary electrochromatography. II. Enantiomer separation of venlafaxine and *O*-desmethylvenlafaxine in human plasma 919(2001)195

Chiral separations of transition metal complexes using capillary zone electrophoresis 919(2001)427

Environmental analysis

Determination of fipronil by solid-phase microextraction and gas chromatography–mass spectrometry 919(2001)215

Application of programmed-temperature split/splitless injection to the trace analysis of aliphatic hydrocarbons by gas chromatography 919(2001)363

Application of static liquid-phase microextraction to the analysis of organochlorine pesticides in water 919(2001)381

Erigeron breviscapus

Determination of scutellarin in *Erigeron breviscapus* extract by liquid chromatography–tandem mass spectrometry 919(2001)437

Evernia prunastri

Improvement of the analysis of dansylated derivatives of polyamines and their conjugates by high-performance liquid chromatography 919(2001)283

Enzyme inhibitors

Reversed-phase and size-exclusion chromatography as useful tools in the resolution of peroxidase-mediated (+)-catechin oxidation products 919(2001)267

Enzymes

Qualitative detection of selenium in fortified soil and water samples by a paper chromatographic–carboxyl esterase enzyme inhibition technique 919(2001)223

Eosin

Use of eosin as a fluorophore in capillary electrophoresis with laser detection 919(2001)407

Estrogens

Determination of estrogens in river water by gas chromatography–negative-ion chemical-ionization mass spectrometry 919(2001)275

Extraction methods

Analysis of pesticide residues in wine by solid-phase extraction and gas chromatography with electron capture and nitrogen–phosphorus detection 919(2001)147

Determination of fipronil by solid-phase microextraction and gas chromatography–mass spectrometry 919(2001)215

Application of static liquid-phase microextraction to the analysis of organochlorine pesticides in water 919(2001)381

Field-flow fractionation

Gravitational field-flow fractionation for the characterisation of active dry wine yeast 919(2001)339

Fipronil

Determination of fipronil by solid-phase microextraction and gas chromatography–mass spectrometry 919(2001)215

Flavanols

Analysis of black tea theaflavins by non-aqueous capillary electrophoresis 919(2001)205

Fluorimetric detection

Retention behaviour and fluorimetric detection of procaine hydrochloride using carboxymethyl- β -cyclodextrin as an additive in reversed-phase liquid chromatography 919(2001)321

Use of eosin as a fluorophore in capillary electrophoresis with laser detection 919(2001)407

Food analysis

Analysis of pesticide residues in wine by solid-phase extraction and gas chromatography with electron capture and nitrogen–phosphorus detection 919(2001)147

Analysis of black tea theaflavins by non-aqueous capillary electrophoresis 919(2001)205

Analysis of glucosinolates from broccoli and other cruciferous vegetables by hydrophilic interaction liquid chromatography 919(2001)299

Gas chromatography

Effect of efficiency improvement by injecting a sample at a lower carrier gas velocity in isothermal gas–liquid chromatography 919(2001)357

Gas chromatography, comprehensive two-dimensional

Time-resolved cryogenic modulation reveals isomer interconversion profiles in dynamic chromatography 919(2001)115

Simple, non-moving modulation interface for comprehensive two-dimensional gas chromatography 919(2001)127

Gas chromatography, reversed-flow

Study of the mechanism of the interaction of vinyl chloride with water by reversed-flow gas chromatography 919(2001)349

Glucosinolates

Analysis of glucosinolates from broccoli and other cruciferous vegetables by hydrophilic interaction liquid chromatography 919(2001)299

Glufosinate

Integrated pulsed amperometric detection of glufosinate, bialaphos and glyphosate at gold electrodes in anion-exchange chromatography 919(2001)313

Glycosides

Large-scale separation of resveratrol, anthraglycoside A and anthraglycoside B from *Polygonum cuspidatum* Sieb. et Zucc by high-speed counter-current chromatography 919(2001)443

Glyphosate

Integrated pulsed amperometric detection of glufosinate, bialaphos and glyphosate at gold electrodes in anion-exchange chromatography 919(2001)313

Gold electrodes

Integrated pulsed amperometric detection of glufosinate, bialaphos and glyphosate at gold electrodes in anion-exchange chromatography 919(2001)313

Gravitational field-flow fractionation

Gravitational field-flow fractionation for the characterisation of active dry wine yeast 919(2001)339

HPLC, on-line coupling

On-line coupling of sol-gel-generated immunoaffinity columns with high-performance liquid chromatography 919(2001)51

Hydrocarbons

Application of programmed-temperature split/splitless injection to the trace analysis of aliphatic hydrocarbons by gas chromatography 919(2001)363

Ice cores

Suppressed ion chromatography methods for the routine determination of ultra low level anions and cations in ice cores 919(2001)107

Immunosorbents

On-line coupling of sol-gel-generated immunoaffinity columns with high-performance liquid chromatography 919(2001)51

Injection methods

Effect of efficiency improvement by injecting a sample at a lower carrier gas velocity in isothermal gas-liquid chromatography 919(2001)357

Application of programmed-temperature split/splitless injection to the trace analysis of aliphatic hydrocarbons by gas chromatography 919(2001)363

Inorganic anions

Use of eosin as a fluorophore in capillary electrophoresis with laser detection 919(2001)407

Instrumentation

Simple, non-moving modulation interface for comprehensive two-dimensional gas chromatography 919(2001)127

Application of programmed-temperature split/splitless injection to the trace analysis of aliphatic hydrocarbons by gas chromatography 919(2001)363

Integrated pulsed amperometry

Integrated pulsed amperometric detection of glufosinate, bialaphos and glyphosate at gold electrodes in anion-exchange chromatography 919(2001)313

Interfaces, GC×GC

Simple, non-moving modulation interface for comprehensive two-dimensional gas chromatography 919(2001)127

Ion exchangers

Demonstration of simultaneous cation-exchange and reversed-phase mechanisms on a strong-acid cation-exchange column 919(2001)21

Isotachopheresis

Isotachopheretic separation behavior of rare-earth EDTA chelates and analysis of minor rare-earth elements in an iron ore by bidirectional isotachopheresis-particle-induced X-ray emission 919(2001)417

Kinetic studies

Retention and mass transfer characteristics in reversed-phase liquid chromatography using a tetrahydrofuran-water solution as the mobile phase 919(2001)231

Langmuir isotherm

Supercritical fluid simulated moving bed chromatography. II. Langmuir isotherm 919(2001)1

Lignin

Analysis of alkali-lignin in a paper mill effluent decolourised with two *Streptomyces* strains by gas chromatography-mass spectrometry after cupric oxide degradation 919(2001)389

Lindane

Determination of fipronil by solid-phase microextraction and gas chromatography-mass spectrometry 919(2001)215

Linear solvation energy relationships

Linear solvation energy relationships of mixed micelles of sodium dodecyl sulfate and decanol: towards a better model of octanol/water partitioning 919(2001)181

Liposomes

Characterization of dynamically prepared phospholipid-modified reversed-phase columns 919(2001)245

Liquid-phase microextraction

Application of static liquid-phase microextraction to the analysis of organochlorine pesticides in water 919(2001)381

Mass transfer

Retention and mass transfer characteristics in reversed-phase liquid chromatography using a tetrahydrofuran–water solution as the mobile phase 919(2001)231

Matrix effects

Analysis of pesticide residues in wine by solid-phase extraction and gas chromatography with electron capture and nitrogen–phosphorus detection 919(2001)147

Metal chelates

Isotachophoretic separation behavior of rare-earth EDTA chelates and analysis of minor rare-earth elements in an iron ore by bidirectional isotachopheresis–particle-induced X-ray emission 919(2001)417

Metal complexes

Chiral separations of transition metal complexes using capillary zone electrophoresis 919(2001)427

Metal ions

Demonstration of simultaneous cation-exchange and reversed-phase mechanisms on a strong-acid cation-exchange column 919(2001)21

Sensitive determination of metal ions by liquid chromatography with tris(2,2'-bipyridine) ruthenium (II) complex electrogenerated chemiluminescence detection 919(2001)331

Metals

Qualitative detection of selenium in fortified soil and water samples by a paper chromatographic–carboxyl esterase enzyme inhibition technique 919(2001)223

Micellar electrokinetic chromatography

Linear solvation energy relationships of mixed micelles of sodium dodecyl sulfate and decanol: towards a better model of octanol/water partitioning 919(2001)181

Mixed micelles

Linear solvation energy relationships of mixed micelles of sodium dodecyl sulfate and decanol: towards a better model of octanol/water partitioning 919(2001)181

Mobile phase composition

Demonstration of simultaneous cation-exchange and reversed-phase mechanisms on a strong-acid cation-exchange column 919(2001)21

Retention and mass transfer characteristics in reversed-phase liquid chromatography using a tetrahydrofuran–water solution as the mobile phase 919(2001)231

Molecular dynamics

Time-resolved cryogenic modulation reveals isomer interconversion profiles in dynamic chromatography 919(2001)115

Multiangle light scattering detection

Polymer characterization by size-exclusion chromatography with multiple detection 919(2001)13

Naphthalene

Retention and mass transfer characteristics in reversed-phase liquid chromatography using a tetrahydrofuran–water solution as the mobile phase 919(2001)

Non-aqueous capillary electrophoresis

Analysis of black tea theaflavins by non-aqueous capillary electrophoresis 919(2001)205

Normal phase systems

Comparison of chromatographic properties of cyanopropyl-, diol- and aminopropyl- polar-bonded stationary phases by the retention of model compounds in normal-phase liquid chromatography systems 919(2001)39

Organic acids

Use of eosin as a fluorophore in capillary electrophoresis with laser detection 919(2001)407

Organochlorine compounds

Application of static liquid-phase microextraction to the analysis of organochlorine pesticides in water 919(2001)381

Oximes

Time-resolved cryogenic modulation reveals isomer interconversion profiles in dynamic chromatography 919(2001)115

Paper

Analysis of alkali-lignin in a paper mill effluent decolourised with two *Streptomyces* strains by gas chromatography–mass spectrometry after cupric oxide degradation 919(2001)389

Particle-induced X-ray emission

Isotachophoretic separation behavior of rare-earth EDTA chelates and analysis of minor rare-earth elements in an iron ore by bidirectional isotachopheresis–particle-induced X-ray emission 919(2001)417

Partitioning

Linear solvation energy relationships of mixed micelles of sodium dodecyl sulfate and decanol: towards a better model of octanol/water partitioning 919(2001)181

Periodate–chlorite oxidation

Ion-exchange chromatography by dicarboxyl cellulose gel 919(2001)29

Peroxidase

Reversed-phase and size-exclusion chromatography as useful tools in the resolution of peroxidase-mediated (+)-catechin oxidation products 919(2001)267

Pesticides

Analysis of pesticide residues in wine by solid-phase extraction and gas chromatography with electron capture and nitrogen-phosphorus detection 919(2001)147

Determination of fipronil by solid-phase microextraction and gas chromatography-mass spectrometry 919(2001)215

Integrated pulsed amperometric detection of glufosinate, bialaphos and glyphosate at gold electrodes in anion-exchange chromatography 919(2001)313

Use of deactivated fused-silica capillary precolumns in pesticide analysis by gas chromatography with electron-capture detection 919(2001)373

Application of static liquid-phase microextraction to the analysis of organochlorine pesticides in water 919(2001)381

pH effects

Ion-exchange chromatography by dicarboxyl cellulose gel 919(2001)29

Prediction of electrophoretic behaviour of a series of quinolones in aqueous methanol 919(2001)395

Pharmaceutical analysis

Validation of a liquid chromatographic method for the determination of ranitidine hydrochloride residues on surfaces in the manufacture of pharmaceuticals 919(2001)87

Phenolic compounds

Improvement of the analysis of dansylated derivatives of polyamines and their conjugates by high-performance liquid chromatography 919(2001)283

Phenols

Comparison of chromatographic properties of cyanopropyl-, diol- and aminopropyl- polar-bonded stationary phases by the retention of model compounds in normal-phase liquid chromatography systems 919(2001)39

Reversed-phase and size-exclusion chromatography as useful tools in the resolution of peroxidase-mediated (+)-catechin oxidation products 919(2001)267

Phenylglycine

Analysis of the band profiles of the enantiomers of phenylglycine in liquid chromatography on bonded teicoplanin columns using the stochastic theory of chromatography 919(2001)67

Phosphatidylcholine

Characterization of dynamically prepared phospholipid-modified reversed-phase columns 919(2001)245

Phospholipids

Characterization of dynamically prepared phospholipid-modified reversed-phase columns 919(2001)245

Polyamines

Improvement of the analysis of dansylated derivatives of polyamines and their conjugates by high-performance liquid chromatography 919(2001)283

Plant materials

Improvement of the analysis of dansylated derivatives of polyamines and their conjugates by high-performance liquid chromatography 919(2001)283

Simple high-performance liquid chromatography method for α -tocopherol measurement in *Rosmarinus officinalis* leaves. New data on α -tocopherol content 919(2001)305

Large-scale separation of resveratrol, anthraglycoside A and anthraglycoside B from *Polygonum cuspidatum* Sieb. et Zucc by high-speed counter-current chromatography 919(2001)443

Polygonum cuspidatum

Large-scale separation of resveratrol, anthraglycoside A and anthraglycoside B from *Polygonum cuspidatum* Sieb. et Zucc by high-speed counter-current chromatography 919(2001)443

Poly(ethylene oxide)

Polymer characterization by size-exclusion chromatography with multiple detection 919(2001)13

Polyglycerol fatty esters

Liquid chromatography of polyglycerol fatty esters and fatty ethers on porous graphitic carbon and octadecyl silica by using evaporative light scattering detection and mass spectrometry 919(2001)95

Polyglycerol fatty ethers

Liquid chromatography of polyglycerol fatty esters and fatty ethers on porous graphitic carbon and octadecyl silica by using evaporative light scattering detection and mass spectrometry 919(2001)95

Polyisoprene

Erratum to "Characterization of Polystyrene and Polyisoprene by Normal Phase Temperature Gradient Interaction Chromatography" [J. Chromatog. A 910 (2001) 51-60] 919(2001)229

Polymers

Polymer characterization by size-exclusion chromatography with multiple detection 919(2001)13

Polynuclear aromatic hydrocarbons

Study of the polymerization of anthracene oil with $AlCl_3$ by chromatography and related techniques 919(2001)255

Polyphosphazenes

Polymer characterization by size-exclusion chromatography with multiple detection 919(2001)13

Polystyrene

Erratum to "Characterization of Polystyrene and Polyisoprene by Normal Phase Temperature Gradient Interaction Chromatography" [J. Chromatog. A 910 (2001) 51–60] 919(2001)229

Polymer characterization by size-exclusion chromatography with multiple detection 919(2001)13

Gravitational field-flow fractionation for the characterisation of active dry wine yeast 919(2001)339

Porous graphitic carbon

Liquid chromatography of polyglycerol fatty esters and fatty ethers on porous graphitic carbon and octadecyl silica by using evaporative light scattering detection and mass spectrometry 919(2001)95

Procaine

Retention behaviour and fluorimetric detection of procaine hydrochloride using carboxymethyl- β -cyclodextrin as an additive in reversed-phase liquid chromatography 919(2001)321

Programmed-temperature split/splitless injection

Application of programmed-temperature split/splitless injection to the trace analysis of aliphatic hydrocarbons by gas chromatography 919(2001)363

Programmed-temperature vaporiser

Application of programmed-temperature split/splitless injection to the trace analysis of aliphatic hydrocarbons by gas chromatography 919(2001)363

Pyrene

On-line coupling of sol-gel-generated immunoaffinity columns with high-performance liquid chromatography 919(2001)51

Quinolines

Comparison of chromatographic properties of cyanopropyl-, diol- and aminopropyl- polar-bonded stationary phases by the retention of model compounds in normal-phase liquid chromatography systems 919(2001)39

Quinolones

Prediction of electrophoretic behaviour of a series of quinolones in aqueous methanol 919(2001)395

Ranitidine hydrochloride

Validation of a liquid chromatographic method for the determination of ranitidine hydrochloride residues on surfaces in the manufacture of pharmaceuticals 919(2001)87

Rare earth ions

Isotachopheric separation behavior of rare-earth EDTA chelates and analysis of minor rare-earth elements in an iron ore by bidirectional isotachopheresis-particle-induced X-ray emission 919(2001)417

Resolution prediction

Prediction of electrophoretic behaviour of a series of quinolones in aqueous methanol 919(2001)395

Resveratrol

Large-scale separation of resveratrol, anthraglycoside A and anthraglycoside B from *Polygonum cuspidatum* Sieb. et Zucc by high-speed counter-current chromatography 919(2001)443

Retention behavior

Retention and mass transfer characteristics in reversed-phase liquid chromatography using a tetrahydrofuran-water solution as the mobile phase 919(2001)231

Retention behaviour

Comparison of chromatographic properties of cyanopropyl-, diol- and aminopropyl- polar-bonded stationary phases by the retention of model compounds in normal-phase liquid chromatography systems 919(2001)39

Retention gap

Use of deactivated fused-silica capillary precolumns in pesticide analysis by gas chromatography with electron-capture detection 919(2001)373

Retention mechanisms

Demonstration of simultaneous cation-exchange and reversed-phase mechanisms on a strong-acid cation-exchange column 919(2001)21

Reversed-flow gas chromatography

Study of the mechanism of the interaction of vinyl chloride with water by reversed-flow gas chromatography 919(2001)349

Rosmarinus officinalis

Simple high-performance liquid chromatography method for α -tocopherol measurement in *Rosmarinus officinalis* leaves. New data on α -tocopherol content 919(2001)305

Saccharomyces cerevisiae

Gravitational field-flow fractionation for the characterisation of active dry wine yeast 919(2001)339

Sample preparation

On-line coupling of sol-gel-generated immunoaffinity columns with high-performance liquid chromatography 919(2001)51

On-line dialysis as a sample preparation technique for ion chromatography 919(2001)59

Scutellarin

Determination of scutellarin in *Erigeron breviscapus* extract by liquid chromatography-tandem mass spectrometry 919(2001)437

Selectivity

Comparison of chromatographic properties of cyanopropyl-, diol- and aminopropyl- polar-bonded stationary phases by the retention of model compounds in normal-phase liquid chromatography systems 919(2001)39

Selenium

Qualitative detection of selenium in fortified soil and water samples by a paper chromatographic-carboxyl esterase enzyme inhibition technique 919(2001)223

Simulated moving bed chromatography

Supercritical fluid simulated moving bed chromatography. II. Langmuir isotherm 919(2001)1

Sodium dodecyl sulfate

Linear solvation energy relationships of mixed micelles of sodium dodecyl sulfate and decanol: towards a better model of octanol/water partitioning 919(2001)181

Soil

Determination of fipronil by solid-phase microextraction and gas chromatography-mass spectrometry 919(2001)215

Qualitative detection of selenium in fortified soil and water samples by a paper chromatographic-carboxyl esterase enzyme inhibition technique 919(2001)223

Sol-gel

On-line coupling of sol-gel-generated immunoaffinity columns with high-performance liquid chromatography 919(2001)51

Characterization of dynamically prepared phospholipid-modified reversed-phase columns 919(2001)245

Stationary phases, CEC

Use of vancomycin silica stationary phase in packed capillary electrochromatography. II. Enantiomer separation of venlafaxine and *O*-desmethylvenlafaxine in human plasma 919(2001)195

Stationary phases, LC

Demonstration of simultaneous cation-exchange and reversed-phase mechanisms on a strong-acid cation-exchange column 919(2001)21

Ion-exchange chromatography by dicarboxyl cellulose gel 919(2001)29

Comparison of chromatographic properties of cyanopropyl-, diol- and aminopropyl- polar-bonded stationary phases by the retention of model compounds in normal-phase liquid chromatography systems 919(2001)39

Characterization of dynamically prepared phospholipid-modified reversed-phase columns 919(2001)245

Stochastic theory

Analysis of the band profiles of the enantiomers of phenylglycine in liquid chromatography on bonded teicoplanin columns using the stochastic theory of chromatography 919(2001)67

Stopped-flow technique

On-line dialysis as a sample preparation technique for ion chromatography 919(2001)59

***Streptomyces* spp**

Analysis of alkali-lignin in a paper mill effluent decolourised with two *Streptomyces* strains by gas chromatography-mass spectrometry after cupric oxide degradation 919(2001)389

Sulphthalamic acid

Analysis of sulphthalimide and some of its derivatives by liquid chromatography-electrospray ionization tandem mass spectrometry 919(2001)289

Sulphthalamide

Analysis of sulphthalamide and some of its derivatives by liquid chromatography-electrospray ionization tandem mass spectrometry 919(2001)289

Sulphthalic acid

Analysis of sulphthalamide and some of its derivatives by liquid chromatography-electrospray ionization tandem mass spectrometry 919(2001)289

Sulphthalamide

Analysis of sulphthalamide and some of its derivatives by liquid chromatography-electrospray ionization tandem mass spectrometry 919(2001)289

Sulphur mustard

Capillary gas chromatography-atomic emission spectroscopy-mass spectrometry analysis of sulphur mustard and transformation products in a block recovered from the Baltic Sea 919(2001)133

Supercritical fluid chromatography

Supercritical fluid simulated moving bed chromatography. II. Langmuir isotherm 919(2001)1

Surfactants

Liquid chromatography of polyglycerol fatty esters and fatty ethers on porous graphitic carbon and octadecyl silica by using evaporative light scattering detection and mass spectrometry 919(2001)95

Tea

Analysis of black tea theaflavins by non-aqueous capillary electrophoresis 919(2001)

Teicoplanin

Analysis of the band profiles of the enantiomers of phenylglycine in liquid chromatography on bonded teicoplanin columns using the stochastic theory of chromatography 919(2001)67

Temperature gradient interaction chromatography

Erratum to "Characterization of Polystyrene and Polyisoprene by Normal Phase Temperature Gradient Interaction Chromatography" [J. Chromatog. A 910 (2001) 51–60] 919(2001)229

Theaflavins

Analysis of black tea theaflavins by non-aqueous capillary electrophoresis 919(2001)205
205

Thermal interconversion

Time-resolved cryogenic modulation reveals isomer interconversion profiles in dynamic chromatography 919(2001)115

Thevetia peruviana

Qualitative detection of selenium in fortified soil and water samples by a paper chromatographic–carboxyl esterase enzyme inhibition technique 919(2001)223

Tocopherols

Simple high-performance liquid chromatography method for α -tocopherol measurement in *Rosmarinus officinalis* leaves. New data on α -tocopherol content 919(2001)305

Toluene

Retention and mass transfer characteristics in reversed-phase liquid chromatography using a tetrahydrofuran–water solution as the mobile phase 919(2001)231

Transition metals

Chiral separations of transition metal complexes using capillary zone electrophoresis 919(2001)427

Tris(2,2'-bipyridine)ruthenium(II)

Sensitive determination of metal ions by liquid chromatography with tris(2,2'-bipyridine) ruthenium (II) complex electrogenerated chemiluminescence detection 919(2001)331

Validation

Validation of a liquid chromatographic method for the determination of ranitidine hydrochloride residues on surfaces in the manufacture of pharmaceuticals 919(2001)87

Vancomycin

Use of vancomycin silica stationary phase in packed capillary electrochromatography. II. Enantiomer separation of venlafaxine and *O*-desmethylvenlafaxine in human plasma 919(2001)195

Vegetables

Analysis of glucosinolates from broccoli and other cruciferous vegetables by hydrophilic interaction liquid chromatography 919(2001)299

Venlafaxine

Use of vancomycin silica stationary phase in packed capillary electrochromatography. II. Enantiomer separation of venlafaxine and *O*-desmethylvenlafaxine in human plasma 919(2001)195

Vinyl chloride

Study of the mechanism of the interaction of vinyl chloride with water by reversed-flow gas chromatography 919(2001)349

Vitamins

Demonstration of simultaneous cation-exchange and reversed-phase mechanisms on a strong-acid cation-exchange column 919(2001)21

Simple high-performance liquid chromatography method for α -tocopherol measurement in *Rosmarinus officinalis* leaves. New data on α -tocopherol content 919(2001)305

Warfare agents

Capillary gas chromatography–atomic emission spectroscopy–mass spectrometry analysis of sulphur mustard and transformation products in a block recovered from the Baltic Sea 919(2001)133

Water analysis

On-line coupling of sol–gel-generated immunoaffinity columns with high-performance liquid chromatography 919(2001)51

Determination of fipronil by solid-phase microextraction and gas chromatography–mass spectrometry 919(2001)215

Qualitative detection of selenium in fortified soil and water samples by a paper chromatographic–carboxyl esterase enzyme inhibition technique 919(2001)223

Determination of estrogens in river water by gas chromatography–negative-ion chemical-ionization mass spectrometry 919(2001)275

Application of static liquid-phase microextraction to the analysis of organochlorine pesticides in water 919(2001)381

Use of eosin as a fluorophore in capillary electrophoresis with laser detection 919(2001)407

Wine

Analysis of pesticide residues in wine by solid-phase extraction and gas chromatography with electron capture and nitrogen–phosphorus detection 919(2001)147

Gravitational field-flow fractionation for the characterisation of active dry wine yeast 919(2001)339

Yeast

Gravitational field-flow fractionation for the characterisation of active dry wine yeast 919(2001)339