



ELSEVIER

Journal of Chromatography A, 922 (2001) 409–417

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 922

Acetic acid

Experimental investigation on moving chemical reaction boundary theory for weak-acid–strong-base system with background electrolyte KCl in large concentration 922(2001)283

Adsorption

Application of mixed partition–adsorption systems in high-performance liquid chromatography of purines and pyrimidines 922(2001)187

Affinity adsorbents

Macroporous copolymer matrix. IV. Expanded bed adsorption application 922(2001)63

Affinity-HEG beads

Macroporous copolymer matrix. IV. Expanded bed adsorption application 922(2001)63

Air analysis

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Air/tetraglyme(–water) partition coefficients

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Alcohol ethoxylates

Liquid exclusion adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. III. Two-dimensional separation of fatty alcohol ethoxylates 922(2001)193

Alkaloids

Non-aqueous capillary electrophoresis with diode array and electrospray mass spectrometric detection for the analysis of selected steroidal alkaloids in plant extracts 922(2001)321

Alkanes

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Alkenes

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Amines

Non-aqueous capillary electrophoretic separation of enantiomeric amines with (–)-2,3:4,6-di-*O*-isopropylidene-2-keto-L-gulonic acid as chiral counter ion 922(2001)303

Amino acids

Chiral separation of amino acids by copper(II) complexes of tetradentate diaminodiamido-type ligands added to the eluent in reversed-phase high-performance liquid chromatography: a ligand exchange mechanism 922(2001)151

Gas chromatographic–mass spectrometric analysis of products arising from pyrolysis of amino acids in the presence of hexamethyldisilazane 922(2001)235

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Anion exchangers

Cooperation of solid granule and solvent as porogenic agents. Novel porogenic mode of biporous media for protein chromatography 922(2001)77

Anions

Computer simulation of ion chromatography separation: an algorithm enabling continuous monitoring of anion distribution on an ion-exchange chromatography column 922(2001)1

Anthocyanins

Evaluation of different tubing geometries for high-speed counter-current chromatography 922(2001)355

Antidepressants

Dialysis–solid-phase extraction combined on-line with non-aqueous capillary electrophoresis for improved detectability of tricyclic antidepressants in biological samples 922(2001)339

Antioxidants

Separation of hydrophobic polymer additives by microemulsion electrokinetic chromatography 922(2001)293

Art analysis

Identification of lipid binders in paintings by gas chromatography. Influence of the pigments 922(2001)385

Artificial neural network

Quantitative structure–enantioselective retention relationships for chromatographic separation of arylalkylcarbinols on Pirkle type chiral stationary phases 922(2001)13

Arylalkylcarbinols

Quantitative structure–enantioselective retention relationships for chromatographic separation of arylalkylcarbinols on Pirkle type chiral stationary phases 922(2001)13

Background electrolyte composition

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Background electrolyte composition

Non-aqueous capillary electrophoretic separation of enantiomeric amines with (–)-2,3,4,6-di-*O*-isopropylidene-2-keto-L-gulononic acid as chiral counter ion 922(2001)303

Binaphthol

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Binaphthyl dihydrogenphosphate

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Breakthrough volumes

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Buffer composition

Separation of hydrophobic polymer additives by microemulsion electrokinetic chromatography 922(2001)293

Cationic diazacrown ether for the separation of positional isomers by capillary electrophoresis 922(2001)399

Capillary liquid chromatography

Union of capillary high-performance liquid chromatography and microcoil nuclear magnetic resonance spectroscopy applied to the separation and identification of terpenoids 922(2001)139

Carbohydrates

Separation of chondroitin sulfate and hyaluronic acid fragments by centrifugal precipitation chromatography 922(2001)365

Centrifugal precipitation chromatography

Separation of chondroitin sulfate and hyaluronic acid fragments by centrifugal precipitation chromatography 922(2001)365

Chemical bonding

Liquid crystalline polymers as stationary phases. IV. Chemical bonding and immobilization of the polymer on silica characterization by solid-state nuclear magnetic resonance spectroscopy 922(2001)37

Chiral recognition

Note on the use of reciprocity of chiral recognition in designing liquid chromatographic chiral stationary phases 922(2001)119

Chiral selectors

Quantitative structure–enantioselective retention relationships for chromatographic separation of arylalkylcarbinols on Pirkle type chiral stationary phases 922(2001)13

Chiral stationary phases, LC

Note on the use of reciprocity of chiral recognition in designing liquid chromatographic chiral stationary phases 922(2001)119

Enantioseparation of selected chiral sulfoxides using polysaccharide-type chiral stationary phases and polar organic, polar aqueous–organic and normal-phase eluents 922(2001)127

Chondroitin sulfate

Separation of chondroitin sulfate and hyaluronic acid fragments by centrifugal precipitation chromatography 922(2001)365

***Cis/trans* methyl esters**

Automated determination of fatty acid methyl ester and *cis/trans* methyl ester composition of fats and oils 922(2001)391

Clean-up methods

Determination of microcystins in blue-green algae, fish and water using liquid chromatography with ultraviolet detection after sample clean-up employing immunoaffinity chromatography 922(2001)111

Column geometry

Evaluation of different tubing geometries for high-speed counter-current chromatography 922(2001)355

Comparative molecular field analysis

Quantitative structure–enantioselective retention relationships for chromatographic separation of arylalkylcarbinols on Pirkle type chiral stationary phases 922(2001)13

Computer algorithm

Computer simulation of ion chromatography separation: an algorithm enabling continuous monitoring of anion distribution on an ion-exchange chromatography column 922(2001)1

Copper(II) complexes

Chiral separation of amino acids by copper(II) complexes of tetradentate diaminodiamido-type ligands added to the eluent in reversed-phase high-performance liquid chromatography: a ligand exchange mechanism 922(2001)151

Counter-current chromatography

Evaluation of different tubing geometries for high-speed counter-current chromatography 922(2001)355

Covalent imprinting

Affinity screening by packed capillary high performance liquid chromatography using molecular imprinted sorbents. II. Covalent imprinted polymers 922(2001)87

Crown ethers

Cationic diazacrown ether for the separation of positional isomers by capillary electrophoresis 922(2001)399

α -Cyclodextrin glycosyltransferase

Macroporous copolymer matrix. IV. Expanded bed adsorption application 922(2001)63

Derivatization, GC

Gas chromatography–mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Detection, LC

Union of capillary high-performance liquid chromatography and microcoil nuclear magnetic resonance spectroscopy applied to the separation and identification of terpenoids 922(2001)139

Dialysis

Dialysis–solid-phase extraction combined on-line with non-aqueous capillary electrophoresis for improved detectability of tricyclic antidepressants in biological samples 922(2001)339

Diaminopimelic acid

Chromatographic method for diaminopimelic acid detection in calcareous rocks. Presence of a bacterial biomarker in stromatolites 922(2001)219

Diazacrown ethers

Cationic diazacrown ether for the separation of positional isomers by capillary electrophoresis 922(2001)399

Diisopropylidene-ketogulonic acid

Non-aqueous capillary electrophoretic separation of enantiomeric amines with (–)-2,3:4,6-di-*O*-isopropylidene-2-keto-L-gulonic acid as chiral counter ion 922(2001)303

Diterpenes

Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371

DNA recognition

Recognition and strand displacement of DNA oligonucleotides by peptide nucleic acids (PNAs). High-performance ion-exchange chromatographic analysis 922(2001)177

Dual detection

Estimation of width of narrow molecular-weight distributions by size-exclusion chromatography with concentration and light scattering detection 922(2001)25

Efficiency

Evaluation of different tubing geometries for high-speed counter-current chromatography 922(2001)355

Electrochromatography

Migration of neutral solutes by double stepwise gradient elution in capillary electrochromatography 922(2001)277

Electroosmotic flow

Migration of neutral solutes by double stepwise gradient elution in capillary electrochromatography 922(2001)277

Enantiomer separation

Note on the use of reciprocity of chiral recognition in designing liquid chromatographic chiral stationary phases 922(2001)119

Enantioseparation of selected chiral sulfoxides using polysaccharide-type chiral stationary phases and polar organic, polar aqueous–organic and normal-phase eluents 922(2001)127

Chiral separation of amino acids by copper(II) complexes of tetradentate diaminodiamido-type ligands added to the eluent in reversed-phase high-performance liquid chromatography: a ligand exchange mechanism 922(2001)151

Non-aqueous capillary electrophoretic separation of enantiomeric amines with (–)-2,3:4,6-di-*O*-isopropylidene-2-keto-L-gulonic acid as chiral counter ion 922(2001)303

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Enantiomer separations

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Enantioselectivity

Quantitative structure–enantioselective retention relationships for chromatographic separation of arylalkylcarbinols on Pirkle type chiral stationary phases 922(2001)13

Environmental analysis

Optimization of headspace solid-phase microextraction conditions for the determination of organophosphorus insecticides in natural waters 922(2001)243

Escherichia coli

Ni(II)-based immobilized metal ion affinity chromatography of recombinant human prolactin from periplasmic *Escherichia coli* extracts 922(2001)165

Enzyme inhibitors

Capillary electrophoretic separation of protease inhibitors used in human immunodeficiency virus therapy 922(2001)313

Ethoxylates

Liquid exclusion adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. III. Two-dimensional separation of fatty alcohol ethoxylates 922(2001)193

Expanded bed adsorption

Macroporous copolymer matrix. IV. Expanded bed adsorption application 922(2001)63

Extraction methods

Dialysis–solid-phase extraction combined on-line with non-aqueous capillary electrophoresis for improved detectability of tricyclic antidepressants in biological samples 922(2001)339

Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371

Fats

Automated determination of fatty acid methyl ester and *cis/trans* methyl ester composition of fats and oils 922(2001)391

Fatty acid methyl esters

Automated determination of fatty acid methyl ester and *cis/trans* methyl ester composition of fats and oils 922(2001)391

Fatty acids

Gas chromatography–mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Identification of lipid binders in paintings by gas chromatography. Influence of the pigments 922(2001)385

Fatty alcohol ethoxylates

Liquid exclusion adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. III. Two-dimensional separation of fatty alcohol ethoxylates 922(2001)193

Flame thermionic detection

Optimization of headspace solid-phase microextraction conditions for the determination of organophosphorus insecticides in natural waters 922(2001)243

Flavonoids

Gas chromatography–mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Food analysis

Polydimethylsiloxane solid-phase microextraction–gas chromatography method for the analysis of volatile compounds in wines. Its application to the characterization of varietal wines 922(2001)267

Analysis of phenolic constituents of biological interest in red wines by high-performance liquid chromatography 922(2001)359

Gallic acid

Analysis of phenolic constituents of biological interest in red wines by high-performance liquid chromatography 922(2001)359

Geological samples

Chromatographic method for diaminopimelic acid detection in calcareous rocks. Presence of a bacterial biomarker in stromatolites 922(2001)219

Glycosaminoglycans

Separation of chondroitin sulfate and hyaluronic acid fragments by centrifugal precipitation chromatography 922(2001)365

Gradient elution

Development of a simple gradient LC–IR interface for the detection of terpenoids from the α -pinene–ozone reaction 922(2001)99

Recognition and strand displacement of DNA oligonucleotides by peptide nucleic acids (PNAs). High-performance ion-exchange chromatographic analysis 922(2001)177

Migration of neutral solutes by double stepwise gradient elution in capillary electrochromatography 922(2001)277

Headspace analysis

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Optimization of headspace solid-phase microextraction conditions for the determination of organophosphorus insecticides in natural waters 922(2001)243

Hexamethyldisilazane

Gas chromatographic–mass spectrometric analysis of products arising from pyrolysis of amino acids in the presence of hexamethyldisilazane 922(2001)235

Hormones

Ni(II)-based immobilized metal ion affinity chromatography of recombinant human prolactin from periplasmic *Escherichia coli* extracts 922(2001)165

Human immunodeficiency virus

Capillary electrophoretic separation of protease inhibitors used in human immunodeficiency virus therapy 922(2001)313

Hyaluronic acid

Separation of chondroitin sulfate and hyaluronic acid fragments by centrifugal precipitation chromatography 922(2001)365

Hydrocarbons, aromatic

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Immobilization

Liquid crystalline polymers as stationary phases. IV. Chemical bonding and immobilization of the polymer on silica characterization by solid-state nuclear magnetic resonance spectroscopy 922(2001)37

Immobilized metal affinity chromatography

Ni(II)-based immobilized metal ion affinity chromatography of recombinant human prolactin from periplasmic *Escherichia coli* extracts 922(2001)165

Immunoaffinity cartridges

Determination of microcystins in blue-green algae, fish and water using liquid chromatography with ultraviolet detection after sample clean-up employing immunoaffinity chromatography 922(2001)111

Infrared spectrometry

Development of a simple gradient LC–IR interface for the detection of terpenoids from the α -pinene–ozone reaction 922(2001)99

Instrumentation

Evaluation of different tubing geometries for high-speed counter-current chromatography 922(2001)355

Interfaces, LC-IR

Development of a simple gradient LC–IR interface for the detection of terpenoids from the α -pinene–ozone reaction 922(2001)99

Ion exchange HPLC

Recognition and strand displacement of DNA oligonucleotides by peptide nucleic acids (PNAs). High-performance ion-exchange chromatographic analysis 922(2001)177

Ionic strength gradient

Recognition and strand displacement of DNA oligonucleotides by peptide nucleic acids (PNAs). High-performance ion-exchange chromatographic analysis 922(2001)177

Isoelectric focusing

Experimental investigation on moving chemical reaction boundary theory for weak-acid–strong-base system with background electrolyte KCl in large concentration 922(2001)283

Labetalol

Non-aqueous capillary electrophoretic separation of enantiomeric amines with (–)-2,3:4,6-di-*O*-isopropylidene-2-keto-L-gulonidic acid as chiral counter ion 922(2001)303

Ligand exchange

Chiral separation of amino acids by copper(II) complexes of tetradentate diaminodiamido-type ligands added to the eluent in reversed-phase high-performance liquid chromatography: a ligand exchange mechanism 922(2001)151

Light scattering detection

Estimation of width of narrow molecular-weight distributions by size-exclusion chromatography with concentration and light scattering detection 922(2001)25

Linear solvation energy relationships

Laterally attached liquid crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. V. Study of retention mechanism using linear solvation energy relationships 922(2001)51

Lipids

Gas chromatography–mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Separation of plant membrane lipids by multiple solid-phase extraction 922(2001)347

Identification of lipid binders in paintings by gas chromatography. Influence of the pigments 922(2001)385

Liquid chromatography under critical conditions

Liquid exclusion adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. III. Two-dimensional separation of fatty alcohol ethoxylates 922(2001)193

Liquid crystalline polymers

Liquid crystalline polymers as stationary phases. IV. Chemical bonding and immobilization of the polymer on silica characterization by solid-state nuclear magnetic resonance spectroscopy 922(2001)37

Laterally attached liquid crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. V. Study of retention mechanism using linear solvation energy relationships 922(2001)51

Liquid exclusion–adsorption chromatography

Liquid exclusion adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. III. Two-dimensional separation of fatty alcohol ethoxylates 922(2001)193

Lorazepam

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Macroporous copolymer beads

Macroporous copolymer matrix. IV. Expanded bed adsorption application 922(2001)63

Microcystins

Determination of microcystins in blue-green algae, fish and water using liquid chromatography with ultraviolet detection after sample clean-up employing immunoaffinity chromatography 922(2001)111

Microemulsion electrokinetic chromatography

Separation of hydrophobic polymer additives by microemulsion electrokinetic chromatography 922(2001)293

Microfluidics

Union of capillary high-performance liquid chromatography and microcoil nuclear magnetic resonance spectroscopy applied to the separation and identification of terpenoids 922(2001)139

Microwave-assisted extraction

Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371

Mobile phase composition

Application of mixed partition–adsorption systems in high-performance liquid chromatography of purines and pyrimidines 922(2001)187

Molecular imprinted sorbents

Affinity screening by packed capillary high performance liquid chromatography using molecular imprinted sorbents. II. Covalent imprinted polymers 922(2001)87

Molecular imprinting

Affinity screening by packed capillary high performance liquid chromatography using molecular imprinted sorbents. II. Covalent imprinted polymers 922(2001)87

Molecular mass distribution

Estimation of width of narrow molecular-weight distributions by size-exclusion chromatography with concentration and light scattering detection 922(2001)25

Moving chemical reaction boundary

Experimental investigation on moving chemical reaction boundary theory for weak-acid–strong-base system with background electrolyte KCl in large concentration 922(2001)283

Non-aqueous capillary electrophoresis

Non-aqueous capillary electrophoretic separation of enantiomeric amines with (–)-2,3:4,6-di-*O*-isopropylidene-2-keto-L-gulonic acid as chiral counter ion 922(2001)303

Non-aqueous capillary electrophoresis with diode array and electrospray mass spectrometric detection for the analysis of selected steroidal alkaloids in plant extracts 922(2001)321

Dialysis–solid-phase extraction combined on-line with non-aqueous capillary electrophoresis for improved detectability of tricyclic antidepressants in biological samples 922(2001)339

Nortriptyline

Affinity screening by packed capillary high performance liquid chromatography using molecular imprinted sorbents. II. Covalent imprinted polymers 922(2001)87

Nuclear magnetic resonance spectroscopy

Union of capillary high-performance liquid chromatography and microcoil nuclear magnetic resonance spectroscopy applied to the separation and identification of terpenoids 922(2001)139

Nucleic acids

Recognition and strand displacement of DNA oligonucleotides by peptide nucleic acids (PNAs). High-performance ion-exchange chromatographic analysis 922(2001)177

Oils

Identification of lipid binders in paintings by gas chromatography. Influence of the pigments 922(2001)385

Automated determination of fatty acid methyl ester and *cis/trans* methyl ester composition of fats and oils 922(2001)391

Oligonucleotides

Recognition and strand displacement of DNA oligonucleotides by peptide nucleic acids (PNAs). High-performance ion-exchange chromatographic analysis 922(2001)177

On-column distribution

Computer simulation of ion chromatography separation: an algorithm enabling continuous monitoring of anion distribution on an ion-exchange chromatography column 922(2001)1

Organic acids

Cationic diazacrown ether for the separation of positional isomers by capillary electrophoresis 922(2001)399

Organophosphorus compounds

Optimization of headspace solid-phase microextraction conditions for the determination of organophosphorus insecticides in natural waters 922(2001)243

Determination of organophosphorus pesticides in honeybees after solid-phase microextraction 922(2001)257

Ozone

Development of a simple gradient LC–IR interface for the detection of terpenoids from the α -pinene–ozone reaction 922(2001)99

Partition coefficients

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Partition efficiency

Evaluation of different tubing geometries for high-speed counter-current chromatography 922(2001)355

Partition–adsorption systems

Application of mixed partition–adsorption systems in high-performance liquid chromatography of purines and pyrimidines 922(2001)187

Peak broadening

Estimation of width of narrow molecular-weight distributions by size-exclusion chromatography with concentration and light scattering detection 922(2001)25

Peak shape

Affinity screening by packed capillary high performance liquid chromatography using molecular imprinted sorbents. II. Covalent imprinted polymers 922(2001)87

Peptide nucleic acids

Recognition and strand displacement of DNA oligonucleotides by peptide nucleic acids (PNAs). High-performance ion-exchange chromatographic analysis 922(2001)177

Peptides

Ni(II)-based immobilized metal ion affinity chromatography of recombinant human prolactin from periplasmic *Escherichia coli* extracts 922(2001)165

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Pesticides

Optimization of headspace solid-phase microextraction conditions for the determination of organophosphorus insecticides in natural waters 922(2001)243

Determination of organophosphorus pesticides in honeybees after solid-phase microextraction 922(2001)257

Pharmaceutical analysis

Capillary electrophoretic separation of protease inhibitors used in human immunodeficiency virus therapy 922(2001)313

Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371

Phenolic compounds

Gas chromatography–mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Analysis of phenolic constituents of biological interest in red wines by high-performance liquid chromatography 922(2001)359

Phthalate esters

Comparison of different fibers for the solid-phase microextraction of phthalate esters from water 922(2001)377

Pigments

Identification of lipid binders in paintings by gas chromatography. Influence of the pigments 922(2001)385

 α -Pinene

Development of a simple gradient LC–IR interface for the detection of terpenoids from the α -pinene–ozone reaction 922(2001)99

Plant material

Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371

Plant materials

Non-aqueous capillary electrophoresis with diode array and electrospray mass spectrometric detection for the analysis of selected steroidal alkaloids in plant extracts 922(2001)321

Plant tissue

Separation of plant membrane lipids by multiple solid-phase extraction 922(2001)347

Polydispersity

Estimation of width of narrow molecular-weight distributions by size-exclusion chromatography with concentration and light scattering detection 922(2001)25

Populus tremuloides

Gas chromatography–mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Polypeptides

Ni(II)-based immobilized metal ion affinity chromatography of recombinant human prolactin from periplasmic *Escherichia coli* extracts 922(2001)165

Positional isomers

Cationic diazacrown ether for the separation of positional isomers by capillary electrophoresis 922(2001)399

Prolactin

Ni(II)-based immobilized metal ion affinity chromatography of recombinant human prolactin from periplasmic *Escherichia coli* extracts 922(2001)165

Propanolol

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Protease inhibitors

Capillary electrophoretic separation of protease inhibitors used in human immunodeficiency virus therapy 922(2001)313

Proteins

Cooperation of solid granule and solvent as porogenic agents. Novel porogenic mode of biporous media for protein chromatography 922(2001)77

Ni(II)-based immobilized metal ion affinity chromatography of recombinant human prolactin from periplasmic *Escherichia coli* extracts 922(2001)165

Pseudostationary phases

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Purge-and-trap methods

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Purines

Application of mixed partition–adsorption systems in high-performance liquid chromatography of purines and pyrimidines 922(2001)187

Pyrimidines

Application of mixed partition–adsorption systems in high-performance liquid chromatography of purines and pyrimidines 922(2001)187

Pyrolysis

Gas chromatographic–mass spectrometric analysis of products arising from pyrolysis of amino acids in the presence of hexamethyldisilazane 922(2001)235

Quercetin

Analysis of phenolic constituents of biological interest in red wines by high-performance liquid chromatography 922(2001)359

Resveratrol

Analysis of phenolic constituents of biological interest in red wines by high-performance liquid chromatography 922(2001)359

Retention factors

Quantitative structure–enantioselective retention relationships for chromatographic separation of arylalkylcarbinols on Pirkle type chiral stationary phases 922(2001)13

Retention mechanisms

Laterally attached liquid crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. V. Study of retention mechanism using linear solvation energy relationships 922(2001)51

Salvia miltiorrhiza bunge

Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371

Rutin

Analysis of phenolic constituents of biological interest in red wines by high-performance liquid chromatography 922(2001)359

Sample handling

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Dialysis–solid-phase extraction combined on-line with non-aqueous capillary electrophoresis for improved detectability of tricyclic antidepressants in biological samples 922(2001)339

Solanum spp

Non-aqueous capillary electrophoresis with diode array and electrospray mass spectrometric detection for the analysis of selected steroidal alkaloids in plant extracts 922(2001)321

Sodium hydroxide

Experimental investigation on moving chemical reaction boundary theory for weak-acid–strong-base system with background electrolyte KCl in large concentration 922(2001)283

Solanidine

Non-aqueous capillary electrophoresis with diode array and electrospray mass spectrometric detection for the analysis of selected steroidal alkaloids in plant extracts 922(2001)321

Solasodine

Non-aqueous capillary electrophoresis with diode array and electrospray mass spectrometric detection for the analysis of selected steroidal alkaloids in plant extracts 922(2001)321

Solid-phase extraction

Separation of plant membrane lipids by multiple solid-phase extraction 922(2001)347

Solid-phase microextraction

Optimization of headspace solid-phase microextraction conditions for the determination of organophosphorus insecticides in natural waters 922(2001)243

Determination of organophosphorus pesticides in honeybees after solid-phase microextraction 922(2001)257

Polydimethylsiloxane solid-phase microextraction–gas chromatography method for the analysis of volatile compounds in wines. Its application to the characterization of varietal wines 922(2001)267

Comparison of different fibers for the solid-phase microextraction of phthalate esters from water 922(2001)377

Stability constants

Chiral separation of amino acids by copper(II) complexes of tetradentate diaminodiamido-type ligands added to the eluent in reversed-phase high-performance liquid chromatography: a ligand exchange mechanism 922(2001)151

Stationary phases, LC

Laterally attached liquid crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. V. Study of retention mechanism using linear solvation energy relationships 922(2001)51

Liquid crystalline polymers as stationary phases. IV. Chemical bonding and immobilization of the polymer on silica characterization by solid-state nuclear magnetic resonance spectroscopy 922(2001)37

Cooperation of solid granule and solvent as porogenic agents. Novel porogenic mode of biporous media for protein chromatography 922(2001)77

Application of mixed partition–adsorption systems in high-performance liquid chromatography of purines and pyrimidines 922(2001)187

Steroids

Non-aqueous capillary electrophoresis with diode array and electrospray mass spectrometric detection for the analysis of selected steroidal alkaloids in plant extracts 922(2001)321

Sterols

Gas chromatography–mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Steryl esters

Gas chromatography–mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Stromatolite

Chromatographic method for diaminopimelic acid detection in calcareous rocks. Presence of a bacterial biomarker in stromatolites 922(2001)219

Structure-retention relationships

Quantitative structure-enantioselective retention relationships for chromatographic separation of arylalkylcarbinols on Pirkle type chiral stationary phases 922(2001)13

Sulfoxides

Enantioseparation of selected chiral sulfoxides using polysaccharide-type chiral stationary phases and polar organic, polar aqueous-organic and normal-phase eluents 922(2001)127

Surfactants

Liquid exclusion adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. III. Two-dimensional separation of fatty alcohol ethoxylates 922(2001)193

Separation of hydrophobic polymer additives by microemulsion electrokinetic chromatography 922(2001)293

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Tanshinones

Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371

Temazepam

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Terpenes

Gas chromatography-mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371

Terpenoids

Development of a simple gradient LC-IR interface for the detection of terpenoids from the α -pinene-ozone reaction 922(2001)99

Union of capillary high-performance liquid chromatography and microcoil nuclear magnetic resonance spectroscopy applied to the separation and identification of terpenoids 922(2001)139

Tetradentate ligands

Chiral separation of amino acids by copper(II) complexes of tetradentate diaminodiamido-type ligands added to the eluent in reversed-phase high-performance liquid chromatography: a ligand exchange mechanism 922(2001)151

Tetraethylene glycol dimethyl ether

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Tetraglyme

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Toxins

Determination of microcystins in blue-green algae, fish and water using liquid chromatography with ultraviolet detection after sample clean-up employing immunoaffinity chromatography 922(2001)111

Triterpenes

Gas chromatography-mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Volatile organic compounds

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Polydimethylsiloxane solid-phase microextraction-gas chromatography method for the analysis of volatile compounds in wines. Its application to the characterization of varietal wines 922(2001)267

Water analysis

Optimization of headspace solid-phase microextraction conditions for the determination of organophosphorus insecticides in natural waters 922(2001)243

Comparison of different fibers for the solid-phase microextraction of phthalate esters from water 922(2001)377

Wine

Polydimethylsiloxane solid-phase microextraction-gas chromatography method for the analysis of volatile compounds in wines. Its application to the characterization of varietal wines 922(2001)267

Analysis of phenolic constituents of biological interest in red wines by high-performance liquid chromatography 922(2001)359

Wood

Gas chromatography-mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225