

Journal of Chromatography A, 923 (2001) 309-316

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 923

Aconitum sinomontanum

pH-Zone-refining counter-current chromatography of lappaconitine from Aconitum sinomontanum Nakai. I. Separation of prepurified extract 923(2001)281

Affinity adsorbents

Reversibly soluble macroaffinity ligand in aqueous two-phase separation of enzymes 923(2001)275

Aglycones

Determination of puerarin, daidzein and rutin in Pueraria lobata (Wild.) Ohwi by capillary electrophoresis with electrochemical detection 923(2001)255

Air analysis

Brominated flame retardants in laboratory air 923(2001)299

Albumin

Separation of proteins using hydrophobic interaction membrane chromatography 923(2001)59

Alginates

Reversibly soluble macroaffinity ligand in aqueous two-phase separation of enzymes 923(2001)275

Alkaloids

pH-Zone-refining counter-current chromatography of lappaconitine from Aconitum sinomontanum Nakai. I. Separation of prepurified extract 923(2001)281

Alkanes

Comparison of methods employing gas chromatography retention data to determine vapour pressures at 298 K 923(2001)137

Experimental determination and prediction of the gas-liquid nhexadecane partition coefficients 923(2001)153

Alkylbenzenes

Partition coefficients of alkyl aromatic hydrocarbons and esters in a hexane-acetonitrile system 923(2001)127

Alkylphenols

Determination of the herbicide 4-chloro-2-methylphenoxyacetic acid and its main metabolite, 4-chloro-2-methylphenol in water and soil by liquid chromatography-electrospray tandem mass spectrometry 923(2001)75

Amaranth

Purification of an oligonucleotide at high column loading by high affinity, low-molecular-mass displacers 923(2001)65

Amines

Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229

Amino acids

Nonionic micellar liquid chromatography coupled to immobilized enzyme reactors 923(2001)7

Amino acids, Dns derivatives

Dansyl amino acid enantiomer separation on a teicoplanin chiral stationary phase: effect of eluent pH 923(2001)37

Aminoindan

Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229

Amygdalin

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

Reversibly soluble macroaffinity ligand in aqueous two-phase separation of enzymes 923(2001)275

Aqueous two-phase systems

Reversibly soluble macroaffinity ligand in aqueous two-phase separation of enzymes 923(2001)275

0021-9673/01/\$ - see front matter © 2001 Elsevier Science B.V. All right reserved PII: S0021-9673(01)01050-0

Argyranthemum adauctum

Analysis of the volatile components of *Argyranthemum* adauctum (Link.) Humphries by gas chromatography-mass spectrometry 923(2001)295

Armeniacae Semen

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

Asteraceae spp.

Analysis of the volatile components of Argyranthemum adauctum (Link.) Humphries by gas chromatography-mass spectrometry 923(2001)295

Benzophenones

Separation and selectivity of benzophenones in micellar electrokinetic chromatography using sodium dodecyl sulfate micelles or sodium cholate modified mixed micelles 923(2001)241

Binding mechanism

Molecular recognition in imprinted polymers: thermodynamic investigation of analyte binding using microcalorimetry 923(2001)1

Buffer composition

Separation and selectivity of benzophenones in micellar electrokinetic chromatography using sodium dodecyl sulfate micelles or sodium cholate modified mixed micelles 923(2001)241

Capillary columns

Mass spectrometric detection in narrow-bore (0.10 mm I.D.) capillary chromatography. Fast, sensitive and selective analysis of polychlorinated biphenyls 923(2001)287

Chiral stationary phases, LC

Conformational and temperature effects on separation of stereoisomers of a C3,C4-substituted β -lactamic cholesterol absorption inhibitor on amylose-based chiral stationary phases 923(2001)27

Dansyl amino acid enantiomer separation on a teicoplanin chiral stationary phase: effect of eluent pH 923(2001)37

Chlorobenzenes

Protocol for the determination of selected neutral and acidic semi-volatile organic contaminants in fish tissue 923(2001)177

Chlorophenols

Protocol for the determination of selected neutral and acidic semi-volatile organic contaminants in fish tissue 923(2001)177

Cholesterol

Nonionic micellar liquid chromatography coupled to immobilized enzyme reactors 923(2001)7

Conformational effects

Conformational and temperature effects on separation of stereoisomers of a C3,C4-substituted β -lactamic cholesterol absorption inhibitor on amylose-based chiral stationary phases 923(2001)27

Counter-current chromatography

Preparative separation of isomeric 2-(2-quinolinyl)-1H-indene-1,3(2H)-dione monosulfonic acids of the color additive D&C Yellow No. 10 (Quinoline Yellow) by pH-zone-refining counter-current chromatography 923(2001)87

Preparative separation of isoflavone components in soybeans using high-speed counter-current chromatography 923(2001)271

pH-Zone-refining counter-current chromatography of lappaconitine from *Aconitum sinomontanum* Nakai. I. Separation of prepurified extract 923(2001)281

Crown ethers

Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229

Cyclodextrins

Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

Daidzein

Determination of puerarin, daidzein and rutin in *Pueraria lobata* (Wild.) Ohwi by capillary electrophoresis with electrochemical detection 923(2001)255

D&C Yellow No. 10

Preparative separation of isomeric 2-(2-quinolinyl)-1H-indene-1,3(2H)-dione monosulfonic acids of the color additive D&C Yellow No. 10 (Quinoline Yellow) by pH-zone-refining counter-current chromatography 923(2001)87

Detection LC

Nonionic micellar liquid chromatography coupled to immobilized enzyme reactors 923(2001)7

Diastereomer separation

Monolithic silica sorbents for the separation of diastereomers by means of simulated moving bed chromatography 923(2001)17

Dicaprylins

Separation of glyceride positional isomers by silver ion chromatography 923(2001)53

2,4-Dichlorophenoxyacetic acid

Molecular recognition in imprinted polymers: thermodynamic investigation of analyte binding using microcalorimetry 923(2001)1

Diglycerides

Separation of glyceride positional isomers by silver ion chromatography 923(2001)53

Dyes

Preparative separation of isomeric 2-(2-quinolinyl)-1H-indene-1,3(2H)-dione monosulfonic acids of the color additive D&C Yellow No. 10 (Quinoline Yellow) by pH-zone-refining counter-current chromatography 923(2001)87

Displacement chromatography

Purification of an oligonucleotide at high column loading by high affinity, low-molecular-mass displacers 923(2001)65

Electrochromatography

Preparation and characterization of monolithic polymer columns for capillary electrochromatography 923(2001)215

Enantiomer separation

Conformational and temperature effects on separation of stereoisomers of a C3,C4-substituted β -lactamic cholesterol absorption inhibitor on amylose-based chiral stationary phases 923(2001)27

Dansyl amino acid enantiomer separation on a teicoplanin chiral stationary phase: effect of eluent pH 923(2001)37

Enantiomeric separation

Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229

Enhanced-fluidity liquid

Reversed-phase separation of basic tricyclic antidepressants using buffered and fluoroform-enhanced fluidity liquid mobile phases 923(2001)107

Environmental analysis

Determination of the herbicide 4-chloro-2-methylphenoxyacetic acid and its main metabolite, 4-chloro-2-methylphenol in water and soil by liquid chromatography-electrospray tandem mass spectrometry 923(2001)75

Method development for trace determination of poly(naphthalenesulfonate)-type pollutants in water by liquid chromatography-electrospray mass spectrometry 923(2001)97

Analysis of estrogens in river water and effluents using solidphase extraction and gas chromatography-negative chemical ionisation mass spectrometry of the pentafluorobenzoyl derivatives 923(2001)195

Enzymes

Reversibly soluble macroaffinity ligand in aqueous two-phase separation of enzymes 923(2001)275

Epimer separation

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

Essential oils

Analysis of the volatile components of *Argyranthemum adauctum* (Link.) Humphries by gas chromatography–mass spectrometry 923(2001)295

Esters

Partition coefficients of alkyl aromatic hydrocarbons and esters in a hexane–acetonitrile system 923(2001)127

Estrogens

Analysis of estrogens in river water and effluents using solidphase extraction and gas chromatography—negative chemical ionisation mass spectrometry of the pentafluorobenzoyl derivatives 923(2001)195

Extraction methods

Comparison of subcritical water and organic solvents for extracting kava lactones from kava root 923(2001)187

Fatty acids

Separation of glyceride positional isomers by silver ion chromatography 923(2001)53

Field-flow fractionation

Size- and shape-dependent separation of ${\rm TiO}_2$ colloidal subpopulations with gravitational field flow fractionation 923(2001)119

Fish

Protocol for the determination of selected neutral and acidic semi-volatile organic contaminants in fish tissue 923(2001)177

Flame retardants

Brominated flame retardants in laboratory air 923(2001)299

Fluoroform

Reversed-phase separation of basic tricyclic antidepressants using buffered and fluoroform-enhanced fluidity liquid mobile phases 923(2001)107

Food analysis

Protocol for the determination of selected neutral and acidic semi-volatile organic contaminants in fish tissue 923(2001)177

Fast analysis of important wine volatile compounds. Development and validation of a new method based on gas chromatographic–flame ionisation detection analysis of dichloromethane microextracts 923(2001)205

Glycerides

Separation of glyceride positional isomers by silver ion chromatography 923(2001)53

Gravitational field-flow fractionation

Size- and shape-dependent separation of ${\rm TiO}_2$ colloidal sub-populations with gravitational field flow fractionation 923(2001)119

Halogenated compounds

Brominated flame retardants in laboratory air 923(2001)299

Hexadecane

Experimental determination and prediction of the gas-liquid *n*-hexadecane partition coefficients 923(2001)153

Hydrocarbons, aromatic

Partition coefficients of alkyl aromatic hydrocarbons and esters in a hexane-acetonitrile system 923(2001)127

Hydrophobic interaction membrane chromatography

Separation of proteins using hydrophobic interaction membrane chromatography 923(2001)59

Immobilized enzymes

Nonionic micellar liquid chromatography coupled to immobilized enzyme reactors 923(2001)7

Injection methods

Mass spectrometric detection in narrow-bore (0.10 mm I.D.) capillary chromatography. Fast, sensitive and selective analysis of polychlorinated biphenyls 923(2001)287

Isoflavones

Determination of puerarin, daidzein and rutin in *Pueraria lobata* (Wild.) Ohwi by capillary electrophoresis with electrochemical detection 923(2001)255

Preparative separation of isoflavone components in soybeans using high-speed counter-current chromatography 923(2001)271

Isothermal titration calorimetry

Molecular recognition in imprinted polymers: thermodynamic investigation of analyte binding using microcalorimetry 923(2001)1

Isotope ratio mass spectrometry

Polycyclic aromatic hydrocarbon ¹³C/¹²C ratio measurement in petroleum and marine sediments. Application to standard reference materials and a sediment suspected of contamination from the Erika oil spill 923(2001)165

Kava

Comparison of subcritical water and organic solvents for extracting kava lactones from kava root 923(2001)187

Keishi-bukuryo-gan

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

β-Lactams

Conformational and temperature effects on separation of stereoisomers of a C3,C4-substituted β -lactamic cholesterol absorption inhibitor on amylose-based chiral stationary phases 923(2001)27

Lactones

Comparison of subcritical water and organic solvents for extracting kava lactones from kava root 923(2001)187

Lappaconitine

pH-Zone-refining counter-current chromatography of lappaconitine from *Aconitum sinomontanum* Nakai. I. Separation of prepurified extract 923(2001)281

Magnetic separation

Particle magnetic susceptibility determination using analytical split-flow thin fractionation 923(2001)263

Mao-to

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

Marine sediments

Polycyclic aromatic hydrocarbon $^{13}C/^{12}C$ ratio measurement in petroleum and marine sediments. Application to standard reference materials and a sediment suspected of contamination from the Erika oil spill 923(2001)165

Mass spectrometry

Polycyclic aromatic hydrocarbon ¹³C/¹²C ratio measurement in petroleum and marine sediments. Application to standard reference materials and a sediment suspected of contamination from the Erika oil spill 923(2001)165

Membranes

Separation of proteins using hydrophobic interaction membrane chromatography 923 (2001) 59

Micellar liquid chromatography

Nonionic micellar liquid chromatography coupled to immobilized enzyme reactors 923(2001)7

Microcalorimetry

Molecular recognition in imprinted polymers: thermodynamic investigation of analyte binding using microcalorimetry 923(2001)1

Micropore

Preparation and characterization of monolithic polymer columns for capillary electrochromatography 923(2001)215

Mixed micelles

Separation and selectivity of benzophenones in micellar electrokinetic chromatography using sodium dodecyl sulfate micelles or sodium cholate modified mixed micelles 923(2001)241

Mobile phase composition

Dansyl amino acid enantiomer separation on a teicoplanin chiral stationary phase: effect of eluent pH 923(2001)37

Reversed-phase separation of basic tricyclic antidepressants using buffered and fluoroform-enhanced fluidity liquid mobile phases 923(2001)107

Molecular imprinting

Molecular recognition in imprinted polymers: thermodynamic investigation of analyte binding using microcalorimetry 923(2001)1

Monoclonal antibodies

Separation of proteins using hydrophobic interaction membrane chromatography 923(2001)59

Monolithic polymer column

Preparation and characterization of monolithic polymer columns for capillary electrochromatography 923(2001)215

Monolithic silica sorbents

Monolithic silica sorbents for the separation of diastereomers by means of simulated moving bed chromatography 923(2001)17

Monosulfonic acids

Preparative separation of isomeric 2-(2-quinolinyl)-1H-indene-1,3(2H)-dione monosulfonic acids of the color additive D&C Yellow No. 10 (Quinoline Yellow) by pH-zone-refining counter-current chromatography 923(2001)87

Naphthalenesulfonate-formaldehyde condensates

Method development for trace determination of poly(naphthalenesulfonate)-type pollutants in water by liquid chromatography-electrospray mass spectrometry 923(2001)97

Naphthylethylamines

Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229

Neoamygdalin

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

Nitrotoluenes

Protocol for the determination of selected neutral and acidic semi-volatile organic contaminants in fish tissue 923(2001)177

Nuclear magnetic resonance spectrometry

Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229

Oils

Polycyclic aromatic hydrocarbon $^{13}C/^{12}C$ ratio measurement in petroleum and marine sediments. Application to standard reference materials and a sediment suspected of contamination from the Erika oil spill 923(2001)165

Oligonucleotides

Purification of an oligonucleotide at high column loading by high affinity, low-molecular-mass displacers 923(2001)65

Partition coefficients

Partition coefficients of alkyl aromatic hydrocarbons and esters in a hexane-acetonitrile system 923(2001)127

Experimental determination and prediction of the gas-liquid *n*-hexadecane partition coefficients 923(2001)153

Persicae Semen

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

Pesticides

Determination of the herbicide 4-chloro-2-methylphenoxyacetic acid and its main metabolite, 4-chloro-2-methylphenol in water and soil by liquid chromatography-electrospray tandem mass spectrometry 923(2001)75

Petroleum

Polycyclic aromatic hydrocarbon $^{13}C/^{12}C$ ratio measurement in petroleum and marine sediments. Application to standard reference materials and a sediment suspected of contamination from the Erika oil spill 923(2001)165

pH effects

Dansyl amino acid enantiomer separation on a teicoplanin chiral stationary phase: effect of eluent pH 923(2001)37

Pharmaceutical analysis

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

Determination of puerarin, daidzein and rutin in *Pueraria lobata* (Wild.) Ohwi by capillary electrophoresis with electrochemical detection 923(2001)255

pH-Zone-refining counter-current chromatography of lappaconitine from *Aconitum sinomontanum* Nakai. I. Separation of prepurified extract 923(2001)281

Piper methysticum

Comparison of subcritical water and organic solvents for extracting kava lactones from kava root 923(2001)187

Phenolic compounds

Solid-phase microextraction coupled to liquid chromatography for the analysis of phenolic compounds in water 923(2001)45

Protocol for the determination of selected neutral and acidic semi-volatile organic contaminants in fish tissue 923(2001)177

Phenoxyacetic acids

Determination of the herbicide 4-chloro-2-methylphenoxyacetic acid and its main metabolite, 4-chloro-2-methylphenol in water and soil by liquid chromatography-electrospray tandem mass spectrometry 923(2001)75

Pinenes

Analysis of the volatile components of *Argyranthemum* adauctum (Link.) Humphries by gas chromatography–mass spectrometry 923(2001)295

Plant materials

Comparison of subcritical water and organic solvents for extracting kava lactones from kava root 923(2001)187

Polychlorinated biphenyls

Mass spectrometric detection in narrow-bore (0.10 mm I.D.) capillary chromatography. Fast, sensitive and selective analysis of polychlorinated biphenyls 923(2001)287

Poly(naphthalenesulfonate)

Method development for trace determination of poly(naphthalenesulfonate)-type pollutants in water by liquid chromatography-electrospray mass spectrometry 923(2001)97

Polynuclear aromatic hydrocarbons

Polycyclic aromatic hydrocarbon ¹³C/¹²C ratio measurement in petroleum and marine sediments. Application to standard reference materials and a sediment suspected of contamination from the Erika oil spill 923(2001)165

Protocol for the determination of selected neutral and acidic semi-volatile organic contaminants in fish tissue 923(2001)177

Porosity

Preparation and characterization of monolithic polymer columns for capillary electrochromatography 923(2001)215

Positional isomers

Separation of glyceride positional isomers by silver ion chromatography 923(2001)53

Preparative separation of isomeric 2-(2-quinolinyl)-1H-indene-1,3(2H)-dione monosulfonic acids of the color additive D&C Yellow No. 10 (Quinoline Yellow) by pH-zone-refining counter-current chromatography 923(2001)87

Preparative chromatography

Preparative separation of isoflavone components in soybeans using high-speed counter-current chromatography 923(2001)271

pH-Zone-refining counter-current chromatography of lappaconitine from *Aconitum sinomontanum* Nakai. I. Separation of prepurified extract 923(2001)281

Pueraria lobata

Determination of puerarin, daidzein and rutin in *Pueraria lobata* (Wild.) Ohwi by capillary electrophoresis with electrochemical detection 923(2001)255

Proteins

Separation of proteins using hydrophobic interaction membrane chromatography 923(2001)59

Puerarin

Determination of puerarin, daidzein and rutin in *Pueraria lobata* (Wild.) Ohwi by capillary electrophoresis with electrochemical detection 923(2001)255

Quinoline Yellow

Preparative separation of isomeric 2-(2-quinolinyl)-1H-indene-1,3(2H)-dione monosulfonic acids of the color additive D&C Yellow No. 10 (Quinoline Yellow) by pH-zone-refining counter-current chromatography 923(2001)87

Ranaconitine

pH-Zone-refining counter-current chromatography of lappaconitine from *Aconitum sinomontanum* Nakai. I. Separation of prepurified extract 923(2001)281

Relative retention times

Comparison of methods employing gas chromatography retention data to determine vapour pressures at 298 K 923(2001)137

Retention indices

Comparison of methods employing gas chromatography retention data to determine vapour pressures at $298~\mathrm{K}$ 923(2001)137

Retention times

Comparison of methods employing gas chromatography retention data to determine vapour pressures at 298 K 923(2001)137

Rutin

Determination of puerarin, daidzein and rutin in *Pueraria lobata* (Wild.) Ohwi by capillary electrophoresis with electrochemical detection 923(2001)255

Santolinatriene

Analysis of the volatile components of *Argyranthemum adauctum* (Link.) Humphries by gas chromatography–mass spectrometry 923(2001)295

Silver ion chromatography

Separation of glyceride positional isomers by silver ion chromatography 923(2001)53

Simulated moving bed chromatography

Monolithic silica sorbents for the separation of diastereomers by means of simulated moving bed chromatography 923(2001)17

Sodium cholate

Separation and selectivity of benzophenones in micellar electrokinetic chromatography using sodium dodecyl sulfate micelles or sodium cholate modified mixed micelles 923(2001)241

Sodium deoxycholate

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

Sodium dodecyl sulfate

Separation and selectivity of benzophenones in micellar electrokinetic chromatography using sodium dodecyl sulfate micelles or sodium cholate modified mixed micelles 923(2001)241

Soil analysis

Determination of the herbicide 4-chloro-2-methylphenoxyacetic acid and its main metabolite, 4-chloro-2-methylphenol in water and soil by liquid chromatography-electrospray tandem mass spectrometry 923(2001)75

Solid-phase microextraction

Solid-phase microextraction coupled to liquid chromatography for the analysis of phenolic compounds in water 923(2001)45

Solubility-structure relationships

Partition coefficients of alkyl aromatic hydrocarbons and esters in a hexane-acetonitrile system 923(2001)127

Solute descriptors

Experimental determination and prediction of the gas-liquid *n*-hexadecane partition coefficients 923(2001)153

Soybean

Preparative separation of isoflavone components in soybeans using high-speed counter-current chromatography 923(2001)271

Split-flow thin fractionation

Particle magnetic susceptibility determination using analytical split-flow thin fractionation 923(2001)263

Statistical analysis

Comparison of methods employing gas chromatography retention data to determine vapour pressures at 298 K 923(2001)137

Steroids

Analysis of estrogens in river water and effluents using solidphase extraction and gas chromatography—negative chemical ionisation mass spectrometry of the pentafluorobenzoyl derivatives 923(2001)195

Structure-solubility relationships

Partition coefficients of alkyl aromatic hydrocarbons and esters in a hexane-acetonitrile system 923(2001)127

Subcritical water extraction

Comparison of subcritical water and organic solvents for extracting kava lactones from kava root 923(2001)187

Sulfonic acids

Preparative separation of isomeric 2-(2-quinolinyl)-1H-indene-1,3(2H)-dione monosulfonic acids of the color additive D&C Yellow No. 10 (Quinoline Yellow) by pH-zone-refining counter-current chromatography 923(2001)87

Surfactants

Nonionic micellar liquid chromatography coupled to immobilized enzyme reactors 923(2001)7

Teicoplanin

Dansyl amino acid enantiomer separation on a teicoplanin chiral stationary phase: effect of eluent pH 923(2001)37

Temperature effects

Conformational and temperature effects on separation of stereoisomers of a C3,C4-substituted β -lactamic cholesterol absorption inhibitor on amylose-based chiral stationary phases 923(2001)27

Terpenoids

pH-Zone-refining counter-current chromatography of lappaconitine from *Aconitum sinomontanum* Nakai. I. Separation of prepurified extract 923(2001)281

Tetrahydronaphthylamines

Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229

Thermodynamic parameters

Dansyl amino acid enantiomer separation on a teicoplanin chiral stationary phase: effect of eluent pH 923(2001)37

Titanium oxide

Size- and shape-dependent separation of ${\rm TiO_2}$ colloidal subpopulations with gravitational field flow fractionation 923(2001)119

Tricyclic antidepressants

Reversed-phase separation of basic tricyclic antidepressants using buffered and fluoroform-enhanced fluidity liquid mobile phases 923(2001)107

Triglycerides

Separation of glyceride positional isomers by silver ion chromatography 923(2001)53

Vapour pressure

Comparison of methods employing gas chromatography retention data to determine vapour pressures at 298 K 923(2001)137

Volatile organic compounds

Fast analysis of important wine volatile compounds. Development and validation of a new method based on gas chromatographic-flame ionisation detection analysis of dichloromethane microextracts 923(2001)205

Water analysis

Solid-phase microextraction coupled to liquid chromatography for the analysis of phenolic compounds in water 923(2001)45

Determination of the herbicide 4-chloro-2-methylphenoxyacetic acid and its main metabolite, 4-chloro-2-methylphenol in water and soil by liquid chromatography-electrospray tandem mass spectrometry 923(2001)75

Method development for trace determination of poly(naphthalenesulfonate)-type pollutants in water by liquid chromatography-electrospray mass spectrometry 923(2001)97

Analysis of estrogens in river water and effluents using solidphase extraction and gas chromatography—negative chemical ionisation mass spectrometry of the pentafluorobenzoyl derivatives 923(2001)195

Wine

Fast analysis of important wine volatile compounds. Development and validation of a new method based on gas chromatographic–flame ionisation detection analysis of dichloromethane microextracts 923(2001)205