

Journal of Chromatography A, 924 (2001) 551-561

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 924

ACE inhibitors

Simultaneous determination of hydrochlorothiazide and several inhibitors of angiotensin-converting enzyme by capillary electrophoresis 924(2001)439

Acetylthebaol

Profiling of impurities in heroin by capillary electrochromatography and laser-induced fluorescence detection 924(2001)421

Affinity capillary electrophoresis

Detection of DNA adducts of benzo[a]pyrene using immunoelectrophoresis with laser-induced fluorescence. Analysis of A549 cells 924(2001)377

Albumin

Channel-specific coatings on microfabricated chips 924(2001)165

Characterization of the interaction between phospholipid and protein by capillary electrophoresis with laser-induced fluorescence detection 924(2001)369

Alkylamines

Capillary electrochromatography-laser-induced fluorescence method for separation and detection of dansylated dialkylamine tags in encoded combinatorial libraries 924(2001)323

Allylaltropane

Analysis of 2β-carbomethoxy-3β-(4-fluorophenyl)-N-(3-iodo-Eallyl)nortropane in rat plasma. II. Pharmacokinetic profile in male and female Sprague-Dawley rats evaluated by capillary electrophoresis 924(2001)471

Altropane

Analysis of 2β-carbomethoxy-3β-(4-fluorophenyl)-N-(3-iodo-Eallyl)nortropane in rat plasma. II. Pharmacokinetic profile in male and female Sprague-Dawley rats evaluated by capillary electrophoresis 924(2001)471

Amines

Capillary electrochromatography-laser-induced fluorescence method for separation and detection of dansylated dialkylamine tags in encoded combinatorial libraries 924(2001)323

Amino acids

Bonded dimethylacrylamide as a permanent coating for capillary electrophoresis 924(2001)59

Photopolymerized sol-gel frits for packed columns in capillary electrochromatography 924(2001)187

Aminoglycosides

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

Anilines

Electrophoretic mobilities of cationic analytes in non-aqueous methanol, acetonitrile and their mixtures. Influence of ionic strength and ion-pair formation 924(2001)31

Antibiotics

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

Antiepileptics

Therapeutic drug monitoring of antiepileptics by capillary electrophoresis. Characterization of assays via analysis of quality control sera containing 14 analytes 924(2001)429

Antithrombins

Separation of antithrombin III variants by micellar electrokinetic chromatography 924(2001)307

Automation

Capillary-based fully integrated and automated system for nanoliter polymerase chain reaction analysis directly from cheek cells 924(2001)271

Automated signature peptide approach for proteomics 924(2001)359

Background electrolyte composition

Electrophoretic mobilities of cationic analytes in non-aqueous methanol, acetonitrile and their mixtures. Influence of ionic strength and ion-pair formation 924(2001)31

0021-9673/01/\$ - see front matter © 2001 Elsevier Science B.V. All right reserved PII: S0021-9673(01)01071-8

Extension of the application range of UV-absorbing organic solvents in capillary electrophoresis by the use of a contactless conductivity detector 924(2001)147

Optimizing separation conditions for polycyclic aromatic hydrocarbons in micellar electrokinetic chromatography 924(2001)397

Benzoin

Capillary electrochromatographic enantioseparations using a packed capillary with a 3 μm OD-type chiral packing 924(2001)251

Benzopyrene

Detection of DNA adducts of benzo[a]pyrene using immunoelectrophoresis with laser-induced fluorescence. Analysis of A549 cells 924(2001)377

Benzyl alcohol

Electrophoretron: a new method for enhancing resolution in electrokinetic separations 924(2001)53

Binding constants

Determination of apparent binding constants of drugs by capillary electrophoresis using β -cyclodextrin as ligand and three different linear plotting methods 924(2001)483

Buffer composition

Ionization of dichlorophenols for their analysis by capillary electrophoresis-mass spectrometry 924(2001)415

Factorial design of electrolyte systems for the separation of fatty acids by capillary electrophoresis 924(2001)533

Capillary array electrophoresis

Microfabricated capillary array electrophoresis DNA analysis systems 924(2001)265

Capillary columns

ω-Iodoalkylammonium salts as permanent capillary silica wall modifiers. Comparative analysis of their structural parameters and substituent effects 924(2001)71

Electrochromatographic characterization of etched chemicallymodified capillaries with small synthetic peptides 924(2001)211

Capillary electrochromatographic enantioseparations using a packed capillary with a 3 μm OD-type chiral packing 924(2001)251

Capillary electrochromatography

Application of hydrophobic anion-exchange phases in capillary electrochromatography 924(2001)197

Capillary electrophoresis

Capillary electrophoretic separation of uncharged polymers using polyelectrolyte engines. Theoretical model 924(2001)43

Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177

Capillary electrophoresis, cyclic

Electrophoretron: a new method for enhancing resolution in electrokinetic separations 924(2001)53

Carbamazepine

Therapeutic drug monitoring of antiepileptics by capillary electrophoresis. Characterization of assays via analysis of quality control sera containing 14 analytes 924(2001)429

Carbomethoxy (4-fluorophenyl) iodoallylnortropane

Analysis of 2β -carbomethoxy- 3β -(4-fluorophenyl)-N-(3-iodo-E-allyl)nortropane in rat plasma. II. Pharmacokinetic profile in male and female Sprague–Dawley rats evaluated by capillary electrophoresis 924(2001)471

Catechins

Decrease in concentration of free catechins in tea over time determined by micellar electrokinetic chromatography 924(2001)519

Central composite design

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

Cephalosporins

Capillary electrophoresis study on the micellization and critical micelle concentration of sodium dodecyl sulfate. Influence of solubilized solutes 924(2001)83

Chip technology

Sample stacking in laboratory-on-a-chip devices 924(2001)155

Channel-specific coatings on microfabricated chips 924(2001)165

Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177

Ion chromatography on-chip 924(2001)233

On-chip definition of picolitre sample injection plugs for miniaturised liquid chromatography 924(2001)259

Microfabricated capillary array electrophoresis DNA analysis systems 924(2001)265

Analysis of dopamine D4 receptor gene polymorphism using microchip electrophoresis 924(2001)285

Chiral stationary phases, electrochromatography

Capillary electrochromatographic enantioseparations using a packed capillary with a 3 μm OD-type chiral packing 924(2001)251

Chlorophenols

Capillary electrophoresis study on the micellization and critical micelle concentration of sodium dodecyl sulfate. Influence of solubilized solutes 924(2001)83

Ionization of dichlorophenols for their analysis by capillary electrophoresis—mass spectrometry 924(2001)415

Chloropyridines

Capillary electrophoresis study on the micellization and critical micelle concentration of sodium dodecyl sulfate. Influence of solubilized solutes 924(2001)83

Cinnamic acid

 ω -Iodoalkylammonium salts as permanent capillary silica wall modifiers. Comparative analysis of their structural parameters and substituent effects 924(2001)71

Coated capillaries

Bonded dimethylacrylamide as a permanent coating for capillary electrophoresis 924(2001)59

Codeine

Use of β -cyclodextrin in the capillary zone electrophoretic separation of the components of clandestine heroin preparations 924(2001)499

Head-column field-amplified sample stacking in presence of siphoning. Application to capillary electrophoresis–electrospray ionization mass spectrometry of opioids in urine 924(2001)507

Codeine-6-glucuronide

Head-column field-amplified sample stacking in presence of siphoning. Application to capillary electrophoresis-electrospray ionization mass spectrometry of opioids in urine 924(2001)507

Combinatorial chemistry

Capillary electrochromatography-laser-induced fluorescence method for separation and detection of dansylated dialkylamine tags in encoded combinatorial libraries 924(2001)323

Complexation

Determination of apparent binding constants of drugs by capillary electrophoresis using β -cyclodextrin as ligand and three different linear plotting methods 924(2001)483

Separation and direct UV detection of lanthanides complexed with pyridine-2-carboxylic acid by capillary electrophoresis 924(2001)541

Computer simulation

Peptide mapping by capillary zone electrophoresis: How close is theoretical simulation to experimental determination 924(2001)291

Conductivity detection

Extension of the application range of UV-absorbing organic solvents in capillary electrophoresis by the use of a contactless conductivity detector 924(2001)147

Contactless conductivity detection

Extension of the application range of UV-absorbing organic solvents in capillary electrophoresis by the use of a contactless conductivity detector 924(2001)147

Critical micelle concentration

Capillary electrophoresis study on the micellization and critical micelle concentration of sodium dodecyl sulfate. Influence of solubilized solutes 924(2001)83

Cyclodextrins

Determination of apparent binding constants of drugs by capillary electrophoresis using β -cyclodextrin as ligand and three different linear plotting methods 924(2001)483

Characterization of highly sulfated cyclodextrins 924(2001)523

Cysteine

Proteomics based on selecting and quantifying cysteine containing peptides by covalent chromatography 924(2001)345

Cytochromes

Peptide mapping by capillary zone electrophoresis: How close is theoretical simulation to experimental determination 924(2001)291

On-line coupling of micro-enzyme reactor with micro-membrane chromatography for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 924(2001)315

Derivatization, electrophoresis

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

Detection, electrophoresis

Extension of the application range of UV-absorbing organic solvents in capillary electrophoresis by the use of a contactless conductivity detector 924 (2001) 147

Dialysis

Coupling continuous separation techniques to capillary electrophoresis 924(2001)3

Dihydrocodeine

Head-column field-amplified sample stacking in presence of siphoning. Application to capillary electrophoresis-electrospray ionization mass spectrometry of opioids in urine 924(2001)507

Dihydrocodeine-6-glucuronide

Head-column field-amplified sample stacking in presence of siphoning. Application to capillary electrophoresis-electrospray ionization mass spectrometry of opioids in urine 924(2001)507

Dimethylacetamide

Extension of the application range of UV-absorbing organic solvents in capillary electrophoresis by the use of a contactless conductivity detector 924(2001)147

Dimethylformamide

Extension of the application range of UV-absorbing organic solvents in capillary electrophoresis by the use of a contactless conductivity detector 924(2001)147

Dipyridyl disulfide

Proteomics based on selecting and quantifying cysteine containing peptides by covalent chromatography 924(2001)345

DNA

Capillary electrophoretic separation of uncharged polymers using polyelectrolyte engines. Theoretical model 924(2001)43

Microfabricated capillary array electrophoresis DNA analysis systems 924(2001)265

Capillary-based fully integrated and automated system for nanoliter polymerase chain reaction analysis directly from cheek cells 924(2001)271

Detection of DNA adducts of benzo[a]pyrene using immunoelectrophoresis with laser-induced fluorescence. Analysis of A549 cells 924(2001)377

Dopamine D4 receptor gene

Analysis of dopamine D4 receptor gene polymorphism using microchip electrophoresis 924(2001)285

Dyes

Experimental demonstration of the possibility to perform sheardriven chromatographic separations in micro-channels 924(2001)111

Electrochromatography

Photopolymerized sol-gel frits for packed columns in capillary electrochromatography 924(2001)187

Electrochromatographic characterization of etched chemicallymodified capillaries with small synthetic peptides 924(2001)211

Novel monolithic columns with templated porosity 924(2001)223

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Capillary electrochromatographic enantioseparations using a packed capillary with a 3 μm OD-type chiral packing 924(2001)251

Capillary electrochromatography-laser-induced fluorescence method for separation and detection of dansylated dialkylamine tags in encoded combinatorial libraries 924(2001)323

Effect of various modes of pressurization on the separation in capillary electrochromatography 924(2001)331

Profiling of impurities in heroin by capillary electrochromatography and laser-induced fluorescence detection 924(2001)421

Electrokinetic chromatography

Alkyl modified anionic siloxanes as pseudostationary phases for electrokinetic chromatography. I. Synthesis and characterization 924(2001)103

Effect of pendant chain lengths and backbone functionalities on the chemical selectivity of sulfonated amphiphilic copolymers as pseudo-stationary phases in electrokinetic chromatography 924(2001)123

Electroosmotic flow

ω-Iodoalkylammonium salts as permanent capillary silica wall modifiers. Comparative analysis of their structural parameters and substituent effects 924(2001)71

Regulation of electroosmotic flow and electrophoretic mobility of proteins for concentration without desalting 924(2001)93

Application of hydrophobic anion-exchange phases in capillary electrochromatography 924(2001)197

Electrophoretic mobility

Electrophoretic mobilities of cationic analytes in non-aqueous methanol, acetonitrile and their mixtures. Influence of ionic strength and ion-pair formation 924(2001)31

Regulation of electroosmotic flow and electrophoretic mobility of proteins for concentration without desalting 924(2001)93

Peptide mapping by capillary zone electrophoresis: How close is theoretical simulation to experimental determination 924(2001)291

Electrophoretic mobility shift assay

Characterization of the interaction between phospholipid and protein by capillary electrophoresis with laser-induced fluorescence detection 924(2001)369

Electrophoretron

Electrophoretron: a new method for enhancing resolution in electrokinetic separations 924(2001)53

Electrospray ionisation

Ionization of dichlorophenols for their analysis by capillary electrophoresis-mass spectrometry 924(2001)415

Electrospray ionization

Microfabrication of polydimethylsiloxane electrospray ionization emitters 924(2001)137

Enantiomer separation

Photopolymerized sol-gel frits for packed columns in capillary electrochromatography 924(2001)187

Capillary electrochromatographic enantioseparations using a packed capillary with a 3 μm OD-type chiral packing 924(2001)251

Enantiomeric separation of *R*,*S*-naproxen by conventional and nano-liquid chromatography with methyl-β-cyclodextrin as a mobile phase additive 924(2001)459

Characterization of highly sulfated cyclodextrins 924(2001)523

Endocrine disruptors

Ionization of dichlorophenols for their analysis by capillary electrophoresis—mass spectrometry 924(2001)415

Environmental analysis

Liquid-liquid-liquid microextraction of nitrophenols with a hollow fiber membrane prior to capillary liquid chromatography 924(2001)407

Enzyme inhibitors

Separation of antithrombin III variants by micellar electrokinetic chromatography 924(2001)307

Ethosuximide

Therapeutic drug monitoring of antiepileptics by capillary electrophoresis. Characterization of assays via analysis of quality control sera containing 14 analytes 924(2001)429

Evaporation

Coupling continuous separation techniques to capillary electrophoresis 924(2001)3

Experimental design

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

Extraction methods

Coupling continuous separation techniques to capillary electrophoresis 924(2001)3

Liquid-liquid-liquid microextraction of nitrophenols with a hollow fiber membrane prior to capillary liquid chromatography 924(2001)407

Factorial design

Factorial design of electrolyte systems for the separation of fatty acids by capillary electrophoresis 924(2001)533

Fats

Factorial design of electrolyte systems for the separation of fatty acids by capillary electrophoresis 924(2001)533

Fatty acids

Factorial design of electrolyte systems for the separation of fatty acids by capillary electrophoresis 924(2001)533

Field-enhanced sample stacking

Head-column field-amplified sample stacking in presence of siphoning. Application to capillary electrophoresis-electrospray ionization mass spectrometry of opioids in urine 924(2001)507

Fluorescein

Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177

Food analysis

Analysis of post-harvest fungicides by micellar electrokinetic chromatography 924(2001)387

Decrease in concentration of free catechins in tea over time determined by micellar electrokinetic chromatography 924(2001)519

Forensic analysis

Potassium concentration differences in the vitreous humour from the two eyes revisited by microanalysis with capillary electrophoresis 924(2001)493

Use of β -cyclodextrin in the capillary zone electrophoretic separation of the components of clandestine heroin preparations 924(2001)499

Fourier transform

Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177

Fruits

Analysis of post-harvest fungicides by micellar electrokinetic chromatography 924(2001)387

Furoylquinoline carboxaldehyde

Characterization of the interaction between phospholipid and protein by capillary electrophoresis with laser-induced fluorescence detection 924(2001)369

Galactosidase

Channel-specific coatings on microfabricated chips 924(2001)165

Genes

Analysis of dopamine D4 receptor gene polymorphism using microchip electrophoresis 924(2001)285

Glucagon

Peptide mapping by capillary zone electrophoresis: How close is theoretical simulation to experimental determination 924(2001)291

Glycoprotein

Separation of antithrombin III variants by micellar electrokinetic chromatography 924(2001)307

Guanosine

Electrophoretron: a new method for enhancing resolution in electrokinetic separations 924(2001)53

Heparin

Separation of antithrombin III variants by micellar electrokinetic chromatography 924(2001)307

Heroin

Profiling of impurities in heroin by capillary electrochromatography and laser-induced fluorescence detection 924(2001)421

Use of β -cyclodextrin in the capillary zone electrophoretic separation of the components of clandestine heroin preparations 924(2001)499

Hexafluoroisopropanol

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Hirudin

Competitive immunoassay for recombinant hirudin using capillary electrophoresis with laser-induced fluorescence detection 924(2001)337

Hollow-fiber membranes

Liquid-liquid-liquid microextraction of nitrophenols with a hollow fiber membrane prior to capillary liquid chromatography 924(2001)407

Hydrochlorothiazide

Simultaneous determination of hydrochlorothiazide and several inhibitors of angiotensin-converting enzyme by capillary electrophoresis 924(2001)439

Hydroxybenzoic acid

Selective and quantitative analysis of 4-hydroxybenzoate preservatives by microemulsion electrokinetic chromatography 924(2001)465

Immobilized metal affinity chromatography

Automated signature peptide approach for proteomics 924(2001)359

Immobilized proteins

Channel-specific coatings on microfabricated chips 924(2001)165

Immunoassavs

Competitive immunoassay for recombinant hirudin using capillary electrophoresis with laser-induced fluorescence detection 924(2001)337

Detection of DNA adducts of benzo[a]pyrene using immunoelectrophoresis with laser-induced fluorescence. Analysis of A549 cells 924(2001)377

Indomethacine

Determination of apparent binding constants of drugs by capillary electrophoresis using β -cyclodextrin as ligand and three different linear plotting methods 924(2001)483

Injection methods

On-chip definition of picolitre sample injection plugs for miniaturised liquid chromatography 924(2001)259

Inorganic anions

Ion chromatography on-chip 924(2001)233

Iodoalkylammonium salts

ω-Iodoalkylammonium salts as permanent capillary silica wall modifiers. Comparative analysis of their structural parameters and substituent effects 924(2001)71

Instrumentation

Experimental demonstration of the possibility to perform shear-driven chromatographic separations in micro-channels 924(2001)111

Microfabrication of polydimethylsiloxane electrospray ionization emitters 924(2001)137

Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177

Ion chromatography on-chip 924(2001)233

On-chip definition of picolitre sample injection plugs for miniaturised liquid chromatography 924(2001)259

Microfabricated capillary array electrophoresis DNA analysis systems 924(2001)265

Capillary-based fully integrated and automated system for nanoliter polymerase chain reaction analysis directly from cheek cells 924(2001)271

Ionic strength

Electrophoretic mobilities of cationic analytes in non-aqueous methanol, acetonitrile and their mixtures. Influence of ionic strength and ion-pair formation 924(2001)31

Isotachophoresis

Coupling continuous separation techniques to capillary electrophoresis 924(2001)3

Kanamycin

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

Ketones

Alkyl modified anionic siloxanes as pseudostationary phases for electrokinetic chromatography. I. Synthesis and characterization 924(2001)103

Kinetic studies

Analysis of 2β -carbomethoxy- 3β -(4-fluorophenyl)-N-(3-iodo-E-allyl)nortropane in rat plasma. II. Pharmacokinetic profile in male and female Sprague–Dawley rats evaluated by capillary electrophoresis 924(2001)471

Lamotrigine

Therapeutic drug monitoring of antiepileptics by capillary electrophoresis. Characterization of assays via analysis of quality control sera containing 14 analytes 924(2001)429

Lanthanides

Separation and direct UV detection of lanthanides complexed with pyridine-2-carboxylic acid by capillary electrophoresis 924(2001)541

Latex nanoparticles

Ion chromatography on-chip 924(2001)233

Leaching

Coupling continuous separation techniques to capillary electrophoresis 924(2001)3

Linear solvation energy relationships

Effect of pendant chain lengths and backbone functionalities on the chemical selectivity of sulfonated amphiphilic copolymers as pseudo-stationary phases in electrokinetic chromatography 924(2001)123

Lipids

Characterization of the interaction between phospholipid and protein by capillary electrophoresis with laser-induced fluorescence detection 924(2001)369

Liquid-liquid microextraction

Liquid-liquid-liquid microextraction of nitrophenols with a hollow fiber membrane prior to capillary liquid chromatography 924(2001)407

Mathematical modelling

Capillary electrophoretic separation of uncharged polymers using polyelectrolyte engines. Theoretical model 924(2001)43

Membrane chromatography

On-line coupling of micro-enzyme reactor with micro-membrane chromatography for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 924(2001)315

Membranes

Coupling continuous separation techniques to capillary electrophoresis 924(2001)3

Metal cations

Separation and direct UV detection of lanthanides complexed with pyridine-2-carboxylic acid by capillary electrophoresis 924(2001)541

Methacrylamide

Effect of pendant chain lengths and backbone functionalities on the chemical selectivity of sulfonated amphiphilic copolymers as pseudo-stationary phases in electrokinetic chromatography 924(2001)123

Methacrylate

Effect of pendant chain lengths and backbone functionalities on the chemical selectivity of sulfonated amphiphilic copolymers as pseudo-stationary phases in electrokinetic chromatography 924(2001)123

Micelles

Capillary electrophoresis study on the micellization and critical micelle concentration of sodium dodecyl sulfate. Influence of solubilized solutes 924(2001)83

Microemulsion electrokinetic chromatography

Selective and quantitative analysis of 4-hydroxybenzoate preservatives by microemulsion electrokinetic chromatography 924(2001)465

Microfabrication

Microfabrication of polydimethylsiloxane electrospray ionization emitters 924(2001)137

Microfluidic device

Microfabrication of polydimethylsiloxane electrospray ionization emitters 924(2001)137

Microseparation

Ion chromatography on-chip 924(2001)233

Mixed-mode chromatography

Application of hydrophobic anion-exchange phases in capillary electrochromatography 924(2001)197

Molecular mass

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Monolithic columns

Novel monolithic columns with templated porosity 924(2001)223

Morphine

Use of β -cyclodextrin in the capillary zone electrophoretic separation of the components of clandestine heroin preparations 924(2001)499

Head-column field-amplified sample stacking in presence of siphoning. Application to capillary electrophoresis-electrospray ionization mass spectrometry of opioids in urine 924(2001)507

Naproxen

Enantiomeric separation of *R*,*S*-naproxen by conventional and nano-liquid chromatography with methyl-β-cyclodextrin as a mobile phase additive 924(2001)459

Determination of apparent binding constants of drugs by capillary electrophoresis using β -cyclodextrin as ligand and three different linear plotting methods 924(2001)483

Narcotine

Use of β -cyclodextrin in the capillary zone electrophoretic separation of the components of clandestine heroin preparations 924(2001)499

Nicotinamide

Analysis of 2β -carbomethoxy- 3β -(4-fluorophenyl)-N-(3-iodo-E-allyl)nortropane in rat plasma. II. Pharmacokinetic profile in male and female Sprague–Dawley rats evaluated by capillary electrophoresis 924(2001)471

Nitrophenols

Liquid-liquid-liquid microextraction of nitrophenols with a hollow fiber membrane prior to capillary liquid chromatography 924(2001)407

Non-aqueous capillary electrophoresis

Electrophoretic mobilities of cationic analytes in non-aqueous methanol, acetonitrile and their mixtures. Influence of ionic strength and ion-pair formation 924(2001)31

Non-steroidal anti-inflammatory drugs

Enantiomeric separation of *R*,*S*-naproxen by conventional and nano-liquid chromatography with methyl-β-cyclodextrin as a mobile phase additive 924(2001)459

Oils

Factorial design of electrolyte systems for the separation of fatty acids by capillary electrophoresis 924(2001)533

Opioids

Head-column field-amplified sample stacking in presence of siphoning. Application to capillary electrophoresis-electrospray ionization mass spectrometry of opioids in urine 924(2001)507

Parabens

Selective and quantitative analysis of 4-hydroxybenzoate preservatives by microemulsion electrokinetic chromatography 924(2001)465

Peptide mapping

Peptide mapping by capillary zone electrophoresis: How close is theoretical simulation to experimental determination 924(2001)291

Pentide

Bonded dimethylacrylamide as a permanent coating for capillary electrophoresis 924(2001)59

Electrochromatographic characterization of etched chemically-modified capillaries with small synthetic peptides 924(2001)211

Novel monolithic columns with templated porosity 924(2001)223

On-line coupling of micro-enzyme reactor with micro-membrane chromatography for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 924(2001)315

Proteomics based on selecting and quantifying cysteine containing peptides by covalent chromatography 924(2001)345

Automated signature peptide approach for proteomics 924(2001)359

Pesticides

Analysis of post-harvest fungicides by micellar electrokinetic chromatography 924(2001)387

pH effects

Application of hydrophobic anion-exchange phases in capillary electrochromatography 924(2001)197

Pharmaceutical analysis

Therapeutic drug monitoring of antiepileptics by capillary electrophoresis. Characterization of assays via analysis of quality control sera containing 14 analytes 924(2001)429

Simultaneous determination of hydrochlorothiazide and several inhibitors of angiotensin-converting enzyme by capillary electrophoresis 924(2001)439

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

Determination of apparent binding constants of drugs by capillary electrophoresis using β -cyclodextrin as ligand and three different linear plotting methods 924(2001)483

Phenolic compounds

Decrease in concentration of free catechins in tea over time determined by micellar electrokinetic chromatography 924(2001)519

Phenylenediamine

 $Effect \ of \ various \ modes \ of \ pressurization \ on \ the \ separation \ in \ capillary \ electrochromatography \ 924 (2001) 331$

Phosphatidylserine

Characterization of the interaction between phospholipid and protein by capillary electrophoresis with laser-induced fluorescence detection 924(2001)369

Phospholipids

Characterization of the interaction between phospholipid and protein by capillary electrophoresis with laser-induced fluorescence detection 924(2001)369

Picolinic acid

Separation and direct UV detection of lanthanides complexed with pyridine-2-carboxylic acid by capillary electrophoresis 924(2001)541

Polycaprolactam

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Polycarbonate

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Polydimethylacrylamide

Bonded dimethylacrylamide as a permanent coating for capillary electrophoresis 924(2001)59

Polydimethylsiloxane

Microfabrication of polydimethylsiloxane electrospray ionization emitters 924(2001)137

Poly(ethylene oxide)

Regulation of electroosmotic flow and electrophoretic mobility of proteins for concentration without desalting 924(2001)93

Poly(ethylene terephthalate)

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Polymers

Capillary electrophoretic separation of uncharged polymers using polyelectrolyte engines. Theoretical model 924(2001)43

Polymethylmethacrylate

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Polynuclear aromatic hydrocarbons

Detection of DNA adducts of benzo[a]pyrene using immunoelectrophoresis with laser-induced fluorescence. Analysis of A549 cells 924(2001)377

Optimizing separation conditions for polycyclic aromatic hydrocarbons in micellar electrokinetic chromatography 924(2001)397

Polypeptides

Competitive immunoassay for recombinant hirudin using capillary electrophoresis with laser-induced fluorescence detection 924(2001)337

Polystyrene

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Porosity

Novel monolithic columns with templated porosity 924(2001)223

Positional isomers

Ionization of dichlorophenols for their analysis by capillary electrophoresis—mass spectrometry 924(2001)415

Potassium

Potassium concentration differences in the vitreous humour from the two eyes revisited by microanalysis with capillary electrophoresis 924(2001)493

Pressurized electrochromatography

Effect of various modes of pressurization on the separation in capillary electrochromatography 924(2001)331

Procaine

Determination of apparent binding constants of drugs by capillary electrophoresis using β -cyclodextrin as ligand and three different linear plotting methods 924(2001)483

Propylene carbonate

Extension of the application range of UV-absorbing organic solvents in capillary electrophoresis by the use of a contactless conductivity detector 924(2001)147

Proteins

Bonded dimethylacrylamide as a permanent coating for capillary electrophoresis 924(2001)59

Regulation of electroosmotic flow and electrophoretic mobility of proteins for concentration without desalting 924(2001)93

 $\begin{array}{ll} Microfabrication \ of \ polydimethylsiloxane \ electrospray \ ionization \\ emitters & 924(2001)137 \end{array}$

Channel-specific coatings on microfabricated chips 924(2001)165

Novel monolithic columns with templated porosity 924(2001)223

Peptide mapping by capillary zone electrophoresis: How close is theoretical simulation to experimental determination 924(2001)291

Separation of antithrombin III variants by micellar electrokinetic chromatography 924(2001)307

On-line coupling of micro-enzyme reactor with micro-membrane chromatography for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 924(2001)315

Proteomics based on selecting and quantifying cysteine containing peptides by covalent chromatography 924(2001)345

Automated signature peptide approach for proteomics 924(2001)359

Characterization of the interaction between phospholipid and protein by capillary electrophoresis with laser-induced fluorescence detection 924(2001)369

Pseudostationary phases

Alkyl modified anionic siloxanes as pseudostationary phases for electrokinetic chromatography. I. Synthesis and characterization 924(2001)103

Pseudo-stationary phases

Effect of pendant chain lengths and backbone functionalities on the chemical selectivity of sulfonated amphiphilic copolymers as pseudo-stationary phases in electrokinetic chromatography 924(2001)123

Pyridinecarboxylic acid

Separation and direct UV detection of lanthanides complexed with pyridine-2-carboxylic acid by capillary electrophoresis 924(2001)541

Quality control

Therapeutic drug monitoring of antiepileptics by capillary electrophoresis. Characterization of assays via analysis of quality control sera containing 14 analytes 924(2001)429

Rear analysis

Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177

Regression analysis

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

Resolution

Electrophoretron: a new method for enhancing resolution in electrokinetic separations 924(2001)53

Reviews

Coupling continuous separation techniques to capillary electrophoresis 924(2001)3

Rhodamine-110 chloride

Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177

Salbutamol

Determination of apparent binding constants of drugs by capillary electrophoresis using β -cyclodextrin as ligand and three different linear plotting methods 924(2001)483

Sample handling

Coupling continuous separation techniques to capillary electrophoresis 924(2001)3

Sample injection

Separation of antithrombin III variants by micellar electrokinetic chromatography 924(2001)307

Sample stacking

Sample stacking in laboratory-on-a-chip devices 924(2001)155

Shah convolution differentiation Fourier transform

Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177

Shear-driven chromatography

Experimental demonstration of the possibility to perform sheardriven chromatographic separations in micro-channels 924(2001)111

Signature peptide approach

Automated signature peptide approach for proteomics 924(2001)359

Siloxane pseudostationary phases

Alkyl modified anionic siloxanes as pseudostationary phases for electrokinetic chromatography. I. Synthesis and characterization 924(2001)103

Size-exclusion electrochromatography

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Sodium dodecyl sulfate

Capillary electrophoresis study on the micellization and critical micelle concentration of sodium dodecyl sulfate. Influence of solubilized solutes 924(2001)83

Sol-gel

Photopolymerized sol-gel frits for packed columns in capillary electrochromatography 924(2001)187

Stability studies

Application of hydrophobic anion-exchange phases in capillary electrochromatography 924(2001)197

Stationary phases, electochromatography

Novel monolithic columns with templated porosity 924(2001)223

Stationary phases, electrochromatography

Application of hydrophobic anion-exchange phases in capillary electrochromatography 924(2001)197

Stationary phases, LC

Novel monolithic columns with templated porosity 924(2001)223

On-line coupling of micro-enzyme reactor with micro-membrane chromatography for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 924(2001)315

Surfactants

Alkyl modified anionic siloxanes as pseudostationary phases for electrokinetic chromatography. I. Synthesis and characterization 924(2001)103

Tea

Decrease in concentration of free catechins in tea over time determined by micellar electrokinetic chromatography 924(2001)519

Thiourea

Ion chromatography on-chip 924(2001)233

Effect of various modes of pressurization on the separation in capillary electrochromatography 924(2001)331

Toluene

Effect of various modes of pressurization on the separation in capillary electrochromatography 924(2001)331

Validation

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

Selective and quantitative analysis of 4-hydroxybenzoate preservatives by microemulsion electrokinetic chromatography 924(2001)465

Vegetables

Analysis of post-harvest fungicides by micellar electrokinetic chromatography 924(2001)387

Water analysis

Liquid-liquid-liquid microextraction of nitrophenols with a hollow fiber membrane prior to capillary liquid chromatography 924(2001)407