



ELSEVIER

Journal of Chromatography A, 925 (2001) 305–310

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 925

Adsorption isotherms

Fitting adsorption isotherms to the distribution data determined using packed micro-columns for high-performance liquid chromatography 925(2001)19

Aerosols

Optimization and application of high-resolution gas chromatography with ion trap tandem mass spectrometry to the determination of polychlorinated biphenyls in atmospheric aerosols 925(2001)183

Affinity adsorbents

Separation of mistletoe lectins based on the degree of glycosylation using boronate affinity chromatography 925(2001)115

Air analysis

Optimization and application of high-resolution gas chromatography with ion trap tandem mass spectrometry to the determination of polychlorinated biphenyls in atmospheric aerosols 925(2001)183

Albumin

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

Alkaloids

Pulsed amperometric detection of calystegines separated by capillary electrophoresis 925(2001)291

Amino acids

Reversed-phase electrochromatography of amino acids and peptides using porous polymer monoliths 925(2001)251

Amylopectins

Retention behaviour of amylopectins in asymmetrical flow field-flow fractionation studied by multi-angle light scattering detection 925(2001)171

Antibiotics

Application of coil centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. III. Effects of flow-rate, mass load and rotation speed on the peak resolution 925(2001)139

Antioxidants

Preparative isolation and purification of astaxanthin from the microalga *Chlorococcum* sp. by high-speed counter-current chromatography 925(2001)133

Astaxanthin

Preparative isolation and purification of astaxanthin from the microalga *Chlorococcum* sp. by high-speed counter-current chromatography 925(2001)133

Automation

Robotic automated clean-up for detection of fumonisins B₁ and B₂ in corn and corn-based feed by high-performance liquid chromatography 925(2001)151

Bacillus globigii

Automated mass analysis of low-molecular-mass bacterial proteome by liquid chromatography–electrospray ionization mass spectrometry 925(2001)123

Bacteria

Automated mass analysis of low-molecular-mass bacterial proteome by liquid chromatography–electrospray ionization mass spectrometry 925(2001)123

Benzoic acids

Capillary electrochromatography in anion-exchange and normal-phase mode using monolithic stationary phases 925(2001)265

Benzophenone

Fitting adsorption isotherms to the distribution data determined using packed micro-columns for high-performance liquid chromatography 925(2001)19

Boronate

Separation of mistletoe lectins based on the degree of glycosylation using boronate affinity chromatography 925(2001)115

Bovine serum albumin

Comparison of L-tryptophan binding capacity of BSA captured by a polymer brush with that of BSA adsorbed onto a gel network 925(2001)41

Breakthrough volumes

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

Calystegines

Pulsed amperometric detection of calystegines separated by capillary electrophoresis 925(2001)291

Capillary electrophoresis

Chiral separation of six diastereomeric flavanone-7-*O*-glycosides by capillary electrophoresis and analysis of lemon juice 925(2001)279

Carboxylic acids

Effect of ion-exchange site and eluent modifiers on the anion-exchange of carboxylic acids 925(2001)99

Carotenoids

Preparative isolation and purification of astaxanthin from the microalga *Chlorococcum* sp. by high-speed counter-current chromatography 925(2001)133

Carrier ionic strength

Flow field-flow fractionation of poly(ethylene oxide): effect of carrier ionic strength and composition 925(2001)159

Chemical warfare agents

Retrospective identification of chemical warfare agents by high-temperature automatic thermal desorption–gas chromatography–mass spectrometry 925(2001)241

Chip technology

Reversed-phase electrochromatography of amino acids and peptides using porous polymer monoliths 925(2001)251

***Chlorococcum* sp**

Preparative isolation and purification of astaxanthin from the microalga *Chlorococcum* sp. by high-speed counter-current chromatography 925(2001)133

Continuous superporous agarose beds

Continuous superporous agarose beds in radial flow columns 925(2001)69

Counter-current chromatography

Preparative isolation and purification of six diterpenoids from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 925(2001)109

Preparative isolation and purification of astaxanthin from the microalga *Chlorococcum* sp. by high-speed counter-current chromatography 925(2001)133

Application of coil centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. III. Effects of flow-rate, mass load and rotation speed on the peak resolution 925(2001)139

***o*-Cresol**

Fitting adsorption isotherms to the distribution data determined using packed micro-columns for high-performance liquid chromatography 925(2001)19

Cyclodextrins

Analysis of sulfobutyl ether- β -cyclodextrin mixtures by ion-spray mass spectrometry and liquid chromatography–ion-spray mass spectrometry 925(2001)79

Derivatization, electrochromatography

Reversed-phase electrochromatography of amino acids and peptides using porous polymer monoliths 925(2001)251

Derivatization, GC

Optimized thiol derivatizing reagent for the mass spectral analysis of disubstituted epoxy fatty acids 925(2001)223

Diastereomer separation

Chiral separation of six diastereomeric flavanone-7-*O*-glycosides by capillary electrophoresis and analysis of lemon juice 925(2001)279

Diols

Optimized thiol derivatizing reagent for the mass spectral analysis of disubstituted epoxy fatty acids 925(2001)223

Dispersion

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

Electrochromatography

Reversed-phase electrochromatography of amino acids and peptides using porous polymer monoliths 925(2001)251

Capillary electrochromatography in anion-exchange and normal-phase mode using monolithic stationary phases 925(2001)265

Electrolyte composition

Flow field-flow fractionation of poly(ethylene oxide): effect of carrier ionic strength and composition 925(2001)159

Eluent modifiers

Effect of ion-exchange site and eluent modifiers on the anion-exchange of carboxylic acids 925(2001)99

Enantiomer separation

Efficient enantioselective separation of drug enantiomers by immobilised antibody fragments 925(2001)89

Chiral separation of six diastereomeric flavanone-7-*O*-glycosides by capillary electrophoresis and analysis of lemon juice 925(2001)279

Environmental analysis

Optimization and application of high-resolution gas chromatography with ion trap tandem mass spectrometry to the determination of polychlorinated biphenyls in atmospheric aerosols 925(2001)183

Epoxides

Optimized thiol derivatizing reagent for the mass spectral analysis of disubstituted epoxy fatty acids 925(2001)223

Equilibrium–dispersive model

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

Escherichia coli

Automated mass analysis of low-molecular-mass bacterial proteome by liquid chromatography–electrospray ionization mass spectrometry 925(2001)123

Extraction methods

On-line clean-up of pressurized liquid extracts for the determination of polychlorinated biphenyls in feedingsuffs and food matrices using gas chromatography–mass spectrometry 925(2001)197

Fatty acids

Optimized thiol derivatizing reagent for the mass spectral analysis of disubstituted epoxy fatty acids 925(2001)223

Feed analysis

On-line clean-up of pressurized liquid extracts for the determination of polychlorinated biphenyls in feedingsuffs and food matrices using gas chromatography–mass spectrometry 925(2001)197

Flavanone glycosides

Chiral separation of six diastereomeric flavanone-7-*O*-glycosides by capillary electrophoresis and analysis of lemon juice 925(2001)279

Flow field-flow fractionation

Flow field-flow fractionation of poly(ethylene oxide): effect of carrier ionic strength and composition 925(2001)159

Retention behaviour of amylopectins in asymmetrical flow field-flow fractionation studied by multi-angle light scattering detection 925(2001)171

Flow rate

Application of coil centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. III. Effects of flow-rate, mass load and rotation speed on the peak resolution 925(2001)139

Food analysis

Robotic automated clean-up for detection of fumonisins B₁ and B₂ in corn and corn-based feed by high-performance liquid chromatography 925(2001)151

On-line clean-up of pressurized liquid extracts for the determination of polychlorinated biphenyls in feedingsuffs and food matrices using gas chromatography–mass spectrometry 925(2001)197

Chiral separation of six diastereomeric flavanone-7-*O*-glycosides by capillary electrophoresis and analysis of lemon juice 925(2001)279

Fruit juices

Chiral separation of six diastereomeric flavanone-7-*O*-glycosides by capillary electrophoresis and analysis of lemon juice 925(2001)279

Fumonisin

Robotic automated clean-up for detection of fumonisins B₁ and B₂ in corn and corn-based feed by high-performance liquid chromatography 925(2001)151

Gel network

Comparison of L-tryptophan binding capacity of BSA captured by a polymer brush with that of BSA adsorbed onto a gel network 925(2001)41

General rate model

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

Glycoproteins

Separation of mistletoe lectins based on the degree of glycosylation using boronate affinity chromatography 925(2001)115

Glycosides

Chiral separation of six diastereomeric flavanone-7-*O*-glycosides by capillary electrophoresis and analysis of lemon juice 925(2001)279

High-temperature automatic thermal desorption

Retrospective identification of chemical warfare agents by high-temperature automatic thermal desorption–gas chromatography–mass spectrometry 925(2001)241

Hybrid packings

Dependence of reversed-phase retention of ionizable analytes on pH, concentration of organic solvent and silanol activity 925(2001)49

Hydroxyalkaloids

Pulsed amperometric detection of calystegines separated by capillary electrophoresis 925(2001)291

Immobilised antibody fragments

Efficient enantioselective separation of drug enantiomers by immobilised antibody fragments 925(2001)89

Immunoaffinity adsorbents

Efficient enantioselective separation of drug enantiomers by immobilised antibody fragments 925(2001)89

Ion exclusion

Dependence of reversed-phase retention of ionizable analytes on pH, concentration of organic solvent and silanol activity 925(2001)49

Ion-exchange site structures

Effect of ion-exchange site and eluent modifiers on the anion-exchange of carboxylic acids 925(2001)99

Kinetic studies

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

Lactate dehydrogenase

Continuous superporous agarose beds in radial flow columns 925(2001)69

Lectins

Separation of mistletoe lectins based on the degree of glycosylation using boronate affinity chromatography 925(2001)115

Lipids

Optimized thiol derivatizing reagent for the mass spectral analysis of disubstituted epoxy fatty acids 925(2001)223

Lumped pore diffusion model

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

Macrolides

Application of coil centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. III. Effects of flow-rate, mass load and rotation speed on the peak resolution 925(2001)139

Mandelic acid

Fitting adsorption isotherms to the distribution data determined using packed micro-columns for high-performance liquid chromatography 925(2001)19

Mass load

Application of coil centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. III. Effects of flow-rate, mass load and rotation speed on the peak resolution 925(2001)139

Mass spectrometry

Analysis of sulfobutyl ether- β -cyclodextrin mixtures by ion-spray mass spectrometry and liquid chromatography-ion-spray mass spectrometry 925(2001)79

Mass transfer

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

Mathematical modeling

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

Monolithic columns

Reversed-phase electrochromatography of amino acids and peptides using porous polymer monoliths 925(2001)251

Monoliths

Continuous superporous agarose beds in radial flow columns 925(2001)69

Capillary electrochromatography in anion-exchange and normal-phase mode using monolithic stationary phases 925(2001)265

Multi angle light scattering detection

Retention behaviour of amylopectins in asymmetrical flow field-flow fractionation studied by multi-angle light scattering detection 925(2001)171

Mycotoxins

Robotic automated clean-up for detection of fumonisins B₁ and B₂ in corn and corn-based feed by high-performance liquid chromatography 925(2001)151

4-Nonylphenol

Recovery of 4-nonylphenol and 4-nonylphenol ethoxylates from river sediments by pressurised liquid extraction 925(2001)297

4-Nonylphenol ethoxylate

Recovery of 4-nonylphenol and 4-nonylphenol ethoxylates from river sediments by pressurised liquid extraction 925(2001)297

Nortropanes

Pulsed amperometric detection of calystegines separated by capillary electrophoresis 925(2001)291

Organophosphorus compounds

Retrospective identification of chemical warfare agents by high-temperature automatic thermal desorption-gas chromatography-mass spectrometry 925(2001)241

Peptides

Reversed-phase electrochromatography of amino acids and peptides using porous polymer monoliths 925(2001)251

pH effects

Dependence of reversed-phase retention of ionizable analytes on pH, concentration of organic solvent and silanol activity 925(2001)49

Pharmaceutical analysis

Preparative isolation and purification of six diterpenoids from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 925(2001)109

Phenol

Fitting adsorption isotherms to the distribution data determined using packed micro-columns for high-performance liquid chromatography 925(2001)19

Plant materials

Preparative isolation and purification of six diterpenoids from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 925(2001)109

Pulsed amperometric detection of calystegines separated by capillary electrophoresis 925(2001)291

Polychlorinated biphenyls

Optimization and application of high-resolution gas chromatography with ion trap tandem mass spectrometry to the determination of polychlorinated biphenyls in atmospheric aerosols 925(2001)183

On-line clean-up of pressurized liquid extracts for the determination of polychlorinated biphenyls in feedingstuffs and food matrices using gas chromatography–mass spectrometry 925(2001)197

Fast clean-up for polychlorinated dibenzo-*p*-dioxins, dibenzofurans and coplanar polychlorinated biphenyls analysis of high-fat-content biological samples 925(2001)207

Polychlorinated dibenzodioxins

Fast clean-up for polychlorinated dibenzo-*p*-dioxins, dibenzofurans and coplanar polychlorinated biphenyls analysis of high-fat-content biological samples 925(2001)207

Polychlorinated dibenzofurans

Fast clean-up for polychlorinated dibenzo-*p*-dioxins, dibenzofurans and coplanar polychlorinated biphenyls analysis of high-fat-content biological samples 925(2001)207

Poly(ethylene oxide)

Flow field-flow fractionation of poly(ethylene oxide): effect of carrier ionic strength and composition 925(2001)159

Polymer brush

Comparison of L-tryptophan binding capacity of BSA captured by a polymer brush with that of BSA adsorbed onto a gel network 925(2001)41

Porous polymers

Capillary electrochromatography in anion-exchange and normal-phase mode using monolithic stationary phases 925(2001)265

Preparative chromatography

Application of coil centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. III. Effects of flow-rate, mass load and rotation speed on the peak resolution 925(2001)139

Pressurised liquid extraction

Recovery of 4-nonylphenol and 4-nonylphenol ethoxylates from river sediments by pressurised liquid extraction 925(2001)297

Pressurized liquid extraction

On-line clean-up of pressurized liquid extracts for the determination of polychlorinated biphenyls in feedingstuffs and food matrices using gas chromatography–mass spectrometry 925(2001)197

Fast clean-up for polychlorinated dibenzo-*p*-dioxins, dibenzofurans and coplanar polychlorinated biphenyls analysis of high-fat-content biological samples 925(2001)207

Principal component analysis

Application of self-organizing maps for the classification of chromatographic systems and prediction of values of chromatographic quantities 925(2001)31

Profens

Capillary electrochromatography in anion-exchange and normal-phase mode using monolithic stationary phases 925(2001)265

Proteins

Separation of mistletoe lectins based on the degree of glycosylation using boronate affinity chromatography 925(2001)115

Automated mass analysis of low-molecular-mass bacterial proteome by liquid chromatography–electrospray ionization mass spectrometry 925(2001)123

Radial flow columns

Continuous superporous agarose beds in radial flow columns 925(2001)69

Resolution

Application of coil centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. III. Effects of flow-rate, mass load and rotation speed on the peak resolution 925(2001)139

Response surface modeling

Application of self-organizing maps for the classification of chromatographic systems and prediction of values of chromatographic quantities 925(2001)31

Retention mechanism

Dependence of reversed-phase retention of ionizable analytes on pH, concentration of organic solvent and silanol activity 925(2001)49

Salvia miltiorrhiza

Preparative isolation and purification of six diterpenoids from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 925(2001)109

Sample preparation

Fast clean-up for polychlorinated dibenzo-*p*-dioxins, dibenzofurans and coplanar polychlorinated biphenyls analysis of high-fat-content biological samples 925(2001)207

Self-organizing maps

Application of self-organizing maps for the classification of chromatographic systems and prediction of values of chromatographic quantities 925(2001)31

Silanol activity

Dependence of reversed-phase retention of ionizable analytes on pH, concentration of organic solvent and silanol activity 925(2001)49

Stationary phases, electrochromatography

Reversed-phase electrochromatography of amino acids and peptides using porous polymer monoliths 925(2001)251

Capillary electrochromatography in anion-exchange and normal-phase mode using monolithic stationary phases 925(2001)265

Stationary phases, LC

Dependence of reversed-phase retention of ionizable analytes on pH, concentration of organic solvent and silanol activity 925(2001)49

Sulfobutyl ether

Analysis of sulfobutyl ether- β -cyclodextrin mixtures by ion-spray mass spectrometry and liquid chromatography-ion-spray mass spectrometry 925(2001)79

Tanshinones

Preparative isolation and purification of six diterpenoids from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 925(2001)109

Teicoplanin

Fitting adsorption isotherms to the distribution data determined using packed micro-columns for high-performance liquid chromatography 925(2001)19

Terpenoids

Preparative isolation and purification of six diterpenoids from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 925(2001)109

Tetrafluorobenzenethiol

Optimized thiol derivatizing reagent for the mass spectral analysis of disubstituted epoxy fatty acids 925(2001)223

Transport-dispersive model

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

L-Tryptophan

Comparison of L-tryptophan binding capacity of BSA captured by a polymer brush with that of BSA adsorbed onto a gel network 925(2001)41