



ELSEVIER

Journal of Chromatography A, 927 (2001) 245–250

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 927

Acidic additives

Effect of mobile phase acidic additives on enantioselectivity for phenylalanine analogs 927(2001)47

Adsorption isotherms

Influence of the pH on the behavior of an imprinted polymeric stationary phase — supporting evidence for a binding site model 927(2001)1

Affinity chromatography

Affinity–reversed-phase liquid chromatography assay to quantitate recombinant antibodies and antibody fragments in fermentation broth 927(2001)61

Alcohol polyethoxylates

Routine analysis of alcohol and nonylphenol polyethoxylates in wastewater and sludge using liquid chromatography–electrospray mass spectrometry 927(2001)103

Alkaloids

Versatile two-phase solvent system for alkaloid separation by high-speed counter-current chromatography 927(2001)91

Alkanes

Behavior of *n*-alkanes on poly(oxyethylene) capillary columns. Evaluation of interfacial effects 927(2001)111

Amine additives

Effect of mobile phase amine additives on enantioselectivity for phenylalanine analogs 927(2001)53

Anionic analytes

Influence of the unpacked section on the chromatographic performance of duplex strong anion-exchange columns in capillary electrochromatography 927(2001)169

Anion exchangers

Influence of the unpacked section on the chromatographic performance of duplex strong anion-exchange columns in capillary electrochromatography 927(2001)169

Antibodies

Affinity–reversed-phase liquid chromatography assay to quantitate recombinant antibodies and antibody fragments in fermentation broth 927(2001)61

Automation

Construction and validation of automated purge-and-trap–gas chromatography for the determination of volatile organic compounds 927(2001)143

Basic drugs

Dynamically coated capillaries improve the identification power of capillary zone electrophoresis for basic drugs in toxicological analysis 927(2001)203

Benzenes

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Benzoic acids

Assay of 2,3-dihydroxybenzoic acid and related compounds in plant materials by high-performance liquid chromatography 927(2001)39

Bile acids

Bile acids and sterols in urban sewage treatment plants 927(2001)155

Binding site model

Influence of the pH on the behavior of an imprinted polymeric stationary phase — supporting evidence for a binding site model 927(2001)1

Biphenyl

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Bovine serum albumin

Homogeneous fluorescent derivatization of large proteins 927(2001)77

Capillary columns

Behavior of *n*-alkanes on poly(oxyethylene) capillary columns. Evaluation of interfacial effects 927(2001)111

Catharanthus roseus

Assay of 2,3-dihydroxybenzoic acid and related compounds in plant materials by high-performance liquid chromatography 927(2001)39

Cellulose

Study of the stability of cellulose–holocellulose solutions in *N,N*-dimethylacetamide–lithium chloride by size exclusion chromatography 927(2001)31

Chemometrics

Prediction of electrophoretic mobilities of sulfonamides in capillary zone electrophoresis using artificial neural networks 927(2001)211

Chlorofluorocarbons

Construction and validation of automated purge-and-trap–gas chromatography for the determination of volatile organic compounds 927(2001)143

Chromium

Separation of chromium (III) and chromium (VI) by capillary electrophoresis using 2,6-pyridinedicarboxylic acid as a pre-column complexation agent 927(2001)219

 α -Chymotrypsinogen A

Homogeneous fluorescent derivatization of large proteins 927(2001)77

Coated capillaries

Use of a partial filling technique and reverse migrating micelles in the study of *N*-methylcarbamate pesticides by micellar electrokinetic chromatography–electrospray ionization mass spectrometry 927(2001)191

Dynamically coated capillaries improve the identification power of capillary zone electrophoresis for basic drugs in toxicological analysis 927(2001)203

Complexation

Separation of chromium (III) and chromium (VI) by capillary electrophoresis using 2,6-pyridinedicarboxylic acid as a pre-column complexation agent 927(2001)219

Counter-current chromatography

Versatile two-phase solvent system for alkaloid separation by high-speed counter-current chromatography 927(2001)91

Cryofocusing

On-line monitoring of trihalomethanes in drinking water using continuous-flow purge and cryofocusing gas chromatography–mass spectrometry 927(2001)229

Derivatization, LC

Homogeneous fluorescent derivatization of large proteins 927(2001)77

Detection, electrophoresis

Practical method for evaluation of linearity and effective pathlength of on-capillary photometric detectors in capillary electrophoresis 927(2001)237

Dihydroxybenzoic acid

Assay of 2,3-dihydroxybenzoic acid and related compounds in plant materials by high-performance liquid chromatography 927(2001)39

***N,N*-dimethylacetamide**

Study of the stability of cellulose–holocellulose solutions in *N,N*-dimethylacetamide–lithium chloride by size exclusion chromatography 927(2001)31

DNA

Analysis of large-volume DNA markers and polymerase chain reaction products by capillary electrophoresis in the presence of electroosmotic flow 927(2001)179

Duplex columns

Influence of the unpacked section on the chromatographic performance of duplex strong anion-exchange columns in capillary electrochromatography 927(2001)169

Electroosmotic flow

Influence of the unpacked section on the chromatographic performance of duplex strong anion-exchange columns in capillary electrochromatography 927(2001)169

Electrophoretic mobility

Prediction of electrophoretic mobilities of sulfonamides in capillary zone electrophoresis using artificial neural networks 927(2001)211

Enantiomer separation

Influence of the pH on the behavior of an imprinted polymeric stationary phase — supporting evidence for a binding site model 927(2001)1

Effect of mobile phase acidic additives on enantioselectivity for phenylalanine analogs 927(2001)47

Effect of mobile phase amine additives on enantioselectivity for phenylalanine analogs 927(2001)53

Environmental analysis

Effect of moisture on the extraction efficiency of polycyclic aromatic hydrocarbons from soils under atmospheric pressure by focused microwave-assisted extraction 927(2001)131

Construction and validation of automated purge-and-trap–gas chromatography for the determination of volatile organic compounds 927(2001)143

Separation of chromium (III) and chromium (VI) by capillary electrophoresis using 2,6-pyridinedicarboxylic acid as a pre-column complexation agent 927(2001)219

Enzymes

Simultaneous quantitation of nucleoside HIV-1 reverse transcriptase inhibitors by short-end injection capillary electrochromatography on a β -cyclodextrin-bonded silica stationary phase 927(2001)161

Extraction methods

Effect of moisture on the extraction efficiency of polycyclic aromatic hydrocarbons from soils under atmospheric pressure by focused microwave-assisted extraction 927(2001)131

Halogenated compounds

On-line monitoring of trihalomethanes in drinking water using continuous-flow purge and cryofocusing gas chromatography–mass spectrometry 927(2001)229

Headspace analysis

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Hydrocarbons, aromatic

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Imprinted polymeric stationary phase

Influence of the pH on the behavior of an imprinted polymeric stationary phase — supporting evidence for a binding site model 927(2001)1

Indirect detection

Practical method for evaluation of linearity and effective pathlength of on-capillary photometric detectors in capillary electrophoresis 927(2001)237

Instrumentation

Practical method for evaluation of linearity and effective pathlength of on-capillary photometric detectors in capillary electrophoresis 927(2001)237

Internal standard

Prediction of internal standards in reversed-phase liquid chromatography. 1. Initial study on predicting internal standards for use with neutral samples based on linear solvation energy relationships 927(2001)19

Linear solvation energy relationships

Prediction of internal standards in reversed-phase liquid chromatography. 1. Initial study on predicting internal standards for use with neutral samples based on linear solvation energy relationships 927(2001)19

Lithium chloride

Study of the stability of cellulose–holocellulose solutions in *N,N*-dimethylacetamide–lithium chloride by size exclusion chromatography 927(2001)31

Mathematical modelling

Prediction of electrophoretic mobilities of sulfonamides in capillary zone electrophoresis using artificial neural networks 927(2001)211

Metal cations

Separation of chromium (III) and chromium (VI) by capillary electrophoresis using 2,6-pyridinedicarboxylic acid as a pre-column complexation agent 927(2001)219

Method development

Prediction of internal standards in reversed-phase liquid chromatography. 1. Initial study on predicting internal standards for use with neutral samples based on linear solvation energy relationships 927(2001)19

Methylcarbamates

Use of a partial filling technique and reverse migrating micelles in the study of *N*-methylcarbamate pesticides by micellar electrokinetic chromatography–electrospray ionization mass spectrometry 927(2001)191

Micellar electrokinetic chromatography

Use of a partial filling technique and reverse migrating micelles in the study of *N*-methylcarbamate pesticides by micellar electrokinetic chromatography–electrospray ionization mass spectrometry 927(2001)191

Microwave-assisted extraction

Effect of moisture on the extraction efficiency of polycyclic aromatic hydrocarbons from soils under atmospheric pressure by focused microwave-assisted extraction 927(2001)131

Mixed-mode chromatography

Affinity–reversed-phase liquid chromatography assay to quantitate recombinant antibodies and antibody fragments in fermentation broth 927(2001)61

Mobile phase composition

Effect of mobile phase acidic additives on enantioselectivity for phenylalanine analogs 927(2001)47

Effect of mobile phase amine additives on enantioselectivity for phenylalanine analogs 927(2001)53

Molecular imprinting

Influence of the pH on the behavior of an imprinted polymeric stationary phase — supporting evidence for a binding site model 927(2001)1

Neural networks, artificial

Prediction of electrophoretic mobilities of sulfonamides in capillary zone electrophoresis using artificial neural networks 927(2001)211

Naphthalenes

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Nonylphenol polyethoxylates

Routine analysis of alcohol and nonylphenol polyethoxylates in wastewater and sludge using liquid chromatography–electrospray mass spectrometry 927(2001)103

Noscapine

Characterization of an unknown component in Noscapine using liquid chromatography–mass spectrometry and proton nuclear magnetic resonance spectroscopy 927(2001)97

Nuclear magnetic resonance spectroscopy

Characterization of an unknown component in Noscapine using liquid chromatography–mass spectrometry and proton nuclear magnetic resonance spectroscopy 927(2001)97

Nucleoside HIV-1 reverse transcriptase

Simultaneous quantitation of nucleoside HIV-1 reverse transcriptase inhibitors by short-end injection capillary electrochromatography on a β -cyclodextrin-bonded silica stationary phase 927(2001)161

Ovalbumin

Homogeneous fluorescent derivatization of large proteins 927(2001)77

Partial filling micellar electrokinetic chromatography

Use of a partial filling technique and reverse migrating micelles in the study of *N*-methylcarbamate pesticides by micellar electrokinetic chromatography–electrospray ionization mass spectrometry 927(2001)191

Partition coefficients

Behavior of *n*-alkanes on poly(oxyethylene) capillary columns. Evaluation of interfacial effects 927(2001)111

Pesticides

Use of a partial filling technique and reverse migrating micelles in the study of *N*-methylcarbamate pesticides by micellar electrokinetic chromatography–electrospray ionization mass spectrometry 927(2001)191

pH effects

Influence of the pH on the behavior of an imprinted polymeric stationary phase — supporting evidence for a binding site model 927(2001)1

Pharmaceutical analysis

Affinity–reversed-phase liquid chromatography assay to quantitate recombinant antibodies and antibody fragments in fermentation broth 927(2001)61

Versatile two-phase solvent system for alkaloid separation by high-speed counter-current chromatography 927(2001)91

Phenylalanine analogues

Effect of mobile phase acidic additives on enantioselectivity for phenylalanine analogs 927(2001)47

Effect of mobile phase amine additives on enantioselectivity for phenylalanine analogs 927(2001)53

Phenylalanine anilide

Influence of the pH on the behavior of an imprinted polymeric stationary phase — supporting evidence for a binding site model 927(2001)1

Photometric detection

Practical method for evaluation of linearity and effective pathlength of on-capillary photometric detectors in capillary electrophoresis 927(2001)237

Plant materials

Assay of 2,3-dihydroxybenzoic acid and related compounds in plant materials by high-performance liquid chromatography 927(2001)39

Poly(ethylene oxide)

Analysis of large-volume DNA markers and polymerase chain reaction products by capillary electrophoresis in the presence of electroosmotic flow 927(2001)179

Poly(oxyethylene) stationary phases

Behavior of *n*-alkanes on poly(oxyethylene) capillary columns. Evaluation of interfacial effects 927(2001)111

Polynuclear aromatic hydrocarbons

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Effect of moisture on the extraction efficiency of polycyclic aromatic hydrocarbons from soils under atmospheric pressure by focused microwave-assisted extraction 927(2001)131

Polysilicone fullerene coating

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Proteins

Homogeneous fluorescent derivatization of large proteins 927(2001)77

Purge-and-trap methods

Construction and validation of automated purge-and-trap–gas chromatography for the determination of volatile organic compounds 927(2001)143

On-line monitoring of trihalomethanes in drinking water using continuous-flow purge and cryofocusing gas chromatography–mass spectrometry 927(2001)229

Pyridinedicarboxylic acid

Separation of chromium (III) and chromium (VI) by capillary electrophoresis using 2,6-pyridinedicarboxylic acid as a pre-column complexation agent 927(2001)219

Quantitative structure–activity relationships

Prediction of electrophoretic mobilities of sulfonamides in capillary zone electrophoresis using artificial neural networks 927(2001)211

Regression models

Prediction of electrophoretic mobilities of sulfonamides in capillary zone electrophoresis using artificial neural networks 927(2001)211

Retention prediction

Prediction of internal standards in reversed-phase liquid chromatography. 1. Initial study on predicting internal standards for use with neutral samples based on linear solvation energy relationships 927(2001)19

Reverse migrating micelles

Use of a partial filling technique and reverse migrating micelles in the study of *N*-methylcarbamate pesticides by micellar electrokinetic chromatography–electrospray ionization mass spectrometry 927(2001)191

Reversed-phase analysis

Affinity–reversed-phase liquid chromatography assay to quantitate recombinant antibodies and antibody fragments in fermentation broth 927(2001)61

Salicylic acid

Assay of 2,3-dihydroxybenzoic acid and related compounds in plant materials by high-performance liquid chromatography 927(2001)39

Sample stacking

Analysis of large-volume DNA markers and polymerase chain reaction products by capillary electrophoresis in the presence of electroosmotic flow 927(2001)179

Short-end injection

Simultaneous quantitation of nucleoside HIV-1 reverse transcriptase inhibitors by short-end injection capillary electrochromatography on a β -cyclodextrin-bonded silica stationary phase 927(2001)161

Soil

Effect of moisture on the extraction efficiency of polycyclic aromatic hydrocarbons from soils under atmospheric pressure by focused microwave-assisted extraction 927(2001)131

Separation of chromium (III) and chromium (VI) by capillary electrophoresis using 2,6-pyridinedicarboxylic acid as a pre-column complexation agent 927(2001)219

Solid-phase microextraction

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Stacking

Use of a partial filling technique and reverse migrating micelles in the study of *N*-methylcarbamate pesticides by micellar electrokinetic chromatography–electrospray ionization mass spectrometry 927(2001)191

Stationary phases, CEC

Influence of the unpacked section on the chromatographic performance of duplex strong anion-exchange columns in capillary electrochromatography 927(2001)169

Stationary phases, electrochromatography

Simultaneous quantitation of nucleoside HIV-1 reverse transcriptase inhibitors by short-end injection capillary electrochromatography on a β -cyclodextrin-bonded silica stationary phase 927(2001)161

Stationary phases, GC

Behavior of *n*-alkanes on poly(oxyethylene) capillary columns. Evaluation of interfacial effects 927(2001)111

Stationary phases, LC

Influence of the pH on the behavior of an imprinted polymeric stationary phase — supporting evidence for a binding site model 927(2001)1

Sterols

Bile acids and sterols in urban sewage treatment plants 927(2001)155

Sterones

Bile acids and sterols in urban sewage treatment plants 927(2001)155

Sulfonamides

Prediction of electrophoretic mobilities of sulfonamides in capillary zone electrophoresis using artificial neural networks 927(2001)211

Toluene

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Toxicological analysis

Dynamically coated capillaries improve the identification power of capillary zone electrophoresis for basic drugs in toxicological analysis 927(2001)203

Trihalomethanes

On-line monitoring of trihalomethanes in drinking water using continuous-flow purge and cryofocusing gas chromatography–mass spectrometry 927(2001)229

Volatile organic compounds

Construction and validation of automated purge-and-trap–gas chromatography for the determination of volatile organic compounds 927(2001)143

Xylenes

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Construction and validation of automated purge-and-trap-gas chromatography for the determination of volatile organic compounds 927(2001)143

Water analysis

Routine analysis of alcohol and nonylphenol polyethoxylates in wastewater and sludge using liquid chromatography–electrospray mass spectrometry 927(2001)103

Bile acids and sterols in urban sewage treatment plants 927(2001)155