

Journal of Chromatography A, 928 (2001) 245-249

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 928

Acetyldaidzin

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Acetylgenistin

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Acypetacs zinc

Determination of organo-zinc based fungicides in timber treatments employing gas chromatographic analysis with mass selective detection and/or inductively coupled plasma atomic emission spectroscopy 928(2001)209

Adrenaline

Rapid chiral on-chip separation with simplified amperometric detection 928(2001)225

Affinity capillary electrophoresis

On-column ligand synthesis coupled to partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to a receptor 928(2001)233

Alkanes

Dependence of the efficiency of a multicapillary column on the liquid phase loading method 928(2001)201

Alkylphosphonic acids

Application of microcolumn liquid chromatography and capillary electrophoresis with flame photometric detection for the screening of degradation products of chemical warfare agents in water and soil 928(2001)187

Americium

Determination of actinides in environmental and biological samples using high-performance chelation ion chromatography coupled to sector-field inductively coupled plasma mass spectrometry 928(2001)91

Ballistic gradients

Ultra-short columns and ballistic gradients: considerations for ultra-fast chromatographic liquid chromatographic-tanden mass spectrometric analysis 928(2001)41

Binding constants

On-column ligand synthesis coupled to partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to a receptor 928(2001)233

Blue-chitin column

Determination of polycyclic aromatic hydrocarbons by liquid chromatography–electrospray ionization mass spectrometry using silver nitrate as a post-column reagent 928(2001)53

Calystegines

Automated multiple development thin layer chromatography for calystegines and their biosynthetic precursors 928(2001)217

Capillary columns

Dependence of the efficiency of a multicapillary column on the liquid phase loading method 928(2001)201

Chemical warfare agents

Application of microcolumn liquid chromatography and capillary electrophoresis with flame photometric detection for the screening of degradation products of chemical warfare agents in water and soil 928(2001)187

Chiral stationary phases, LC

Preparation of highly selective stationary phases for highperformance liquid chromatographic separation of enantiomers by direct copolymerization of monomers with single or twin chiral ligands 928(2001)25

High-performance liquid chromatographic separation of the enantiomers of organophosphorus pesticides on polysaccharide chiral stationary phases 928(2001)145

Chlortetracycline

Analysis of oxytetracycline, tetracycline, and chlortetracycline in water using solid-phase extraction and liquid chromatography–tandem mass spectrometry 928(2001)177

Column length

Ultra-short columns and ballistic gradients: considerations for ultra-fast chromatographic liquid chromatographic-tanden mass spectrometric analysis 928(2001)41

0021-9673/01/\$ – see front matter © 2001 Elsevier Science B.V. All right reserved PII: S0021-9673(01)01196-7

246

Counter-current chromatography

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Daidzein

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Daidzin

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Detection, electrophoresis

Rapid chiral on-chip separation with simplified amperometric detection 928(2001)225

Detection, LC

Application of microcolumn liquid chromatography and capillary electrophoresis with flame photometric detection for the screening of degradation products of chemical warfare agents in water and soil 928(2001)187

Efficiency

Dependence of the efficiency of a multicapillary column on the liquid phase loading method 928(2001)201

Enantiomer separation

Preparation of highly selective stationary phases for highperformance liquid chromatographic separation of enantiomers by direct copolymerization of monomers with single or twin chiral ligands 928(2001)25

Enantiomeric purity determination of malic acid in apple juices by multi-beam circular dichroism detection 928(2001)139

High-performance liquid chromatographic separation of the enantiomers of organophosphorus pesticides on polysaccharide chiral stationary phases 928(2001)145

Rapid chiral on-chip separation with simplified amperometric detection 928(2001)225

Erigeron breviscapus

Identification and determination of glucuronides and their aglycones in *Erigeron breviscapus* by liquid chromatography–tandem mass spectrometry 928(2001)155

Ephedrine

Rapid chiral on-chip separation with simplified amperometric detection 928(2001)225

Ethene

Use of porous glass and silica gel as support media of a surface compound for generation of analytes in gaseous standard mixtures. New method for the determination of the amount of analyte generated 928(2001)99

Evaporative light scattering detector

Assessment of the retention properties of poly(vinyl alcohol) stationary phase for lipid class profiling in liquid chromatography 928(2001)127

Extraction methods

Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117

Flame photometric detection

Application of microcolumn liquid chromatography and capillary electrophoresis with flame photometric detection for the screening of degradation products of chemical warfare agents in water and soil 928(2001)187

Flavonoids

Identification and determination of glucuronides and their aglycones in *Erigeron breviscapus* by liquid chromatography–tandem mass spectrometry 928(2001)155

Folates

Determination of folates in foods by high-performance liquid chromatography with fluorescence detection after precolumn conversion to 5-methyltetrahydrofolates 928(2001)77

Food analysis

Identification and quantification of major bovine milk proteins by liquid chromatography 928(2001)63

Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117

Frontal chromatograms

Evaluation of frontal chromatograms 928(2001)1

Gas chromatography, fast

Dependence of the efficiency of a multicapillary column on the liquid phase loading method 928(2001)201

Gaseous standard mixtures

Use of porous glass and silica gel as support media of a surface compound for generation of analytes in gaseous standard mixtures. New method for the determination of the amount of analyte generated 928(2001)99

Genistin

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Glucuronides

Identification and determination of glucuronides and their aglycones in *Erigeron breviscapus* by liquid chromatography–tandem mass spectrometry 928(2001)155

Glycitein

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Glycitin

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Glycosides

Identification and determination of glucuronides and their aglycones in *Erigeron breviscapus* by liquid chromatography–tandem mass spectrometry 928(2001)155

Gradient elution

Ultra-short columns and ballistic gradients: considerations for ultra-fast chromatographic liquid chromatographic-tanden mass spectrometric analysis 928(2001)41

Assessment of the retention properties of poly(vinyl alcohol) stationary phase for lipid class profiling in liquid chromatography 928(2001)127

Ion exchange

Characterization and modeling of monolithic stationary phases: application to preparative chromatography 928(2001)13

Iprodione

Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117

Isoflavones

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Ligand synthesis, on column

On-column ligand synthesis coupled to partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to a receptor 928(2001)233

Lignans

Separation and determination of podophyllum lignans by micellar electrokinetic chromatography 928(2001)109

Lipids

Assessment of the retention properties of poly(vinyl alcohol) stationary phase for lipid class profiling in liquid chromatography 928(2001)127

Malic acid

Enantiomeric purity determination of malic acid in apple juices by multi-beam circular dichroism detection 928(2001)139

Mass transport models

Characterization and modeling of monolithic stationary phases: application to preparative chromatography 928(2001)13

5-Methyltetrahydrofolates

Determination of folates in foods by high-performance liquid chromatography with fluorescence detection after precolumn conversion to 5-methyltetrahydrofolates 928(2001)77

Milk

Identification and quantification of major bovine milk proteins by liquid chromatography 928(2001)63

Monolithic stationary phases

Characterization and modeling of monolithic stationary phases: application to preparative chromatography 928(2001)13

Monomers

Preparation of highly selective stationary phases for highperformance liquid chromatographic separation of enantiomers by direct copolymerization of monomers with single or twin chiral ligands 928(2001)25

Mugineic acids

Determination of phytosiderophores by anion-exchange chromatography with pulsed amperometric detection 928(2001)171

Multi-beam circular dichroism detection

Enantiomeric purity determination of malic acid in apple juices by multi-beam circular dichroism detection 928(2001)139

Multi-capillary columns

Dependence of the efficiency of a multicapillary column on the liquid phase loading method 928(2001)201

Neptunium

Determination of actinides in environmental and biological samples using high-performance chelation ion chromatography coupled to sector-field inductively coupled plasma mass spectrometry 928(2001)91

Noradrenaline

Rapid chiral on-chip separation with simplified amperometric detection 928(2001)225

On-chip separation

Rapid chiral on-chip separation with simplified amperometric detection 928(2001)225

Organophosphorus pesticides

High-performance liquid chromatographic separation of the enantiomers of organophosphorus pesticides on polysaccharide chiral stationary phases 928(2001)145

Oxytetracycline

Analysis of oxytetracycline, tetracycline, and chlortetracycline in water using solid-phase extraction and liquid chromatography–tandem mass spectrometry 928(2001)177

Partial filling capillary electrophoresis

On-column ligand synthesis coupled to partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to a receptor 928(2001)233

Peptides

On-column ligand synthesis coupled to partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to a receptor 928(2001)233

Subject Index Vol. 928

Pesticides

Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117

Determination of organo-zinc based fungicides in timber treatments employing gas chromatographic analysis with mass selective detection and/or inductively coupled plasma atomic emission spectroscopy 928(2001)209

Phytosiderophores

Determination of phytosiderophores by anion-exchange chromatography with pulsed amperometric detection 928(2001)171

Plant materials

Separation and determination of podophyllum lignans by micellar electrokinetic chromatography 928(2001)109

Plutonium

Determination of actinides in environmental and biological samples using high-performance chelation ion chromatography coupled to sector-field inductively coupled plasma mass spectrometry 928(2001)91

Podophyllum spp

Separation and determination of podophyllum lignans by micellar electrokinetic chromatography 928(2001)109

Polynuclear aromatic hydrocarbons

Determination of polycyclic aromatic hydrocarbons by liquid chromatography–electrospray ionization mass spectrometry using silver nitrate as a post-column reagent 928(2001)53

Polysaccharides

High-performance liquid chromatographic separation of the enantiomers of organophosphorus pesticides on polysaccharide chiral stationary phases 928(2001)145

Poly(vinyl alcohol)

Assessment of the retention properties of poly(vinyl alcohol) stationary phase for lipid class profiling in liquid chromatography 928(2001)127

Porous glass

Use of porous glass and silica gel as support media of a surface compound for generation of analytes in gaseous standard mixtures. New method for the determination of the amount of analyte generated 928(2001)99

Post column reagent

Determination of polycyclic aromatic hydrocarbons by liquid chromatography–electrospray ionization mass spectrometry using silver nitrate as a post-column reagent 928(2001)53

Procymidone

Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117

Proteins

Identification and quantification of major bovine milk proteins by liquid chromatography 928(2001)63

Pseudoephedrine

Rapid chiral on-chip separation with simplified amperometric detection 928(2001)225

Pulsed amperometric detection

Determination of phytosiderophores by anion-exchange chromatography with pulsed amperometric detection 928(2001)171

Retention behaviour

Assessment of the retention properties of poly(vinyl alcohol) stationary phase for lipid class profiling in liquid chromatography 928(2001)127

Sector-field inductively coupled plasma mass spectrometry

Determination of actinides in environmental and biological samples using high-performance chelation ion chromatography coupled to sector-field inductively coupled plasma mass spectrometry 928(2001)91

Silica gel

Use of porous glass and silica gel as support media of a surface compound for generation of analytes in gaseous standard mixtures. New method for the determination of the amount of analyte generated 928(2001)99

Silver nitrate

Determination of polycyclic aromatic hydrocarbons by liquid chromatography–electrospray ionization mass spectrometry using silver nitrate as a post-column reagent 928(2001)53

Soybean

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Stationary phases, LC

Characterization and modeling of monolithic stationary phases: application to preparative chromatography 928(2001)13

Assessment of the retention properties of poly(vinyl alcohol) stationary phase for lipid class profiling in liquid chromatography 928(2001)127

Statistical analysis

Identification and quantification of major bovine milk proteins by liquid chromatography 928(2001)63

Steric mass action

Characterization and modeling of monolithic stationary phases: application to preparative chromatography 928(2001)13

Stir bar sorptive extraction

Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117

248

Streptomyces orientalis

On-column ligand synthesis coupled to partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to a receptor 928(2001)233

Support medium

Use of porous glass and silica gel as support media of a surface compound for generation of analytes in gaseous standard mixtures. New method for the determination of the amount of analyte generated 928(2001)99

Surface compounds

Use of porous glass and silica gel as support media of a surface compound for generation of analytes in gaseous standard mixtures. New method for the determination of the amount of analyte generated 928(2001)99

Tetracycline

Analysis of oxytetracycline, tetracycline, and chlortetracycline in water using solid-phase extraction and liquid chromatography–tandem mass spectrometry 928(2001)177

Thiodiglycol

Application of microcolumn liquid chromatography and capillary electrophoresis with flame photometric detection for the screening of degradation products of chemical warfare agents in water and soil 928(2001)187

Thorium

Determination of actinides in environmental and biological samples using high-performance chelation ion chromatography coupled to sector-field inductively coupled plasma mass spectrometry 928(2001)91

Ultra-short columns

Ultra-short columns and ballistic gradients: considerations for ultra-fast chromatographic liquid chromatographic-tanden mass spectrometric analysis 928(2001)41

Uranium

Determination of actinides in environmental and biological samples using high-performance chelation ion chromatography coupled to sector-field inductively coupled plasma mass spectrometry 928(2001)91

Vancomycin

On-column ligand synthesis coupled to partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to a receptor 928(2001)233

Vinclozolin

Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117

Wall effect model

Evaluation of frontal chromatograms 928(2001)1

Water analysis

Analysis of oxytetracycline, tetracycline, and chlortetracycline in water using solid-phase extraction and liquid chromatography–tandem mass spectrometry 928(2001)177

Wine

Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117

Zinc octoate

Determination of organo-zinc based fungicides in timber treatments employing gas chromatographic analysis with mass selective detection and/or inductively coupled plasma atomic emission spectroscopy 928(2001)209