



ELSEVIER

Journal of Chromatography A, 930 (2001) 179–182

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 930

Acaricides

Study of semi-automated solid-phase extraction for the determination of acaricide residues in honey by liquid chromatography 930(2001)21

Acrylamido monomers

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. III. Salt concentration effects and elution behavior 930(2001)79

Alkylphenols

Preparative isolation and dual column high-performance liquid chromatography of ginkgolic acids from *Ginkgo biloba* 930(2001)109

6-Alkylsalicylic acid

Preparative isolation and dual column high-performance liquid chromatography of ginkgolic acids from *Ginkgo biloba* 930(2001)109

Anacardic acid

Preparative isolation and dual column high-performance liquid chromatography of ginkgolic acids from *Ginkgo biloba* 930(2001)109

Andrographolide

Determination of bioactive diterpenoids from *Andrographis paniculata* by micellar electrokinetic chromatography 930(2001)171

Andrographis paniculata

Determination of bioactive diterpenoids from *Andrographis paniculata* by micellar electrokinetic chromatography 930(2001)171

Aniline

On-line microdialysis–high-performance liquid chromatographic determination of aniline and 2-chloroaniline in polymer industrial wastewater 930(2001)119

Automation

Automated dynamic sampling system for the on-line monitoring of biogenic emissions from living organisms 930(2001)39

Band broadening

Investigation and interpretation of band broadening in size exclusion chromatography 930(2001)61

Biogenic emissions

Automated dynamic sampling system for the on-line monitoring of biogenic emissions from living organisms 930(2001)39

Chemiluminescence detection

Consideration on peak shape in a batch-type chemiluminescence detection cell for capillary electrophoresis 930(2001)165

2-Chloroaniline

On-line microdialysis–high-performance liquid chromatographic determination of aniline and 2-chloroaniline in polymer industrial wastewater 930(2001)119

Chlorotoluron

Determination of phenylurea herbicides in natural waters at concentrations below 1 ng l^{-1} using solid-phase extraction, derivatization, and solid-phase microextraction–gas chromatography–mass spectrometry 930(2001)9

Curve fitting

Application of a new mathematical function for describing chromatographic peaks 930(2001)53

Cyclodextrins

Enantioseparation of phenothiazines in capillary zone electrophoresis using cyclodextrins as chiral selectors 930(2001)155

Deoxyandrographolide

Determination of bioactive diterpenoids from *Andrographis paniculata* by micellar electrokinetic chromatography 930(2001)171

Derivatization, GC

Determination of phenylurea herbicides in natural waters at concentrations below 1 ng l^{-1} using solid-phase extraction, derivatization, and solid-phase microextraction–gas chromatography–mass spectrometry 930(2001)9

Detection, CE

Consideration on peak shape in a batch-type chemiluminescence detection cell for capillary electrophoresis 930(2001)165

Dichlofluanid

Photodegradation study of the antifouling booster biocide dichlofluanid in aqueous media by gas chromatographic techniques 930(2001)135

Diffusion

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. III. Salt concentration effects and elution behavior 930(2001)79

Diuron

Determination of phenylurea herbicides in natural waters at concentrations below 1 ng l^{-1} using solid-phase extraction, derivatization, and solid-phase microextraction–gas chromatography–mass spectrometry 930(2001)9

Dynamic headspace analysis

Automated dynamic sampling system for the on-line monitoring of biogenic emissions from living organisms 930(2001)39

Enantiomer separation

Analysis of enantiomers giving partially overlapped peaks by using different treatments of the chromatographic ultraviolet signals: quantification of pseudoephedrine enantiomers 930(2001)95

Enantioseparation of phenothiazines in capillary zone electrophoresis using cyclodextrins as chiral selectors 930(2001)155

Exponentially modified Gaussian functions

Investigation and interpretation of band broadening in size exclusion chromatography 930(2001)61

Flavor compounds

Comparison of simultaneous distillation extraction and solid-phase microextraction for the determination of volatile flavor components 930(2001)1

Ginkgo biloba

Preparative isolation and dual column high-performance liquid chromatography of ginkgolic acids from *Ginkgo biloba* 930(2001)109

Ginkgolic acids

Preparative isolation and dual column high-performance liquid chromatography of ginkgolic acids from *Ginkgo biloba* 930(2001)109

Headspace analysis

Automated dynamic sampling system for the on-line monitoring of biogenic emissions from living organisms 930(2001)39

Honey

Study of semi-automated solid-phase extraction for the determination of acaricide residues in honey by liquid chromatography 930(2001)21

Hydroxypropylcellulose

Size exclusion behavior of hydroxypropylcellulose beads with temperature-dependent porosity 930(2001)73

Ion exchangers

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. III. Salt concentration effects and elution behavior 930(2001)79

Isoproturon

Determination of phenylurea herbicides in natural waters at concentrations below 1 ng l^{-1} using solid-phase extraction, derivatization, and solid-phase microextraction–gas chromatography–mass spectrometry 930(2001)9

Liquid chromatography–tandem mass spectrometry

Quantification of triiodinated benzene derivatives and X-ray contrast media in water samples by liquid chromatography–electrospray tandem mass spectrometry 930(2001)127

Microemulsion electrokinetic chromatography

Determination of octanol–water partition coefficients of pesticides by microemulsion electrokinetic chromatography 930(2001)145

Molecularly imprinted solid-phase extraction

Determination of phenytoin in plasma by molecularly imprinted solid-phase extraction 930(2001)31

Mustard paste

Comparison of simultaneous distillation extraction and solid-phase microextraction for the determination of volatile flavor components 930(2001)1

Octanol–water partition coefficient

Determination of octanol–water partition coefficients of pesticides by microemulsion electrokinetic chromatography 930(2001)145

Neoandrographolide

Determination of bioactive diterpenoids from *Andrographis paniculata* by micellar electrokinetic chromatography 930(2001)171

Organosulfur compounds

Enantioseparation of phenothiazines in capillary zone electrophoresis using cyclodextrins as chiral selectors 930(2001)155

Partition coefficients

Determination of octanol–water partition coefficients of pesticides by microemulsion electrokinetic chromatography 930(2001)145

Peak asymmetry

Application of a new mathematical function for describing chromatographic peaks 930(2001)53

Peak shape

Investigation and interpretation of band broadening in size exclusion chromatography 930(2001)61

Consideration on peak shape in a batch-type chemiluminescence detection cell for capillary electrophoresis 930(2001)165

Pesticides

Determination of phenylurea herbicides in natural waters at concentrations below 1 ng l^{-1} using solid-phase extraction, derivatization, and solid-phase microextraction–gas chromatography–mass spectrometry 930(2001)9

Photodegradation study of the antifouling booster biocide dichlofluanid in aqueous media by gas chromatographic techniques 930(2001)135

Determination of octanol–water partition coefficients of pesticides by microemulsion electrokinetic chromatography 930(2001)145

Pharmaceutical analysis

Enantioseparation of phenothiazines in capillary zone electrophoresis using cyclodextrins as chiral selectors 930(2001)155

Phenothiazines

Enantioseparation of phenothiazines in capillary zone electrophoresis using cyclodextrins as chiral selectors 930(2001)155

Phenylureas

Determination of phenylurea herbicides in natural waters at concentrations below 1 ng l^{-1} using solid-phase extraction, derivatization, and solid-phase microextraction–gas chromatography–mass spectrometry 930(2001)9

Phenytoin

Determination of phenytoin in plasma by molecularly imprinted solid-phase extraction 930(2001)31

Photodegradation

Photodegradation study of the antifouling booster biocide dichlofluanid in aqueous media by gas chromatographic techniques 930(2001)135

Polydimethylsiloxane

Automated dynamic sampling system for the on-line monitoring of biogenic emissions from living organisms 930(2001)39

Polymer beads

Size exclusion behavior of hydroxypropylcellulose beads with temperature-dependent porosity 930(2001)73

Polymeric gels

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. III. Salt concentration effects and elution behavior 930(2001)79

Porosity, temperature dependent

Size exclusion behavior of hydroxypropylcellulose beads with temperature-dependent porosity 930(2001)73

Preparative chromatography

Preparative isolation and dual column high-performance liquid chromatography of ginkgolic acids from *Ginkgo biloba* 930(2001)109

Proteins

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. III. Salt concentration effects and elution behavior 930(2001)79

Pseudoephedrine

Analysis of enantiomers giving partially overlapped peaks by using different treatments of the chromatographic ultraviolet signals: quantification of pseudoephedrine enantiomers 930(2001)95

Retention behaviour

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. III. Salt concentration effects and elution behavior 930(2001)79

Salt effects

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. III. Salt concentration effects and elution behavior 930(2001)79

Signal processing

Application of a new mathematical function for describing chromatographic peaks 930(2001)53

Simultaneous distillation extraction

Comparison of simultaneous distillation extraction and solid-phase microextraction for the determination of volatile flavor components 930(2001)1

Solid-phase extraction

Study of semi-automated solid-phase extraction for the determination of acaricide residues in honey by liquid chromatography 930(2001)21

Solid-phase microextraction

Comparison of simultaneous distillation extraction and solid-phase microextraction for the determination of volatile flavor components 930(2001)1

Sorptive enrichment

Automated dynamic sampling system for the on-line monitoring of biogenic emissions from living organisms 930(2001)39

Stationary phases, LC

Size exclusion behavior of hydroxypropylcellulose beads with temperature-dependent porosity 930(2001)73

Temperature-gradient interaction chromatography

Investigation and interpretation of band broadening in size exclusion chromatography 930(2001)61

Triiodinated benzene derivatives

Quantification of triiodinated benzene derivatives and X-ray contrast media in water samples by liquid chromatography–electrospray tandem mass spectrometry 930(2001)127

Volatile organic compounds

Comparison of simultaneous distillation extraction and solid-phase microextraction for the determination of volatile flavor components 930(2001)1

Water analysis

Determination of phenylurea herbicides in natural waters at concentrations below 1 ng l^{-1} using solid-phase extraction, derivatization, and solid-phase microextraction–gas chromatography–mass spectrometry 930(2001)9

On-line microdialysis–high-performance liquid chromatographic determination of aniline and 2-chloroaniline in polymer industrial wastewater 930(2001)119

Quantification of triiodinated benzene derivatives and X-ray contrast media in water samples by liquid chromatography–electrospray tandem mass spectrometry 930(2001)127

X-Ray contrast media

Quantification of triiodinated benzene derivatives and X-ray contrast media in water samples by liquid chromatography–electrospray tandem mass spectrometry 930(2001)127